

Db2[®] 13 for z/OS Reference Guide

*A guide to help with daily activities on
Db2[®] 13 for z/OS*



Produced by:

YL&A
www.ylassoc.com
info@ylassoc.com

04/04/2024



Notice and Disclaimer

This Db2® 13 for z/OS Reference Guide was developed to help users in their daily activities in administrating and programming in Db2 for z/OS. There are no guarantees expressed or implied with the contents in this guide. YL&A, is not liable for any loss or damage, direct or indirect, resulting from usage of this reference guide.

We want to provide a quality and useful reference for users. Please notify us of any mistakes or errors in this reference guide at info@ylassoc.com.

The syntax diagrams and tables were reprinted with permission from the IBM Corporation. Much of the material in this guide has copyrights held by the IBM Corporation.

Db2 is a registered trademark of the IBM Corporation.

Table of Contents

READING THE IBM® SYNTAX DIAGRAMS	21
LANGUAGE ELEMENTS.....	22
SPECIAL REGISTERS	22
HOST VARIABLES	23
FUNCTIONS.....	23
TABLE FUNCTION	23
EXPRESSIONS.....	23
LABELED DURATIONS.....	24
CASE EXPRESSIONS.....	24
CAST	24
XMLCAST SPECIFICATION	25
ARRAY-EXPRESSION.....	26
ARRAY-CONSTRUCTOR.....	26
NEXT VALUE EXPRESSION	26
PREVIOUS VALUE EXPRESSION	26
ROW CHANGE EXPRESSION	26
OLAP	26
PREDICATES	27
BASIC PREDICATE.....	28
QUANTIFIED PREDICATE.....	28
ARRAY_EXISTS PREDICATE	28
BETWEEN PREDICATE	28
DISTINCT PREDICATE	28
EXISTS PREDICATE.....	28
IN PREDICATE	28
LIKE PREDICATE	29
NULL PREDICATE	29
XML EXISTS.....	29
SEARCH CONDITIONS.....	29
AGGREGATE FUNCTIONS.....	30
ARRAY_AGG.....	30
AVG	30
CORRELATION	30
COUNT	30
COUNT_BIG	30
COVARIANCE OR COVARIANCE_SAMP	30
GROUPING	30

LISTAGG	30
MAX	31
MEDIAN	31
MIN	31
PERCENTILE_CONT	31
PERCENTILE_DISC	31
STDDEV	31
STDDEV_SAMP	31
SUM	31
VARIANCE OR VARIANCE SAMP	31
XMLAGG	31
SCALAR FUNCTIONS	32
ABS	32
ACOS	32
ADD_MONTHS	32
AI_ANALOGY	32
AI_SEMANTIC_CLUSTER	32
AI_SIMILARITY	32
ARRAY_DELETE	32
ARRAY_FIRST	32
ARRAY_LAST	32
ARRAY_NEXT	32
ARRAY_PRIOR	33
ARRAY_TRIM	33
ASCII	33
ASCII_CHR	33
ASCII_STR	33
ASIN	33
ATAN	33
ATANH	33
ATAN2	33
BIGINT	33
BINARY	33
BITAND, BITANDNOT, BITOR, BITXOR AND BITNOT	33
BLOB	33
CARDINALITY	33
CCSID_ENCODING	34
CEILING	34
CHAR	34
CHAR9	34
CHARACTER_LENGTH	34
CLOB	35

COALESCE	35
COLLATION_KEY	35
COMPARE_DECFLOAT	35
CONCAT	35
CONTAINS	35
COS	35
COSH.....	35
DATE	35
DAY.....	35
DAYOFMONTH	36
DAYOFWEEK.....	36
DAYOFWEEK_ISO.....	36
DAYOFYEAR.....	36
DAYS	36
DBCLOB	36
DECFLOAT.....	36
DECFLOAT_FORMAT	36
DECFLOAT_SORTKEY	36
DECIMAL OR DEC	36
DECODE.....	37
DECRYPT	37
DEGREES	37
DIFFERENCE.....	37
DIGITS	37
DOUBLE OR DOUBLE_PRECISION	37
DSN_XMLVALIDATE	37
EBCDIC_CHR.....	37
EBCDIC_STR.....	37
ENCRYPT_TDES	37
EXP	37
EXTRACT	37
FLOAT	38
GENERATE_UNIQUE AND GENERATE_UNIQUE_BINARY	38
GETHINT	38
FLOOR.....	38
GETVARIABLE.....	38
GRAPHIC.....	38
HASH_CRC32, HASH_MD5, HASH_SHA1, AND HASH_SHA256	38
HEX.....	38
HOUR	39
IDENTITY_VAL_LOCAL()	39
IFNULL.....	39
INSERT.....	39

INTEGER OR INT	39
JULIAN_DAY	39
LAST_DAY	39
LCASE	39
LEFT	39
LENGTH	39
LN	39
LOCATE	39
LOCATE_IN_STRING	40
LOG10	40
LOWER	40
LPAD	40
LTRIM	40
MAX	40
MAX_CARDINALITY	40
MICROSECOND	40
MIDNIGHT_SECONDS	40
MIN	40
MINUTE	40
MOD	40
MONTH	40
MONTHS_BETWEEN	41
MULTIPLY_ALT	41
NEXT_DAY	41
NORMALIZE_DECFLOAT	41
NORMALIZE_STRING	41
NULLIF	41
NVL	41
OVERLAY	41
PACK	41
POSITION	41
POSSTR	41
POWER	41
QUANTIZE	41
QUARTER	41
RADIANS	42
RAISE_ERROR	42
RAND	42
REAL	42
REPEAT	42
REPLACE	42
RID	42
RIGHT	42

ROUND	42
ROUND_TIMESTAMP	42
ROWID	42
RPAD	42
RTRIM	42
SCORE	42
SECOND	43
SIGN	43
SIN	43
SINH	43
SMALLINT	43
SOUNDEX	43
SOAPHTTTPC AND SOAPHTTTPV	43
SPACE	43
SQRT	43
STRIP	43
SUBSTR	43
SUBSTRING	44
TAN	44
TANH	44
TIME	44
TIMESTAMP	44
TIMESTAMPADD	44
TIMESTAMP_FORMAT	44
TIMESTAMP_ISO	44
TIMESTAMPDIFF	44
TIMESTAMP_TZ	44
TO_CHAR	44
TO_DATE	44
TO_NUMBER	45
TO_TIMESTAMP	45
TOTALORDER	45
TRANSLATE	45
TRIM	45
TRIM_ARRAY	45
TRUNCATE OR TRUNC	45
TRUNC_TIMESTAMP	45
UCASE	45
UNICODE	45
UNICODE_STR	45
UPPER	46
VALUE	46
VARBINARY	46

VARCHAR.....	46
VARCHAR_BIT_FORMAT.....	46
VARCHAR9.....	46
VARCHAR_FORMAT.....	47
VARGRAPHIC.....	47
VERIFY_GROUP_FOR_USER.....	47
VERIFY_ROLE_FOR_USER.....	47
VERIFY_TRUSTED_CONTEXT_ROLE_USER.....	47
WEEK.....	47
WEEK_ISO.....	47
WRAP.....	47
XMLATTRIBUTES.....	47
XMLCOMMENT.....	48
XMLCONCAT.....	48
XMLDOCUMENT.....	48
XMLELEMENT.....	48
XMLFOREST.....	48
XMLMODIFY.....	48
XMLNAMESPACE.....	48
XMLPARSE.....	49
XMLPI.....	49
XMLQUERY.....	49
XMLSERIALIZE.....	49
XMLTEXT.....	49
XMLXSROBJECTID.....	49
XSLTRANSFORM.....	49
YEAR.....	49
TABLE FUNCTIONS.....	50
ADMIN_TASK_LIST.....	50
ADMIN_TASK_OUTPUT.....	50
ADMIN_TASK_STATUS.....	50
BLOCKING_THREADS.....	50
XMLTABLE.....	50
ROW FUNCTIONS.....	50
UNPACK.....	50
QUERIES.....	51
SUBSELECT.....	51
SELECT-CLAUSE.....	51
FULLSELECT.....	54

STATEMENTS	56
ALLOCATE CURSOR.....	56
ALTER DATABASE	56
ALTER FUNCTION (EXTERNAL)	56
ALTER FUNCTION (COMPILED SQL SCALAR)	58
ALTER FUNCTION (INLINE SQL SCALAR).....	61
ALTER FUNCTION (SQL TABLE)	62
ALTER INDEX.....	63
ALTER MASK	64
ALTER PERMISSION.....	64
ALTER PROCEDURE (EXTERNAL).....	64
ALTER PROCEDURE (SQL-EXTERNAL)	66
ALTER PROCEDURE (SQL-NATIVE)	66
ALTER SEQUENCE	69
ALTER STOGROUP	69
ALTER TABLE	70
ALTER TABLESPACE.....	77
ALTER TRIGGER (ADVANCED).....	78
ALTER TRIGGER (BASIC)	80
ALTER TRUSTED CONTEXT	80
ALTER VIEW	81
ASSOCIATE LOCATORS.....	81
BEGIN DECLARE SECTION	81
CALL	81
CLOSE	82
COMMENT ON	82
COMMIT	83
CONNECT	83
CREATE ALIAS	84
CREATE AUXILIARY TABLE	84
CREATE DATABASE	84
CREATE FUNCTION (COMPILED SQL SCALAR)	84
CREATE FUNCTION (EXTERNAL SCALAR).....	87
CREATE FUNCTION(EXTERNAL TABLE)	89
CREATE FUNCTION (SOURCED)	91
CREATE FUNCTION (INLINE SQL SCALAR)	93
CREATE FUNCTION (SQL TABLE).....	94
CREATE GLOBAL TEMPORARY TABLE	96
CREATE INDEX.....	96
CREATE MASK	99
CREATE PERMISSION.....	99
CREATE PROCEDURE (EXTERNAL).....	99

CREATE PROCEDURE (SQL - EXTERNAL)	101
CREATE PROCEDURE (SQL-NATIVE).....	103
CREATE ROLE	106
CREATE SEQUENCE.....	106
CREATE STOGROUP	107
CREATE TABLE	107
CREATE TABLESPACE	113
CREATE TRIGGER (ADVANCED)	114
CREATE TRIGGER(BASIC)	116
CREATE TRUSTED CONTEXT.....	117
CREATE TYPE (ARRAY)	117
CREATE TYPE(DISTINCT).....	118
CREATE VARIABLE	119
CREATE VIEW.....	120
DECLARE CURSOR.....	120
DECLARE GLOBAL TEMPORARY TABLE	121
DECLARE STATEMENT	123
DECLARE TABLE	123
DECLARE VARIABLE	124
DELETE	124
DESCRIBE CURSOR	125
DESCRIBE INPUT	125
DESCRIBE OUTPUT	125
DESCRIBE PROCEDURE	125
DESCRIBE TABLE.....	125
DROP	126
END DECLARE SECTION	127
EXCHANGE	127
EXECUTE	127
EXECUTE IMMEDIATE	127
EXPLAIN	128
FETCH	128
FREE LOCATOR	129
GET DIAGNOSTICS	129
GRANT	130
GRANT (COLLECTION PRIVILEGES).....	131
GRANT (DATABASE PRIVILEGES).....	131
GRANT (FUNCTION OR PROCEDURE PRIVILEGES)	131
GRANT (PACKAGE PRIVILEGES).....	132
GRANT (PLAN PRIVILEGES).....	133
GRANT (SCHEMA PRIVILEGES)	133
GRANT (SEQUENCE PRIVILEGES)	133
GRANT (SYSTEM PRIVILEGES).....	133

GRANT (TABLE OR VIEW PRIVILEGES).....	134
GRANT (TYPE OR JAR PRIVILEGES).....	134
GRANT (VARIABLE PRIVILEGES).....	135
GRANT (USE PRIVILEGES).....	135
HOLD LOCATOR.....	135
INCLUDE.....	135
INSERT.....	135
LABEL.....	137
LOCK TABLE.....	137
MERGE.....	137
OPEN.....	139
PREPARE.....	139
REFRESH TABLE.....	140
RELEASE.....	140
RELEASE SAVEPOINT.....	140
RELEASE (CONNECTION).....	140
RENAME.....	141
REVOKE.....	141
REVOKE (COLLECTION PRIVILEGES).....	141
REVOKE (DATABASE PRIVILEGES).....	141
REVOKE (FUNCTION OR PROCEDURE PRIVILEGES).....	142
REVOKE (PACKAGE PRIVILEGES).....	143
REVOKE (PLAN PRIVILEGES).....	144
REVOKE (SCHEMA PRIVILEGES).....	144
REVOKE (SEQUENCE PRIVILEGES).....	144
REVOKE (SYSTEM PRIVILEGES).....	145
REVOKE (TABLE OR VIEW PRIVILEGES).....	145
REVOKE (TYPE OR JAR PRIVILEGES).....	146
REVOKE (USE PRIVILEGES).....	146
REVOKE (VARIABLE PRIVILEGES).....	147
ROLLBACK.....	147
SAVEPOINT.....	147
SELECT INTO.....	147
SET CONNECTION.....	148
SET ASSIGNMENT STATEMENT.....	148
SET CURRENT APPLICATION COMPATIBILITY.....	148
SET CURRENT APPLICATION ENCODING SCHEME.....	148
SET CURRENT DEBUG MODE.....	148
SET CURRENT DECFLOAT ROUNDING MODE.....	149
SET CURRENT DEGREE.....	149
SET CURRENT EXPLAIN MODE.....	149
SET CURRENT GET_ACCEL_ARCHIVE.....	149
SET CURRENT LOCALE LC_CTYPE.....	149

SET CURRENT LOCK TIMEOUT	149
SET CURRENT MAINTAINED TABLE TYPES FOR OPTIMIZATION	149
SET CURRENT OPTIMIZATION HINT	150
SET CURRENT PACKAGE PATH	150
SET CURRENT PACKAGESET	150
SET CURRENT PRECISION	150
SET CURRENT QUERY ACCELERATION	150
SET CURRENT REFRESH AGE	150
SET CURRENT RULES	150
SET CURRENT ROUTINE VERSION	150
SET CURRENT SQLID	151
SET CURRENT TEMPORAL BUSINESS_TIME	151
SET CURRENT TEMPORAL SYSTEM_TIME	151
SET ENCRYPTION PASSWORD	151
SET PATH	151
SET SCHEMA	151
SET SESSION TIME ZONE	151
SIGNAL SQLSTATE	152
TRANSFER OWNERSHIP	152
TRUNCATE	152
UPDATE	152
VALUES	153
VALUES INTO	154
WHENEVER	154
COMMANDS	155
-ACCESS DATABASE	155
-ALTER BUFFERPOOL	155
-ACTIVATE	155
-ACTIVATE NEW FUNCTION	156
-ALTER GROUPBUFFERPOOL	156
-ALTER UTILITY	156
-ARCHIVE LOG	156
-BIND PACKAGE	156
-BIND PLAN	158
-BIND QUERY	159
-CANCEL THREAD	159
/CHANGE IMS	159
DCLGEN	160
/DISPLAY IMS	160
-DISPLAY ACCEL	160
-DISPLAY ARCHIVE	160
-DISPLAY BLOCKERS	160

-DISPLAY BUFFERPOOL	161
-DISPLAY DATABASE	161
-DISPLAY DDF	162
-DISPLAY DYNQUERYCAPTURE	162
-DISPLAY FUNCTION SPECIFIC.....	162
-DISPLAY GROUP	163
-DISPLAY GROUPBUFFERPOOL.....	163
-DISPLAY LOCATION	163
-DISPLAY LOG	163
-DISPLAY ML.....	163
-DISPLAY PROCEDURE.....	163
-DISPLAY PROFILE	164
-DISPLAY RLIMIT	164
-DISPLAY RESTSVC.....	164
-DISPLAY STATS	164
-DISPLAY THREAD	164
-DISPLAY TRACE	165
-DISPLAY UTILITY	166
DSN TSO	167
DSNC (CICS ATTACHMENT FACILITY).....	167
DSNC DISCONNECT (CICS ATTACHMENT FACILITY)	167
DSNC DISPLAY (CICS ATTACHMENT FACILITY).....	167
DSNC MODIFY(CICS ATTACHMENT FACILITY).....	167
DSNC STOP (CICS ATTACHMENT FACILITY)	167
DSNC START (CICS ATTACHMENT FACILITY)	167
DSNH (TSO CLIST)	167
END	167
FREE STABILIZED DYNAMIC QUERY (DSN).....	168
FREE PACKAGE	168
FREE PLAN	168
FREE QUERY.....	168
FREE SERVICE.....	168
MODIFY ADMTPROC,APPL=SHUTDOWN.....	168
MODIFY ADMTPROC,APPL=TRACE	168
-MODIFY DDF.....	169
MODIFY IRLMPROC, ABEND.....	169
MODIFY IRLMPROC, DIAG	169
MODIFY IRLMPROC, PURGE	169
MODIFY IRLMPROC, SET	169
MODIFY IRLMPROC, STATUS.....	169
-MODIFY TRACE (DB2)	170
REBIND PACKAGE	170
REBIND PLAN	172

REBIND TRIGGER PACKAGE	173
-RECOVER BSDS	174
-RECOVER INDOUBT	174
-RECOVER POSTPONED	174
-REFRESH DB2, EARLY	174
-RESET GENERICLU	174
-RESET INDOUBT	174
RUN	174
-SET ARCHIVE	174
-SET LOG	175
-SET SYSPARM	175
SPUFI	175
/SSR	175
-START ACCEL	175
-START ADMTPROC	175
-START CCDS	175
/START IMS	175
-START DATABASE	176
-START DB2	176
-START DDF	176
-START DYNQUERYCAPTURE	176
-START FUNCTION SPECIFIC	177
-START ADMTPROC	177
-START IRLMPROC	177
-START ML	177
-START PROCEDURE	177
-START PROFILE	178
-START RLIMIT	178
-START RESTSVC	178
-START TRACE	178
-STOP ACCEL	180
/STOP IMS	180
STOP ADMTPROC	180
-STOP CCDS	180
-STOP DATABASE	181
-STOP DB2	181
-STOP DDF	181
-STOP DYNQUERYCAPTURE	181
-STOP FUNCTION SPECIFIC	181
STOP IRLMPROC	182
-STOP CCDS	182
-STOP PROCEDURE	182
-STOP PROFILE	182

-STOP RLIMIT	182
-STOP RESTSVC	182
-STOP TRACE	182
-TERM UTILITY	184
TRACE IMS.....	184
TRACE CT	184
SQL CONTROL STATEMENTS	186
SQL CONTROL STATEMENT	186
ASSIGNMENT	186
CALL	186
CASE	186
COMPOUND	187
FOR	188
GET DIAGNOSTICS.....	188
GOTO	188
IF.....	188
ITERATE.....	188
LEAVE	188
LOOP.....	188
REPEAT.....	189
RESIGNAL.....	189
RETURN	189
SIGNAL.....	189
WHILE.....	189
SQL PROCEDURE STATEMENT	189
EXPLAIN TABLES.....	191
PLAN_TABLE	191
DSN_COLDIST_TABLE	197
DSN_DETCOST_TABLE.....	199
DSN_FILTER_TABLE	200
DSN_FUNCTION_TABLE	200
DSN_KEYTGTDIST_TABLE	201
DSN_PGRANGE_TABLE	202
DSN_PGROUPE_TABLE	203
DSN_PREDICAT_TABLE.....	205
DSN_PREDICATE_SELECTIVITY.....	207
DSN_QUERYINFO_TABLE	207
DSN_PTASK_TABLE	208
DSN_QUERY_TABLE	209
DSN_SORTKEY_TABLE.....	210

DSN_SORT_TABLE	211
DSN_STATEMENT_CACHE_TABLE	212
DSN_STATEMNT_TABLE	215
DSN_STAT_FEEDBACK	217
DSN_STRUCT_TABLE	218
DSN_VIEWREF_TABLE	219
DB2 INPUT TABLES	221
DSN_USERQUERY_TABLE	221
DSN_VIRTUAL_INDEXES	222
DSN_VIRTUAL_KEYTARGETS	223
DB2 SQL DATA INSIGHT INPUT TABLES	224
SYSAIDB.SYSAIOBJECTS	224
SYSAIDB.SYSAICONFIGURATIONS	224
SYSAIDB.SYSAICOLUMNCONFIG	225
SYSAIDB.SYSAIMODELS	225
SYSAIDB.SYSAICOLUMNCENTERS	226
SYSAIDB.SYSAITRAININGJOBS	226
DSNZPARMS	228
BIND PARAMETERS	238
DB2 LIMITS	243
IDENTIFIER LENGTH LIMITS	243
NUMERIC LIMITS	243
STRING LENGTH LIMITS	244
DATETIME LIMITS	245
DB2 LIMITS ON SQL STATEMENTS	245
DB2 SYSTEM LIMITS	247
SQL COMMUNICATION AREA (SQLCA)	249
REXX SQLCA	252
GET DIAGNOSTICS	253
STATEMENT INFORMATION	253
CONDITIONAL DATA TYPES	254
CONNECTION INFORMATION	255

PREDICATES (STAGE 1/2/INDEXABLE)	256
IFCIDS	258
EXCEPTIONS	270
DB2 CATALOG TABLES	274
SYSIBM.IPLIST	274
SYSIBM.IPNAMES	274
SYSIBM.LOCATIONS	274
SYSIBM.LULIST	275
SYSIBM.LUMODES	275
SYSIBM.LUNAMES	275
SYSIBM.MODESELECT	276
SYSIBM.SYSAUDITPOLICIES	276
SYSIBM.SYSAUTOALERTS	278
SYSIBM.SYSAUTOALERTS_OUT	278
SYSIBM.SYSAUTORUNS_HIST	278
SYSIBM.SYSAUTORUNS_HISTOU	279
SYSIBM.SYSAUTOTIMEWINDOWS	279
SYSIBM.SYSAUXRELS	279
SYSIBM.SYSCHECKDEP	279
SYSIBM.SYSCHECKS	280
SYSIBM.SYSCHECKS2	280
SYSIBM.SYSCOLAUTH	280
SYSIBM.SYSCOLDIST	281
SYSIBM.SYSCOLDISTSTATS	281
SYSIBM.SYSCOLDIST_HIST	282
SYSIBM.SYSCOLSTATS	282
SYSIBM.SYSCOLUMNS	283
SYSIBM.SYSCOLUMNS_HIST	285
SYSIBM.SYSCONSTDEP	285
SYSIBM.SYSCONTEXT	286
SYSIBM.SYSCONTEXTAUTHIDS	286
SYSIBM.SYSCONROLS	286
SYSIBM.SYSCOPY	287
SYSIBM.SYSCTXTTRUSTATTRS	291
SYSIBM.SYSDATABASE	292
SYSIBM.SYSDATATYPES	292
SYSIBM.SYSDBAUTH	293
SYSIBM.SYSDBRM	295

SYSIBM.SYSDEPENDENCIES	296
SYSIBM.SYSDUMMY1	297
SYSIBM.SYSDUMMYA	297
SYSIBM.SYSDUMMYE	297
SYSIBM.SYSDUMMYU	297
SYSIBM.SYSDYNQRY	297
SYSIBM.SYSDYNQRYDEP	298
SYSIBM.SYSDYNQRY_EXPL	299
SYSIBM.SYSDYNQRY_OPL	299
SYSIBM.SYSDYNQRY_SHTEL	299
SYSIBM.SYSDYNQRY_SPAL	299
SYSIBM.SYSDYNQRY_TXTL	299
SYSIBM.SYSENVIRONMENT	300
SYSIBM.SYSFIELDS	301
SYSIBM.SYSFOREIGNKEYS	301
SYSIBM.SYSINDEXCONTROL	301
SYSIBM.SYSINDEXCLEANUP	302
SYSIBM.SYSINDEXES	302
SYSIBM.SYSINDEXES_HIST	305
SYSIBM.SYSINDEXES_RTSECT	305
SYSIBM.SYSINDEXES_TREE	305
SYSIBM.SYSINDEXPART	305
SYSIBM.SYSINDEXPART_HIST	307
SYSIBM.SYSINDEXSPACESTATS	307
SYSIBM.SYSINDEXSTATS	309
SYSIBM.SYSINDEXSTATS_HIST	310
SYSIBM.SYSJARCLASS_SOURCE	310
SYSIBM.SYSJARCONTENTS	310
SYSIBM.SYSJARDATA	310
SYSIBM.SYSJAROBJECTS	310
SYSIBM.SYSJAVA_OPTS	311
SYSIBM.SYSJAVAPATHS	311
SYSIBM.SYSKEYCOLUSE	311
SYSIBM.SYSKEYS	311
SYSIBM.SYSKEYTARGETS	312
SYSIBM.SYSKEYTARGETSTATS	313
SYSIBM.SYSKEYTARGETS_HIST	313
SYSIBM.SYSKEYTGTDIST	314
SYSIBM.SYSKEYTGTDISTSTATS	314
SYSIBM.SYSKEYTGTDIST_HIST	315
SYSIBM.SYSLEVELUPDATES	315
SYSIBM.SYSLOBSTATS	316
SYSIBM.SYSLOBSTATS_HIST	316

SYSIBM.SYSOBJROLEDEP	316
SYSIBM.SYSPACKAGE	317
SYSIBM.SYSPACKCOPY	322
SYSIBM.SYSPACKAUTH	327
SYSIBM.SYSPACKDEP	328
SYSIBM.SYSPACKLIST	328
SYSIBM.SYSPACKSTMT	329
SYSIBM.SYSPACKSTMTCOPY	330
SYSIBM.SYSPACKSTMTDEP	332
SYSIBM.SYSPACKSTMT_STMB	333
SYSIBM.SYSPACKSTMT_STMT	333
SYSIBM.SYSPARMS	333
SYSIBM.SYSPENDINGDDL	334
SYSIBM.SYSPENDINGOBJECT	335
SYSIBM.SYSPKSYSTEM	335
SYSIBM.SYSPLAN	336
SYSIBM.SYSPLANAUTH	338
SYSIBM.SYSPLANDEP	339
SYSIBM.SYSPLSYSTEM	340
SYSIBM.SYSQUERY	340
SYSIBM.SYSQUERYPRIDICATE	341
SYSIBM.SYSQUERYSEL	343
SYSIBM.SYSQUERY_AUX	343
SYSIBM.SYSQUERYOPTS	343
SYSIBM.SYSQUERYPLAN	344
SYSIBM.SYSRELS	348
SYSIBM.SYSRESAUTH	348
SYSIBM.SYSROLES	349
SYSIBM.SYSROUTINEAUTH	349
SYSIBM.SYSROUTINES	350
SYSIBM.SYSROUTINESTEXT	356
SYSIBM.SYSROUTINES_OPTS	356
SYSIBM.SYSROUTINES_PTREE	356
SYSIBM.SYSROUTINES_SRC	356
SYSIBM.SYSSCHEMAAUTH	357
SYSIBM.SYSSEQUENCEAUTH	357
SYSIBM.SYSSEQUENCES	358
SYSIBM.SYSSEQUENCESDEP	359
SYSIBM.SYSSESSION	360
SYSIBM.SYSSESSION_EX	360
SYSIBM.SYSSTATFEEDBACK	360
SYSIBM.SYSSESSION_STATUS	361
SYSIBM.SYSSTMT	361

SYSIBM.SYSSTOGRROUP	362
SYSIBM.SYSSTRINGS	363
SYSIBM.SYSSYNONYMS	363
SYSIBM.SYSTABAUTH	363
SYSIBM.SYSTABCONST	365
SYSIBM.SYSTABLEPART	365
SYSIBM.SYSTABLEPART_HIST	368
SYSIBM.SYSTABLES	369
SYSIBM.SYSTABLESPACE	372
SYSIBM.SYSTABLESPACESTATS	376
SYSIBM.SYSTABLES_HIST	378
SYSIBM.SYSTABLES_PROFILES	379
SYSIBM.SYSTABLES_PROFILE_TEXT	379
SYSIBM.SYSTABSTATS	379
SYSIBM.SYSTABSTATS_HIST	379
SYSIBM.SYSTRIGGERS	380
SYSIBM.SYSTRIGGERS_STMT	381
SYSIBM.SYSUSERAUTH	381
SYSIBM.SYSUTILITIES	384
SYSIBM.SYSVARIABLES	385
SYSIBM.SYSVARIABLEAUTH	386
SYSIBM.SYSVARIABLES_DESC	387
SYSIBM.SYSVARIABLES_TEXT	387
SYSIBM.SYSVIEWDEP	387
SYSIBM.SYSVIEWS	387
SYSIBM.SYSVIEWS_STMT	388
SYSIBM.SYSVIEWS_TREE	389
SYSIBM.SYSVOLUMES	389
SYSIBM.SYSXMLRELS	389
SYSIBM.SYSXMLSTRINGS	389
SYSIBM.USERNAMES	389
SYSIBM.SYSXMLTYPMOD	390
SYSIBM.SYSXMLTYPMSHEMA	390
XML SCHEMA REPOSITORY TABLES	391
SYSIBM.XSRCOMPONENT	391
SYSIBM.XSROBJECTS	391
SYSIBM.XSROBJECTCOMPONENTS	391
SYSIBM.XSROBJECTGRAMMER	392
SYSIBM.XSROBJECTHIERARCHIES	392
SYSIBM.XSROBJECTPROPERTY	392
SYSIBM.XSRPROPERTY	392

UPDATEABLE CATALOG STATISTICS	393
IBM UTILITIES	398
BACKUP SYSTEM	398
CATMAINT	398
CHECK DATA	398
CHECK INDEX	399
CHECK LOB	400
COPY	400
COPYTOCOPY	401
DIAGNOSE	402
EXEC SQL	403
LISTDEF	403
LOAD	404
MERGECOPY	411
MODIFY RECOVERY	412
MODIFY STATISTICS	412
OPTIONS	413
QUIESCE	413
REBUILD INDEX	413
RECOVER	415
REORG INDEX	417
REORG TABLESPACE	419
REPAIR	425
REPORT	426
RESTORE SYSTEM	427
RUNSTATS	427
STOSPACE	430
TEMPLATE	430
UNLOAD	432
SQL POSITIVE RETURN CODES	437
SQL ERROR RETURN CODES	441
RESOURCE TYPES	469

Reading the IBM® Syntax Diagrams

Read the syntax diagrams from left to right, from top to bottom, following the path of the line.

The >>--- symbol indicates the beginning of a statement.

The ---> symbol indicates that the statement syntax is continued on the next line.

The >--- symbol indicates that a statement is continued from the previous line.

The --->< symbol indicates the end of a statement.

Diagrams of syntactical units other than complete statements start with the

>--- symbol and end with the ---> symbol.

Required items appear on the horizontal line (the main path).

```
>>__required_item_____><
```

Optional items appear below the main path.

```
>>__required_item_____><
|_optional_item_|
```

If an optional item appears above the main path, that item has no effect on the execution of the statement and is used only for readability.

```
                _optional_item_
>>__required_item_|_____><
```

If you can choose from two or more items, they appear vertically, in a stack. If you must choose one of the items, one item of the stack appears on the main path.

```
>>__required_item__required_choice1_____><
|_required_choice2_|
```

If choosing one of the items is optional, the entire stack appears below the main path.

```
>>__required_item_____><
|_optional_choice1_|
|_optional_choice2_|
```

If one of the items is the default, it appears above the main path and the remaining choices are shown below.

```
                _default_choice_
>>__required_item_|_____><
|_optional_choice_|
|_optional_choice_|
```

An arrow returning to the left, above the main line, indicates an item that can be repeated.

```
                <_____
>>__required_item__repeatable_item_|_____><
```

If the repeat arrow contains a comma, you must separate repeated items with a comma.

```
                <_,_____
>>__required_item__repeatable_item_|_____><
```

A repeat arrow above a stack indicates that you can repeat the items in the stack.

Keywords appear in uppercase (for example, FROM). They must be spelled exactly as shown. Variables appear in all lowercase letters (for example, column-name). They represent user-supplied names or values. If punctuation marks, parentheses, arithmetic operators, or other such symbols are shown, you must enter them as part of the syntax.

Language Elements

Special Registers

```

>>  _CURRENT APPLICATION ENCODING SCHEME _____ <<
| _CURRENT APPLICATION COMPATIBILITY _____ |
| _CURRENT ACCELARATOR _____ |
| _CURRENT CLIENT ACCTNG _____ |
| _CURRENT CLIENT APPLNAME _____ |
| _CURRENT CLIENT USERID _____ |
| _CURRENT CLIENT CORR_TOKEN _____ |
| _CURRENT CLIENT WRKSTNAME _____ |
| _CURRENT DATE _____ |
| | _CURRENT_DATE _____ | |
| _CURRENT DEBUG MODE _____ |
| _CURRENT DECFLOAT ROUNDING MODE _____ |
| _CURRENT DEGREE _____ |
| _CURRENT EXPLAIN MODE _____ |
| _CURRENT GET_ACCEL_ARCHIVE _____ |
| | _CURRENT_LOCALE _____ | | | |
| | _CURRENT_ | _____ | | _LC_CTYPE_ _____ |
| | _CURRENT_LC_CTYPE _____ | |
| _CURRENT LOCK TIMEOUT _____ |
| | _CURRENT_TABLE _____ | | _CURRENT_FOR OPTIMIZATION_ _____ |
| _CURRENT MAINTAINED _____ | | _CURRENT_TYPES _____ | |
| _CURRENT MEMBER _____ |
| _CURRENT OPTIMIZATION HINT _____ |
| _CURRENT PACKAGE PATH _____ |
| _CURRENT PACKAGESET _____ |
| | _CURRENT_PATH _____ | |
| | _CURRENT_PATH_ | _____ | |
| _CURRENT PRECISION _____ |
| _CURRENT QUERY ACCELERATION _____ |
| _CURRENT QUERY ACCELERATION WAITFORDATA _____ |
| _CURRENT REFRESH AGE _____ |
| _CURRENT ROUTINE VERSION _____ |
| _CURRENT RULES _____ |
| | _CURRENT_SCHEMA _____ | |
| | _CURRENT_SCHEMA _____ | |
| _CURRENT SERVER _____ |
| _CURRENT SQLID _____ |
| | _CURRENT_ ( 6 ) _____ | | _CURRENT_WITHOUT TIME ZONE_ _____ | | | | | | |
| | _CURRENT_TIMESTAMP _____ | | | _____ | |
| | | _____ | | | (integer) _____ | | | _CURRENT_WITH TIME ZONE _____ | |
| | _CURRENT_TIMESTAMP_ | _____ | |
| | _CURRENT_TIME _____ | |
| | | _____ | | |
| | | _CURRENT_TIME _____ | | |
| _CURRENT TIME_ZONE _____ |
| _SESSION TIME_ZONE _____ |
| _ENCRYPTION PASSWORD _____ |
| _SESSION_USER _____ |
| | _CURRENT_USER _____ | |
| _CURRENT TEMPORAL SYSTEM_TIME _____ |

```

```
|_CURRENT TEMPORAL BUSINESS_TIME_____|
```

Host Variables

```
> __:host-identifier_____>
      |_____INDICATOR_____|
      |__|_____|_:host-identifier_|
```

In Java, the syntax of host-variable is:

```
> __:_____java-identifier_____>
      |_IN_| |_(java-expression)_| |_INDICATOR_|
      |_OUT_| |_____|_:_Java-identifier_|
      |_INOUT_|
```

In PL/I, C, and COBOL, the syntax of host-variable is:

```
> __:_____host-identifier_____>
      |_host-identifier_|
> _____>
      |_____INDICATOR_____|
      |__|_____|_:_____host-identifier_|
      |_____|_:_host-identifier_|
```

Functions

```
> __function-name_(_____)>
      |_ALL_| |<_,_____|
      |_DISTINCT_| |_____expression_____|
      |_____TABLE__transition-table-name_|
```

Table Function

```
> _TABLE_(function-name(_____))_correlation-clause_>
      |<_,_____|
      |_expression_____|
      |_TABLE_transition_table_name_|
```

Expressions

```
<_operator_____
> |_____function-invocation_____|_____>
  |_+_| |_(expression)_____|
  |_--_| |_constant_____|
  |_____| |_column-name_____|
  |_____| |_variable_____|
  |_____| |_special-register_____|
  |_____| |_scalar-fullselect_____|
  |_____| |_time-zone-expression_____|
  |_____| |_labeled-duration_____|
  |_____| |_case-expression_____|
  |_____| |_cast-specification_____|
  |_____| |_XMLCAST-specification_____|
  |_____| |_array-element-spec_____|
  |_____| |_array-constructor_____|
  |_____| |_sequence-reference_____|
  |_____| |_row-change-expression_____|
  |_____| |_OLAP-specification_____|

> _____CONCAT_____>
  |__|_____|
```



```
|_/_|
|_*_|
|_+_|
|_ -_|
```

Labeled durations

```
> ___function-invocation___ YEAR _____>
|_(expression)___| |YEARS_____|
|_constant_____| |MONTH_____|
|_column-name___| |MONTHS_____|
|_variable_____| |DAY_____|
|                 | |DAYS_____|
|                 | |HOURL_____|
|                 | |HOURS_____|
|                 | |MINUTE_____|
|                 | |MINUTES____|
|                 | |SECOND_____|
|                 | |SECONDS____|
|                 | |MICROSECOND_|
|                 | |MICROSECONDS_|
```

CASE expressions

```
> ___CASE___ ___searched-when-clause___ |___ELSE NULL___| _____>
|___simple-when-clause___| |___ELSE___result-expression_| _____>
> ___END___ _____>
```

searched-when-clause:

```
< _____>
> ___WHEN___search-condition___ THEN___result-expression___| _____>
|___NULL___| _____>
```

simple-when-clause:

```
< _____>
> ___expression___ WHEN___expression___ THEN___result-expression___| _____>
|___NULL___| _____>
```

CAST

```
> ___CAST___ (___expression___ AS___data-type___) _____>
|___NULL___| _____>
|___parameter-marker___| _____>
```

data-type:

```
> ___built-in-data-type___ _____>
|___distinct-type-name___| _____>
|___array-type___| _____>
```

built-in data-type:

```
> SMALLINT _____>>
| |INTEGER| _____>
| |INT| _____>
| |BIGINT| _____>
| _____(5,0)_____>
| DECIMAL | _____>
| |DEC| |__(integer)___| _____>
| |NUMERIC| |__, integer_| _____>
| _____(34)_____>
```

DECFLOAT	(16)	(53)							
REAL	(integer)								
DOUBLE	PRECISION	(1 OCTETS)							
CHARACTER									
CHAR	(length)		CCSID	ASCII	FOR	SBCS	DATA		
CHARACTER VARYING	(length)			EBCDIC		MIXED			
CHAR				UNICODE		BIT			
VARCHAR			CCSID	integer					
CHARACTER LARGE OBJECT		(1M OCTETS)							
CHAR	(lob length)		CCSID	ASCII	FOR	SBCS	DATA		
CLOB				EBCDIC		MIXED			
				UNICODE		BIT			
			CCSID	integer					
GRAPHIC	(1 CODEUNITS16)								
VARGRAPHIC	(length)		CCSID	ASCII					
				EBCDIC					
DBCLOB	(1M CODEUNITS16)			UNICODE					
	(lob length)			integer					
BINARY	(1)								
	(integer)								
BINARY VARYING	(integer)								
VARBINARY									
BINARY LARGE OBJECT		(1M)							
BLOB	(integer)								
				K					
				M					
				G					
DATE									
TIME									
TIMESTAMP	(6)						WITHOUT TIME ZONE		
	(integer)						WITH TIME ZONE		
ROWID									
XML									

length:

> integer >

CODEUNITS16	
CODEUNITS32	
OCTETS	

lob-length:

> integer >

K	CODEUNITS16
M	CODEUNITS32
G	OCTETS

XMLCAST specification

> XMLCAST (expression AS data-type) >

NULL
parameter-marker

Array-expression

```
> __array-expression__ (array-index) _____>
```

Array-constructor

```
> __ARRAY__ [ _____ ] _____>
|_fullselect_____|
|_|'_____||
|_|v_____||
|_|element-expression_____||
|_|NULL_____||
```

NEXT VALUE expression

```
> __NEXT VALUE FOR sequence-name _____>
```

PREVIOUS VALUE expression

```
> __PREVIOUS VALUE FOR sequence-name _____>
```

ROW CHANGE expression

```
> __ROW CHANGE__ __TIMESTAMP__ FOR __table-designator__ _____>
|_|_TOKEN_____||
```

OLAP

```
> __ordered-OLAP-specification _____>
|_|_numbering-specification____|
|_|_aggregation-specification_|
```

ordered-OLAP-specification:

```
> __RANK__ ( ) __OVER__ ( _____ window-order-clause ) _____>
|_|_DENSE_RANK__ ( ) | | _____|_window-partition-clause_|
```

numbering-specification:

```
> __ROW_NUMBER__ ( ) __OVER__ ( _____ window-order-clause ) _____>
|_| _____|_window-partition-clause_|
```

aggregation-specification:

```
> __aggregate function__ ( ) __OVER__ ( _____ window-order-clause ) _____>
|_| _____|_window-partition-clause_|
```

```
> | _____ RANGE BETWEEN UNBOUNDED PRECEDING AND UNBOUNDED FOLLOWING _____| _____>
|_| _____ RANGE BETWEEN UNBOUNDED PRECEDING AND CURRENT ROW _____| |
|_|_window-order_| _____|_window-aggregation-group-clause_____||
```

window-partition-clause:

```
> __PARTITION BY__ <_'_____ partition-expression_____| _____>
```

window-order-clause:

```

    < , _____
                                     | _____
                                     | _NULLS LAST_ |
                                     | _____ |
> _ORDER BY__ sort-key-expression _____ | _____ | _____ | _____ >
                                     | _____ |
                                     | _ASC NULLS FIRST_ |
                                     | _____ |
                                     | _DESC NULLS FIRST_ |
                                     | _____ |
                                     | _DESC NULLS LAST_ |
                                     | _____ |

```

aggregate-function:

```

> _____ >
| _AVG function_ |
| _____ |
| _CORRELATION function_ |
| _____ |
| _COUNT function_ |
| _____ |
| _COUNT BIG function_ |
| _____ |
| _COVARIANCE function_ |
| _____ |
| _MAX function_ |
| _____ |
| _MIN function_ |
| _____ |
| _STDDEV function_ |
| _____ |
| _SUM function_ |
| _____ |
| _VARIANCE function_ |
| _____ |

```

window-aggregation-group-clause

```

> _____ >
| _ROWS_ | _____ | |
| _____ | | _____ |
| _____ | | _____ |
| _____ | | _____ |

```

group-start

```

> _____ >
| _UNBOUNDED PRECEDING_ |
| _____ |
| _unsigned-constant_ PRECEDING_ |
| _____ |
| _CURRENT ROW_ |
| _____ |

```

group-between

```

> _____ >
| _BETWEEN_ group-bound-1_ AND_ group-bound-2_ |
| _____ |

```

group-bound-1

```

> _____ >
| _UNBOUNDED PRECEDING_ |
| _____ |
| _unsigned-constant_ PRECEDING_ |
| _____ |
| _unsigned-constant_ FOLLOWING_ |
| _____ |
| _CURRENT ROW_ |
| _____ |

```

group-end

```

> _____ >
| _UNBOUNDED FOLLOWING_ |
| _____ |
| _unsigned-constant_ FOLLOWING_ |
| _____ |

```

Predicates

```

> _____ >
| _____ |
| _quantified predicate_ |
| _____ |
| _ARRAY_EXISTS predicate_ |
| _____ |
| _BETWEEN predicate_ |
| _____ |
| _DISTINCT predicate_ |
| _____ |
| _EXISTS predicate_ |
| _____ |
| _IN predicate_ |
| _____ |
| _LIKE predicate_ |
| _____ |

```

```
|_NULL predicate_____|
|_XMLEXISTS predicate____|
```

Basic predicate

```
>> _expression_ = _expression_ ><
|_row-value-expression_ = _row-value-expression_ |
|_<>_____|
|_<_____|
|_>_____|
|_<=_____|
|_>=_____|
|_<>_____|
|_<_____|
|_>_____|
|_<=_____|
|_>=_____|
```

Quantified predicate

```
>> _expression_ = _SOME_ (fullselect1) ><
|_<>_____| |_ANY_|
|_<_____| |_ALL_|
|_>_____|
|_<=_____|
|_>=_____|
|_(row-value-expression) = _SOME_ (fullselect2) |
|_ANY_|
|_(row-value-expression) <> ALL(fullselect2) |
```

ARRAY_EXISTS predicate

```
> _ARRAY_EXISTS_(array-expression, array-index) ><
```

BETWEEN predicate

```
> _expression_ BETWEEN _expression_ AND _expression_ ><
|_NOT_|
```

DISTINCT predicate

```
> _expression_ IS DISTINCT FROM _expression_ ><
|_NOT_|
|_(row-value-expression) IS DISTINCT FROM_(row-value-expression) |
|_NOT_|
```

EXISTS predicate

```
> _EXISTS_(fullselect) ><
```

IN predicate

```
>> _expression1_ IN (fullselect1) ><
|_NOT_| |_<_|
|_(row-value-expression) |_(expression2) |
|_IN_ (fullselect2) |
|_NOT_|
```

LIKE predicate

```
> match-expression LIKE pattern-expression
   | NOT |
>
   | ESCAPE escape-expression |
```

NULL predicate

```
> expression IS NULL
   | NOT |
```

XML EXISTS

```
> XML EXISTS (xquery-expression-constant
>
   )
   | BY REF |
   | PASSING | xquery-argument |
```

xquery-argument

```
> xquery-context-item-expression
   | xquery-context-item-expression AS identifier |
```

Search conditions

```
> predicate
   | NOT |
   | SELECTIVITY numeric-constant |
   | (search-condition) |
<
>
   | AND predicate |
   | OR | NOT | (search-condition) |
```



```

|                                     <_ | _____ | | | | |
|                                     |ASC |
|_WITHIN GROUP (_ORDER BY_sort-key_|_|_|_|) |_|
|                                     |DESC |

```

MAX

```

> __MAX( ( |_____| |expression) _____>
|_DISTINCT_|

```

MEDIAN

```

> __MEDIAN(numeric-expression) _____>

```

MIN

```

> __MIN( ( |_____| |expression) _____>
|_DISTINCT_|

```

PERCENTILE_CONT

```

> __PERCENTILE_CONT(percentile-expression) _____>
> __WITHIN GROUP (_ORDER BY_sort-expression_|_|_|_|) _____>
|_ASC_|
|_DESC_|

```

PERCENTILE_DISC

```

> __PERCENTILE_DISC(percentile-expression) _____>
> __WITHIN GROUP (_ORDER BY_sort-expression_|_|_|_|) _____>
|_ASC_|
|_DESC_|

```

STDDEV

```

> __STDDEV( ( |_____| |expression) _____>
|_DISTINCT_|

```

STDDEV_SAMP

```

> __STDDEV_SAMP( ( |_____| |expression) _____>
|_DISTINCT_|

```

SUM

```

> __SUM( ( |_____| |expression) _____>
|_DISTINCT_|

```

VARIANCE or VARIANCE SAMP

```

> __VARIANCE ( ( |_____| |expression) _____>
|_VARIANCE_SAMP_| |_DISTINCT_|

```

XMLAGG

```

> __XMLAGG(XML-expression _____) ____>

```



```

| < , _____ |
| ORDER BY_sort-key_ |_ASC_ | |
sort-key |_DESC_ |
> _____ column-name _____ ><
|_expression_|

```

Scalar functions

ABS

```
> _ABS (numeric-expression) _____ >
```

ACOS

```
> _ACOS (numeric-expression) _____ >
```

ADD_MONTHS

```
> _ADD_MONTHS_ (expression, numeric-expression) _____ >
```

AI_ANALOGY

```
> _AI_ANALOGY_ (_source-1, target-1, _source-2, target-2_) _____ >
```

```
> _expression _____ >
| _____ MODEL COLUMN _____ |
|_USING_| _____ |_column-name_|
```

AI_SEMANTIC_CLUSTER

```
> _AI_SEMANTIC_CLUSTER_ (member-expression, |_cluster-sequence_|) _____ >
```

```
> _expression _____ >
| _____ MODEL COLUMN _____ |
|_USING_| _____ |_column-name_|
```

AI_SIMILARITY

```
> _AI_SIMILARITY_ (expression-1, _____ expression-2_) _____ >
```

```
| _____ MODEL COLUMN _____ |
|_USING_| _____ |_col-name_|
> _____ >
| _____ MODEL COLUMN _____ |
|_USING_| _____ |_column-name_|
```

ARRAY_DELETE

```
> _ARRAY_DELETE_ (array-expression _____) _____ >
|_, _array-index1 _____|
|_, |_array-index2_|
```

ARRAY_FIRST

```
> _ARRAY_FIRST_ (array-expression) _____ >
```

ARRAY_LAST

```
> _ARRAY_LAST_ (array-expression) _____ >
```

ARRAY_NEXT

```
> _ARRAY_FIRST_ (array-expression, array-index) _____ >
```

ARRAY_PRIOR

> `__ARRAY_PRIOR(array-expression, array-index)`_____>

ARRAY_TRIM

> `__ARRAY_TRIM(array-expression, numeric-expression)`_____>

ASCII

> `__ASCII(string-expression)`_____>

ASCII_CHR

> `__ASCII_CHR(expression)`_____>

ASCII_STR

> `__ASCII_CHR(string-expression)`_____>

ASIN

> `__ASIN(numeric-expression)`_____>

ATAN

> `__ATAN(numeric-expression)`_____>

ATANH

> `__ATANH(numeric-expression)`_____>

ATAN2

> `__ATAN2(numeric-expression1, numeric-expression2)`_____>

BIGINT

Numeric to Big Integer:

> `__BIGINT(numeric-expression)`_____>

String to Big Integer:

> `__BIGINT(string-expression)`_____>

BINARY

> `__BINARY(string-expression |, integer_)`_____>

BITAND, BITANDNOT, BITOR, BITXOR and BITNOT

> `__BITAND`_____(`expression1`_____, `expression2`_____)_____>
 | `__BITANDNOT`_____|
 | `__BITOR`_____|
 | `__BITXOR`_____|

> `__BINOT(expression_)`_____>

BLOB

> `__BLOB(expression |, integer_)`_____>

CARDINALITY

> `__CARDINALITY(array-expression)`_____>

CCSID_ENCODING

```
> __CCSID_ENCODING (expression) _____ >
```

CEILING

```
> __CEILING _____ ( __expression_ ) _____ >
```

CHAR

Datetime to Character:

```
> __CHAR (datetime-expression _____) _____ >
      |_, _____|
      |_, ISO _____|
      |_, USA _____|
      |_, EUR _____|
      |_, JIS _____|
      |_, LOCAL _____|
```

Character to Character:

```
> __CHAR (character-expression _____) _____ >
      |_, _____integer_____|
      |_, | CODEUNITS16_|
      |_, | CODEUNITS32_|
      |_, | OCTETS _____|
```

Graphic to Character:

```
> __CHAR (graphic-expression _____) _____ >
      |_, _____integer_____|
      |_, | CODEUNITS16_|
      |_, | CODEUNITS32_|
```

Integer to Character:

```
> __CHAR (integer-expression) _____ >
```

Decimal to Character:

```
> __CHAR (decimal-expression _____) _____ >
      |_, _____decimal-character_|
```

Decimal floating-Point to Character:

```
> __CHAR (decimal-floating-point-expression) _____ >
```

Floating-Point to Character:

```
> __CHAR (floating-point-expression) _____ >
```

Row ID to Character:

```
> __CHAR (row-ID-expression) _____ >
```

CHAR9

```
> __CHAR9__ ( __decimal-expression _____) _____ >
      |_, _____decimal-character__|
```

CHARACTER_LENGTH

Character string:

```
> __CHARACTER_LENGTH (character-expression __, _____CODEUNITS16_____ ) _____ >
      |_, _____CODEUNITS32_|
      |_, _____OCTETS _____|
```

Graphic string:

```
> __CHARACTER_LENGTH (graphic-expression __, _____CODEUNITS16_____ ) _____ >
```

|_CODEUNITS32_|

CLOB

Character to CLOB:

```
> __CLOB(character-expression _____) _____>
      |_,_integer_____|
      |_,_|_CODEUNITS16_|
      |_|_CODEUNITS32_|
      |_OCTETS_____|
```

GRAPHIC to CLOB:

```
> __CLOB(graphic-expression _____) _____>
      |_,_integer_____|
      |_,_|_CODEUNITS16_|
      |_|_CODEUNITS32_|
```

COALESCE

```
> ____COALESCE____(expression____,expression|_)_____>
```

COLLATION_KEY

```
> __COLLATION_KEY(string-expression, collation-name _____) _____>
      |_,_integer_|
```

COMPARE_DECFLOAT

```
> __COMPARE_DECFLOAT(decfloat-expression1,decfloat-expression2 _____) _____>
```

CONCAT

```
> ____CONCAT____(expression1,expression2) _____>
|_"||"_____|
```

CONTAINS

```
> __CONTAINS ____ (column-name, search-argument) _____>
      |_,string-constant_|
```

Search-argument-options:

```
> _____>
|_QUERYLANGUAGE = value_|
|_RESULTLIMIT = value____|
|_____OFF_____|
|_SYNONYM = |_ON_|_____|
```

COS

```
> __COS(numeric-expression) _____>
```

COSH

```
> __COSH(numeric-expression) _____>
```

DATE

```
> __DATE(expression) _____>
```

DAY

```
> __DAY(expression) _____>
```

DAYOFMONTH

> __DAYOFMONTH(expression) _____>

DAYOFWEEK

> __DAYOFWEEK(expression) _____>

DAYOFWEEK_ISO

> __DAYOFWEEK_ISO(expression) _____>

DAYOFYEAR

> __DAYOFYEAR(expression) _____>

DAYS

> __DAYS(expression) _____>

DBCLOB

Character to DBCLOB:

> __DBCLOB(character-expression _____)
|_,_integer_____|
|_,_|_CODEUNITS16_|
|_|_CODEUNITS32_|

GRAPHIC to DBCLOB:

> __DBCLOB(graphic-expression _____)
|_,_integer_____|
|_,_|_CODEUNITS16_|
|_|_CODEUNITS32_|**DECFLOAT**

numeric to DECFLOAT:

> __DECFLOAT_(numeric-expression_|_,34_| _____)
|_,16_|

string to DECFLOAT:

> __DECFLOAT_(string-expression_|_,34_| _____)
|_,16_|**DECFLOAT_FORMAT**> ___DECFLOAT_FORMAT___(string-expression _____)
|_,_format-string_|**DECFLOAT_SORTKEY**

> __DECFLOAT_SORTKEY_(decfloat-expression) _____>

DECIMAL or DEC

Numeric to decimal:

> ___DECIMAL___(numeric-expression _____)
|_DEC_| |precision_____|
|_scale_|

String to decimal:

> __DECIMAL__(string-expression _____)
|_DEC_| |precision_____|
|_,scale_____|

|_, decimal-char_|

DECODE

```

> __DECODE__(expression1, expression2, result-expression | _____)
> _____) _____)
|_, else-expression_|

```

DECRYPT

```

>> __DECRYPT_BINARY(encrypted-data _____)
|_DECRYPT_BIT_|
|_DECRYPT_CHAR_|
|_DECRYPT_DB_|
> _____) _____>>
|_, password-string _____)
|_DEFAULT_____ | |_, ccsid-constant_|

```

DEGREES

```

> __DEGREES(expression) _____)

```

DIFFERENCE

```

> __DIFFERENCE(expression1, expression2) _____)

```

DIGITS

```

> __DIGITS(expression) _____)

```

DOUBLE or DOUBLE_PRECISION

```

> __DOUBLE( numeric-expression ) _____)
|_DOUBLE_PRECISION_| |string-expression_|

```

DSN_XMLVALIDATE

```

> __DSN_XMLVALIDATE _____)

```

```

> (string-expression, schema-name-string _____)
|_xml-expression_| |target-namespace-uri-string, schema-location-string|

```

EBCDIC_CHR

```

>> __EBCDIC(expression) _____)

```

EBCDIC_STR

```

>> __EBCDIC_STR(string-expression) _____)

```

ENCRYPT_TDES

```

>> __ENCRYPT_TDES(data-string _____) _____)
|_, password-string, hint-string_|

```

EXP

```

> __EXP(numeric-expression) _____)

```

EXTRACT

Extract date values:

```
> __EXTRACT( __YEAR__ ) FROM date-expression ) _____ >
      |__MONTH__| |__timestamp-expression__|
      |__DAY__|
```

Extract time values:

```
> __EXTRACT( __HOUR__ ) FROM time-expression ) _____ >
      |__MINUTE__| |__timestamp-expression__|
      |__SECOND__|
```

Extract time zone values:

```
> __EXTRACT( __HOUR__ ) FROM date-expression ) _____ >
      |__MINUTE__| |__time-expression__|
      |__SECOND__| |__timestamp-expression__|
      |__TIMEZONE_HOUR__|
      |__TIMEZONE_MINUTE__|
```

FLOAT

```
> __FLOAT(numeric-expression) _____ >
```

GENERATE_UNIQUE and GENERATE_UNIQUE_BINARY

```
> __GENERATE_UNIQUE( ) _____ >
      |__GENERATE_UNIQUE_BINARY( )_|
```

GETHINT

```
> __GETHINT(encrypted-data) _____ >
```

FLOOR

```
> __FLOOR(numeric-expression) _____ >
```

GETVARIABLE

```
> __GETVARIABLE(string-constant) _____ >
      |__, __default-value_____|
      |__, __CAST__(__NULL AS VARCHAR(1))_____|
```

GRAPHIC

Character to Graphic:

```
> __GRAPHIC(character-expression) _____ >
      |__, __integer_____|
      |__, __CODEUNITS16_____|
      |__, __CODEUNITS32_____|
```

Graphic to Graphic:

```
> __GRAPHIC(graphic-expression) _____ >
      |__, __integer_____|
      |__, __CODEUNITS16_____|
      |__, __CODEUNITS32_____|
```

HASH_CRC32, HASH_MD5, HASH_SHA1, and HASH_SHA256

```
> __HASH_CRC32__(expression) _____ >
      |__HASH_MD5_____|
      |__HASH_SHA1_____|
      |__HASH_SHA256_____|
```

HEX

```
> __HEX(expression) _____ >
```

HOUR> `__HOUR(expression)` _____>**IDENTITY_VAL_LOCAL()**> `__IDENTITY_VAL_LOCAL()` _____>**IFNULL**> `__IFNULL(expression, expression)` _____>**INSERT**> `__INSERT(source-string, start, length, insert-string _____)`
|_, `__CODEUNITS16`_|
| `__CODEUNITS32`_|
| `__OCTETS` _____|**INTEGER or INT**> `__INTEGER` (`__numeric-expression`) _____>
| `__INT` _____| | `__string-expression`_|**JULIAN_DAY**> `__JULIAN_DAY(expression)` _____>**LAST_DAY**> `__LAST_DAY(expression)` _____>**LCASE**> `__LCASE` (string-expression) _____>
|_, `__locale-name`_| |_, `__integer`_|**LEFT**

Character string:

> `__LEFT(character-expression, length _____)`
|_, `__CODEUNITS16`_|
| `__CODEUNITS32`_|
| `__OCTETS` _____|

Graphic string:

> `__LEFT(graphic-expression, length _____)`
|_, `__CODEUNITS16`_|
| `__CODEUNITS32`_|

Binary string:

> `__LEFT(binary-expression, length _____)` _____>**LENGTH**> `__LENGTH(expression)` _____>**LN**> `__LN(numeric-expression)` _____>**LOCATE**> `__LOCATE(search-string, source-string _____)`
|_, `__start`_| |_, `__CODEUNITS16`_|
| `__CODEUNITS32`_|

|_OCTETS _____|

LOCATE_IN_STRING

```
> _LOCATE (source-string, search-string _____)
      |_, _start _____|
      |_, _instance_|
> _____) _____>>
      |_, _CODEUNITS16_|
      |_CODEUNITS32_|
      |_OCTETS _____|
```

LOG10

```
> __LOG10 (numeric-expression) _____>
```

LOWER

```
> __LOWER (string-expression _____) _____>
      |_, _locale-name_| |_, _integer_|
```

LPAD

```
> __LPAD (string-expression, integer _____) _____>
      |_, _pad_|
```

LTRIM

```
> __LTRIM (string-expressio _____) _____>
      |_, _trim-expression_|
```

MAX

```
> __MAX (expression, < _____
expression_|_) _____>
```

MAX_CARDINALITY

```
> __MAX_CARDINALITY (array-expression) _____>
```

MICROSECOND

```
> __MICROSECOND (expression) _____>
```

MIDNIGHT_SECONDS

```
> __MIDNIGHT_SECONDS (expression) _____>
```

MIN

```
> __MIN (expression, < _____
expression_|_) _____>
```

MINUTE

```
> __MINUTE (expression) _____>
```

MOD

```
> __MOD (numeric-expression1, numeric-expression2) _____>
```

MONTH

```
> __MONTH (expression) _____>
```

MONTHS_BETWEEN

> `__MONTHS_BETWEEN(expression1, expression2)` _____ >

MULTIPLY_ALT

> `__MULTIPLY_ALT(exact-numeric-expression1, exact-numeric-expression2)` _____ >

NEXT_DAY

> `__NEXT_DAY(expression, string-expression)` _____ >

NORMALIZE_DECFLOAT

> `__NORMALIZE_DECFLOAT(decfloat-expression)` _____ >

NORMALIZE_STRING

> `__NORMALIZE_STRING(unicode-string,

NFC
NFD
NFKC
NFKD

 | _, integer_)` _____ >

NULLIF

> `__NULLIF(expression, expression)` _____ >

NVL

> `__NVL(expression,

 | expression_)` _____ >

OVERLAY

> `__OVERLAY(source-string, insert-string,

, CODEUNITS16 | CODEUNITS32 | OCTETS)` _____ >

PACK

> `__PACK(

 | CCSID 1208 | expression_ | CCSID DEFAULT)` _____ >

POSITION

> `__POSITION(search-string, source-string,

 | CODEUNITS16 | CODEUNITS32 | OCTETS)` _____ >

POSSTR

> `__POSSTR(source-string, search-string)` _____ >

POWER

> `__POWER(numeric-expression1, numeric-expression2)` _____ >

QUANTIZE

> `__QUANTIZE(expression-1, expression-2)` _____ >

QUARTER

> `__QUARTER(expression)` _____ >

RADIANS

> **__RADIANS**(numeric-expression) _____>

RAISE_ERROR

> **__RAISE_ERROR**(sqlstate, diagnostic-string) _____>

RAND

> **__RAND**(_____) _____>
 |_numeric-expression_|

REAL

> **__REAL**(_____) _____>
 |_string-expression_|

REPEAT

> **__REPEAT**(expression, integer) _____>

REPLACE

> **__REPLACE**(source-string, search-string, replace-string) _____>

RID

> **__RID**(table-designator) _____>

RIGHT

> **__RIGHT**(string-expression, length) _____>
 |_CODEUNITS16_|
 |_CODEUNITS32_|
 |_OCTETS_|

ROUND

> **__ROUND**(numeric-expression1, _____) _____>
 |_ , _0_|
 |_ , _numeric-expression2_|

ROUND_TIMESTAMP

> **__ROUND_TIMESTAMP**(_____) _____>
 |_ , _' DD'_|
 |_ , _format-string_|

ROWID

> **__ROWID**(expression) _____>

RPAD

> **__RPAD**(string-expression, integer _____) _____>
 |_ , _pad_|

RTRIM

> **__RTRIM**(string-expression _____) _____>
 |_ , _trim-expression_|

SCORE

> **__SCORE**(column-name, search-argument, string-constant) _____>

Search-argument-options:

```

> _____
  <_____
  |_____
  |_QUERYLANGUAGE = value_|
  |_RESULTLIMIT = value_|
  |_____OFF_____
  |_SYNONYM = |_ON_|_____

```

SECOND

```

> __SECOND(expression)_____
      |_,integer-constant_|

```

SIGN

```

> __SIGN(numeric-expression)_____

```

SIN

```

> __SIN(numeric-expression)_____

```

SINH

```

> __SINH(numeric-expression)_____

```

SMALLINT

```

> __SMALLINT(____numeric-expression____)_____
      |_string-expression_|

```

SOUNDEX

```

> __SOUNDEX(expression)_____

```

SOAPHTTPC and SOAPHTTPV

```

> __SOAPHTTPC__(endpoint_url, soap_action, soap_body)_____
  |_SOAPHTTPV_|

```

SPACE

```

> __SPACE(numeric-expression)_____

```

SQRT

```

> __SQRT(numeric-expression)_____

```

STRIP

```

> __STRIP__(____string-expression____)_____
      |____,BOTH_____
      |_,B_____
      |_,LEADING_|
      |_,L_____
      |_,TRAILING_|
      |_,T_____

```

SUBSTR

```

> __SUBSTR(string-expression,start_____
      |_,length_|

```

SUBSTRING

Character:

```
> _SUBSTRING (character-expression, start, _____, _____) _____ >
                                     |_, length_| | _CODEUNITS16_|
                                     | _CODEUNITS32_|
                                     | _OCTETS_|
```

Graphic:

```
> _SUBSTRING (graphic-expression, start, _____, _____) _____ >
                                     |_, length_| | _CODEUNITS32_|
```

Binary:

```
> _SUBSTRING (binary-expression, start, _____) _____ >
                                     |_, length_|
```

TAN

```
> _TAN (numeric-expression) _____ >
```

TANH

```
> _TANH (numeric-expression) _____ >
```

TIME

```
> _TIME (expression) _____ >
```

TIMESTAMP

```
> _TIMESTAMP (expression _____) _____ >
                                     |_, expression_|
```

TIMESTAMPADD

```
> _TIMESTAMPADD (interval, number, expression) _____ >
```

TIMESTAMP_FORMAT

```
> _TIMESTAMP_FORMAT (string-expression, format-string _____) _____ >
                                     |_, 6|
> | _____ | _____) _____ >
   |_, precision-constant|
```

TIMESTAMP_ISO

```
> _TIMESTAMP_ISO (expression) _____ >
```

TIMESTAMPDIFF

```
> _TIMESTAMPDIFF (numeric-expression, string-expression) _____ >
```

TIMESTAMP_TZ

```
> _TIMESTAMP_TZ (expression1) _____ >
                                     |_, expression2_|
```

TO_CHAR

```
> _TO_CHAR (string-expression, format-string) _____ >
```

TO_DATE

```
> _TO_DATE (string-expression, format-string) _____ >
                                     |_, 6|
> | _____ | _____) _____ >
   |_, precision-constant|
```

TO_NUMBER

```
> _TO_NUMBER (string-expression) _____>
      |_,_format string_|
```

TO_TIMESTAMP

```
> _TO_TIMESTAMP (string-expression, format-string) _____>
      |_,6_____|
> _|_____| _____>
      |_,_precision-constant_|
```

TOTALORDER

```
> _TOTALORDER (expression1, expression2) _____>
```

TRANSLATE

```
> _TRANSLATE (expression _____) _____>
      |_,_to-string_____|
      |_____|
      |_,_from-string_|_____|_____|
      |_____||_____||_____||
      |_,_pad-character_|
```

TRIM

```
> _TRIM_(string-expression _____) _____>
      |_____,_BOTH_____FROM_|
      |_,_B_____||_,_trim-constant_|
      |_,_LEADING_|
      |_,_L_____||
      |_,_TRAILING_|
      |_,_T_____||
```

TRIM_ARRAY

```
> _____TRIM_ARRAY_____(array-expression, numeric-expression) _____>
      |_ARRAY_TRIM_|
```

TRUNCATE or TRUNC

```
> _TRUNCATE (numeric-expression1 |_,0_____|_) _____>
      |_TRUNC_| |_,_numeric expression2_|
```

TRUNC_TIMESTAMP

```
> _TRUNC_TIMESTAMP (expression1 |_,_DD'_____|_) _____>
      |_,_format-string_|
```

UCASE

```
> _____UCASE_____(string-expression _____) _____>
      |_,_locale-name_| |_,_integer_|
```

UNICODE

```
> _____UNICODE_____(string-expression) _____>
```

UNICODE_STR

```
_____,_UTF-8_
```

```
> __UNICODE_STR__(string-expression) | _____ |
|_, UTF16_|
```

UPPER

```
> __UPPER__(string-expression) _____ |
|_, _locale-name_| |_, _integer_|
```

VALUE

```
> __VALUE__(expression, <_____ |
expression_|) _____ |
```

VARBINARY

```
> __VARCHAR__(string-expression) _____ |
|_, _integer_|
```

VARCHAR

Varchar to Character:

```
> __VARCHAR__(character-expression) _____ |
|_, _integer_|
|_, _CODEUNITS16_|
|_, _CODEUNITS32_|
|_, _OCTETS_|
```

Graphic to Varchar:

```
> __VARCHAR__(graphic-expression) _____ |
|_, _integer_|
|_, _CODEUNITS16_|
|_, _CODEUNITS32_|
```

Datetime to Varchar:

```
> __VARCHAR__(datetime-expression) _____ |
```

Integer to Varchar:

```
> __VARCHAR__(integer-expression) _____ |
```

Decimal to Varchar:

```
> __VARCHAR__(decimal-expression) _____ |
|_, _decimal-character_|
```

Decimal floating-Point to Varchar:

```
> __VARCHAR__(decimal-floating-point-expression) _____ |
```

Floating-Point to Varchar:

```
> __VARCHAR__(floating-point-expression) _____ |
```

Row ID to Varchar:

```
> __VARCHAR__(row-ID-expression) _____ |
```

VARCHAR_BIT_FORMAT

```
> __VARCHAR_BIT_FORMAT__(expression, format-string) _____ |
```

VARCHAR9

```
> __VARCHAR9__(decimal-expression) _____ |
|_, _decmlial-character_|
```

VARCHAR_FORMAT

Character to VARCHAR:

> `__VARCHAR_FORMAT(character-expression) _____` >

Timestamp to VARCHAR:

> `__VARCHAR_FORMAT(timestamp-expression,format-string) _____` >

Decimal floating-point to VARCHAR:

> `__VARCHAR_FORMAT(decimal-floating-point-expression,format-string) _____` >**VARGRAPHIC**

Character to Vargraphic:

```
> __VARGRAPHIC(character-expression _____) _____>
                                     |_,_integer_____|
                                     |_,_CODEUNITS16_____|
                                     |_,_CODEUNITS32_____|
```

Graphic to Vargraphic:

```
> __VARGRAPHIC(graphic-expression _____) _____>
                                     |_,_integer_____|
                                     |_,_CODEUNITS16_____|
                                     |_,_CODEUNITS32_____|
```

VERIFY_GROUP_FOR_USER

```
> __VERIFY_GROUP_FOR_USER_(SESSION_USER,_group-name-expression_|_) _____>
                                     |_USER_____|
```

VERIFY_ROLE_FOR_USER

```
> __VERIFY_ROLE_FOR_USER_(SESSION_ROLE,_role-name-expression_|_) _____>
                                     |_USER_____|
```

VERIFY_TRUSTED_CONTEXT_ROLE_USER

```
> __VERIFY_TRUSTED_CONTEXT_ROLE_FOR_USER_(SESSION_ROLE,_role-name-exp_|_) _____>
                                     |_USER_____|
```

WEEK> `__WEEK(expression) _____` >**WEEK_ISO**> `__WEEK_ISO(expression) _____` >**WRAP**> `__WRAP(object-definition-string) _____` >**XMLATTRIBUTES**

```
> __XMLATTRIBUTES(attribute-value-expression _____|_____>
                                     |_AS_attribute-name_|
```


XMLCOMMENT

```
> __XML2COMMENT (string-expression) _____>
```

XMLCONCAT

```
> __XMLCONCAT (XML-expression _____, _____XML-expression |_) _____>
```

XMLDOCUMENT

```
> __XMLDOCUMENT (XML-expression) _____>
```

XMLELEMENT

```
> __XMLELEMENT (____NAME__ element-name _____>
|_____, ____xmlnamespace-declaration_|
|_____<_____>
|_____, ____XML-attributes-function_| |_____, ____element-content-expression_|
|_____>
```

```
|
| |_____<_____>
| |____EMPTY ON NULL_____|
| |____NULL ON NULL_____|
| |_____USING_____
| |____XMLBINARY_____| ____BASE64_____|
| |_____USING_____
| |____XMLBINARY_____| ____HEX_____|
| |_____>
```

XMLFOREST

```
> __XMLFOREST (____XMLnamespace-function_____, ____>
```

```
<_____, _____>
> ____element-content-expression_____|
|_____, ____AS_element-name_____|
|_____>
```

```
|
| |_____<_____>
| |____EMPTY ON NULL_____|
| |____NULL ON NULL_____|
| |_____USING_____
| |____XMLBINARY_____| ____BASE64_____|
| |_____USING_____
| |____XMLBINARY_____| ____HEX_____|
| |_____>
```

XMLMODIFY

```
> __XMLMODIFY (____xquery-update-constant_____) _____>
|_____<_____>
|_____, ____xquery-variable-expression_AS_identifier_____|
```

XMLNAMESPACE

```
> __XMLNAMESPACES (____namespace-uri_AS_namespace-prefix_____|_) _____>
|____DEFAULT_XML-namespace-uri_____|
|____NO DEFAULT_____|
```

XMLPARSE

```
> XMLPARSE (DOCUMENT string-expression | STRIP WHITESPACE | )
| XML-host-variable | PRESERVE WHITESPACE | )
```

XMLPI

```
> XMLPI (NAME pi-name )
| , string-expression | )
```

XMLQUERY

```
> XMLQUERY (xquery-expression-constant)
| BY REF |
| PASSING | xquery-argument |
RETURNING SEQUENCE | BY REF |
| EMPTY ON EMPTY | )
```

Xquery-argument:

```
> xquery-context-item-expression
| xquery-variable-expression AS identifier | )
```

XMLSERIALIZE

```
> XMLSERIALIZE ( CONTENT | XML-expression AS data-type )
<
  VERSION '1.0' |
EXCLUDING XMLDECLARATION |
INCLUDING XMLDECLARATION |
```

data-type:

```
> CHARACTER LARGE OBJECT | ( 1M ) |
| CHAR | | ( integer ) |
| CLOB | | K |
| DBCLOB | | M |
| BINARY LARGE OBJECT | | G |
| BLOB |
```

XMLTEXT

```
> XMLTEXT ( string-expression )
```

XMLXSROBJECTID

```
> XMLXSROBJECTID ( xml-value-expression )
```

XSLTRANSFORM

```
> XSLTRANSFORM ( xml-document, xsl-styleheet, xsl-parameters )
```

YEAR

```
> YEAR (expression)
```

Table Functions

ADMIN_TASK_LIST

> ADMIN_TASK_LIST (_____) _____ >

ADMIN_TASK_OUTPUT

> ADMIN_TASK_OUTPUT (_task-name_ , _num-invocations_) _____ >

ADMIN_TASK_STATUS

> ADMIN_TASK_STATUS (_____) _____ >
 | _max-history_ |

BLOCKING_THREADS

> BLOCKING_THREADS (dbname) _____ >

XMLTABLE

> XMLTABLE (_____ row-xquery-expression-constant _____ >
 | xmlnamespaces-declaration_ , _ |

> _____ >
 | _____ < _ , _____ | |
 | _PASSING_ | _____ | _____ row-xquery-argument _____ | _____ |

> _____ >
 | _____ < _ , _____ | |
 | _COLUMNS _____ xml-table-regular-column-definition _____ |) _ |
 | _____ xml-table-ordinality-column-definition_ |

Row-xquery-argument:

> xquery-context-item-expression _____ >
 | xquery-variable-expression_AS_identifier_ |

Xml-table-regular-column-definition:

> column-name_data-type _____ >
 | _____ default-clause _____ |
 | _____ PATH_column-xquery-expression-constant_ |

Xml-table-ordinality-column-definition:

> column-name_FOR ORDINALITY _____ >

Row Functions

UNPACK

> UNPACK (expression) _____ >

Queries

subselect

```
>> __select-clause__ from-clause _____ >
                                     |_where-clause_|
> _____ >
    |_group-by-clause_| |_having-clause_|
> _____ >>
    |_order-by-clause_| |_offset-clause_| |_fetch-clause_|
```

select-clause

```
>> __SELECT__ |_____| _____ >
              |_DISTINCT_|
> _____ >>
    |<_,_____|| | | |
    |_____expression_____||
    |_____||_AS_|_____||
    |_____unpacked-row_____||
    |_____table-name_____.*_____||
    |_____view-name_____||
    |_____correlation-name_|
```

unpacked-row:

```
>> __UNPACK-function-invocation__.*_AS_(_____
                                     |_____>
                                     |_____>>
```

from-clause:

```
>> __FROM__ <_,_____
          |_____table-reference_| _____ >>
```

table-reference:

```
>> _____ >>
    |_single-view-expression_|
    |_nested-table-expression_|
    |_table-function-reference_|
    |_data-change-table-reference_|
    |_joined-table_|
    |_table-locator-reference_|
    |_collection-derived-table_|
    |_xmltable-expression_|
```

single-table-reference:

```
>> __table-name__ <_____
          |_____>
          |_period-specification_| |_correlation-clause_|
```

single-view-reference:

```
>> __view-name__ <_____
          |_____>
          |_period-specification_| |_correlation-clause_|
```

```

period-specification:
>> __FOR__ SYSTEM TIME AS OF value _____ >>
    | _BUSINESS_TIME _____ | | _FROM_value1_to_value2_____ |
    | _BETWEEN_value2_AND_value2_ |

correlation-clause:
>> __|__|__ AS _____ >>
    | < , _____ |
    | ( _column-name|_ ) |

nested-table-expression:
>> _____ (fullselect) __correlation-clause _____ >>
    | _TABLE_ |

table-function-reference:
>> _TABLE_ (function-name( _____ ) _____ ) >
    | < , _____ |
    | _____ expression _____ |
    | _TABLE_ transition_table_name_ |
> _table-UDF-cardinality-clause_ ) _____ >
> _correlation-clause _____ >>
    | _typed-correlation-clause_ |

table-UDF-cardinality-clause:
>> _CARDINALITY_ integer-constant _____ >>
    | _CARDINALITY MULTIPLIER_ numeric-constant_ |

data-change-table-reference:
>> _FINAL TABLE (INSERT statement) _____ >>
    | _FINAL TABLE (searched UPDATE statement)_ | | _correlation-clause_ |
    | | _OLD_ |
    | _OLD TABLE (searchred DELETE statement _____ |
    | _FINAL TABLE (MERGE statement) _____ |

collection-derived-table:
>> __UNNEST__( _ordinary-array-expression _____ ) _____ >>
    | _associative-array-expression_ | | _WITH ORDINALITY_ |
> __correlation-clause _____ >

typed-correlation-clause:
>> __|__|__ AS _____ >>
    | < , _____ |
    | ( _column-name_data-type|_ ) |

xmltable-expression:
>> _xmltable-function_ __correlation clause _____ >>

joined-table:
>> __table-reference_ | _____ | __INNER__ | __JOIN__ table-reference ON join-condition _____ >>
    | | | | | |
    | | | LEFT | _____ | |
    | | | RIGHT | _____ | |
    | | | FULL | _____ | |

```

```

|__table-reference_CROSS JOIN_table-reference_____|
|_(joined-table)_____|

For INNER, LEFT OUTER, and RIGHT OUTER joins:
>>__search-condition_____><

For FULL OUTER joins:
  < AND
>>__full-join-expression__=__full-join-expression_|_____><

full-join-expression:
>>__column-name_____><
|_|_cast-function_|_____| |
|_|_____<_____|_____|
|__COALESCE__(__column-name_____, column-name_____)_|_|
|_|_cast-function_|_|_cast-function_|

where-clause:
>>__WHERE__search-condition_____><

group-by-clause:
>>__GROUP BY__<_,_____><
|_|_grouping-expression_|_____><
|_|_grouping-set_|_____|
|_|_super-groups_|_____|

grouping-set:
>__GROUPING SETS__(<_,_____><
|_|_grouping expression_|_____><
|_|_|_super-groups_|_____|
|_|_____<_,_____|_____|
|_|_grouping-expression_|_____|_____|
|_|_super-groups_|_____|

super-groups:
>__ROLLUP__(grouping-expression-list)_____><
|_|_CUBE__(grouping-expression-list)_____|
|_|_grand-total_____|

grouping-expression-list:
>__<_,_____><
|_|_grouping-expression_|_____><
|_|_____<_,_____|_____|
|_|_grouping-expression_|_____|_____|

having-clause:
>>__HAVING__search-condition_____><

order-by-clause:
  <_,_____><
>__ORDER BY__<_,_____><
|_|_sort-key_|_ASC_|_____><
|_|_|_DESC_|_____|_____|
|_|_ORDER OF table-designator_|_____|

```

```

      | _INPUT SEQUENCE_____ |
sort-key:
> ___column-name_____ ><
  | _integer_____ |
  | _sort-key-expression_ |
offset clause:
>> ___OFFSET__offset-row-count_____ ROW_____ ><
      | _ROWS_ |
fetch-clause:
>> ___FETCH FIRST_____ | 1 _____ | ___ROW_____ ONLY_____ ><
      | _NEXT_ | | _integer_ | | _ROWS_ |

```

fullselect

```

> ___subselect_____ < _____ >
  |_(fullselect)_| | _____ | _DISTINCT_____ | | | |
  |_values-clause_| | _UNION_____ | _____ | _subselect_____ |
  | _____ | | _EXCEPT_ | | _ALL_____ | |_(fullselect)_|
  | _____ | | _INTERSECT_ |
> _____ ><
  |_order-by-clause_| | _offset-clause_| | _fetch-clause_|

```

values-clause:

```

> ___VALUES_____ sequence-reference_____ ><
  | _____ | < , _____ |
  |_(sequence-reference_____ | _____ |

```

select-statement:

```

> _____ >
  | _WITH__common-table-expression_|
> ___fullselect_____ < _____ >
  | _____ |
  | _read-only-clause_____ |
  | _update-clause_____ |
  | _optimize-clause_____ |
  | _isolation-clause_____ |
  | _queryno-clause_____ |
  | _SKIP LOCKED DATA_____ |

```

common-table-expression:

```

> ___table-identifier_____ AS_(fullselect)_____ >
  | _____ |
  | < , _____ |
  |_(column-name_____ | _____ |
  | _____ |
  | _column-name_ |

```

read-only-clause:

```

>> ___FOR_READ_ONLY_____ ><

```

update-clause:

```
>> __FOR UPDATE OF <_,'_____
column-name_|_____><

optimize-for-clause:
>> __OPTIMIZE FOR__integer__ROWS_____><
|_ROW_|

isolation-clause:
>> __WITH__CS_____><
|_UR_____|
|_RR_____|
|_lock-clause_|
|_RS_____|
|_lock-clause_|

lock-clause:
>_USE AND KEEP__EXCLUSIVE__LOCKS_____><
|_UPDATE_____|
|_SHARE_____|

queryno-clause:
>> __QUERYNO__integer_____><

SKIP LOCKED DATA:
>> __SKIP LOCKED DATA_____><
```


Statements

ALLOCATE CURSOR

```
>> __ALLOCATE__ cursor-name CURSOR FOR RESULT SET __rs-locator-variable__ >
```

ALTER DATABASE

```
>> __ALTER DATABASE__ database-name <
      BUFFERPOOL bpname |
      INDEXBP bpname |
      STOGROUP stogroup-name |
      CCSID ccsid-value >
```

ALTER FUNCTION (external)

```
>> __ALTER__ FUNCTION function-name >
      |
      | < , |
      | ( | ) |
      | parameter-type |
      |
      |_SPECIFIC FUNCTION_ specific-name >
> __option-list >>
```

parameter-type:

```
>> __data-type__ >>
      |_AS LOCATOR_ |
```

data-type:

```
>> __built-in-data-type__ >>
      |_distinct-type-name_ |
```

built-in-data-type:

```
> __SMALLINT__ >>
|_INTEGER_ |
|_INT_ |
|_BIGINT_ |
|
|_DECIMAL_ (5,0) |
|_DEC_ | (integer) |
|_NUMERIC_ | (integer) |
|_DECFLOAT_ (34) |
|_FLOAT_ (16) |
| (53) |
|_REAL_ | (integer) |
|_DOUBLE_ PRECISION |
| (1) |
|_CHARACTER_ |
|_CHAR_ | (length) | | CCSID ASCII | | FOR SBCS DATA |
|_CHARACTER VARYING_ (length) | | EBCDIC | | MIXED |
|_CHAR_ | | UNICODE | | BIT |
|_VARCHAR_ |
|
|_CHARACTER LARGE OBJECT_ (1M) |
|_CHAR_ | (integer) | | CCSID ASCII | | FOR SBCS DATA |
|_CLOB_ | | EBCDIC | | MIXED |
| (1) | | UNICODE |
|_GRAPHIC_ |
| (integer) | | CCSID ASCII |
```

```

|_VARGRAPHIC_ ( integer ) _____ | _EBCDIC_ |
| (1M) _____ | _UNICDOE_ |
|_DBCLOB_ _____ |
| (integer) _____ |
| (1) _____ |
|_BINARY_ _____ |
| (integer) _____ |
|_BINARY VARYING_ (integer) _____ |
|_VARBINARY_ _____ |
| (1M) _____ |
|_BINARY LARGE OBJECT_ _____ |
|_BLOB_ _____ | ( integer ) _____ | |
| _____ | | _K_ |
| _____ | | _M_ |
| _____ | | _G_ |
|
|_DATE_ _____ |
|_TIME_ _____ |
| ( 6 ) _____ | _WITHOUT TIME ZONE_ |
|_TIMESTAMP_ _____ |
| (integer) _____ | _WITH TIME ZONE_ |
|
|_ROWID_ _____ |

```

options-list

```

>> _EXTERNAL_NAME_ _external-program name_ _LANGUAGE_ _ASSEMBLE_ ____ >
|_identifier_____ | | _C_ |
| _____ | | _COBOL_ |
| _____ | | _JAVA_ |
| _____ | | _PLI_ |
> _PARAMETER STYLE_ _SQL_ _____ _NOT DETERMINISTIC_ _____ >
|_JAVA_____ | | _DETERMINISTIC_ |
> _RETURNS NULL ON NULL INPUT_ _____ _MODIFIES SQL_ _____ >
|_CALLED ON NULL INPUT_____ | | _READS SQL DATA_ |
| _____ | | _CONTAINS SQL DATA_ |
| _____ | | _NO SQL_ |
> _NO EXTERNAL ACTION_ _____ _NO SCRATCHPAD_ _____ >
|_EXTERNAL ACTION_____ | | _SCRATCHPAD_ length_ |
> _PACKAGE PATH_ package path _____ >
|_NO PACKAGEPATH_____ |
> _NO FINAL CALL_ _____ _ALLOW PARALLEL_ _____ _NO DBINFO_ _____ >
|_FINAL CALL_____ | | _DISALLOW PARALLEL_ | | _DBINFO_ |
> _CARDINALITY_ integer _____ _NO COLLID_ _____ >
|_COLLID_ collection-id_ |
> _WLM ENVIRONMENT_ name _____ >
| ( name , * )_ |
> _ASUTIME_ _NO LIMIT_ _____ _STAY RESIDENT_ _NO_ _____ >
|_LIMIT_ integer_ | | _YES_ |
> _PROGRAM TYPE_ _SUB_ _____ _SECURITY_ _DB2_ _____ >
|_MAIN_ | | _USER_ |
| _____ | | _DEFINER_ |
> _STOP AFTER SYSTEM DEFAULT FAILURES_ _____ >
|_STOP AFTER-integer-FAILURES_____ |
|_CONTINUE AFTER FAILURE_____ |
> _RUN OPTIONS_ run-time-options _____ >
> _INHERIT SPECIAL REGISTERS_ _____ _STATIC DISPATCH_ _SECURED_ ><
|_DEFAULT SPECIAL REGISTERS_ | | _NOT SECURED_ |

```

external-java-routine-name:

```

> _ jar-name: _ method-name _____ >
| _____ | | _method-signature_ |

```

```

jar-name:
> | _schema-name_| _jar-id _____ >
method-name:
< _____ >
> | _package-id _____ | _class-id _____ . _____ | _method-id _____ >
| _/ _____ |
method-signature:
> _____ >
|_( _____ )_|
| < , _____ |
| _____ java-datatype| |

```

ALTER FUNCTION (compiled SQL scalar)

```

> _ALTER _____ function-designator _____ >
< _____ >
> | _ALTER _____ | | _ACTIVE VERSION _____ | | _options-list_| _____ >
| | | _ALL VERSIONS _____ | | _____ |
| | | _VERSION routine-version-id_| | _____ |
| | | _ACTIVE VERSION _____ | | _____ |
|_REPLACE_| | _____ | | _routine-specification _____ |
| | | _VERSION routine-version-id_| | _____ |
|_ADD VERSION routing-version-id routine-specification _____ |
|_ACTIVATE VERSION routing-version-id _____ |
| | | _ACTIVE VERSION _____ | | _____ |
|_REGENERATE _____ | | _____ |
| | | _VERSION routing-version-id_| | _____ |
|_DROP VERSION routine-version-id _____ |

```

function-designator:

```

> _____ FUNCTION _____ function-name _____ >
| | | _____ | | | |
| | | _____ | | | |
| | | _____ data-type _____ | | |
|_SPECIFIC FUNCTION _____ specific-name _____ |

```

routine-specification:

```

> ( _____ ) RETURNS data-type2 _____ < _____ >
| < , _____ | | _____ |
|_parameter-name data-type_| | |
> _SQL-routine-body _____ >>

```

data-type, data-type2:

```

>> _____ built-in-data-type _____ >>
| _distinct-type-name_|
|_array-type-name _____|

```

built-in-data-type:

```

> _SMALLINT _____ >>
| _INTEGER _____ |

```

INT			
BIGINT			
DECIMAL	(5,0)		
DEC	(integer)		
NUMERIC	(integer)		
DECFLOAT	(34)		
	(16)		
	(53)		
FLOAT	(integer)		
REAL	(integer)		
DOUBLE	PRECISION		
	(1)		
CHARACTER	(length)	CCSID ASCII	FOR SBCS DATA
CHAR	(length)	EBCDIC	MIXED
CHARACTER VARYING	(length)	UNICODE	BIT
CHAR			
VARCHAR			
CHARACTER LARGE OBJECT	(1M)		
CHAR	(integer)	CCSID ASCII	FOR SBCS DATA
CLOB	(integer)	EBCDIC	MIXED
		UNICODE	
GRAPHIC	(integer)	CCSID ASCII	
VARGRAPHIC	(integer)	EBCDIC	
	(1M)	UNICODE	
DBCLOB	(integer)		
	(1)		
BINARY	(integer)		
BINARY VARYING	(integer)		
VARBINARY	(1M)		
BINARY LARGE OBJECT	(integer)		
BLOB	(integer)	K	
		M	
		G	
DATE			
TIME	(6)	WITHOUT TIME ZONE	
TIMESTAMP	(integer)	WITH TIME ZONE	
ROWID			
XML			

SQL-routine-body

>> SQL-control-statement

>>

option-list:

> NOT DETERMINISTIC	EXTERNAL ACTION	>
DETERMINISTIC	NO EXTERNAL ACTION	
> READS SQL DATA	CALLED ON NULL INPUT	>
CONTAINS SQL	RETURNS NULL ON NULL INPUT	
MODIFIES SQL DATA		
> STATIC DISPATCH	ALLOW PARALLEL	>
	DISALLOW PARALLEL	
> DISALLOW DEBUG MODE	QUALIFIER schema-name	>
ALLOW DEBUG MODE		
DISABLE DEBUG MODE		
> PACKAGE OWNER auth-name	ASUTIME NO LIMIT	>

```

                | _AS__ROLE__ |                | _ASUTIME_LIMIT__integer_|
                | _USER__ |
> _INHERIT SPECIAL REGISTERS_____ WLM ENVIRONMENT FOR DEBUG MODE name_____ >
  | _DEFAULT SPECIAL REGISTERS__ |
> _CURRENT DATA NO_____ CONCURRENT ACCESS RESOLUTION USE CURRENTLY COMMITTED_ >
  | _CURRENT DATA YES__ | | _CONCURRENT ACCESS RESOLUTION WAIT FOR OUTCOME_____ |
> _____ DYNAMICRULES RUN_____ >
  | _DYNAMICRULES BIND_____ | | _APPLICATION ENCODING SCHEME ASCII__ |
  | _DYNAMICRULES DEFINEBIND__ | | _APPLICATION ENCODING SCHEME EBCDIC__ |
  | _DYNAMICRULES DEFINERUN__ | | _APPLICATION ENCODING SCHEME UNICODE__ |
  | _DYNAMICRULES INVOKEBIND__ |
  | _DYNAMICRULES INVOKERUN__ |
> _WITHOUT EXPLAIN_____ ISOLATION LEVEL CS__ OPHINT_ ' ' _____ >
  | _WITH EXPLAIN__ | | _ISOLATION LEVEL RS__ |                | _OPHINT_string-constant_ |
                | _ISOLATION LEVEL RR__ |
                | _ISOLATION LEVEL UR__ |
                < , _____
> _SQL PATH__ schema-name|_____ REOPT NONE_____ VALIDATE RUN_____ >
  | _SCHEMA PATH__ | | _REOPT ALWAYS__ | | _VALIDATE BIND__ |
  | _SESSION USER__ | | _REOPT ONCE__ |
  | _USER__ |
> _____ >
  | _QUERY ACCELERATION NONE_____ | | _GET_ACCEL_ARCHIVE NO__ |
  | _QUERY ACCELERATION ENABLE_____ | | _GET_ACCEL_ARCHIVE YES__ |
  | _QUERY ACCELARATION ENABLE WITH FAILBACK__ |
  | _QUERY ACCELERATION ELIGIBLE_____ |
  | _QUERY ACCELERATION ALL_____ |
> _____ >
  | _ROUNDING DEC_ROUND_CEILING__ | | _DATE FORMAT ISO__ |
  | _ROUNDING DEC_ROUND_DOWN_____ | | _DATE FORMAT EUR__ |
  | _ROUNDING DEC_ROUND_FLOOR_____ | | _DATE FORMAT USA__ |
  | _ROUNDING DEC_ROUND_HALF_DOWN__ | | _DATE FORMAT JIS__ |
  | _ROUNDING DEC_ROUND_HALF_EVEN__ | | _DATE FORMAT LOCAL__ |
  | _ROUNDING DEC_ROUND_HALF_UP_____ |
  | _ROUNDING DEC_ROUND_UP_____ |
> _____ FOR UPDATE CLAUSE REQUIRED_____ >
  | _DECIMAL(15)_____ | | _FOR UPDATE CLAUSE OPTIONAL__ |
  | _DECIMAL(31)_____ |
  | _DECIMAL(15,s)_____ |
  | _DECIMAL(31,s)_____ |
> _____ SECURED_____ >
  | _TIME FORMAT ISO__ | | _NOT SECURED__ |
  | _TIME FORMAT EUR__ |
  | _TIME FORMAT USA__ |
  | _TIME FORMAT JIS__ |
  | _TIME FORMAT LOCAL__ |
> _____ _BUSINESS TIMESENSITIVE YES__ _____ _SYSTEM TIMESENSITIVE YES__ _____ >
  | _____ | | _____ |
  | _BUSINESS TIMESENSITIVE NO__ | | _SYSTEM TIMESENSITIVE YES__ |
> _____ _ARCHIVE SENSITIVE YES_____ >>

```

```

|_ ARCHIVE SENSITIVE NO _|      |_APPLCOMPAT_compatibility-level_|
> _____>
|_CONCENTRATE STATEMENTS OFF_____|
|_CONCENTRATE STATEMENT WITH LITERALS_|

```

ALTER FUNCTION (inline SQL scalar)

```

>_ALTER_FUNCTION_function-name_____option-list_>
|_____|<,_|_____||
|_____||_ ( _____ )_|
|_____||_parameter-type_|
|_SPECIFIC FUNCTION_specific-name_____||

```

Parameter-type:

```

>_data-type_____>

```

data-type:

```

>>_built-in-data-type_____>>
|_distinct-type-name_|

```

built-in-data-type:

```

>_SMALLINT_____>>
|_INTEGER_|
|_INT_|
|_BIGINT_|
|_____ (5,0) _____|
|_DECIMAL_|_____|
|_DEC_|_ ( integer _____ )_|
|_NUMERIC_|_ , integer_|
|_____ (34) _____|
|_DECFLOAT_|_____|
|_____ (16) _____|
|_____ (53) _____|
|_FLOAT_|_____|
|_____ ( integer _____ )_|
|_REAL_|_____|
|_____PRECISION_____|
|_DOUBLE_|_____|
|_____ (1) _____|
|_CHARACTER_|_____| | | | |
|_CHAR_|_ ( length _____ )_| |_CCSID ASCII_| |_FOR SBCS DATA_|
|_CHARACTER VARYING_|_ ( length _____ )_| |_EBCDIC_| |_MIXED_|
|_CHAR_| |_UNICODE_| |_BIT_|
|_VARCHAR_|
|_____ (1M) _____|
|_CHARACTER LARGE OBJECT_|_____| | | | |
|_CHAR_|_ ( integer _____ )_| |_CCSID ASCII_| |_FOR SBCS DATA_|
|_CLOB_|_____ |_EBCDIC_| |_MIXED_|
|_____ (1) _____ |_UNICODE_|
|_GRAPHIC_|_____|
|_____ ( integer _____ )_| |_CCSID ASCII_|
|_VARGRAPHIC_|_ ( integer _____ )_| |_EBCDIC_|
|_____ (1M) _____ |_UNICODE_|
|_DBCLOB_|_____|
|_____ (integer) _____|
|_____ (1) _____|
|_BINARY_|_____|
|_____ (integer) _____|
|_BINARY VARYING_|_ (integer) _____|
|_VARBINARY_|
|_____ (1M) _____|
|_BINARY LARGE OBJECT_|_____|
|_BLOB_|_ ( integer _____ )_|
|_K_|
|_M_|

```

```

|_DATE_____ |_G_|
|_TIME_____ |
|_TIMESTAMP_ ( _6_ ) _____ WITHOUT TIME ZONE_
|_ (integer_ ) _____ |
|_ROWID_____ |
|_XML_____ |

```

option-list:

```

> _____ NOT DETERMINISTIC _____ EXTERNAL ACTION _____ >
|_ DETERMINISTIC _____ | _____ NO EXTERNAL ACTION_ |
> _____ READS SQL DATA _____ CALLED ON NULL INPUT _____ NOT SECURED _____ >
|_ CONTAINS SQL _____ | _____ SECURED _____ |
> _____ STATIC DISPATCH _____ >

```

ALTER FUNCTION (SQL table)

```
> _ALTER_ function-designator _RESTRICT_ options-list _____ >
```

function-designator:

```

> _____ FUNCTION_ function-name _____ >
| _____ | _____ <_ , _____ | _____ |
| _____ | _____ ( _____ ) _____ |
| _____ | _____ parameter-type_ |
|_ SPECIFIC FUNCTION_ specific-name _____ |

```

parameter-type:

```
>> _____ data-type _____ >>
```

data-type:

```
>> _____ built-in-data-type _____ >>
|_ distinct-type-name_ |

```

built-in-data-type:

```

> _SMALLINT_____ >>
|_ INTEGER _____ |
|_ INT _____ |
|_ BIGINT _____ |
|_ DECIMAL _____ (5,0) _____ |
|_ DEC _____ ( integer ) _____ |
|_ NUMERIC _____ |_ , integer_ |
|_ DECFLOAT _____ (34) _____ |
|_ _____ (16) _____ |
|_ _____ (53) _____ |
|_ FLOAT _____ ( integer ) _____ |
|_ REAL _____ PRECISION _____ |
|_ DOUBLE _____ (1) _____ |
|_ CHARACTER _____ ( length ) _____ |
|_ CHAR _____ ( length ) _____ | _____ CCSID ASCII _____ | _____ FOR SBCS DATA_ |
|_ CHARACTER VARYING _____ ( length ) _____ | _____ EBCDIC _____ | _____ MIXED _____ |
|_ CHAR _____ | _____ UNICODE _____ | _____ BIT _____ |
|_ VARCHAR _____ |
|_ CHARACTER LARGE OBJECT _____ (1M) _____ |
|_ CHAR _____ ( integer ) _____ | _____ CCSID ASCII _____ | _____ FOR SBCS DATA_ |
|_ CLOB _____ | _____ EBCDIC _____ | _____ MIXED _____ |

```

```

|_GRAPHIC_ (1) | | _UNICODE_ |
|_VARGRAPHIC_ (integer) | | _CCSID_ ASCII |
|_DBCLOB_ (1M) | | _EBCDIC_ |
|_BINARY_ (integer) | | _UNICODE_ |
|_BINARY VARYING_ (integer) |
|_VARBINARY_ |
|_BINARY LARGE OBJECT_ (1M) |
|_BLOB_ (integer) |
|_K_ |
|_M_ |
|_G_ |
|_DATE_ |
|_TIME_ |
|_TIMESTAMP_ (6) | | _WITHOUT TIME ZONE_ |
|_ROWID_ |
|_XML_ |

```

option-list:

```

> _NOT DETERMINISTIC_ | _EXTERNAL ACTION_ | >
|_DETERMINISTIC_ | | _NO EXTERNAL ACTION_ |
> _READS SQL DATA_ | | _CALLED ON NULL INPUT_ | >
|_CONTAINS SQL_ | |
> _INHERIT SPECIAL REGISTERS_ | _STATIC DISPATCH_ | >
> _CARDINALITY integer_ | _SECURED_ | >
|_NOT SECURED_ |

```

ALTER INDEX

```

>> _ALTER INDEX_ index-name | >
|_REGENERATE_ |
<
> | >
|_BUFFERPOOL_ bpname |
|_CLOSE_ YES |
| | _NO_ |
|_COPY_ NO |
| | _YES_ | |
|_PIECESIZE_ integer | _K_ |
| | | _M_ |
| | | _G_ |
|_using-block_ |
|_free-block_ |
|_gbpcache-block_ |
|_CLUSTER_ |
| | _NOT CLUSTER_ |
|_COMPRESS_ NO |
| | _COMPRESS YES_ |
|_NOT PADDED_ |
| | _PADDED_ | |
| | | _ASC_ |
|_ADD COLUMN_ (column name | | ) |

```



```

|         | _DESC_ |
|         | _RANDOM_ |
|_INCLUDE COLUMN (column-name)_|
>_____>
|_<_/_|_____>
|_ALTER_ | _partition-element_ | _____>
|         | _____>
|         | _using-block_ |
|         | _free-block_ |
|         | _gbpcache-block_ |
|         | _DSSIZE int G_ |

```

using-block

```

<_____>
>> _____>>
|_USING_ | _VCAT_ | _catalog-name_ | _____>>
|         | _STOGROUP_ | _stogroup-name_ | |
|         | _PRIQTY_ | _integer_ | |
|         | _SECQTY_ | _integer_ | |
|         | _ERASE_ | _YES_ | |
|         | _NO_ | |

```

free-block

```

<_____>
>> _____>>
|_FREEPAGE_ | _integer_ | _____>>
|_PCTFREE_ | _integer_ | |

```

gbpcache-block

```

>> _GBPCACHE_ | _CHANGED_ | _____>>
|         | _ALL_ | |
|         | _NONE_ | |

```

partition-element

```

>> _PARTITION_ | _integer_ | _____>
|         | _____>
|         | _AT_ | <_/_| _____>
|         | _ENDING_ | _____>
|         | _____>
|         | (_constant_ | ) | _____>
|         | _____>
|         | _MAXVALUE_ | |
|         | _MINVALUE_ | |

```

ALTER MASK

```

>> _ALTER MASK_ | _mask-name_ | _ENABLE_ | _____>
|         | _____>
|         | _DISABLE_ | |
|         | _REGENERATE_ | |

```

ALTER PERMISSION

```

>> _ALTER PERMISSION_ | _permission-name_ | _ENABLE_ | _____>
|         | _____>
|         | _DISABLE_ | |
|         | _REGENERATE_ | |

```

ALTER PROCEDURE (external)

```

>> _ALTER PROCEDURE_ | _procedure-name_ | _option-list_ | _____>

```

option-list

```

> _____>>
|_DYNAMIC RESULT SETS_ | _integer_ | _____>>
|_EXTERNAL NAME_ | _external-program-name_ | |
|         | _identifier_ | |
|_LANGUAGE_ | _ASSEMBLE_ | |
|         | _C_ | |

```

```

|     | _COBOL_____ |
|     | _JAVA_____ |
|     | _PLI_____ |
|     | _REXX_____ |
|-----|
| _PARAMETER STYLE_____ SQL_____ |
|     | _GENERAL_____ |
|     | _GENERAL WITH NULLS_|
|     | _JAVA_____ |
|_NOT DETERMINISTIC_____ |
|_DETERMINISTIC_____ |
|_PACKAGE PATH_____ package path_____ |
|_NO PACKAGE PATH_____ |
|_CONTAINS SQL_____ |
|_READS SQL DATA_____ |
|_MODIFIES SQL DATA_____ |
|_NO SQL_____ |
|_NO DBINFO_____ |
|_DBINFO_____ |
|_NO COLLID_____ |
|_COLLID_____ collection-id_____ |
|_WLM ENVIRONMENT_____ name_____ |
|     | _ ( _ name _ , * _ ) _ |
|_ASUTIME_____ NO LIMIT_____ |
|     | _LIMIT_____ integer_____ |
|_STAY RESIDENT_____ NO_____ |
|     | _YES_____ |
|_PROGRAM TYPE_____ SUB_____ |
|     | _MAIN_____ |
|_SECURITY_____ DB2_____ |
|     | _USER_____ |
|     | _DEFINER_____ |
|_RUN OPTIONS_____ run-time-options_____ |
|_COMMIT ON RETURN_____ NO_____ |
|     | _YES_____ |
|_INHERIT SPECIAL REGISTERS_____ |
|_DEFAULT SPECIAL REGISTERS_____ |
|_CALLED ON NULL INPUT_____ |
|_STOP AFTER SYSTEM DEFAULT FAILURES_____ |
|_STOP AFTER integer FAILURES_____ |
|_CONTINUE AFTER FAILURE_____ |
|_DISALLOW DEBUG MODE_____ |
|_ALLOW DEBUG MODE_____ |
|_DISABLE DEBUG MODE_____ |

```

external-java-routine-name

```

| _____ method-name _____ |
| _jar-name:_____ | _method-signature_____ |

```

jar-name

```

| _____ jar-id _____ |
| _schema-name._____ |

```

method-name

```

< _____ | _____ class-id _____ . _____ method-id _____ |
| _____ package-id _____ . _____ | |!_____ |

```

```

method-signature |_/____|
|_____|
|_(_____)_|
|_____|
|____java-datatype____|

```

ALTER PROCEDURE (SQL-external)

```

>> _ALTER PROCEDURE _procedure-name _option-list _____ >
  <
  > _____ DYNAMIC RESULT SETS _____ integer _____ | _____ >>
    |_____ EXTERNAL NAME _____ 'string' _____|
    |_____ |_____ identifier _____|
    |_____ NOT DETERMINISTIC _____|
    |_____ DETERMINISTIC _____|
    |_____ CONTAINS SQL _____|
    |_____ READS SQL DATA _____|
    |_____ MODIFIES SQL DATA _____|
    |_____ NO COLLID _____|
    |_____ COLLID _____ collection-id _____|
    |_____ WLM ENVIRONMENT _____ name _____|
    |_____ |_____ (_____ name _____, * _____) _____|
    |_____ ASUTIME _____ NO LIMIT _____|
    |_____ |_____ LIMIT _____ integer _____|
    |_____ STAY RESIDENT _____ NO _____|
    |_____ |_____ YES _____|
    |_____ PROGRAMTYPE _____ SUB _____|
    |_____ |_____ MAIN _____|
    |_____ SECURITY _____ DB2 _____|
    |_____ |_____ USER _____|
    |_____ |_____ DEFINER _____|
    |_____ RUN OPTIONS _____ run-time-options _____|
    |_____ COMMIT ON RETURN _____ NO _____|
    |_____ |_____ YES _____|
    |_____ INHERIT SPECIAL REGISTERS _____|
    |_____ |_____ DEFAULT SPECIAL REGISTERS _____|
    |_____ STOP AFTER SYSTEM DEFAULT FAILURES _____|
    |_____ |_____ STOP AFTER integer FAILURES _____|
    |_____ |_____ CONTINUE AFTER FAILURE _____|

```

ALTER PROCEDURE (SQL-native)

```

> _ALTER PROCEDURE _procedure-name _____ >
  _____
  > |_____ ALTER _____ ACTIVE VERSION _____| _____ option-list _____ >>
    |_____ |_____ VERSION _____ routine-version-id _____|
    |_____ |_____ ACTIVE VERSION _____|
    |_____ REPLACE _____ |_____ routine-specification _____|
    |_____ |_____ VERSION _____ routine-version-id _____|
    |_____ ADD VERSION _____ routine-version-id _____ routine-specification _____|
    |_____ ACTIVATE VERSION _____ routine-version-id _____|
    |_____ |_____ ACTIVE VERSION _____|
    |_____ REGENERATE _____ |_____ |_____|

```

```
|
|_VERSION--routine-version-id_|
|_DROP VERSION__routine-version-id_____|
```

routine-specification:

```
> _____SQL-routine-body_>
|_____|
|_option-list_|
|_(_____)_|
|<_____|
|_parameter-declaration_|
```

parameter-declaration:

```
____IN____
>|_____|_parameter-name_ data-type_____>
|_OUT____|
|_INOUT_|
```

data-type:

```
>>_____built-in-data-type_____>>
|_distinct-type-name_|
|_array-type-name____|
```

built-in-data-type:

```
> SMALLINT _____>>
|_INTEGER_|
|_INT_|
|_BIGINT_|
|_____ (5,0) _____|
|_DECIMAL_|
|_DEC_| |_( integer _____ )_|
|_NUMERIC_| |_, integer_|
|_DECFLOAT_|
|_____ (34) _____|
|_____ (16) _____|
|_____ (53) _____|
|_FLOAT_|
|_( integer _____ )_|
|_REAL_|
|_____ PRECISION _____|
|_DOUBLE_|
|_____ (1) _____|
|_CHARACTER_|
|_|_CHAR_| |_( length _____ )_| |_|_CCSID_|_ASCII_| |_|_FOR_|_SBCS_|_DATA_|
|_|_CHARACTER VARYING_| |_( length _____ )_| |_|_EBCDIC_| |_|_MIXED_|
|_|_CHAR_| |_|_UNICODE_| |_|_BIT_|
|_|_VARCHAR_|
|_CHARACTER LARGE OBJECT_| |_(1M)_____|
|_|_CHAR_| |_( integer _____ )_| |_|_CCSID_|_ASCII_| |_|_FOR_|_SBCS_|_DATA_|
|_|_CLOB_| |_|_EBCDIC_| |_|_MIXED_|
|_|_UNICODE_|
|_____ (1) _____|
|_GRAPHIC_|
|_( integer _____ )_| |_|_CCSID_|_ASCII_| |
|_VARGRAPHIC_| |_( integer _____ )_| |_|_EBCDIC_|
|_____ (1M) _____| |_|_UNICODE_|
|_DBCLOB_|
|_( integer _____ )_|
|_____ (1) _____|
|_BINARY_|
|_(integer)_____|
|_BINARY VARYING_| (integer)_____
|_VARBINARY_|
|_____ (1M) _____|
|_BINARY LARGE OBJECT_|
|_|_BLOB_| |_( integer _____ )_|
|_|_K_|
```

```

|           | M |
|           | G |
| DATE      |
| TIME      |
|_____|
|_TIME_____|
|_TIMESTAMP_ (6_) | WITHOUT TIME ZONE |
|_____|
|_ (integer_) | WITH TIME ZONE |
|_____|
| XML

```

option-list:

```

> NOT DETERMINISTIC >
| DETERMINISTIC | DYNAMIC RESULT SETS integer |
> READS SQL DATA >
| CONTAINS SQL | CALLED ON NULL INPUT |
| MODIFIES SQL DATA |
> STATIC DISPATCH ALLOW PARALLEL >
| DISALLOW PARALLEL |
> DISALLOW DEBUG MODE PARAMETER CCSID ASCII QUALIFIER schema-name >
| ALLOW DEBUG MODE || PARAMETER CCSID EBCDIC |
| DISABLE DEBUG MODE || PARAMETER CCSID UNICDOE |
> PACKAGE OWNER auth-name ASUTIME NO LIMIT COMMIT ON RETURN YES >
| AS ROLE | ASUTIME LIMIT int | COMMIT ON RETURN NO |
| USER | AUTONOMOUS |
> INHERIT SPECIAL REGISTERS WLM ENVIRONMENT FOR DEBUG MODE name >
| DEFAULT SPECIAL REGISTERS |
> CURRENT DATA NO CONCURRENT ACCESS RESOLUTION USE CURRENTLY COMMITTED >
| CURRENT DATA YES | CONCURRENT ACCESS RESOLUTION WAIT FOR OUTCOME |
> DEGREE 1 >
| DEFER PREPARE | DEGREE ANY |
| NODEFER PREPARE |
> DYNAMICRULES RUN >
| DYNAMICRULES BIND | APPLICATION ENCODING SCHEME ASCII |
| DYNAMICRULES DEFINEBIND | APPLICATION ENCODING SCHEME EBCDIC |
| DYNAMICRULES DEFINERUN | APPLICATION ENCODING SCHEME UNICODE |
| DYNAMICRULES INVOKEBIND |
| DYNAMICRULES INVOKERUN |
> WITHOUT EXPLAIN ISOLATION LEVEL CS OPHINT ' ' >
| WIHT EXPLAIN || ISOLATION LEVEL RS | OPHINT_string-constant |
| ISOLATION LEVEL RR |
| ISOLATION LEVEL UR |
< ,
> SQL PATH schema-name REOPT NONE VALIDATE RUN >
| SCHEMA PATH | REOPT ALWAYS | VALIDATE BIND |
| SESSION USER | REOPT ONCE |
| USER |
>
| ROUNDING DEC_ROUND_CEILING | DATE FORMAT ISO |
| ROUNDING DEC_ROUND_DOWN | DATE FORMAT EUR |
| ROUNDING DEC_ROUND_FLOOR | DATE FORMAT USA |
| ROUNDING DEC_ROUND_HALF_DOWN | DATE FORMAT JIS |
| ROUNDING DEC_ROUND_HALF_EVEN | DATE FORMAT LOCAL |
| ROUNDING DEC_ROUND_HALF_UP |
| ROUNDING DEC_ROUND_UP |
> FOR UPDATE CLAUSE REQUIRED >

```

```

|_DECIMAL(15)___| | _FOR UPDATE CLAUSE OPTIONAL_|
|_DECIMAL(31)___|
|_DECIMAL(15,s)___|
|_DECIMAL(31,s)___|
>
|_TIME FORMAT ISO___|
|_TIME FORMAT EUR___|
|_TIME FORMAT USA___|
|_TIME FORMAT JIS___|
|_TIME FORMAT LOCAL___|
>
|_SYSTIMESENSITIVE( | _NO_| )_| | _BUSTIMESENSITIVE( | _NO_| )_|
>
|_ARCHIVESENSITIVE( | _NO_| )_| | _APPLCOMPAT( __level__ )_|
>
|_CONCENTRATE STATEMENTS OFF___|
|_CONCENTRATE STATEMENT WITH LITERALS___|

```

ALTER SEQUENCE

```

>> _ALTER SEQUENCE __sequence-name_____ >
<_____
> _RESTART_____ | _____>>
| | _WITH__numeric-constant_| |
|_INCREMENT BY__numeric-constant_|
|_NO MINVALUE_____|
| | _MINVALUE__numeric-constant_|
|_NO MAXVALUE_____|
| | _MAXVALUE__numeric-constant_|
|_NO CYCLE_____|
|_CYCLE_____|
|_NO CACHE_____|
| | _CACHE__integer-constant_|
|_NO ORDER_____|
|_ORDER_____|

```

ALTER STOGROUP

```

>> _ALTER STOGROUP __stogroup-name_____ >
<_____
> _ADD VOLUMES( | <,'_____| | _____>>
| | | <,'*'| _____| |
|_REMOVE VOLUMES( | <,'_____| | _____>>
| | | <,'*'| _____| |
>
|_DATACLAS__dc-name_| | _MGMTCLAS__mc-name_| | _STORCLAS__sc-name_|

```

ALTER TABLE

```

>> ALTER TABLE table-name >
  <
    COLUMN
  > ADD | COLUMN | column-definition >
  | COLUMN
  | ALTER | column-alteration
  | RENAME COLUMN source-column-name
  | TO target-column-name
  | DROP COLUMN column-name RESTRICT
  | ADD PERIOD FOR period-definition
  | ADD unique-constraint
  | referential-constraint
  | check-constraint
  | DROP PRIMARY KEY
  | FOREIGN KEY constraint-name
  | UNIQUE
  | CHECK
  | CONSTRAINT
  | ADD PARTITION BY partitioning-clause
  | ALTER PARTITIONING TO PARTITION BY partitioning-clause
  | ADD PARTITION partitioning-clause
  | ALTER PARTITION integer partition clause
  | ROTATE FIRST TO LAST rotate-part-clause
  | integer
  | ADD ORGANIZE BY HASH organization-clause
  | ALTER ORGANIZATION SET HASH SPACE int K
  | M
  | G
  | DROP ORGANIZATION
  | SYSTEM
  | ADD | VERSIONING USE HISTORY TABLE hist-table
  | SYSTEM
  | DROP | VERSIONING
  | MATERIALIZED
  | ADD | QUERY
  | mqt-def
  | MATERIALIZED
  | DROP | QUERY
  | MATERIALIZED
  | ALTER | QUERY mqt-alt
  | CHANGES
  | ALL
  | DATA CAPTURE NONE
  | CHANGES
  | CARDINALITY
  | NOT VOLATILE
  | VOLATILE
  | ADD CLONE clone-table-name
  | DROP CLONE
  | ADD RESTRICT ON DROP
  | DROP RESTRICT ON DROP
  | ACTIVATE ROW ACCESS CONTROL
  | DEACTIVATE
  | ACTIVATE COLUMN ACCESS CONTROL

```



```

| | (integer) | | |
| | VARGRAPHIC (integer) | | CCSID 1200 |
| | (1M) |
| | DBCLOB |
| | (integer) |
| | (1) |
| | BINARY |
| | (integer) |
| | BINARY VARYING (integer) |
| | _VARIABLE |
| | (1M) |
| | BINARY LARGE OBJECT |
| | BLOB | | (integer) |
| | | |
| | | |
| | | |
| | DATE |
| | TIME |
| | (6) | | WITHOUT TIME ZONE |
| | TIMESTAMP | | WITH TIME ZONE |
| | (integer) |
| | ROWID |
| | XML ( XML-type-modifier ) |

```

XML-type-modifier:

```
>> _XMLSCHEMA XML-schema-specification _____ >
| | _ELEMENT_element-name |
```

XML-schema-specification:

```
>> _ID registered-XML-schema-name _____ >
| | _URL target-namespace |
| | _NO NAMESPACE | | _LOCATION_schema-location |
```

default-clause:

```
>> | | _WITH |
| | _DEFAULT | _____ ><
| | _constant | |
| | _SESSION_USER |
| | | _USER |
| | _CURRENT SQLID |
| | _NULL |
| | _cast-function-name ( constant ) |
| | | _SESSION_USER |
| | | _USER |
| | | _CURRENT SQLID |
| | | _NULL |
```

column-constraint:

```
>> _reference-clause _____ >
| | _check-constraint |
```

generated-clause:

```
>> _GENERATED | | _ALWAYS | _____ ><
| | | _BY DEFAULT | | _as-identity-clause |
| | | _ALWAYS | | _as-row-change-timestamp-clause |
| | _GENERATED | | _as-row-transaction-start-id-clause |
| | | | _as-ow-transaction-timestamp-clause |
| | | | _as-generated-expression-clause |
```

as-identity-clause:

```
>> _AS IDENTITY _____ ><
```

```

| <_ |
| ( ( START WITH numeric-constant | ) ) |
| |
| INCREMENT BY_1 numeric-constant | |
| CACHE 20 |
| NO CACHE |
| CACHE integer |
| NO CYCLE |
| CYCLE |
| NO MAXVALUE |
| MAXVALUE numeric-constant |
| NO MINVALUE |
| MINVALUE numeric-constant |
| NO ORDER |
| ORDER |

```

as-row-change-timestamp-clause:

```
>> _FOR EACH ROW ON UPDATE AS ROW CHANGE TIMESTAMP _____ >
```

as-row-transaction-timestamp-clause:

```
>> _AS ROW BEGIN _____ >
| _END_ |
```

as-row-transaction-id-clause:

```
>> _AS TRANSACTION START ID _____ >
```

non-deterministic-expression:

```
>> _DATA CHANGE OPERATION _____ >
| _special-register _____ |
| _session_variable _____ |
```

special-register:

```
>> _CURRENT CLIENT ACCTNG _____ >
| _CURRENT CLIENT APPLNAME _____ |
| _CURRENT CLIENT CORR_TOKEN _____ |
| _CURRENT CLIENT USERID _____ |
| _CURRENT CLIENT WRKSTNNAME _____ |
| _CURRENT SERVER _____ |
| _CURRENT SQLID _____ |
| _SESSION_USER _____ |
```

session-variable:

```
>> _SYSIBM.PACKAGE_NAME _____ >
| _SYSIBM.PACKAGE_SCHEMA _____ |
| _SYSIBM.PACKAGE_VERSION _____ |
```

column-alteration:

```
>> _column-name SET DATATYPE_ altered-data-type _____ >
| | | _INLINE LENGTH_ integer | | | |
| | | _default-clause _____ | |
| | | _INLINE LENGTH_ integer _____ | |
| | | _GENERATED ALWAYS _____ | |
| | | _BY DEFAULT_ | | _identity-alteration _____ | |
| | | | _as-row-transaction-tmsp-cls_ | |
```

```

|_ DROP DEFAULT _____ | _as-row-transaction-id-cls__ ||
|_ _____
altered-data-type:
> _SMALLINT _____ ><
|_ INTEGER _____
|_ INT _____
|_ BIGINT _____
|_ DECIMAL _____ (5,0) _____
|_ DEC _____ (integer) _____
|_ NUMERIC _____ (integer) _____
|_ DECFLOAT _____ (34) _____
|_ FLOAT _____ (16) _____ (53) _____
|_ REAL _____ (integer) _____
|_ DOUBLE _____ PRECISION _____ (1) _____
|_ CHARACTER _____ (length) _____ |_ FOR_SBCS_DATA_|
|_ CHAR _____ (length) _____ |_ MIXED_|
|_ CHAR _____ |_ BIT_|
|_ VARCHAR _____
|_ CHARACTER LARGE OBJECT _____ (1M) _____
|_ CHAR _____ (integer) _____ |_ FOR_SBCS_DATA_|
|_ CLOB _____ |_ MIXED_|
|_ GRAPHIC _____ (integer) _____
|_ VARGRAPHIC _____ (1M) _____
|_ DBCLOB _____ (integer) _____ (1) _____
|_ BINARY _____ (integer) _____
|_ BINARY VARYING _____ (integer) _____
|_ VARBINARY _____
|_ BINARY LARGE OBJECT _____ (1M) _____
|_ BLOB _____ (integer) _____
|_ K|
|_ M|
|_ G|
|_ TIMESTAMP _____ (6) _____ WITHOUT TIME ZONE _____
|_ (integer) _____ |_ WITH TIME ZONE _____
|_ XML ( XML-type-modifier) _____

```

XML-type-modifier:

```

>> _XMLSCHEMA XML-schema-specification _____ >
|_ ELEMENT_element-name_|

```

XML-schema-specification:

```

>> _ID registered-XML-schema-name _____ >
|_ URL target-namespace _____ |
|_ NO NAMESPACE _____ | |_ LOCATION_schema-location_|

```

identity-alteration:

```

< _ / _____
>> _RESTART _____ ><
|_ WITH numeric-constant _____ |
|_ SET INCREMENT BY numeric-constant _____ |
|_ SET_NO MINVALUE _____ |

```

```

|_____|_MINVALUE_ numeric-constant_|_____|
|_SET_ NO MAXVALUE_____|
|_____|_MAXVALUE_ numeric-constant_|_____|
|_SET_ NO CACHE_____|
|_____|_CACHE_ integer_|
|_SET_ NO CYCLE_____|
|_____|_CYCLE_____|
|_SET_ NO ORDER_____|
|_____|_ORDER_____|_____|

```

unique-constraint:

```

>>_____ PRIMARY KEY _____ (<_,_____>
|_CONSTRAINT_ constraint-name_| |_UNIQUE_ ___|
>_____><<
|_,_BUSINESS_TIME_WITHOUT_OVERLAPS_|

```

referential-constraint:

```

>>_____ FOREIGN KEY _____>
|_CONSTRAINT_ constraint-name_|
>_____<_,_____>
>_(_column-name_____)|_____>
|_PERIOD_BUSINESS_TIME_|
>_references-clause_____><<

```

references-clause:

```

>>_REFERENCES_ table-name _____>
|_____<_,_____>|
|_(_column-name_____)|_____|
|_PERIOD BUSINESS TIME_|
>_____><<
|_ON DELETE_ RESTRICT_|
|_NO ACTION_|
|_CASCADE_|
|_SET NULL_|
>_ENFORCED_____|_ENABLE QUERY OPTIMIZATION_|
>_|_NOT ENFORCED_|_____><<

```

check-constraint:

```

>>_____ CHECK_(check-condition) _____><<
|_CONSTRAINT_ constraint-name_|

```

partitioning-clause:

```

>>_____ RANGE _____<_,_____>
|_____|_(_partition-expression_|_)_____>
>_____<_,_____>
>_(_partition-element_|_)_____><<

```

partitioning-expression:

```

>>_column-name_|_____|_NULLS LAST_|_ASC_|
|_____|_DESC_|_____>

```

partition-element:

```

|_AT_|_____<_,_____>|_INCLUSIVE_|

```

```
>> _ENDING_ | ____ | ( ____ constant | ) | _____ | _____ ><
|                                     | MAXVALUE | _____ |
|                                     | MINVALUE | _____ |
|_HASH SPACE_integer_ K _____ |
|_M_|
|_G_|
```

partition-clause:

```
>> _ENDING_ | ____ | ( ____ constant | ) | _____ | _____ ><
|                                     | MAXVALUE | _____ |
|                                     | MINVALUE | _____ |
|_HASH SPACE_integer_ K _____ |
|_M_|
|_G_|
```

partition-rotation:

```
>> _ENDING_ | ____ | ( ____ constant | ) | _____ | _____ RESET _____ ><
|                                     | MAXVALUE | _____ |
|                                     | MINVALUE | _____ |
```

extra-row-option:

```
>> _ON DELETE ADD EXTRA ROW _____ ><
```

materialized-query-definition:

```
>> _ ( fullselect ) refreshable-table-options _____ >
```

refreshable-table-options:

```
>> _DATA INITIALLY DEFERRED_ REFRESH DEFERRED _____ >
< _____ ><
|_MAINTAINED BY SYSTEM_|
|_MAINTAINED BY USER_|
|_ENABLE QUERY OPTIMIZATION_|
|_DISABLE QUERY OPTIMIZATION_|
```

materialized-query-table-alteration:

```
>> _SET_ < _____ | _____ >
|_MAINTAINED BY SYSTEM_|
|_MAINTAINED BY USER_|
|_ENABLE QUERY OPTIMIZATION_|
|_DISABLE_QUERY OMITITIZATION_|
```

period-definition:

```
>> _SYSTEM_TIME_ ( _begin-column-name, end-column-name ) _____ >
| _____ |
|_BUSINESS_TIME_ ( _begin-column-name, end-column-name ) | _____ |
| _____ |
|_INCLUSIVE_|
```

organization-clause:

```
>> _UNIQUE_ ( _column-name ) | _____ | _____ >
|_HASH SPACE_64M_____ |
|_HASH SPACE_integer_K_|
```

|_M_|
|_G_|

ALTER TABLESPACE

```
>> _ALTER TABLESPACE_____table-space-name_____>
        |_____database-name._|
        <
    > _____BUFFERPOOL bpname_____||_____>>
        |_____LOCKSIZE ANY_____||_____
        |_____TABLESPACE_|_____||_____
        |_____TABLE_____||_____
        |_____PAGE_____||_____
        |_____ROW_____||_____
        |_____LOB_____||_____
        |_____LOCKMAX SYSTEM_____||_____
        |_____integer_|_____||_____
        |_____CLOSE YES_____||_____
        |_____NO_____||_____
        |_____USING VCAT catalog-name_____||_____
        |_____STOGROUP stogroup-name_|_____||_____
        |_____PRIQTY integer_____||_____
        |_____SECQTY integer_____||_____
        |_____ERASE YES_____||_____
        |_____NO_____||_____
        |_____FREEPAGE integer_____||_____
        |_____PCTFREE integer_____||_____
        |_____NO_____||_____
        |_____COMPRESS_|_YES_|_____||_____
        |_____FIXEDLENGTH_|_____||_____
        |_____HUFFMAN_____||_____
        |_____DROP PENDING CHANGES_____||_____
        |_____DSSIZE integer G_____||_____
        |_____MEMBER CLUSTER YES_____||_____
        |_____MEMBER CLUSTER NO__|_____||_____
        |_____SEGSIZE integer_____||_____
        |_____GBPCACHE CHANGED_____||_____
        |_____ALL_____||_____
        |_____SYSTEM_____||_____
        |_____NONE_____||_____
        |_____LOCKPART YES_____||_____
        |_____NO_____||_____
        |_____MAXROWS integer_____||_____
        |_____MAXPARTITIONS integer_____||_____
        |_____TRACKMOD YES_____||_____
        |_____NO_____||_____
        |_____LOGGED_____||_____
        |_____NOT LOGGED_|_____||_____
        |_____CCSID ccsid-value_____||_____
        |_____PAGENUM RELATIVE_____||_____
        |_____PAGENUM ABSOLUTE_|_____||_____

    >> _ALTER PARTITION integer_____>
        |_____USING VCAT catalog-name_____||_____
        |_____STOGROUP stogroup-name_|_____||_____
        |_____PRIQTY integer_____||_____
```

```

|_SECQTY_ integer _____|
|_ERASE_   YES _____|
|           |_NO_| _____|
|_FREEPAGE_ integer _____|
|_PCTFREE_ integer _____|
|_COMPRESS_ YES _____|
|           |_NO_| _____|
|_GBPCACHE_ CHANGED _____|
|           |_ALL_| _____|
|           |_SYSTEM_| _____|
|           |_NONE_| _____|
|_DSSIZE_ integer G _____|
|_TRACKMOD_ YES _____|
|           |_NO_| _____|

```

ALTER TRIGGER (advanced)

```
>> _ALTER TRIGGER trigger-name _____ >
```

```

> |_____| |_____| |_____| |_____| |_____| ><
|_ALTER_   |_ACTIVE VERSION_ _____| |_____| |_____|
|           |_VERSION trigger-version-id_ _____|
|           |_ACTIVE VERSION_ _____|
|_REPLACE_ |_____| |_____| |_____|
|           |_VERSION trigger-version-id_ _____|
|_ADD VERSION_ trigger-version-id_ trigger-specification _____|
|_ACTIVATE VERSION_ trigger-version-id _____|
|           |_ACTIVE VERSION_ _____| | | | |
|_REGENERATE_ |_____| |_____| |_____|
|           |_VERSION trigger-version-id_ _____|
|_DROP VERSION_ trigger-version-id _____|

```

trigger-specification:

```
>> _trigger-activation-time_ trigger-event_ ON_ table-name _____ >
|_____| |_____|
```

```
> _____ >
```

```

|_____| |_____| |_____| | | |
|_REFERENCING_ |_____| |_____| |_____| |_____|
|           |_AS_ _____|
|           |_NEW_ |_____| |_____| |_____|
|           |_AS_ _____|
|           |_OLD TABLE_ |_____| |_____| |_____|
|           |_AS_ _____|
|           |_NEW TABLE_ |_____| |_____| |_____|

```

```
> ___ trigger-granularity _____ triggered-action _____ >
|_____| |_____|
```

trigger-activation-time

```
>> ___ NO CASCADE BEFORE _____ >
```

```

|_ AFTER _____|
|_ INSTEAD OF _____|
trigger-event:
> _____>
|_ DELETE _____|
|_ UPDATE _____|
|_ OF _____|
|_ OF _____column-name_||_|
trigger-granularity:
> _____><
|_ FOR EACH STATEMENT_||_|
option-list:
> _____>
|_ ALLOW DEBUG MODE____| |_ APPLICATION ENCODING SCHEME EBCDIC_||
|_ DISABLE DEBUG MODE_||_ APPLICATION ENCODING SCHEME UNICODE_||
|_ DISALLOW DEBUG MODE_____ APPLICATION ENCODING SCHEME ASCII_____>
> _____>
|_ ASUTIME NO LIMIT _____>
|_ ASUTIME LIMIT_int_||_|
|_ WLM ENVIRONMENT FOR DEBUG MODE name__|
> _____>
|_ CURRENT DATA NO _____ CONCURRENT ACCESS RESOLUTION USE CURRENTLY COMMITTED_>
|_ CURRENT DATA YES_||_ CONCURRENT ACCESS RESOLUTION WAIT FOR OUTCOME _____|
> _____>
|_ DYNAMICRULES RUN _____ WITHOUT IMMEDIATE WRITE _____>
|_ DYNAMICRULES BIND _____| |_ WITH IMMEDIATE WRITE _____|
> _____>
|_ WITHOUT EXPLAIN_____ ISOLATION LEVEL CS_____ OPHINT_' ' _____>
|_ WITH EXPLAIN____||_ ISOLATION LEVEL RS_|| |_ OPHINT_string-constant_||
|_ ISOLATION LEVEL RR_||_|
|_ ISOLATION LEVEL UR_||_|
|_ _____>
|_ SQL PATH_ schema-name|_____ RELEASE AT COMMIT _____>
|_ SCHEMA PATH_||_|_ RELEASE AT DEALLOCATE_||_|
|_ SESSION USER_||_|
|_ USER_||_|
> _____>
|_ ROUNDING DEC_ROUND_CEILING____| |_ DATE FORMAT ISO____| |_| |
|_ ROUNDING DEC_ROUND_DOWN____| |_ DATE FORMAT EUR____| |_|
|_ ROUNDING DEC_ROUND_FLOOR____| |_ DATE FORMAT USA____| |_|
|_ ROUNDING DEC_ROUND_HALF_DOWN_||_|_ DATE FORMAT JIS____| |_|
|_ ROUNDING DEC_ROUND_HALF_EVEN_||_|_ DATE FORMAT LOCAL_||_|
|_ ROUNDING DEC_ROUND_HALF_UP____| |_|
|_ ROUNDING DEC_ROUND_UP____| |_|
> _____>
|_ DECIMAL(15)____| |_ FOR UPDATE CLAUSE REQUIRED _____>
|_ DECIMAL(31)____| |_ FOR UPDATE CLAUSE OPTIONAL_||_|
|_ DECIMAL(15,s)____| |_|
|_ DECIMAL(31,s)____| |_|

```



```

> _____ >
|_TIME FORMAT ISO_| | _NOT SECURED_|
|_TIME FORMAT EUR_| | _SECURED_|
|_TIME FORMAT USA_|
|_TIME FORMAT JIS_|
|_TIME FORMAT LOCAL_|
> _____ >
| | _YES_| | | | _YES_|
|_SYSTEMSENSITIVE( |_|_NO_| )_| | | _BUSTIMESSENSITIVE( |_|_NO_| )_|
> _____ >
| | _YES_| | | |
|_ARCHIVESENSITIVE( |_|_NO_| )_| | | _APPLCOMPAT( _level_| )_|
> _____ >>
|_CONCENTRATE STATEMENTS OFF_|
|_CONCENTRATE STATEMENT WITH LITERALS_|

```

triggered-action:

```

>> _____ SQL trigger body _____ >
|_WHEN_( _search-condition_| )_|

```

SQL-trigger-body:

```

> _____ SQL-control-statement _____ ><
|_trigger-SQL-statement_|

```

ALTER TRIGGER (basic)

```

>> _ALTER TRIGGER_ trigger-name _____ NOT SECURED _____ >
|_SECURED_|

```

ALTER TRUSTED CONTEXT

```

>> _ALTER TRUSTED CONTEXT_ context-name _____ >

```

```

<
|_ALTER_ SYSTEM AUTHID_ authorization-name _____ | | ><
| | _NO DEFAULT ROLE _____ | | | | |
| | | _WITHOUT ROLE AS OBJECT OWNER _____ | | |
| | _DEFAULT ROLE role-name_| | | |
| | | _WITH ROLE AS OBJECT OWNER _____ | | |
| | _ENABLE _____ | | |
| | | _DISABLE_| | | |
| | _NO DEFAULT SECURITY LABEL _____ | | |
| | _DEFAULT SECURITY LABEL_ seclabel-name_| | | |
| | | _____ < , _____ | | |
| | _ATTRIBUTES _____ ( _____ ADDRESS address-value _____ | ) | |
| | | | _ENCRYPTION_ encryption-value _____ | | |
| | | | _SERVAUTH_ servauth-value _____ | | |
| | | | _JOBNAME_ jobname-value _____ | | |
| | | _____ < , _____ | | |
| | _ADD_ATTRIBUTES _____ ( _____ ADDRESS address-value _____ | ) _____ | |
| | | | _SERVAUTH_ servauth-value _____ | | |
| | | | _JOBNAME_ jobname-value _____ | | |
| | | _____ < , _____ | | |
| | _DROP_ATTRIBUTES _____ ( _____ ADDRESS address-value _____ | ) _____ | |
| | | | _SERVAUTH_ servauth-value _____ | | |
| | | | _JOBNAME_ jobname-value _____ | | |
|_user-clause _____ |

```

user-clause:

```
>> _ADD USE FOR _____ <_,_____>>
|                                     | use-options | |
| | _EXTERNAL SECURITY PROFILE profile-name |
| | _WITHOUT AUTHENTICATION | use-options |
| | _PUBLIC _____ | _____ |
| | | _WITH AUTHENTICATION _____ |
|
| _REPLACE USE FOR _____ <_,_____>
|                                     | use-options | |
| | _WITHOUT AUTHENTICATION |
| | _PUBLIC _____ | _____ |
| | | _WITH AUTHENTICATION _____ |
|
| _DROP USE FOR _____ <_,_____>
| | _EXTERNAL SECURITY PROFILE profile-name |
| | _PUBLIC _____ |
```

use-options:

```
>> _____ >
| _ROLE_role-name_ | _SECURITY LABEL-seclabel-name_ |
| | _WITHOUT AUTHENTICATION |
>> _____ | _____ >>
| | _WITH AUTHENTICATION _____ |
```

ALTER VIEW

```
>> _ALTER VIEW _view-name_ REGENERATE _____ >
```

ASSOCIATE LOCATORS

```
>> _ASSOCIATE _RESULT SET_ _____ LOCATOR _____ >
| _____ |
| | _LOCATORS_ |
> ( _____ <_,_____> ) _____ >
| _____ |
> _WITH PROCEDURE _____ procedure-name _____ >>
| | _host-variable_ |
```

BEGIN DECLARE SECTION

```
>> _BEGIN DECLARE SECTION _____ >>
```

CALL

```
>> _CALL _____ procedure-name _____ >
| _____ |
| | _variable_ |
> _____ >>
| | ( _____ ) | |
| | | <_,_____> |
| | | expression _____ |
| | | _NULL _____ |
| | | _TABLE transition_table_name_ |
| | _USING DESCRIPTOR descriptor-name _____ |
```

CLOSE

```
>> __CLOSE__ cursor-name _____>>
```

COMMENT ON

```
>> __COMMENT ON _____>
> ___ alias-designator _____ IS_string-constant___<
| |__COLUMN__ table-name__ .column-name _____| | | |
| | _____ |_view-name_||
| | _____ ACTIVE VERSION _____| |
| |__function-designator_| _____| |
| | _____ |_VERSION_routine-version-id_| | |
| |__INDEX__ index-name _____| |
| |__PACKAGE__ collection-id.package-name _____| |
| | _____ |_VERSION_| | |
| | _____ |__id_| | |
| |__PLAN__ plan-name _____| |
| | _____ ACTIVE VERSION _____| |
| |__PROCEDURE__ procedure-name_| _____| |
| | _____ |_VERSION_rt-ver-id___| | |
| |__ROLE__ role-name _____| |
| |__SEQUENCE__ sequence-name _____| |
| |__TABLE__ table-name _____| |
| | _____ |_view-name_||
| |__TRIGGER__ trigger-name _____| |
| |__TRUSTED CONTEXT__ context-name _____| |
| |__TYPE__ distinct-type-name _____| |
| |__MASK__ mask-name _____| |
| |__PERMISSION__ permission-name _____| |
| |__multiple-column_list _____| |
```

alias-designator

```
_____ _FOR TABLE_____>
>> _____ ALIAS alias-name _____| _____>
|__PUBLIC__| _____|__FOR SEQUENCE___|
```

multiple-column-list

```
< , _____>
>> __table-name_____ ( __column-name__ IS_string-constant_|__ ) _____>
|_view-name_|
```

function-designator

```
>> __FUNCTION__ function-name _____>
| _____| |< , _____| | | | |
| _____| |_____| | )_| | |
| _____| | _____| |
| _____ SPECIFIC FUNCTION specific-name _____| |
```

parameter-type

```
>> __data-type_____>>
|__AS LOCATOR___|
```

data-type

```
>> __built-in-data-type_____>>
```

```

    | _distinct-type-name_ |
    | _array-type-name_    |
built-in-data-type
> SMALLINT <<<
| _INTEGER_ |
| _INT_     |
| _BIGINT_  |
|          |
|          | (5,0)
| _DECIMAL_ |
| _DEC_     | | (_integer_) |
| _NUMERIC_ | |, integer_ |
|          |
| _DECFLOAT_ |
|          | (16) |
|          | (53)
| _FLOAT_    |
|          | | (_integer_) |
| _REAL_     |
|          | _PRECISION_
| _DOUBLE_   |
|          | (1)
|          |
| _CHARACTER_ |
| | _CHAR_    | | (_length_) | | _FOR_SBCS_DATA_ |
| | _CHARACTER_VARYING_ | | (_length_) | | _MIXED_ |
| | _CHAR_    | | _BIT_ |
| | _VARCHAR_ |
|          |
| _CHARACTER_LARGE_OBJECT_ | | (1M) | | | |
| | _CHAR_    | | (_integer_) | | _FOR_SBCS_DATA_ |
| | _CLOB_    | | _MIXED_ |
|          |
|          | (1)
| _GRAPHIC_  |
|          | | (_integer_) |
| _VARGRAPHIC_ | | (_integer_) |
|          | (1M)
| _DBCLOB_   |
|          | | (_integer_) |
|          | (1)
| _BINARY_   |
|          | | (_integer_) |
| _BINARY_VARYING_ | | (_integer_) |
| | _VARBINARY_ |
|          |
| _BINARY_LARGE_OBJECT_ | | (1M) |
| | _BLOB_    | | (_integer_) |
|          |
|          | | _K_ |
|          | | _M_ |
|          | | _G_ |
|          |
| _DATE_     |
| _TIME_     |
|          |
| _TIMESTAMP_ | | (6_) | | _WITHOUT TIME ZONE_ |
|          | | (_integer_) | | _WITH TIME ZONE_ |
| _ROWID_    |

```

COMMIT

```

    >> _COMMIT_ | _WORK_ | <<

```

CONNECT

```

    >> _CONNECT_ <<
    | _TO_ location-name |
    | | _host-variable_ | | _authorization_ |
    | _RESET_ |
    | | _authorization_ |
authorization
    >> _USER_ _host-variable_ _USING_ _host-variable_ <<

```

CREATE ALIAS

```
>> _CREATE _____ ALIAS_ | table-alias | _____ >>
      | _PUBLIC_ | | sequence-alias |
>> _alias-name_ FOR _____ TABLE _____ >>
      | _view-name_ |
      | _alias-name2_ |
>> _alias-name_ FOR _____ SEQUENCE _____ >>
```

CREATE AUXILIARY TABLE

```
>> _CREATE _____ AUXILIARY _____ TABLE_ aux-table-name_ IN _____ >
      | _AUX_ |
> _____ table-space-name_ STORES_ table-name _____ >
  | _database-name_ |
> _APPEND NO _____ COLUMN_ column-name _____ >>
  | _APPEND YES_ | | _PART_ integer_ |
```

CREATE DATABASE

```
>> _CREATE DATABASE_ database-name _____ >
  < _____ >>
  | _____ |
  | _BUFFERPOOL_ bpname _____ |
  | _INDEXBP_ bpname _____ |
  | _AS_ WORKFILE _____ |
  | _____ | _FOR_ member-name_ |
  | _____ _SYSDEFLT _____ |
  | _STOGROUP_ | _stogroup-name_ | _____ |
  | _CCSID_ ASCII _____ |
  | _____ _EBCDIC_ |
  | _____ _UNICODE_ |
```

CREATE FUNCTION (compiled SQL scalar)

```
>> _CREATE FUNCTION_ function-name_ ( _____ ) _____ >
      | <_ / _____ |
      | _____ _parameter-declaration_ | |
      | _____ |
      | _____ _VERSION V1 _____ |
> _RETURNS_ data-type2_ | _____ | _option-list_ >>
  | _____ _VERSION routine-version-id_ |

parameter-declaration:
>> _____ parameter-type _____ >>
  | _parameter-name_ |
parameter-type:
>> _____ data-type _____ >>
  | _____ | _AS LOCATOR _____ |
  | _TABLE LIKE _____ table-name _____ AS LOCATOR_ |
  | _____ _view-name_ |

data-type:
>> _____ built-in-data-type _____ >>
  | _____ _distinct-type-name_ |
```

|_array-type-name____|

built-in-data-type:

```

> SMALLINT _____>>
|_INTEGER_|
|_INT_|
|_BIGINT_|
|_DECIMAL_|_____(5,0)_____| | | | | | |
|_DEC_|_|_(integer)_____|
|_NUMERIC_|_|_(34)_____|_|_(integer)_____|
|_DECFLOAT_|_|_(16)_____|_|_(53)_____|
|_FLOAT_|_|_(integer)_____|
|_REAL_|_____|_PRECISION_____|
|_DOUBLE_|_____|_(1)_____|
|_CHARACTER_|_____|_____|
|_|_CHAR_|_|_(length)_____|_|_CCSID ASCII_|_|_FOR SBCS DATA_|
|_|_CHARACTER VARYING (length)_____|_|_EBCDIC_|_|_MIXED_|
|_|_CHAR_|_|_|_|_UNICODE_|_|_BIT_|
|_|_VARCHAR_|_____|_____|
|_|_CHARACTER LARGE OBJECT_|_|_(1M)_____|
|_|_CHAR_|_|_(integer)_____|_|_CCSID ASCII_|_|_FOR SBCS DATA_|
|_|_CLOB_|_____|_|_EBCDIC_|_|_MIXED_|
|_|_|_|_|_(1)_____|_|_UNICODE_|
|_GRAPHIC_|_____|_____|
|_|_VARGRAPHIC_|_|_(integer)_____|_|_CCSID ASCII_|_|_EBCDIC_|
|_|_|_|_|_(1M)_____|_|_UNICODE_|
|_DBCLOB_|_____|_____|
|_|_(integer)_____|
|_|_(1)_____|
|_BINARY_|_____|_____|
|_|_(integer)_____|
|_|_BINARY VARYING (integer)_____|
|_|_VARBINARY_|_____|
|_|_BINARY LARGE OBJECT_|_|_(1M)_____|
|_|_BLOB_|_____|_|_(integer)_____|
|_|_|_|_|_K_|
|_|_|_|_|_M_|
|_|_|_|_|_G_|
|_DATE_|_____|_____|
|_|_TIME_|_____|_____|
|_|_TIMESTAMP_|_|_(6)_____|_|_WITHOUT TIME ZONE_|
|_|_|_|_|_(integer)_____|_|_WITH TIME ZONE_|
|_ROWID_|_____|_____|
|_XML_|_____|_____|

```

SQL-control-body:

>> __SQL-control-statement_____>

option-list:

```

> _LANGUAGE SQL_____>
|_|_SPECIFIC specific-name_____|
> _____NOT DETERMINISTIC_____EXTERNAL ACTION_____>
|_|_DETERMINISTIC_____|_|_NO EXTERNAL ACTION_|
> _____READS SQL DATA_____CALLED ON NULL INPUT_____>

```

```

|_CONTAINS SQL _____| |_RETURNS NULL ON NULL INPUT_|
|_MODIFIES SQL DATA ___|
> _____ ALLOW PARALLEL _____ >
|_DISALLOW PARALLEL_|
> _DISALLOW DEBUG MODE _____ PARAMETER CCSID ASCII _____ QUALIFIER schema-name_>
|_ALLOW DEBUG MODE _____||_PARAMETER CCSID EBCDIC_|
|_DISABLE DEBUG MODE ___||_PARAMETER CCSID UNICODE_|
> _PACKAGE OWNER_ auth-name _____ ASUTIME NO LIMIT _____>
|_AS _____| |_ASUTIME_LIMIT_ integer_|
|_USER_|
> _INHERIT SPECIAL REGISTERS _____ WLM ENVIRONMENT FOR DEBUG MODE name _____>
|_DEFAULT SPECIAL REGISTERS_|
> _CURRENT DATA NO _____ CONCURRENT ACCESS RESOLUTION USE CURRENTLY COMMITTED_>
|_CURRENT DATA YES ___||_CONCURRENT ACCESS RESOLUTION WAIT FOR OUTCOME _____|
> _DYNAMICRULES RUN _____>
|_DYNAMICRULES BIND _____| |_APPLICATION ENCODING SCHEME ASCII ___|
|_DYNAMICRULES DEFINEBIND_| |_APPLICATION ENCODING SCHEME EBCDIC_|
|_DYNAMICRULES DEFINERUN_| |_APPLICATION ENCODING SCHEME UNICODE_|
|_DYNAMICRULES INVOKEBIND_|
|_DYNAMICRULES INVOKERUN_|
> _WITHOUT EXPLAIN _____ ISOLATION LEVEL CS _____ OPHINT ' , ' _____>
|_WITH EXPLAIN ___||_ISOLATION LEVEL RS_| |_OPHINT_string-constant_|
|_ISOLATION LEVEL RR_|
|_ISOLATION LEVEL UR_|
< , _____
> _SQL PATH _____ schema-name| _____ REOPT NONE _____ VALIDATE RUN _____ DEGREE 1 _____>
|_SCHEMA PATH_| |_REOPT ALWAYS_| |_VALIDATE BIND_| |_DEGREE ANY_|
|_SESSION USER_| |_REOPT ONCE ___|
|_USER_|
> _____>
|_QUERY ACCELERATION NONE _____| |_GET_ACCEL_ARCHIVE NO_|
|_QUERY ACCELERATION ENABLE _____| |_GET_ACCEL_ARCHIVE YES ___|
|_QUERY ACCELARATION ENABLE WITH FAILBACK_|
|_QUERY ACCELERATION ELIGIBLE _____|
|_QUERY ACCELERATION ALL _____|
> _____>
|_ROUNDING DEC_ROUND_CEILING ___| |_DATE FORMAT ISO ___|
|_ROUNDING DEC_ROUND_DOWN _____| |_DATE FORMAT EUR ___|
|_ROUNDING DEC_ROUND_FLOOR _____| |_DATE FORMAT USA ___|
|_ROUNDING DEC_ROUND_HALF_DOWN _____| |_DATE FORMAT JIS ___|
|_ROUNDING DEC_ROUND_HALF_EVEN _____| |_DATE FORMAT LOCAL_ ___|
|_ROUNDING DEC_ROUND_HALF_UP _____|
|_ROUNDING DEC_ROUND_UP _____|
> _____>
|_FOR UPDATE CLAUSE REQUIRED _____>
|_DECIMAL(15) ___| |_FOR UPDATE CLAUSE OPTIONAL_|
|_DECIMAL(31) ___|
|_DECIMAL(15, s)_|
|_DECIMAL(31, s)_|
> _____ SECURED _____>
|_TIME FORMAT ISO ___| |_NOT SECURED_|
|_TIME FORMAT EUR ___|
|_TIME FORMAT USA ___|
|_TIME FORMAT JIS ___|

```

```

|_TIME FORMAT LOCAL_|
> |__BUSINESS TIMESENSITIVE YES__| |__SYSTEM TIMESENSITIVE YES__|
|__BUSINESS TIMESENSITIVE NO__| |__SYSTEM TIMESENSITIVE YES__|
> |__ARCHIVE SENSITIVE YES__|
|__ARCHIVE SENSITIVE NO__| |__APPLCOMPAT_compatibility-level__|>>

external-java-routine-name
|__method-name__|
|__jar-name:__| |__method-signature__|
jar-name
|__jar-id__|
|__schema-name.__|
method-name
<
|__class-id__|.____|__method-id__|
|__package-id__|.____| |__!____|
method-signature
|__ (____) __|
|__<____|
|__java-datatype__|

```

CREATE FUNCTION (external scalar)

```

>> __CREATE FUNCTION__ function-name__ (____) >
|__<____|
|__parameter-declaration__|
> __RETURNS__ data-type2____ option-list____>>
|__AS LOCATOR__|
|__data-type3__ __CAST FROM__ data-type4____|
|__AS LOCATOR__|

parameter-declaration:
>> __data-type__>>
|__AS LOCATOR__|
|__TABLE LIKE__ table-name__ AS LOCATOR__|
|__view-name__|

data-type:
>> __built-in-data-type__>>
|__distinct-type-name__|

```

built-in-data-type:

```

> SMALLINT____>>
|__INTEGER__|
|__INT__|
|__BIGINT__|
|____(5,0)____|
DECIMAL____|
|__DEC__| |__(integer____, integer____)|
|__NUMERIC__| |__, integer__|
|__DECFLOAT__| |__(34)____|
|____(16)____|
|____(53)____|
|__FLOAT__|____|

```



```

| |_(integer)_| | | | | | | | |
| |REAL|
| |PRECISION|
| |DOUBLE|
| |CHARACTER|
| |CHAR| |_(length)_| | |CCSID ASCII| |FOR SBCS DATA|
| |CHARACTER VARYING| |_(length)_| | |EBCDIC| | |MIXED|
| |CHAR| | |UNICODE| | |BIT|
| |VARCHAR|
| |CHARACTER LARGE OBJECT| |_(1M)|
| |CHAR| |_(integer)_| | |CCSID ASCII| |FOR SBCS DATA|
| |CLOB| | |EBCDIC| | |MIXED|
| | | |UNICODE|
| |GRAPHIC|
| |_(integer)_| | |CCSID ASCII|
| |VARGRAPHIC| |_(integer)_| | |EBCDIC|
| |_(1M)| | |UNICODE|
| |DBCLOB|
| |_(integer)_|
| |_(1)|
| |BINARY|
| |_(integer)_|
| |BINARY VARYING| |_(integer)|
| |VARBINARY|
| |BINARY LARGE OBJECT| |_(1M)|
| |BLOB| |_(integer)_|
| | | |K|
| | | |M|
| | | |G|
| |DATE|
| |TIME|
| |TIMESTAMP| |_(6)_| |WITHOUT TIME ZONE|
| |_(integer)_| |WITH TIME ZONE|
| |ROWID|

```

option-list:

```

>> | |SPECIFIC specific-name| | |<|
| |PARAMETER CCSID ASCII| | | | |
| | | |EBCDIC| | |
| | | |UNICODE| | |
| |VARCHAR NULTERM|
> |EXTERNAL| |LANGUAGE ASSEMBLE|
| |NAME 'string'| | |C| |
| |identifier| | |COBOL|
| | | |JAVA|
| | | |PLI|
| |PARAMETER STYLE SQL| |NOT DETERMINISTIC| |FENCED|
> | | | |
| |PARAMETER STYLE JAVA| |DETERMINISTIC|
| |RETURNS NULL ON NULL INPUT| |READS SQL DATA|
> | | | |
| |CALLED ON NULL INPUT| |NO SQL|
| | | |MODIFIES SQL DATA|
| | | |CONTAINS SQL|
> |EXTERNAL ACTION| |NO SCRATCHPAD|
| | | | |
| |NO EXTERNAL ACTION| |100|
| |SCRATCHPAD| | |
| |length|

```

```

> | _NO FINAL CALL_ | _ALLOW PARALLEL_ | _NO DBINFO_ |
> | _FINAL CALL_ | _DISALLOW PARALLEL_ | _DBINFO_ |
> | _NO COLLID_ |
> | _COLLID_ collection-id | | _WLM ENVIRONMENT_ name |
> | _ASUTIME NO LIMIT_ | _STAY RESIDENT NO_ |
> | _ASUTIME LIMIT_ integer | | _STAY RESIDENT YES_ |
> | _PROGRAM TYPE SUB_ | _SECURITY DB2_ |
> | _PROGRAM TYPE MAIN_ | | _SECURITY_ USER |
> | | _DEFINER_ |
> | _STOP AFTER SYSTEM DEFAULT FAILURES_ |
> | _STOP AFTER integer FAILURES_ |
> | _CONTINUE AFTER FAILURE_ |
>
> | _RUN OPTIONS_ run-time-options |
> | _INHERIT SPECIAL REGISTERS_ | _STATIC DISPATCH_ |
> | _DEFAULT SPECIAL REGISTERS_ |
> | _NOT SECURED_ |
> | _SECURED_ |
external-java-routine-name
| _method-name_ |
| _jar-name:_ | | _method-signature_ |
jar-name
| _jar-id_ |
| _schema-name._ |
method-name
<
| _package-id_ . _class-id_ . _method-id_ |
| _/_ |
method-signature
| _ ( _ ) _ |
| < , _ |
| _java-datatype_ |

```

CREATE FUNCTION(external table)

```

>> _CREATE FUNCTION_ function-name >
> ( ( ) ) >
> | < , _ |
> | _parameter-declaration_ | |
> | < , _ |
> | _column-name data-type_ | ) _option-list_ >>
> | _AS LOCATOR_ | |
> | _GENERIC TABLE_ |
parameter-declaration:
>> _ parameter-type >>

```

```

    |_parameter-name_|
parameter-type:
>> |_data-type_| <<
    | | AS LOCATOR | | |
    | | TABLE LIKE |_table-name_| AS LOCATOR |
    | |_view-name_| |
data-type:
>> |_built-in-data-type_| <<
    |_distinct-type-name_|
built-in-data-type:
> |_SMALLINT_| <<
| | INTEGER | | | | | |
| | INT |
| | BIGINT |
| | DECIMAL |_(5,0)|
| | DEC |_(integer)|
| | NUMERIC |_(integer)|
| | DECFLOAT |_(34)|
| | |_(16)|
| | |_(53)|
| | FLOAT |_(integer)|
| | REAL |_PRECISION_|
| | DOUBLE |_(1)|
| | CHARACTER |_(length)|
| | | CHAR |_(length)| | CCSID ASCII |_FOR SBCS DATA |
| | | CHARACTER VARYING |_(length)| | EBCDIC |_MIXED_|
| | | CHAR | | UNICOD |_BIT_|
| | | VARCHAR |
| | | CHARACTER LARGE OBJECT |_(1M)|
| | | CHAR |_(integer)| | CCSID ASCII |_FOR SBCS DATA |
| | | CLOB | | EBCDIC |_MIXED_|
| | | | UNICOD |
| | |_(1)|
| | GRAPHIC |_(integer)|
| | |_(integer)| | CCSID ASCII |
| | | VARGRAPHIC |_(integer)| | EBCDIC |
| | | | UNICOD |
| | |_(1M)|
| | | DBCLOB |_(integer)|
| | |_(1)|
| | | BINARY |_(integer)|
| | | BINARY VARYING |_(integer)|
| | |_VARBINARY_|
| | |_(1M)|
| | | BINARY LARGE OBJECT |_(integer)|
| | | |_BLOB_| |_(integer)|
| | | | K |
| | | | M |
| | | | G |
| | DATE |
| | |_TIME_|
| | |_(6_) |_WITHOUT TIME ZONE_|
| | |_TIMESTAMP_|_(integer)| |_WITH TIME ZONE_|
| | ROWID |
option-list:
>> |_SPECIFIC_specific-name_| | <
| |_PARAMETER_| CCSID ASCII |
| | | EBCDIC |
| | | UNICOD |

```

```

                                |_VARCHAR_ NULTERM _____|
                                |_STRUCTURE_ |
> _EXTERNAL _____ LANGUAGE _____ ASSEMBLE _____>
    |_NAME_ 'string' _____| |_C_ _____|
    |_identifier_ | |_COBOL_ _____|
    |_____ | |_PLI_ _____|
    |_PARAMETER STYLE DB2SQL_ | |_NOT DETERMINISTIC_ | |_FENCED_ |>
    |_____ | |_DETERMINISTIC_ | |_____ | _____>
    |_RETURNS NULL ON NULL INPUT_ | |_READS SQL DATA_ _____>
    |_____ | |_NO SQL_ _____|
    |_____ | |_CONTAINS SQL_ _____|
    |_EXTERNAL ACTION_ _____ | |_NO SCRATCHPAD_ _____|>
    |_____ | |_____ | _____>
    |_NO EXTERNAL ACTION_ | |_____ | |_100_ | _____>
    |_____ | |_SCRATCHPAD_ | |_length_ | _____>
    |_NO PACKAGE PATH_ _____| _____>
    |_PACKAGE PATH package-path_ | _____>
    |_NO FINAL CALL_ _____ | |_NO DBINFO_ _____>
    |_____ | |_____ | _____>
    |_FINAL CALL_ | |_DISALLOW PARALLEL_ | |_DBINFO_ _____>
    |_____ | |_____ | _____>
    |_NO COLLID_ _____| _____>
    |_____ | |_____ name _____| _____>
    |_____ | |_( _name_ )_ | _____>
    |_____ | _____>
    |_CARDINALITY integer_ | _____>
    |_____ | |_STAY RESIDENT NO_ _____>
    |_____ | |_____ | _____>
    |_ASUTIME LIMIT integer_ | |_STAY RESIDENT YES_ | _____>
    |_____ | |_____ | _____>
    |_PROGRAM TYPE SUB_ | |_SECURITY DB2_ _____>
    |_____ | |_____ | _____>
    |_PROGRAM TYPE MAIN_ | |_SECURITY USER _____| _____>
    |_____ | |_DEFINER_ | _____>
    |_STOP AFTER SYSTEM DEFAULT FAILURES_ _____>
    |_____ | _____>
    |_STOP AFTER integer FAILURES _____>
    |_____ | _____>
    |_CONTINUE AFTER FAILURE _____| _____>
    |_____ | _____>
    |_RUN OPTIONS run-time-options_ | _____>
    |_____ | |_STATIC DISPATCH_ _____>
    |_____ | _____><
    |_DEFAULT SPECIAL REGISTERS _____| _____><
    |_____ | _____><
    |_NOT SECURED _____| _____><
    |_____ | _____><
    |_SECURED _____| _____><

```

CREATE FUNCTION (sourced)

```

>> _CREATE FUNCTION _function-name _____>
> _ ( _____ ) _____>
    | < , _____ | _____>

```

```

|__parameter-declaration_|_|
> _RETURNS_ data-type2 _____>
|_AS LOCATOR_____|_____>
> _____>
|_SPECIFIC_ specific-name_|_|_PARAMETER CCSID_ ASCII_|_____
|_|_EBCDIC_|_____
|_|_UNICODE_|_____
> _SOURCE_ function-name _____><
|_SPECIFIC_ specific-name_____|_____
|_function-name_ ( _____ )_|_____
|_|_parameter-type_|_|_____
parameter-declaration:
>> _____parameter-type_____><
|_|_parameter-name_|_____><
parameter-type:
>> _____data-type_____><
|_|_AS LOCATOR_____|_____
|_|_TABLE LIKE_ table-name_ AS LOCATOR_|_____
|_|_view-name_|_____><
data-type:
>> _____built-in-data-type_____><
|_|_distinct-type-name_|_____><
built-in-data-type:
> _SMALLINT_____><
|_|_INTEGER_|_____><
|_|_INT_|_____><
|_|_BIGINT_|_____><
|_|_DECIMAL_ (5,0) _____|_____><
|_|_DEC_ ( integer ) _____|_____><
|_|_NUMERIC_ ( integer ) _____|_____><
|_|_DECFLOAT_ (34) _____|_____><
|_|_|_ (16) _____|_____><
|_|_|_ (53) _____|_____><
|_|_FLOAT_ ( integer ) _____|_____><
|_|_REAL_ _____|_____><
|_|_|_PRECISION_____|_____><
|_|_DOUBLE_ (1) _____|_____><
|_|_CHARACTER_ (length) _____|_|_CCSID_ ASCII_|_|_FOR_ SBCS DATA_|_____><
|_|_CHAR_ (length) _____|_|_EBCDIC_|_|_MIXED_|_____><
|_|_CHAR_ _____|_|_UNICODE_|_|_BIT_|_____><
|_|_VARCHAR_ _____|_____><
|_|_|_ (1M) _____|_____><
|_|_CHARACTER_ LARGE OBJECT_ (integer) _____|_|_CCSID_ ASCII_|_|_FOR_ SBCS DATA_|_____><
|_|_CHAR_ (integer) _____|_|_EBCDIC_|_|_MIXED_|_____><
|_|_CLOB_ _____|_|_UNICODE_|_____><
|_|_GRAPHIC_ (integer) _____|_____><
|_|_VARGRAPHIC_ (integer) _____|_|_CCSID_ ASCII_|_|_EBCDIC_|_____><
|_|_|_ (1M) _____|_|_UNICODE_|_____><
|_|_DBCLOB_ (integer) _____|_____><
|_|_|_ (1) _____|_____><
|_|_BINARY_ (integer) _____|_____><
|_|_BINARY VARYING_ (integer) _____|_____><
|_|_VARBINARY_ _____|_____><
|_|_|_ (1M) _____|_____><

```

```

| BINARY LARGE OBJECT | (integer) |
| BLOB | (integer) |
| K |
| M |
| G |
DATE
| TIME | (6) | WITHOUT TIME ZONE |
| TIMESTAMP | (integer) | WITH TIME ZONE |
_ROWID

```

CREATE FUNCTION (inline SQL Scalar)

```

>> CREATE FUNCTION function-name (parameter-declaration)
| < |
| parameter-declaration |
LANGUAGE SQL
> RETURNS data-type2 | option-list SQL-routine-body ><
parameter-declaration:
>> data-type >>
| parameter-name |
data-type:
>> built-in-data-type >>
| distinct-type-name |

```

```

built-in-data-type:
> SMALLINT >>
| INTEGER |
| INT |
| BIGINT |
DECIMAL (5,0)
| DEC | (integer)
| NUMERIC | (integer)
DECFLOAT (34)
| (16) |
| (53) |
FLOAT (integer)
REAL PRECISION
| DOUBLE | (1)
CHARACTER (length) | CCSID ASCII | FOR SBCS DATA |
| CHAR | (length) | EBCDIC | MIXED |
| CHAR | UNICODOE |
| VARCHAR |
CHARACTER LARGE OBJECT (1M)
| CHAR | (integer) | CCSID ASCII | FOR SBCS DATA |
| CLOB | (integer) | EBCDIC | MIXED |
| UNICODOE |
GRAPHIC (integer) | CCSID ASCII |
| VARGRAPHIC | (integer) | EBCDIC |
| UNICODOE |
DBCLOB (integer)
| (1) |
BINARY (integer)

```

```

| | BINARY VARYING (integer) _____ |
| | _VARBINARY _____ |
| | _____ (1M) _____ |
| BINARY LARGE OBJECT _____ |
| | BLOB _____ | | (integer) _____ |
| | | K |
| | | M |
| | | G |
| DATE _____ |
| | TIME _____ | |
| | _____ (_6_) _____ WITHOUT TIME ZONE _____ |
| | _____ (integer) _____ | WITH TIME ZONE _____ |
| ROWID _____ |
| XML _____ |

```

SQL-control-body:

```
>> __SQL-control-statement_____ >
```

option-list:

```

> _____ >
| | _SPECIFIC specific-name _____ |
> | | NOT DETERMINISTIC _____ EXTERNAL ACTION _____ |
| | _DETERMINISTIC _____ | | NO EXTERNAL ACTION _____ |
> | | READS SQL DATA _____ CALLED ON NULL INPUT _____ |
| | _CONTAINS SQL _____ |
> | | _PARAMETER CCSID ASCII _____ SECURED _____ STATIC DISPATCH _____ |
| | _PARAMETER CCSID EBCDIC _____ | | _NOT SECURED _____ |
| | _PARAMETER CCSID UNICODE _____ |

```

SQL-routine-body:

```
>> __RETURN statement_____ >
```

CREATE FUNCTION (SQL Table)

```

> __CREATE FUNCTION__ function-name_ ( _____ )_>
| | <_, _____ |
| | _____ |
| | _parameter-declaration_ |
| | <_, _____ |
> _RETURNS TABLE__ ( _column-name_ data-type2_ | _____ options-list_____ )>
> _SQL-routine-body_____ >

```

parameter-declaration:

```
>> __parameter-name parameter-type_____ >>
```

parameter-type:

```

>> __data-type1_____ >>
| | _TABLE LIKE_____ table-name_ AS LOCATOR_ |
| | _____ |
| | _view name_ |

```

data-type1, data-type2:

```

>> __built-in-data-type_____ >>
| | _distinct-type-name_ |

```

built-in-data-type:

```

> | | SMALLINT _____ >>
| | | _INTEGER_ _____ |
| | | INT _____ |

```

BIGINT	_____ (5,0) _____
DECIMAL	_____
DEC	_ (integer) _____
NUMERIC	_ , integer _
DECFLOAT	_ (34) _____
	_ (16) _____
	_ (53) _____
FLOAT	_ (integer) _____
REAL	_____
	_ PRECISION _____
DOUBLE	_____ (1) _____
CHARACTER	_____
_ CHAR _____	_ (length) _____ CCSID ASCII _FOR_ SBCS DATA
_ CHARACTER VARYING (length) _____	EBCDIC MIXED
_ CHAR _____	UNICODE BIT
_ VARCHAR _____	_____
CHARACTER LARGE OBJECT	_ (1M) _____
_ CHAR _____	_ (integer) _____ CCSID ASCII _FOR_ SBCS DATA
_ CLOB _____	EBCDIC MIXED
	_ (1) _____ UNICODE
GRAPHIC	_____
_ (integer) _____	CCSID ASCII
VARGRAPHIC	_ (integer) _____ EBCDIC
	_ (1M) _____ UNICDOE
DBCLOB	_____
_ (integer) _____	_____
	_ (1) _____
BINARY	_____ (integer) _____
BINARY VARYING	_ (integer) _____
_ VARBINARY _____	_____
BINARY LARGE OBJECT	_ (1M) _____
_ BLOB _____	_ (integer) _____
	_ K
	_ M
	_ G
DATE	_____
_ TIME _____	_ (6) _____ WITHOUT TIME ZONE
_ TIMESTAMP _____	_ (integer) _____ WITH TIME ZONE
ROWID	_____
XML	_____

option-list:

> _____ LANGUAGE SQL _____>	_ SPECIFIC specific-name _
> _____ NOT DETERMINISTIC _____>	EXTERNAL ACTION
> _____ _ DETERMINISTIC _____ _____>	_ NO EXTERNAL ACTION
> _____ READS SQL DATA _____>	CALLED ON NULL INPUT
> _____ _ CONTAINS SQL _____ _____>	_____
> _____ INHERIT SPECIAL REGISTERS _____>	_ STATIC DISPATCH _____
> _____ _ SECURED _____ _____>	PARAMETER CCSID
> _____ _ NOT SECURED _ _____>	_ CARDINALITY int _
	_ ASCII _____
	_ EDCIDIC _____
	_ UNICODE _____

SQL-routine-body:

```
>> _RETURN statement _____>>
    |_ BEGIN ATOMIC RETURN statement _END_|
```


CREATE GLOBAL TEMPORARY TABLE

```

>> __CREATE GLOBAL TEMPORARY TABLE__table-name_(<_column-spec_|_)_____>
|_LIKE__table-name_____|
|_view-name_|
>
|_CCSID__ASCII_____|
|_EBCDIC_____|
|_UNICODE_____|
column-spec:
>> __column-name__data-type_____>
|_NOT NULL_|
data-type:
>> __built-in-data-type_____>
|_distinct-type_name_|

```

built-in-data-type:

```

> SMALLINT _____><
|_INTEGER_____|
|_INT_____|
|_BIGINT_____|
|_____ (5,0) _____|
|_DECIMAL_____| |_____ (integer) _____|
|_DEC_____| |_____ (integer) _____|
|_NUMERIC_____| |_, integer_|
|_DECFLOAT_____| |_____ (34) _____|
|_____ (16) _____|
|_____ (53) _____|
|_FLOAT_____| |_____ (integer) _____|
|_REAL_____|
|_____ PRECISION _____|
|_DOUBLE_____| |_____ (1) _____| | |
|_CHARACTER_____| |_____ (integer) _____|
|_CHAR_____| |_____ (integer) _____| |_FOR__SBCS__DATA_|
|_CHARACTER VARYING_____| |_____ (integer) _____| |_MIXED_|
|_CHAR_____| |_____ (1) _____| |_BIT_____|
|_VARCHAR_____|
|_____ (1) _____|
|_GRAPHIC_____| |_____ (integer) _____|
|_VARGRAPHIC_____| |_____ (integer) _____|
|_____ (1) _____|
|_BINARY_____| |_____ (integer) _____|
|_BINARY VARYING_____| |_____ (integer) _____|
|_VARBINARY_____|
|_DATE_____|
|_TIME_____| |_____ (6) _____| |_WITHOUT TIME ZONE_____|
|_TIMESTAMP_____| |_____ (integer) _____| |_WITH TIME ZONE_____|

```

CREATE INDEX

```

>> __CREATE_____INDEX__index-name__ON_____>
|_UNIQUE_____|
|_WHERE NOT NULL_|
|_ASC_____|
|_DESC_____|
>_table-name_(<_column-name_____|_____>
|_key-expression_| |_DESC_____| |_____>

```


pattern-expression:

```
>> _____ >
| < _____ |
| _____ forward-axis _____ element-name _____ |
| _____ |
| _____ | * _____ |
| _____ | nsprefix:* _____ |
| _____ | *:NOName _____ |
| _____ | * _____ |
>> _____ >
| _____ / _____ @attribute-name _____ |
| _____ / _____ attribute::attribute-name _____ |
| _____ @* _____ |
| _____ attribute::* _____ |
| _____ forward axis _____ text() _____ |
```

Forward-axis:

```
>> _____ >
| _____ child:: _____ |
| _____ descendant:: _____ |
| _____ self:: _____ |
| _____ descendant or self:: _____ |
```

SQL-data-type:

```
>> _____ SQL _____ VARCHAR _____ (integer) _____ <<
| _____ (34) _____ |
| _____ DECFLOAT _____ |
| _____ DATE _____ |
| _____ (12) _____ |
| _____ TIMESTAMP _____ |
```

using-block:

```
>> _____ USING _____ >
> _____ VCAT _____ catalog-name _____ <<
| _____ STOGROUP _____ stogroup-name _____ |
| _____ 12 _____ |
| _____ PRIQTY _____ integer _____ |
| _____ SECQTY _____ integer _____ |
| _____ NO _____ |
| _____ ERASE _____ YES _____ |
```

free-block:

```
< _____
>> _____ FREEPAGE _____ 0 _____ integer _____ <<
| _____ 10 _____ |
| _____ PCTFREE _____ integer _____ |
```

gbpccache-block:

```
>> _____ GBPCCACHE _____ CHANGED _____ ALL _____ <<
| _____ NONE _____ |
```

partition-element:

```
>> _____ PARTITION _____ integer _____ ENDING _____ AT _____ < _____ INCLUSIVE _____ <<
| _____ MAXVALUE _____ |
| _____ MINVALUE _____ |
```

CREATE MASK

```
>> __CREATE MASK_mask-name_ON_table-name_____ >
      | _AS_ |
      |__|__|_correlation-name_|
> __FOR COLUMN_column-name__ RETURN case-expression__ DISABLE_____ <<
      | _ENABLE_ |
```

CREATE PERMISSION

```
>> __CREATE PERMISSION_permission-name_ON_table-name_____ >
      | _AS_ |
      |__|__|_correlation-name_|
> __FOR ROWS WHERE_search-condition__ ENFORCED FOR ALL ACCESS__ DISABLE_____ <<
      | _ENABLE_ |
```

CREATE PROCEDURE (external)

```
>> __CREATE PROCEDURE_procedure-name_____ >
      <_,_____ >
      > (_____|_)__option-list_____ <<
      |_parameter-declaration_|
parameter-declaration:
  > |__IN_____|_____parameter-type_____ >
  |__OUT_____|_____parameter-name_|
  |__INOUT_____|_____parameter-name_|
parameter-type:
>> __data-type_____ <<
      |_____|_AS LOCATOR_|
      |_TABLE LIKE__table-name__AS LOCATOR_|
      |_____|_view-name_|
data-type:
>> __built-in-data-type_____ <<
      |_distinct-type-name_|
```

built-in-data-type:

```
> SMALLINT _____ <<
| INTEGER |
| INT |
| BIGINT |
|_____ (5,0) _____|
DECIMAL |_____ (integer) _____|
| DEC | |_( integer )_|
| NUMERIC | |_, integer_|
|_____ (34) _____|
DECFLOAT |_____ (16) _____|
|_____ (53) _____|
FLOAT |_____ (integer) _____|
REAL |_____ PRECISION _____|
|_____ (1) _____|
CHARACTER |_____ (length) _____|
| CHAR | | CCSID ASCII | | FOR SBCS DATA |
| CHARACTER VARYING (length) | | EBCDIC | | MIXED |
| CHAR | | UNICODE | | BIT |
| VARCHAR |
|_____ (1M) _____|
| CHARACTER LARGE OBJECT |_____ (integer) _____|
| CHAR | | CCSID ASCII | | FOR SBCS DATA |
```



```

> |__NO DBINFO__| |__NO COLLID__|_____>
> |__DBINFO__| |__COLLID__collection-id|_____>
> _____>
|__WLM ENVIRONMENT__name|_____
| |__(__name__,*)_|_____
> |__ASUTIME NO LIMIT__| |__STAY RESIDENT NO__|_____>
> |__ASUTIME__LIMIT__integer| |__STAY RESIDENT YES__|_____>
> |__PROGRAM TYPE MAIN__| |__SECURITY DB2__|_____>
> |__PROGRAM TYPE SUB__| |__SECURITY USER__|_____>
| |__SECURITY DEFINER__|_____
> |__STOP AFTER SYSTEM DEFAULT FAILURES__|_____>
> |__STOP AFTER integer FAILURES__|_____>
|__CONTINUE AFTER FAILURE__|_____
| |__COMMIT ON RETURN NO__|_____>
> |__RUN OPTIONS__run-time-options| |__COMMIT ON RETURN YES__|_____>
> |__INHERIT SPECIAL REGISTERS__| |__CALLED ON NULL INPUT__|_____>
> |__DEFAULT SPECIAL REGISTERS__|_____>
> _____>>
|__DISALLOW DEBUG MODE__|_____
|__ALLOW DEBUG MODE__|_____
|__DISABLE DEBUG MODE__|_____

```

```

external-java-routine-name
|__method-name__|_____
|__jar-name:| |__method-signature__|_____
jar-name
|__jar-id__|_____
|__schema-name._|_____
method-name
<
|__class-id__| |__method-id__|_____
|__package-id__|._____| |__!__|_____
|__/_|_____
method-signature
|_____
|__(_____)_|_____
|<_____|_____
|__java-datatype|_____

```

CREATE PROCEDURE (SQL - external)

```

>> |__CREATE PROCEDURE__procedure-name_____>
|<_____|_____
> |(_____) |__option-list__SQL-routine-body_____>>
|__parameter-declaration__|_____
parameter-declaration:
|__IN__|_____
> |__OUT__|_____parameter-type_____>
|__INOUT__| |__parameter-name__|_____
parameter-type:

```

```
>> built-in data-type <<
|_TABLE LIKE table-name AS LOCATOR_|
```

built-in-data-type:

```
> SMALLINT <<
|_INTEGER_|
|_INT_|
|_BIGINT_|
|_DECIMAL_| (5,0)
|_DEC_| |_(integer)|
|_NUMERIC_| |_, integer_|
|_DECFLOAT_| (34)
|_| (16)
|_| (53)
|_FLOAT_| |_(integer)|
|_REAL_|
|_DOUBLE_| _PRECISION_
|_| (1)
|_CHARACTER_|
|_| _CHAR_| |_(length)| | _CCSID_| _ASCII_| |_FOR_| _SBCS_| _DATA_|
|_CHARACTER VARYING_| |_(length)| | _EBCDIC_| | _MIXED_|
|_| _CHAR_| | _UNICODE_| | _BIT_|
|_| _VARCHAR_|
|_| (1M)
|_CHARACTER LARGE OBJECT_| |_(integer)| | _CCSID_| _ASCII_| |_FOR_| _SBCS_| _DATA_|
|_| _CLOB_| | _EBCDIC_| | _MIXED_|
|_| (1) | _UNICODE_|
|_GRAPHIC_|
|_| |_(integer)| | _CCSID_| _ASCII_|
|_VARGRAPHIC_| |_(integer)| | _EBCDIC_|
|_| (1M) | _UNICODE_|
|_DBCLOB_|
|_| (integer)
|_| (1)
|_BINARY_|
|_| (integer)
|_BINARY VARYING_| (integer)
|_| _VARBINARY_|
|_| (1M)
|_BINARY LARGE OBJECT_|
|_| _BLOB_| |_(integer)|
|_| _K_|
|_| _M_|
|_| _G_|
|_DATE_|
|_TIME_|
|_TIMESTAMP_|
```

option-list:

```
>> LANGUAGE SQL _FENCED_ >
|_EXTERNAL NAME 'string'_|
|_identifier_|
|_DYNAMIC RESULT SET 0_| >
|_DYNAMIC_RESULT SET integer_| >
|_PARAMETER CCSID ASCII_|
|_EBCDIC_|
|_UNICODE_|
> _PARAMETER VARCHAR NULTERM >
|_STRUCTURE_|
```

```

    _NOT DETERMINISTIC_
> |_____|_____>
    |_DETERMINISTIC_|
    |_CALLED ON NULL INPUT_| |_MODIFIES SQL DATA_|
> |_____|_____>
    |_____| |_NO SQL_|
    |_____| |_CONTAINS SQL_|
    |_____| |_READS SQL DATA_|

    |_NO DBINFO_| |_NO COLLID_|
> |_____| |_____|_____>
    |_____| |_COLLID__collection-id_|
>
    |_WLM ENVIRONMENT__name_|
    |_____| |_( __name__, * )_|

    |_ASUTIME NO LIMIT_| |_STAY RESIDENT NO_|
> |_____| |_____|_____>
    |_ASUTIME__LIMIT__integer_| |_STAY RESIDENT YES_|
    |_PROGRAM TYPE MAIN_| |_SECURITY DB2_|
> |_____| |_____|_____>
    |_PROGRAM TYPE SUB_| |_SECURITY USER_|
    |_____| |_SECURITY DEFINER_|

    |_STOP AFTER SYSTEM DEFAULT FAILURES_|
> |_____|_____>
    |_STOP AFTER integer FAILURES_|
    |_CONTINUE AFTER FAILURE_|

    |_____| |_COMMIT ON RETURN NO_|
> |_____| |_____|_____>
    |_RUN OPTIONS__run-time-options_| |_COMMIT ON RETURN YES_|
    |_INHERIT SPECIAL REGISTERS_| |_CALLED ON NULL INPUT_|
> |_____| |_____|_____>>
    |_DEFAULT SPECIAL REGISTERS_|

```

CREATE PROCEDURE (SQL-native)

```

>> _CREATE PROCEDURE__procedure-name_____>
    |_( _____ )_|
    |<_, _____|
    |_parameter declaration_|

    |_VERSION V1_|
> |_____| |_____SQL-routine-body____>
    |_VERSION routine ver-id_| |_option-list_|
parameter-declaration:
    |_IN_|
> |_____| |_parameter-name__parameter-type____>
    |_OUT_|
    |_INOUT_|
parameter-type:
>> _built-in-data-type_____>>
    |_TABLE LIKE__table-name__AS LOCATOR_|
    |_____| |_view-name_|

built-in-data-type:
> |_SMALLINT_|_____>>
| |_INTEGER_| |_____|
| |_INT_| |_____|
| |_BIGINT_| |_____|
| _____(5,0)_____ |

```


DECIMAL	
DEC	(integer)
NUMERIC	(integer)
DECFLOAT	(34)
	(16)
	(53)
FLOAT	(integer)
REAL	
DOUBLE	PRECISION
	(1)
CHARACTER	
CHAR	(integer) CCSID ASCII FOR SBCS DATA
CHARACTER VARYING	(integer) EBCDIC MIXED
CHAR	UNICODE BIT
VARCHAR	
	(1M)
CHARACTER LARGE OBJECT	
CHAR	(integer) CCSID ASCII FOR SBCS DATA
CLOB	EBCDIC MIXED
	UNICODE
	(1)
GRAPHIC	(integer) CCSID ASCII
VARGRAPHIC	(integer) EBCDIC
	(1M) UNICODE
DBCLOB	(integer)
	(1)
BINARY	(integer)
BINARY VARYING	(integer)
VARBINARY	
BINARY LARGE OBJECT	(1M)
BLOB	(integer)
	K
	M
	G
DATE	
TIME	
TIMESTAMP	(6) WITHOUT TIME ZONE
	(integer) WITH TIME ZONE
XML	

option-list:

```

NOT DETERMINISTIC | MODIFIES SQL DATA
>> |_____ |_____ |_____ >
|_DETERMINISTIC | |READS SQL DATA |
| |CONTAINS SQL |
| CALLED ON NULL INPUT | DYNAMIC RESULT SETS 0 |
> |_____ |_____ |_____ >
| |DYNAMIC RESULT SETS integer |
> |_____ |_____ |_____ >
|_DISALLOW DEBUG MODE | |PARAMETER CCSID ASCII |
|_ALLOW DEBUG MODE | |PARAMETER CCSID EBCDIC |
|_DISABLE DEBUG MODE | |PARAMETER CCSID UNICODE |
> |_____ |_____ |_____ >
|_QUALIFIER schema_name |
> |_____ |_____ |_____ >
|_PACKAGE OWNER authorization_name |
|_AS ROLE |
|_USER |

```

```

    _ASUTIME NO LIMIT_____ | _____ | _COMMIT ON RETURN NO_ | _____>
> | _____ | _____ | _____ | _____>
  | _ASUTIME LIMIT_ integer_ | | _COMMIT ON RETURN YES_ | _____>
    | _____ | | _AUTONOMOUS_____ | _____>
    _INHERIT SPECIAL REGISTERS_
> | _____ | _____>
  | _DEFAULT SPECIAL REGISTERS_ | _____>
    _STOP AFTER SYSTEM DEFAULT FAILURES_
> | _____ | _____>
  | _STOP AFTER_ integer_ FAILURES_____ | _____>
    | _CONTINUE AFTER FAILURE_____ | _____>
> | _____ | _____>
  | _WLM ENVIRONMENT FOR DEBUG MODE_ name_ | _____>
    | _____ | | _CURRENT DATA NO_ | | _DEGREE 1_ | _____>
> | _____ | | _CURRENT DATA YES_ | | _DEGREE ANY_ | _____>
  | _DEFER PREPARE_____ | | _____ | _____>
    | _NODEFER PREPARE_____ | _____>
> | _____ | | _CONCURRENT ACCESS RESOLUTION USE CURRENTLY COMMITTED_____ | _____>
  | _____ | | _CONCURRENT ACCESS RESOLUTION WAIT FOR OUTCOME_____ | _____>
    _DYNAMICRULES RUN_____
> | _____ | _____>
  | _DYNAMICRULES BIND_____ | _____>
    | _DYNAMICRULES DEFINEBIND_ | _____>
  | _DYNAMICRULES DEFINERUN_ | _____>
    | _DYNAMICRULES INVOKEBIND_ | _____>
  | _DYNAMICRULES INVOKERUN_ | _____>
> | _____ | _____>
  | _____ | _____>
  | _APPLICATION ENCODING SCHEME ASCII_ | _____>
  | _APPLICATION ENCODING SCHEME EBCDIC_ | _____>
  | _APPLICATION ENCODING SCHEME UNICODE_ | _____>
    _WITHOUT EXPLAIN_ | | _WITHOUT IMMEDIATE WRITE_ | _____>
> | _____ | _____ | _____>
  | _WITH EXPLAIN_____ | | _WITH IMMEDIATE WRITE_____ | _____>
    _ISOLATION LEVEL CS_ | | _WITHOUT KEEP DYNAMIC_ | _____>
> | _____ | _____ | _____>
  | _ISOLATION LEVEL RS_ | | _WITH KEEP DYNAMIC_____ | _____>
  | _ISOLATION LEVEL RR_ | _____>
  | _ISOLATION LEVEL UR_ | _____>
  _OPTHINT_____
> | _____ | _____>
  | _OPTHINT_ string_ constant_____ | _____>
> | _____ | _____>
  | _____ | _____>
  | _SQL PATH_ schema_ name_____ | _____>
  | _SQL PATH_ schema_ name_ list_____ | _____>
  | _SQL PATH_ SESSION_ USER or USER_ | _____>
  | _SQL PATH_ DEFAULT_____ | _____>
> | _____ | _____>
  | _____ | _____>
  | _QUERY ACCELERATION NONE_____ | | _GET_ACCEL_ARCHIVE NO_ | _____>
  | _QUERY ACCELERATION ENABLE_____ | | _GET_ACCEL_ARCHIVE YES_ | _____>
  | _QUERY ACCELERATION ENABLE WITH FAILBACK_ | _____>
  | _QUERY ACCELERATION ELIGIBLE_____ | _____>
  | _QUERY ACCELERATION ALL_____ | _____>

```

```

> | _RELEASE AT COMMIT _____ | | _REOPT NONE _____ | _____ >
| | _RELEASE AT DEALLOCATE _____ | | _REOPT ALWAYS _____ |
| | _____ | | _REOPT ONCE _____ |
|
| _VALIDATE RUN _____ | _____ >
| | _VALIDATE BIND _____ | | _ROUNDING DEC_ROUND_CEILING _____ |
| | _____ | | _ROUNDING DEC_ROUND_DOWN _____ |
| | _____ | | _ROUNDING DEC_ROUND_FLOOR _____ |
| | _____ | | _ROUNDING DEC_ROUND_HALF_DOWN _____ |
| | _____ | | _ROUNDING DEC_ROUND_HALF_EVEN _____ |
| | _____ | | _ROUNDING DEC_ROUND_HALF_UP _____ |
| | _____ | | _ROUNDING DEC_ROUND_UP _____ |
|
> _____ >
| | _DATE FORMAT ISO _____ | | _DECIMAL(15) _____ |
| | _DATE FORMAT EUR _____ | | _DECIMAL(31) _____ |
| | _DATE FORMAT USA _____ | | _DECIMAL(15,s) _____ |
| | _DATE FORMAT JIS _____ | | _DECIMAL(31,s) _____ |
| | _DATE FORMAT LOCAL _____ | | _____ |
|
| | _FOR UPDATE CLAUSE REQUIRED _____ | _____ >
| | _FOR UPDATE CLAUSE OPTIONAL _____ | | _TIME FORMAT ISO _____ |
| | _____ | | _TIME FORMAT EUR _____ |
| | _____ | | _TIME FORMAT USA _____ |
| | _____ | | _TIME FORMAT JIS _____ |
| | _____ | | _TIME FORMAT LOCAL _____ |
|
> _____ >
| | _____ _YES _____ | | _____ _YES _____ |
| | _SYSTEMSENSITIVE ( _NO _____ ) _____ | | _BUSYSTEMSENSITIVE ( _NO _____ ) _____ |
> _____ >>
| | _____ _YES _____ | | _____ _____ |
| | _ARCHIVESENSITIVE ( _NO _____ ) _____ | | _APPLCOMPAT ( __compatibility-level__ ) _____ |

```

CREATE ROLE

```
>> _CREATE ROLE _role-name _____ >
```

CREATE SEQUENCE

```
>> _CREATE SEQUENCE _sequence-name < , _____ | _____ >>
| | _____ INTEGER _____ |
| | AS _____ _data-type _____ |
| | _START WITH _____ _numeric-constant _____ |
| | _____ INCREMENT BY 1 _____ |
| | _____ |
| | _____ INCREMENT BY _____ _numeric-constant _____ |
| | _____ NO MINVALUE _____ |
| | _____ |
| | _____ MINVALUE _____ _numeric-constant _____ |
| | _____ NO MAXVALUE _____ |
| | _____ |
| | _____ MAXVALUE _____ _numeric-constant _____ |
| | _____ NO CYCLE _____ |

```

```

| | | | |
| | CYCLE | |
| | CACHE 20 | |
| | | | |
| | NO CACHE | |
| | CACHE integer-constant | |
| | NO ORDER | |
| | | | |
| | ORDER | |

```

data-type:

```
>> built-in-type _____ >
| distinct-type-name |
```

built-in-type:

```
> SMALLINT _____ >>
| | INTEGER | | |
| | INT | |
| | BIGINT | |
| | (5,0) | |
| DECIMAL | |
| DEC | | (integer) | |
| numeric | | integer | |

```

CREATE STOGROUP

```
>> CREATE STOGROUP stogroup-name VOLUMES ( volume-id | ) _____ >
| | | | |
| | '*' | |
| | | | |
> VCAT catalog-name _____ >
> _____ >>
| DATACLASdc-name | | MGMTCLASmc-name | | STORCLASsc-name | |

```

CREATE TABLE

```
>> CREATE TABLE table-name _____ >
| | | | |
| | column-definition | | _____ >
| | period-definition | | | |
| | unique-constraint | | | |
| | referential-constraint | | | |
| | check-constraint | | | |
| LIKE table-name copy-options | |
| | view-name | | | |
| as-result-table copy-options | |
| materialized-query-definition | |
| | | | |
| IN table-space-name | | _____ >>
| | database-name | | | |
| IN DATABASE database-name | |
| partitioning-clause | |
| organization-clause | |
| WITH ROW ATTRIBUTES | |
| EDITPROC prg-name | | | |

```

```

| | _WITHOUT ROW ATTRIBUTES_ |
| _VALIDPROC_ program-name _____ |
| | _NONE_ | |
| _AUDIT_ | _CHANGES_ | _____ |
| | _ALL_ |
| _OBID_ integer _____ |
| | _NONE_ |
| _DATA CAPTURE_ | _CHANGES_ | _____ |
| _WITH RESTRICT ON DROP _____ |
| _CCSID_ ASCII _____ |
| | _EBCDIC_ | | |
| | _UNICODE_ |
| | _NOT VOLATILE_ | | _CARDINALITY_ |
| | _____ | | _____ |
| | | _CARDINALITY_ | |
| | _VOLATILE_ _____ | | _____ |
| | _LOGGED _____ |
| | _____ |
| | _NOT LOGGED_ |
| | _COMPRESS NO _____ |
| | _____ |
| | _COMPRESS YES_ |
| | | _NO_ |
| _APPEND_ _____ | _YES_ | _____ |
| _DSSIZE_ integer_G _____ |
| _BUFFERPOOL_ bpname _____ |
| _MEMBER CLUSTER _____ |
| | _TRACKMOD YES _____ |
| | _____ |
| | _TRACKMOD NO _____ |
| | _____ |
| | _PAGENUM RELATIVE_ |
| | _PAGENUM ABSOLUTE_ |

```

column-definition:

```

<
>> _column-name_ data-type _____ | _>
> _____ >>
| _NOT NULL _____ |
| | _____ PRIMARY KEY _____ | | | |
| | _CONSTRAINT_ constraint-name_ | | | _UNIQUE_ _____ |
| | | _____ references-clause _____ |
| | | _____ CHECK(check-condition) _____ |
| | _WITH_ _____ |
| | | _DEFAULT _____ |
| | | _____ |
| | | _constant _____ |
| | | _SESSION_USER _____ |
| | | | _USER _____ |
| | | _CURRENT SQLID _____ |
| | | _NULL _____ |
| | | _cast-function-name_ (constant) _____ |
| | | _____ |
| | | | _SESSION_USER _____ |
| | | | _USER _____ |
| | | | _CURRENT SQLID _____ |
| | | | _NULL _____ |

```

```

|_GENERATED_ ALWAYS
| |
| | | _BY DEFAULT_ | | _as-identity-clause_ | |
| | | | _as-row-change-timestamp-clause_ | |
| | _GENERATED_ ALWAYS
| |
| | | _as-row-transaction-timestamp-clause_ | |
| | | | _as-row-transaction-start-id-clause_ |
| | | | _as-generated-expression-clause_ |
|_references-clause_
|_column-constraint_
|_FIELDPROC_ program-name
|
| | < , _ |
| | | ( _ constant _ | ) _ |
|_AS SECURITY LABEL_
|_IMPLICITY HIDDEN_
|_INLINE LENGTH_
data-type:
>> _built-in-data-type_ >>
|_distinct-type-name_ |

```

built-in-data-type:

```

> SMALLINT >>
|_INTEGER_ |
|_INT_ |
|_BIGINT_ |
|_DECIMAL_ (5,0)
|_DEC_ | ( _ integer _ )
|_NUMERIC_ | , integer |
|_DECFLOAT_ (34)
|_FLOAT_ (16)
|_REAL_ (53)
|_DOUBLE_ ( _ integer _ )
|_DOUBLE_ _PRECISION_
|_DOUBLE_ (1)
|_CHARACTER_
| | _CHAR_ | ( length _ ) | | _FOR SBCS DATA_ | | |
| | | _CHARACTER VARYING_ ( length _ ) | | | _MIXED_ |
| | | | _CHAR_ | | | _BIT_ |
| | | _VARCHAR_ | | _CCSID 1208_ |
|_CHARACTER LARGE OBJECT_ (1M)
| | _CHAR_ | ( _ integer _ ) | | _FOR SBCS DATA_ | | |
| | | | _CLOB_ | | | _MIXED_ |
| | | | | | _BIT_ |
| | | | | | _CCSID1208_ |
|_GRAPHIC_ (1)
| | ( integer ) |
|_VARGRAPHIC_ ( integer ) | | _CCSID 1200_ |
|_DBCLOB_ (1M)
| | (integer)
| | (1)
|_BINARY_ (integer)
| | (integer)
|_BINARY VARYING_ (integer)
|_VARBINARY_
|_BINARY LARGE OBJECT_ (1M)
| | _BLOB_ | ( _ integer _ )
| | | | _K_ |
| | | | _M_ |
| | | | _G_ |
|_DATE_

```

```

| | _TIME_____ | | | |
| | _____ ( _6 ) _____ | WITHOUT TIME ZONE |
| | _TIMESTAMP_ | | _____ (integer) _____ | WITH TIME ZONE |
| | _____ ROWID _____ |
| | _____ XML ( XML-type-modifier ) _____ |

```

XML-type-modifier:

```

>> _XMLSCHEMA XML-schema-specification _____ >
| | _____ _ELEMENT_ element-name _____ |

```

XML-schema-specification:

```

>> _ID registered-XML-schema-name _____ >
| | _____ _URL_ target-namespace _____ |
| | _____ _NO NAMESPACE _____ | | _____ _LOCATION_ schema-location _____ |

```

as-identity-clause:

```

>> _AS IDENTITY _____ >>
| | _____ < , _____ | | |
| | _____ ( _____ START WITH _____ | _____ | ) _____ |
| | | _____ INCREMENT BY _____ | _____ |
| | | | _____ CACHE 20 _____ |
| | | | _____ _NO CACHE _____ |
| | | | _____ CACHE _____ integer _____ |
| | | | _____ NO CYCLE _____ |
| | | | _____ CYCLE _____ |
| | | | _____ NO MAXVALUE _____ |
| | | | _____ MAXVALUE _____ numeric-constant _____ |
| | | | _____ NO MINVALUE _____ |
| | | | _____ MINVALUE _____ numeric-constant _____ |
| | | | _____ NO ORDER _____ |
| | | | _____ ORDER _____ |

```

as-row-change-timestamp-clause:

```

>> _FOR EACH ROW_ ON UPDATE _AS ROW CHANGE_ _TIMESTAMP_ _____ >>

```

as-row-transaction-timestamp-clause:

```

>> _AS ROW_ BEGIN _____ >>
| | _____ _END_ _____ |

```

as-row-transaction-id-clause:

```

>> _AS TRANSACTION START ID _____ >>

```

as-generated-expression-clause:

```

>> _AS ( _non-deterministic-expression ) _____ >>

```

non-deterministic-expression:

```

>> _DATA CHANGE OPERATION _____ >>
| | _____ _special-register _____ |
| | _____ _session-variable _____ |

```

special-register:

```

>> _CURRENT CLIENT_ ACCTNG _____ >>
| | _____ _CURRENT CLIENT_ APPLNAME _____ |
| | _____ _CURRENT CLIENT_ CORR_TOKEN _____ |
| | _____ _CURRENT CLIENT_ USERID _____ |

```

```

|_CURRENT_CLIENT_WRKSTNNAME_____|
|_CURRENT_SERVER_____|
|_CURRENT_SQLID_____|
|_SESSION_USER_____|

session-variable:
>>_SYSIBM.PACKAGE_NAME_____>>
|_SYSIBM.PACKAGE_SCHEMA_____|
|_SYSIBM.PACKAGE_VERSION_____|

column-constraint:
>>_____PRIMARY KEY_____>>
|_CONSTRAINT_constraint-name_|_|_UNIQUE_____|
|_references clause_____|
|_CHECK(_check-condition_)_____|

period-definition:
_FOR_
>>_PERIOD_|_____>>
>_SYSTEM_TIME_(begin-column-name, end-column-name)_____>>
|_BUSINESS_TIME_(begin-column-name, end-column-name)_EXCLUSIVE_|
|_INCLUSIVE_|

unique-constraint:
>>_____PRIMARY KEY (<_,_____>>
|_CONSTRAINT_constraint-name|_UNIQUE_|
>_____)>>
|_,_BUSINESS_TIME WITHOUT OVERLAPS_____|

referential-constraint:
>>_____FOREIGN KEY(<_,_____|)>>
|_CONSTRAINT_constraint-name_|_|_PERIOD_BUSINESS_TIME_|
>_references-clause_____>>

references-clause:
>>_REFERENCES_table-name_____>
|_|<_,_____||
|_(column-name_|_)_|
>_____>>
|_ON DELETE RESTRICT_|
|_NO ACTION_|
|_CASCADE_|
|_SET NULL_|
|_ENFORCED_____ENABLE QUERY OPTIMIZATION_|
>_____||_____>>
|_NOT ENFORCED_|

check-constraint:
>>_____CHECK_(check-condition)_____>>
|_CONSTRAINT_constraint-name_|

as-result_table:
>>_____AS_(fullselect)_WITH NO DATA_____>>
|<_,_____||
|_(column-name_|_)_|

copy-options:

```



```

<
  <_____ COLUMN ATTRIBUTES _____>
  |_EXCLUDING IDENTITY_ |_____ |_____ |_____ |_____ >
  |_____ COLUMN ATTRIBUTES _____|
  |_INCLUDING IDENTITY_ |_____ |_____ |_____ |_____ >
  |_____ COLUMN ATTRIBUTES _____|
  |_EXCLUDING ROW CHANGE TIMESTAMP_ |_____ |_____ |_____ >
  |_____ COLUMN ATTRIBUTES _____|
  |_INCLUDING ROW CHANGE TIMESTAMP_ |_____ |_____ |_____ >
  |_____ COLUMN _____|
  |_EXCLUDING_ |_____ |_DEFAULTS_ |_____ >
  |_____ COLUMN _____|
  |_INCLUDING_ |_____ |_DEFAULTS_ |_____ >
  |_USING TYPE DEFAULTS _____|
  |_EXCLUDING XML TYPE MODIFIERS _____>

```

partitioning-clause:

```

>> _PARTITION BY_ |_____ |_RANGE_ |_____ |_____ <_, _____>
  |_SIZE_ |_____ |_____ |_____ |_____ >
  |_____ EVERY_ integer-constant_G_ |_____ >
  <_, _____>
  > (_partition-element_ |_____ |_____ ) _____>>

```

partition-expression:

```

>> _column-name_ |_____ |_____ |_NULLS LAST_ |_____ |_____ |_ASC_ |_____ >>
  |_____ |_____ |_____ |_____ |_____ |_DESC_ |_____ >>

```

partition-element:

```

>> _PARTITION_ integer_ ENDING_ |_____ |_____ |_AT_ |_____ |_____ <_, _____>
  |_____ |_____ |_____ |_____ |_____ |_MAXVALUE_ |_____ >
  |_____ |_____ |_____ |_____ |_____ |_MINVALUE_ |_____ >
  > _HASH SPACE_ integer_ K _____ |_____ |_INCLUSIVE_ |_____ >>
  |_____ |_M_ |_____ >>
  |_____ |_G_ |_____ >>

```

organization-clause:

```

>> _UNIQUE_ ( _column-name_ ) |_____ |_____ |_HASH SPACE_ 64M _____>
  |_____ |_____ |_____ |_____ |_____ |_HASH SPACE_ integer_ K _____>
  |_____ |_____ |_____ |_____ |_____ |_M_ |_____ >
  |_____ |_____ |_____ |_____ |_____ |_G_ |_____ >

```

materialized-query-definition:

```

>> _____ AS (fullselect) _____>
  |_____ |_____ |_____ |_____ |_____ >
  |_____ |_____ |_____ |_____ |_____ |_column-name_ |_____ |_____ >
  > _____>>
  |_____ refreshable-table-options _____|

```

refreshable-table-options:

```
>> __DATA INITIALLY DEFERRED__REFRESH DEFERRED_____ >
<_____ >
> _____>>
|_____|
|  |__MAINTAINED BY SYSTEM__|
|  |_____|
|  |__MAINTAINED BY USER__|
|  |_____|
|  |__ENABLE QUERY OPTIMIZATION__|
|  |_____|
|  |_____|
|  |__DISABLE QUERY OPTIMIZATION__|
|  |_____|
```

CREATE TABLESPACE

```
>> __CREATE_____TABLESPACE table-space-name_____ >
|__LOB__| |__DSNDB04__|
|__IN__| |__database-name__| |
<_____ >
> _____>
|__using-block_____| |__DSSIZE__integer__G__|
|__free-block_____|
|__gbpcache-block__|
|__trackmod-block__|
|  |__YES__|
|__DEFINE__| |__NO__| |
|__LOGGED_____|
|  |_____|
|  |__NOT LOGGED__|
|  |_____|
<_____ >
> _____>>
|__partition-by-growth-specifications__| |__BUFFERPOOL__ bpname_____| | |
|__partition-by-range-specifications__| |_____ANY_____|
|__SEGSIZE integer_____| |__LOCKSIZE__| |__TABLESPACE__|
| | |__TABLE__|
| | |__PAGE__|
| | |__ROW__|
| | |__LOB__|
| | |_____|
|__LOCKMAX__| |__SYSTEM__|
| | |__integer__|
| | |__YES__|
|__CLOSE__| |__NO__| |
| | |_____|
|__COMPRESS__| |__YES__| |
| | |__FIXEDLENGTH__|
| | |__HUFFMAN__|
|__CCSID__| |__ASCII__|
| | |_____|
| | |__EBCDIC__|
| | |__UNICODE__|
| | |_____|
|__MAXROWS__integer_____|
|__SEGSIZE__integer_____|
| | |_____|
| | |__PAGENUM RELATIVE__|
| | |__PAGENUM ABSOLUTE__|
```

```
using-block:
>> __USING_____ >
> __VCAT__ catalog-name_____ >>
|_____ <_____ |
|__STOGROUP__ stogroup-name_____ | _____|
```

```

|_PRIQTY_ integer_|
|_SECQTY_ integer_|
|_NO_|
|_ERASE_ | _YES_ | _|
free-block:
< _____|
>> _____|_integer_| _____>>
|_5_|
|_PCTFREE_ | _integer_| _|
gbpcache-block:
|_CHANGED_|
>> _GBPCACHE_ | _ALL_| _____>>
|_SYSTEM_|
|_NONE_|
trackmod-block:
|_YES_|
>> _TRACKMOD_ | _NO_| _____>>
partition-by-growth-specification:
|_MAXPARTITIONS_ integer_| _____>>
|_MEMBER CLUSTER_|
|_NUMPARTS_ integer_|
|_ALLOW MULTIPLE TABLES_ NO_|
|_ALLOW MULTIPLE TABLES_ YES_|

```

Partition-by-range-specification

```

|_NUMPARTS_ integer_| _____|
|_MEMBER CLUSTER_|
|_PARTITION_ integer_|_using-block_|_|
|_free-block_|
|_gbpcache-block_|
|_trackmod-block_|
|_NO_|
|_COMPRESS_| _YES_| _|
|_DSSIZE_ integer_|_G_|
|_MEMBER CLUSTER_|

```

CREATE TRIGGER (advanced)

```

>> _CREATE_____ TRIGGER_ trigger-name_|_VERSION V1_|_>
|_OR REPLACE_| |_VERSION trigger-version-id_|
> _NO CASCADE BEFORE_____>
|_AFTER_|
|_INSTEAD OF_|
> _INSERT_____ ON_ table-name_____>

```

```

|_DELETE_____| |_view-name_|
|_UPDATE_____|
|_OF_<_/_/_____|
|_column-name_|_|
>
|_REFERENCING_____OLD_|_|_correlation-name_|_|
|_AS_
|_NEW_|_|_correlation-name_|
|_AS_
|_OLD TABLE_|_|_identifier_|
|_AS_
|_NEW TABLE_|_|_identifier_|
>
|_FOR EACH ROW_____MODE DB2SQL_ NOT SECURED_ triggered-action_><
|_FOR EACH STATEMENT_| |_SECURED_|
triggered-action:
>> _____SQL trigger body_____>
|_WHEN_(_search-condition_)_|
SQL-trigger-body:
> _____SQL-control-statement_____><
|_trigger-SQL-statement_|
option-list:
>
|_DISALLOW DEBUG MODE_____APPLICATION ENCODING SCHEME ASCII_____>
|_ALLOW DEBUG MODE_| |_APPLICATION ENCODING SCHEME EBCDIC_|
|_DISABLE DEBUG MODE_| |_APPLICATION ENCODING SCHEME UNICODE_|
>
|_QUALIFIER schema-name_ ASUTIME_NO LIMIT_____>
|_ASUTIME LIMIT_int_|
>
|_WLM ENVIRONMENT FOR DEBUG MODE name_|
>
|_CURRENT DATA NO_____CONCURRENT ACCESS RESOLUTION USE CURRENTLY COMMITTED_>
|_CURRENT DATA YES_| |_CONCURRENT ACCESS RESOLUTION WAIT FOR OUTCOME_____|
>
|_DYNAMICRULES RUN_____WITHOUT IMMEDIATE WRITE_____>
|_DYNAMICRULES BIND_____| |_WITH IMMEDIATE WRITE_|
>
|_WITHOUT EXPLAIN_____ISOLATION LEVEL CS_____OPHINT_'_'_____>
|_WITH EXPLAIN_| |_ISOLATION LEVEL RS_| |_OPHINT_string-constant_|
|_ISOLATION LEVEL RR_|
|_ISOLATION LEVEL UR_|
|_AS_
|_SQL PATH_<_/_/_____|_|_RELEASE AT COMMIT_____>
|_SCHEMA PATH_| |_RELEASE AT DEALLOCATE_|
|_SESSION USER_|
|_USER_|
>
|_ROUNDING DEC_ROUND_CEILING_| |_DATE FORMAT ISO_|
|_ROUNDING DEC_ROUND_DOWN_| |_DATE FORMAT EUR_|
|_ROUNDING DEC_ROUND_FLOOR_| |_DATE FORMAT USA_|

```

```

|_ROUNDING DEC_ROUND_HALF_DOWN_|   |_DATE FORMAT JIS_|
|_ROUNDING DEC_ROUND_HALF_EVEN_|  |_DATE FORMAT LOCAL_|
|_ROUNDING DEC_ROUND_HALF_UP_|
|_ROUNDING DEC_ROUND_UP_|

> _____ FOR UPDATE CLAUSE REQUIRED _____ >
|_DECIMAL(15)_| |_FOR UPDATE CLAUSE OPTIONAL_|
|_DECIMAL(31)_|
|_DECIMAL(15,s)_|
|_DECIMAL(31,s)_|

> _____ >
|_TIME FORMAT ISO_| |_NOT SECURED_|
|_TIME FORMAT EUR_| |_SECURED_|
|_TIME FORMAT USA_|
|_TIME FORMAT JIS_|
|_TIME FORMAT LOCAL_|

> _____ >
|_SYSSENSITIVE(YES_|_NO_|)_| |_BUSSENSITIVE(YES_|_NO_|)_|
> _____ >
|_ARCHIVESENSITIVE(YES_|_NO_|)_| |_APPLCOMPAT(V12R1_|)_|
> _____ ><
|_CONCENTRATE STATEMENTS OFF_|
|_CONCENTRATE STATEMENT WITH LITERALS_|

```

CREATE TRIGGER(basic)

```

>> _CREATE TRIGGER_ trigger-name NO CASCADE BEFORE _____ >
|_AFTER_|
|_INSTEAD OF_|
> _INSERT_____ ON table-name _____ >
|_DELETE_____|
|_UPDATE_____|
|_OF_<_,_____|
|_OF_ column-name_|

> _____ >
|_REFERENCING_ OLD_|_AS_|_correlation-name_|
|_NEW_|_AS_|_correlation-name_|
|_OLD TABLE_|_AS_|_identifier_|
|_NEW TABLE_|_AS_|_identifier_|

> _FOR EACH ROW_____ MODE DB2SQL NOT SECURED triggered-action ><
|_FOR EACH STATEMENT_| |_SECURED_|
triggered-action:
>> _____ SQL trigger body _____ >
|_WHEN_(<_search-condition_)_|
|_BEGIN ATOMIC_ triggered-SQL-statement_;_|_END_ _____ ><

```

CREATE TRUSTED CONTEXT

```
>> __CREATED TRUSTED CONTEXT context-name _____ >
> BASED UPON CONNECTION USING SYSTEM AUTHID authorization-name _____ >
   NO DEFAULT ROLE _____ DISABLE _____
> |_____ WITHOUT ROLE AS OBJECT OWNER _____ ENABLE _____>
   |DEFAULT ROLE role-name |_____ |
   |_____ WITH ROLE AS OBJECT OWNER _____|
   NO DEFAULT SECURITY LABEL _____
> |_____>
   |DEFAULT SECURITY LABEL seclabel-name _____|
> ATTRIBUTES ( ADDRESS address-value _____ >
             | ENCRYPTION encryption-value _____ |
             | SERVAUTH servauth-value _____ |
             < _____
             |_____ JOBNAME jobname-value _____ |
> _____
   |_____ < _____ |
   |WITH USE FOR _____ authorization-name _____ | >
             | user-options _____ |
   EXTERNAL SECURITY PROFILE profile-name _____
             |_____ WITHOUT AUTHENTICATION _____ | user-options _____|
   PUBLIC _____ |_____
             |_____ WITH AUTHENTICATION _____|
user-options:
_____ WITHOUT AUTHENTICATION _____>
>> _____ |_____ >
   |ROLE role-name || SECURITY LABEL seclabel-name || WITH AUTHENTICATION _____|
```

CREATE TYPE (array)

```
>> __CREATE TYPE array-type-name AS built-in-type ARRAY 2147483647 _____ >
             _____ integer _____
             _____ data-type2 _____
```

built-in-type:

```
> SMALLINT _____>>
| INTELGER _____|
| INT _____ |
| BIGINT _____|
|_____ (5,0) _____|
DECIMAL _____|
| DEC _____ | ( integer _____ )
| NUMERIC _____ | _____, integer_____ |
|_____ (34) _____|
DECFLOAT _____|
|_____ (16) _____|
|_____ (53) _____|
FLOAT _____|
|_____ ( integer _____ )|
REAL _____|
|_____ PRECISION _____|
| DOUBLE _____ |
|_____ (1) _____|
| CHARACTER _____ |
| | CHAR _____ | ( integer _____ ) | | CCSID ASCII _____ | | FOR SBCS DATA _____ |
| | CHARACTER VARYING ( integer _____ ) | | EBCDIC _____ | | MIXED _____ |
| | CHAR _____ | | UNICODE _____ | | BIT _____ |
| | VARCHAR _____ | _____ |
```

```

| | | | | | | | |
| | CHARACTER LARGE OBJECT | (1M) | | | | | |
| | CHAR | | (integer) | | CCSID ASCII | | FOR_SBCS DATA |
| | CLOB | | | | EBCDIC | | MIXED |
| | | | | UNICOD |
| |
| | GRAPHIC | (1) | | | |
| | | | (integer) | | CCSID ASCII |
| | VARGRAPHIC | (integer) | | EBCDIC |
| | | | (1M) | | UNICOD |
| | DBCLOB | | (integer) |
| | | | (1) |
| | BINARY | | (integer) |
| | BINARY VARYING | (integer) |
| | VARBINARY | |
| | BINARY LARGE OBJECT | (1M) |
| | BLOB | | (integer) |
| | | | K |
| | | | M |
| | | | G |
| |
| | DATE |
| | TIME |
| |
| | TIMESTAMP | (6) | WITHOUT TIME ZONE |
| | | | (integer) | | WITH TIME ZONE |

```

data-type2:

```

> INTEGER >
| | INT | | | | |
| | VARCHAR | (integer) |
| | CHARACTER VARYING | | CCSID ASCII | | FOR_SBCS DATA |
| | | | EBCDIC | | MIXED |
| | | | UNICOD | | BIT |

```

CREATE TYPE(distinct)

```

>> CREATE TYPE distinct-type-name_AS_source-data-type >
> >
| | INLINE LENGTH integer | >

```

source-data-type:

```

> SMALLINT >>
| | INTEGER |
| | INT |
| | BIGINT |
| |
| | DECIMAL | (5,0) | |
| | DEC | | (integer) |
| | NUMERIC | | integer |
| |
| | DECFLOAT | (34) | |
| | | | (16) |
| | | | (53) |
| | FLOAT | | (integer) |
| | REAL |
| |
| | DOUBLE PRECISION | | | | | | |
| | DOUBLE | | (1) |
| | CHARACTER | | |
| | CHAR | | (integer) | | CCSID ASCII | | FOR_SBCS DATA |
| | CHARACTER VARYING | (integer) | | EBCDIC | | MIXED |
| | CHAR | | UNICOD | | BIT |
| | VARCHAR |

```

```

| | | CHARACTER LARGE OBJECT | (1M) | | | | | |
| | | CHAR | | (integer) | | CCSID ASCII | | FOR SBCS DATA |
| | | CLOB | | | | EBCDIC | | MIXED |
| | | | | | UNICOD_ |
|
| | (1) | | | |
| GRAPHIC | | |
| | | (integer) | | CCSID ASCII |
| | | (integer) | | EBCDIC |
| | | (1M) | | UNICOD_ |
| | | |
| | | (integer) |
| | | (1) |
| BINARY | | |
| | | (integer) |
| BINARY VARYING | (integer) |
| | VARBINARY |
| | | (1M) |
| BINARY LARGE OBJECT | | |
| | BLOB | | (integer) |
| | | |
| | | K |
| | | M |
| | | G |
|
| DATE |
| TIME |
| | | (6) | | WITHOUT TIME ZONE |
| | | |
| | | (integer) | | WITH TIME ZONE |
| ROWID |

```

CREATE VARIABLE

```

>> CREATE VARIABLE variable-name | data-type | _____>
| DEFAULT NULL |
> _____ | _____ | built-in type | _____>
| DEFAULT constant | | array-type-name |
| special register |

```

built-in-type:

```

> SMALLINT _____>>
| INTEGER |
| INT |
| BIGINT |
|
| DECIMAL | (5,0) | |
| DEC | | (integer) |
| NUMERIC | | integer |
|
| DECFLOAT | (34) |
| | (16) |
| | (53) |
| FLOAT | |
| REAL | (integer) |
|
| PRECISION |
| DOUBLE | | | | | |
| | (1) |
| CHARACTER | (length) | | FOR SBCS DATA |
| | CHARACTER VARYING (length) | | MIXED |
| | CHAR | | BIT |
| | VARCHAR |
| | | (1M) |
| CHARACTER LARGE OBJECT | | |
| | CHAR | | (integer) | | FOR SBCS DATA |
| | CLOB | | MIXED |
| | | (1) |
| GRAPHIC |

```



```

| | (integer) | | | | |
| | VARGRAPHIC (integer) |
| | (1M) |
| | DBCLOB |
| | (integer) |
| | (1) |
| | BINARY |
| | (integer) |
| | BINARY VARYING (integer) |
| | _VARBINARY |
| | (1M) |
| | BINARY LARGE OBJECT |
| | BLOB | | (integer) |
| | | | K |
| | | | M |
| | | | G |
| | DATE |
| | TIME |
| | (6) | | WITHOUT TIME ZONE |
| | TIMESTAMP | | (integer) | | WITH TIME ZONE |

```

CREATE VIEW

```

>> __CREATE VIEW __view-name _____ >
| | < , _____ |
| | ( __column-name | ) |
> _____ AS __fullselect _____ >
| | < , _____ |
| | _WITH common-table-expression | |
> _____ >>
| | _CASCADED | | |
| | _WITH | _____ | _CHECK OPTION |
| | _LOCAL |

```

DECLARE CURSOR

```

>> __DECLARE __cursor-name _____ NO SCROLL _____ >
| | _____ | |
| | _ASENSITIVE _____ |
| | _____ | _SCROLL |
| | _INSENSITIVE _____ |
| | _____ |
| | _SENSITIVE | _____ |
| | _____ |
| | _STATIC |
> _____ < _____ >
| | _____ |
| | _____ |
| | _____ |
> __FOR __select-statement _____ >>
| | _____ |
holdability:
  _WITHOUT HOLD _____ >>
  | _____ |
  _WITH HOLD _____ >>
returnability:
  _WITHOUT RETURN _____ >>
  | _____ |
  _____ >>

```



```

| DECIMAL | (integer) | | |
| DEC | (integer) |
| NUMERIC | (integer) |
| DECFLOAT | (34) |
| | (16) |
| | (53) |
| FLOAT | (integer) |
| REAL | PRECISION |
| DOUBLE | (1) |
| CHARACTER | (length) | FOR SBCS DATA |
| | CHARACTER VARYING (length) | | MIXED |
| | CHAR | | BIT |
| | VARCHAR | | CCSID 1208 |
| | (1) |
| GRAPHIC | (integer) |
| | VARGRAPHIC (integer) | | CCSID 1200 |
| | (1) |
| BINARY | (integer) |
| | BINARY VARYING (integer) |
| | VARBINARY |
| DATE |
| TIME | WITHOUT TIME ZONE | |
| | (6) |
| TIMESTAMP | (integer) | WITH TIME ZONE |
| | (integer) |

```

as-result-table:

```
>> AS (fullselect) WITH NO DATA >>
```

copy-options:

```

| COLUMN ATTRIBUTES |
>> | EXCLUDING IDENTITY | |
| COLUMN ATTRIBUTES |
| INCLUDING IDENTITY | |
| COLUMN |
> | EXCLUDING | | DEFAULTS |
| COLUMN |
| INCLUDING | | DEFAULTS |
| USING TYPE DEFAULTS |

```

as-identity-clause:

```

>> AS IDENTITY >>
| < , |
| ( START WITH numeric-constant ) |
| INCREMENT BY numeric-constant |
| CACHE 20 |
| | NO CACHE |
| | CACHE integer |
| | NO CYCLE |
| | CYCLE |
| | NO MAXVALUE |
| | MAXVALUE numeric-constant |
| | NO MINVALUE |

```

```

|_ MINVALUE_ numeric-constant_ |___|
|_ NO ORDER_ |
|_ ORDER_ |

```

DECLARE STATEMENT

```

>> DECLARE <_ statement-name_ | STATEMENT_ >>

```

DECLARE TABLE

```

>> DECLARE table-name >
|_ view-name_ |
|_ TABLE (column-name_ built-in-data-type_ | )_ >>
|_ distinct-type-name_ | | NOT NULL_ |
|_ NOT NULL WITH DEFAULT_ |

```

built-in-type:

```

> SMALLINT >>
|_ INTEGER_ |
|_ INT_ |
|_ BIGINT_ |
|_ DECIMAL_ | (5,0) | |
|_ DEC_ | | ( integer_ ) |
|_ NUMERIC_ | |, integer_ |
|_ DECFLOAT_ | (34) |
|_ FLOAT_ | (16) |
|_ | (53) |
|_ REAL_ | ( integer_ ) |
|_ PRECISION_ |
|_ DOUBLE_ | (1) | |
|_ CHARACTER_ | (length) |
|_ CHAR_ | | (length) |
|_ CHARACTER VARYING_ | (length) |
|_ CHAR_ |
|_ VARCHAR_ |
|_ CHARACTER LARGE OBJECT_ | (1M) |
|_ CHAR_ | ( integer_ ) |
|_ CLOB_ | (1) |
|_ GRAPHIC_ | ( integer_ ) |
|_ VARGRAPHIC_ | ( integer_ ) |
|_ (1M) |
|_ DBCLOB_ | (integer) |
|_ (1) |
|_ BINARY_ | (integer) |
|_ BINARY VARYING_ | (integer) |
|_ VARBINARY_ | (1M) |
|_ BINARY LARGE OBJECT_ | ( integer_ ) |
|_ BLOB_ | |
|_ K_ |
|_ M_ |
|_ G_ |
|_ DATE_ |
|_ TIME_ |

```

```

| | ( _6_ ) | | WITHOUT TIME ZONE | |
| | _TIMESTAMP_ | | | |
| | ( _integer_ ) | | WITH TIME ZONE | |
| | _ROWID | |

```

DECLARE VARIABLE

```

>> _DECLARE_ < , _____ | | _CCSID EBCDIC_ | | >>
| | _____ | | _____ | |
| | _CCSID ASCII_ | | _FOR SBCS DATA_ | |
| | _CCSID UNICODE_ | | _FOR MIXED DATA_ | |
| | _____ | | _FOR BIT DATA_ | |
| | _CCSID_ integer | |

```

DELETE

searched delete:

```

>> _DELETE FROM_ table-name _____ >
| | _view-name_ | | _period-clause_ | | _correlation-name_ | |
> _____ >
| | _include-column_ | | _SET assignment-clause_ | |
> _____ >
| | _WHERE_ search-condition | | _isolation-clause_ | |
| | _____ | | _SKIP LOCKED DATA_ | |
> _____ >>
| | _QUERYNO_ integer | |

```

positioned delete:

```

>> _DELETE FROM_ table-name _____ WHERE CURRENT OF cursor-name _____ >>
| | _view-name_ | |
> _____ >>
| | _FOR ROW_ host-variable _____ OF ROWSET | |
| | _____ | |

```

period-clause:

```

>> _FOR PORTION OF BUSINESS_ TIME FROM value1 TO value2 _____ >>
| | _____ | | _BETWEEN value1 AND value2_ | |

```

include-column:

```

>> _INCLUDE_ ( _column-name_ data-type ) _____ >>

```

data-type:

```

>> built-in type _____ >>
| | _distinct_type_name_ | |

```

built-in-type:

```

> SMALLINT _____ >>
| | _INTEGER_ | | | | | |
| | _INT_ | |
| | _BIGINT_ | |
| | _____ ( 5, 0 ) _____ | |
| | _DECIMAL_ | | _____ | |
| | _DEC_ | | ( _integer_ _____ ) _____ | |
| | _NUMERIC_ | | _____ | |, integer | |
| | _____ ( 34 ) _____ | |
| | _DECFLOAT_ | | _____ | |
| | _____ ( 16 ) _____ | |
| | _____ ( 53 ) _____ | |
| | _FLOAT_ | | _____ | |
| | _____ ( _integer_ ) _____ | |
| | _REAL_ | | _____ | |
| | _____ _PRECISION_ _____ | |
| | _DOUBLE_ | | _____ | |
| | _____ ( 1 ) _____ | |
| | _CHARACTER_ | | _____ | |

```

```

| | | CHAR | | ( integer ) | | | FOR BIT DATA |
| | CHARACTER VARYING ( integer ) |
| | CHAR |
| | VARCHAR |
| | (1) |
| GRAPHIC | | ( integer ) |
| | VARGRAPHIC ( integer ) |
| | (1) |
| BINARY | | (integer) |
| | BINARY VARYING (integer) |
| | VARBINARY |
| DATE |
| TIME |
| | ( 6 ) | | WITHOUT TIME ZONE | |
| | TIMESTAMP | | | |
| | (integer) | | WITH TIME ZONE |

```

assignment-clause:

```

>> < , _____ ><
| | column-name expression | _____ ><
| | | NULL | |
| | < , _____ | < , expression | _____ ><
| | ( column-name ) | ( _____ ) | |
| | | NULL | |
| | row-fullselect |

```

isolation-clause:

```

>> WITH RR _____ ><
| RS |
| CS |

```

DESCRIBE CURSOR

```

>> DESCRIBE CURSOR cursor-name INTO descriptor-name _____ ><
| host-variable |

```

DESCRIBE INPUT

```

>> DESCRIBE INPUT statement-name INTO descriptor-name _____ ><

```

DESCRIBE OUTPUT

```

>> DESCRIBE OUTPUT statement-name INTO descriptor-name _____ >
> _____ ><
| NAMES |
| USING LABELS |
| ANY |
| BOTH |

```

DESCRIBE PROCEDURE

```

>> DESCRIBE PROCEDURE procedure-name INTO descriptor-name _____ ><
| host-variable |

```

DESCRIBE TABLE

```

>> DESCRIBE TABLE host-variable INTO descriptor-name _____ >
> _____ ><
| NAMES |
| USING LABELS |
| ANY |

```

|_BOTH_|

DROP

```

>> _DROP _____ ALIAS_ alias-name _____ |_FOR TABLE_____| _____>>
| | _PUBLIC_| _____ |_FOR SEQUENCE_| _____|
| _DATABASE_ database-name _____|
| _TYPE_____ distinct-type-name _RESTRICT _____|
| _FUNCTION_ function-name _____ RESTRICT _____|
| _____ | _____<_| _____| _____|
| _____ |_( _____|_)_| _____|
| | _____ |_parameter-type_| _____|
| | _SPECIFIC FUNCTION specific-name _____ RESTRICT _____|
| _INDEX_ index-name _____|
| _MASK_ mask-name _____|
| _PACKAGE_ collection-id.package-id _____|
| _____ |_VERSION_| _____|
| _____ |_| _____|_version-id_| _____|
| _PERMISSION_ permission-name _____|
| _PROCEDURE_ procedure-name _RESTRICT _____|
| _ROLE_ role-name _RESTRICT _____|
| _SEQUENCE_ sequence-name _____|
| _STOGROUP_ stogroup-name _____|
| _SYNONYM_ synonym _____|
| _TABLE_ table-name _____|
| _TABLESPACE _____ table-space-name _____|
| _____ |_database-name_| _____|
| _TRIGGER_ trigger-name _____|
| _TRUSTED CONTEXT_ context-name _____|
| _TYPE_ type-name _____ RESTRICT _____|
| _VIEW_ view-name _____|

```

parameter type:

```

>> ___data-type_____>>
| _____ |_AS LOCATOR_____|

```

data type:

```

>> ___built-in-data-type_____>>
| _____|
| _distinct-type-name_| _____|
| _array-type-name_____|

```

built-in-data-type:

```

> _SMALLINT_____>>
| | _INTEGER_| _____|
| | _INT_| _____|
| | _BIGINT_| _____|
| _____ (5,0) _____|
| _DECIMAL _____|
| | _DEC _____| |( integer _____ ) _____| |
| | _NUMERIC _____| |_, integer_| _____|
| _DECFLOAT_ |(34) _____|
| _____ |(16) _____|
| _____ |(53) _____|
| _FLOAT_ _____|
| | _____ |( integer ) _____| |
| | _REAL _____|
| | _____ |_PRECISION_| _____|
| | _DOUBLE _____| _____|
| _____ |(1) _____|
| _____ |_CHARACTER_| _____|

```



```
|_host-variable_____|
```

EXPLAIN

```
>> EXPLAIN _____ >
>  PLAN _____ FOR sql-statement _____ ><
| ALL | SET QUERYNO=integer |
| STMTCACHE ALL |
| STMTID id-host-variable |
| integer-constant |
| STMTTOKEN token-host-variable |
| string-constant |
| PACKAGE package-specification |
| STABILIZED DYNAMIC QUERY STMTID id-host-variable |
| integer-constant |
| COPY 'CURRENT' |
| COPY 'INVALID' |
```

Package-specification:

```
>> COLLECTION-collection-name _____ >
> PACKAGE-package-name _____ ><
| VERSION-version-name | | COPY-copy-id |
```

FETCH

```
>> FETCH _____ fetch-orientation _____ FROM _____ >
| INSENSITIVE | | WITH CONTINUE |
| SENSITIVE |
> cursor-name _____ ><
| single-row-fetch |
| multiple-row-fetch |
```

fetch-orientation:

```
> BEFORE _____ >
| AFTER _____ |
| row-positioned |
| rowset-positioned |
```

row-positioned:

```
NEXT _____ >
| PRIOR _____ |
| FIRST _____ |
| LAST _____ |
| CURRENT _____ |
| ABSOLUTE host-variable |
| integer-constant |
| RELATIVE host-variable |
| integer-constant |
```

rowset-positioned:

```
NEXT ROWSET _____ >
| PRIOR ROWSET _____ |
| FIRST ROWSET _____ |
| LAST ROWSET _____ |
| CURRENT ROWSET _____ |
```

```

|_ROWSET STARTING AT_ ABSOLUTE_ host-variable_ |
|_RELATIVE_ |_integer-constant_|
single-row-fetch:
_____>
|_<_ |_ |
|_INTO_ target-variable|_____ |
|_ array-variable[array-index]|_ |
|_INTO DESCRIPTOR descriptor-name_|_ |
target-variable:
>_ global-variable-name _____>
|_ host-variable-name _____ |
|_ SQL-parameter-name _____ |
|_ SQL-variable-name _____ |
|_ transition-variable-name_|
multiple-row-fetch:
|_ _____>
|_ FOR_ host-variable_ ROWS_ |
|_ integer-constant_|
>_ _____>
|_<_ |_ |
|_INTO_ host-variable-array|_____ |
|_INTO DESCRIPTOR descriptor-name_|

```

FREE LOCATOR

```

>>_ FREE LOCATOR_ <_ host_variable_ |_____>>

```

GET DIAGNOSTICS

```

>>_ GET DIAGNOSTICS_ statement-information _____>>
|_ condition-information_|
|_ combined-information_|

```

statement-information:

```

|_<_ |_ |
>_ host-variable1 = | statement-information-item-name |_ |_____>
|_ host-variable1 = DB2_GET_DIAGNOSTICS_DIAGNOSTICS_____ |
|_ host-variable1 = DB2_SQL_NESTING_LEVEL_____ |

```

statement-information-item-name:

```

|_<_ |_ |_____>
>_ DB2_LAST_ROW _____ |_____>
|_ DB2_NUMBER_PARAMETER_MARKERS_____ |
|_ DB2_NUMBER_RESULT_SETS_____ |
|_ DB2_RETURN_STATUS_____ |
|_ DB2_SQL_ATTR_CURSOR_HOLD_____ |
|_ DB2_SQL_ATTR_CURSOR_ROWSET_____ |
|_ DB2_SQL_ATTR_CURSOR_SCROLLABLE_____ |
|_ DB2_SQL_ATTR_CURSOR_SENSITIVITY_____ |
|_ DB2_SQL_ATTR_CURSOR_TYPE_____ |
|_ MORE_____ |
|_ NUMBER_____ |
|_ ROW_COUNT_____ |

```

```

condition-information:
> __CONDITION__ |__host-variable2__ |_____>
    <_,_____
> __host-variable3__ = __condition-information-item-name__ |_____>
    |__connection-information-item-name__ |

```

```

condition-information-item-name:
> __CATALOG_NAME_____>
|__CONDITION_NUMBER_____|
|__CURSOR_NAME_____|
|__DB2_ERROR_CODE1_____|
|__DB2_ERROR_CODE2_____|
|__DB2_ERROR_CODE3_____|
|__DB2_ERROR_CODE4_____|
|__DB2_INTERNAL_ERROR_POINTER__|
|__DB2_LINE_NUMBER_____|
|__DB2_MESSAGE_ID_____|
|__DB2_MODULE_DETECTING_ERROR__|
|__DB2_ORDINAL_TOKEN_n_____|
|__DB2_REASON_CODE_____|
|__DB2_RETURNED_SQLCODE_____|
|__DB2_ROW_NUMBER_____|
|__DB2_SQLERRD_SET_____|
|__DB2_SQLERRD1_____|
|__DB2_SQLERRD2_____|
|__DB2_SQLERRD3_____|
|__DB2_SQLERRD4_____|
|__DB2_SQLERRD5_____|
|__DB2_SQLERRD6_____|
|__DB2_TOKEN_COUNT_____|
|__MESSAGE_TEXT_____|
|__RETURNED_SQLSTATE_____|
|__SERVER_NAME_____|

```

```

connection-information-item-name:
> __DB2_AUTHENTICATION_TYPE_____>
|__DB2_AUTHORIZATION_ID_____|
|__DB2_CONNECTION_STATE_____|
|__DB2_CONNECTION_STATUS_____|
|__DB2_ENCRYPTION_TYPE_____|
|__DB2_SERVER_CLASS_NAME_____|
|__DB2_PRODUCT_ID_____|

```

```

combined-information:
> __host-variable4__ = ALL <_,_____>>
    |__STATEMENT_____|
    |__CONDITION_____|
    |__CONNECTION__| |__host-variable5__|
    |__integer_____|

```

GRANT

```

>> __GRANT__ authorization-specification_____>
    <_,_____
> __TO__ authorization-name_____>>

```

```

|_PUBLIC_____ | |_WITH GRANT OPTION_|
|_ROLE_role-name_____ |

```

GRANT (collection privileges)

```

>> __GRANT__ CREATE ON COLLECTION <_,_____ |_____ >
|_PACKADM_| |_IN_| |_*_____ |
<_,_____
> __TO_____ authorization-name |_____ >>
|_PUBLIC_____ | |_WITH GRANT OPTION_|
|_ROLE_role-name_____ |

```

GRANT (database privileges)

```

>> __GRANT__ <_,_____ |__ ON DATABASE_____ <_,_____ |_____ >
|_DBCTRL_|
|_DBMAINT_|
|_CREATETAB_|
|_CREATETS_|
|_DISPLAYDB_|
|_DROP_|
|_IMAGCOPY_|
|_LOAD_|
|_RECOVERDB_|
|_REORG_|
|_REPAIR_|
|_STARTDB_|
|_STATS_|
|_STOPDB_|
<_,_____
> __TO_____ authorization-name |_____ >>
|_PUBLIC_____ | |_WITH GRANT OPTION_|
|_ROLE_role-name_____ |

```

GRANT (function or procedure privileges)

```

>> __GRANT__ EXECUTE ON _____ >
<_,_____
> __FUNCTION__ _____ |_____ >
|_____ | |_____ | | | | |
|_____ | |_( _____ |_)_| | | |
|_____ |_parameter-type_| | | |
|_*_____ | | |
|_SPECIFIC FUNCTION_____ specific-name_| |_____
|_____ <_,_____
|_PROCEDURE_____ procedure-name_| |_____
|_*_____ |
> __TO_____ <_,_____ authorization-name |_____ >>
|_PUBLIC_____ | |_WITH GRANT OPTION_|
|_ROLE_role-name_____ |
parameter type:
>> __data-type_____ >>
|_AS LOCATOR_____ |

```

```

data type:
>> built-in-data-type >>
  | distinct-type-name |
  | array-type-name   |
built-in data type:
> SMALLINT >>
  | INTEGER |
  | INT     |
  | BIGINT  |
  | DECIMAL | (5,0)
  | DEC     | ( integer )
  | NUMERIC | ( integer )
  | DECFLOAT | (34)
  | FLOAT   | (16)
  |         | (53)
  | REAL    | ( integer )
  | DOUBLE  | PRECISION
  |         | (1)
  | CHARACTER |
  | CHAR     | ( integer )
  | CHARACTER VARYING | ( integer )
  | CHAR    |
  | VARCHAR |
  |         | (1M)
  | CHARACTER LARGE OBJECT |
  | CHAR    | ( integer )
  | CLOB    |
  |         |
  |         |
  | GRAPHIC | (1)
  | VARGRAPHIC | ( integer )
  |         | (1M)
  | DBCLOB   |
  |         | (integer)
  |         | (1)
  | BINARY   | (integer)
  | BINARY VARYING | (integer)
  | VARBINARY |
  |         | (1M)
  | BINARY LARGE OBJECT |
  | BLOB     | ( integer )
  |         |
  |         |
  |         |
  | DATE    |
  | TIME    |
  |         | ( 6 ) WITHOUT TIME ZONE
  | TIMESTAMP | ( integer ) WITH TIME ZONE
  | ROWID   |
  | XML    |

```

GRANT (package privileges)

```

>> GRANT ALL ON PACKAGE >
  | < , |
  | BIND |
  | COPY |
  | EXECUTE |
  | RUN  |

```

```

> <_,'_____>
  |collection-id._____package-id_____|_____>
  |_*_____|

> __TO _____>>
  |authorization-name_____|_____>>
  |PUBLIC_____||_WITH GRANT OPTION_|
  |ROLE_role-name_____|

```

GRANT (plan privileges)

```

>> __GRANT _____>
  |BIND_____||_ON PLAN_____plan-name_|_____>
  |_EXECUTE_|

> __TO _____>>
  |authorization-name_____|_____>>
  |PUBLIC_____||_WITH GRANT OPTION_|
  |ROLE_role-name_____|

```

GRANT (schema privileges)

```

>> __GRANT _____>
  |ALTERIN_____||_ON SCHEMA_____schema-name_|_____>
  |_CREATEIN_|
  |_DROPIN_|

> __TO _____>>
  |authorization-name_____|_____>>
  |PUBLIC_____||_WITH GRANT OPTION_|
  |ROLE_role-name_____|

```

GRANT (sequence privileges)

```

>> __GRANT _____>
  |ALTER_____||_ON SEQUENCE_____sequence-name_|_____>
  |_USAGE_____||_*_____|

> __TO _____>>
  |authorization-name_____|_____>>
  |PUBLIC_____||_WITH GRANT OPTION_|
  |ROLE_role-name_____|

```

GRANT (system privileges)

```

>> __GRANT _____>
  |ACCESSCTRL_____||_____>
  |ARCHIVE_____||_____| |
  |BINDADD_____||_____|
  |BINDAGENT_____||_____|
  |BSDS_____||_____|
  |CREATEALIAS_____||_____|
  |CREATEDBA_____||_____|
  |CREATEDBC_____||_____|
  |CREATESG_____||_____|
  |CREATE_TMTAB_____||_____|
  |CREATE_SECURE_OBJECT_____||_____|
  |DATAACCESS_____||_____|
  |_____WITH ACCESSCTRL_____WITH DATAACCESS_____||_____|
  |_DBADM_|_____||_____|
  |_____WITHOUT ACCESSCTRL_|_|_WITHOUT DATAACCESS_|
  |_DEBUGSESSION_____||_____|

```

```

| DISPLAY _____ |
| EXPLAIN _____ |
| MONITOR1 _____ |
| MONITOR2 _____ |
| RECOVER _____ |
| SQLADM _____ |
| STOPALL _____ |
| STOSPACE _____ |
| SYSADM _____ |
| SYSTRL _____ |
| SYSOPR _____ |
| TRACE _____ |
> _____ >
|_ ON SYSTEM _|
<_, _____
> __ TO _____ | _____ ><
| PUBLIC _____ | | _WITH GRANT OPTION _|
|_ ROLE_role-name _____|

```

GRANT (table or view privileges)

```

>> __ GRANT ALL _____ | _____ >
| <_, _____ |
| ALTER _____ | |
| DELETE _____ |
| INDEX _____ |
| INSERT _____ |
| SELECT _____ |
| REFERENCES _____ |
| _____ | <_, _____ |
| _____ | |_( __column-name_|_)_|
| TRIGGER _____ |
| UPDATE _____ |
| _____ | <_, _____ |
| _____ | |_( __column-name_|_)_|
> __ ON _____ | _____ >
|_ TABLE _____ | <_, _____ |
|_ view-name _| |_ table-name _|
| _____ |
> __ TO _____ | _____ ><
| PUBLIC _____ | | _WITH GRANT OPTION _|
|_ ROLE_role-name _____|

```

GRANT (type or JAR privileges)

```

>> __ GRANT USAGE ON _____ | _____ >
|_ TYPE_type-name _| <_, _____ |
|_ JAR_jar-name _| | _____ |
> __ TO _____ | _____ ><
| PUBLIC _____ | | _WITH GRANT OPTION _|
|_ ROLE_role-name _____|

```

GRANT (variable privileges)

```

>> __GRANT__ ALL | _____ | __ON VARIABLE__ variable-name _____ >
      | <_, _____ |
      | READ | _____ |
      | WRITE | _____ |
    <_, _____
> __TO__ authorization-name | _____ ><
      | PUBLIC | _____ | | _WITH GRANT OPTION_ |
      | _ROLE_ role-name | _____ |

```

GRANT (use privileges)

```

>> __GRANT USE OF _____ >
> BUFFERPOOL bpname | _____ >
  | ALL BUFFERPOOLS _____ |
  | <_, _____ |
  | _STOGROUP__ stogroup-name | _____ |
  | <_, _____ |
  | _TABLESPACE _____ table-space-name | _____ |
  | _____ |
  | _database-name_ | _____ |
  <_, _____
> __TO__ authorization-name | _____ ><
  | PUBLIC | _____ | | _WITH GRANT OPTION_ |
  | _ROLE_ role-name | _____ |

```

HOLD LOCATOR

```

>> __HOLD LOCATOR__ <_, _____ | _____ ><
      host_variable | _____

```

INCLUDE

```

>> __INCLUDE__ SQLCA _____ ><
      | _SQLDA _____ |
      | _member-name_ | _____ |

```

INSERT

```

>> __INSERT INTO__ table-name _____ >
      | _view-name__ | | <_, _____ | |
      | _____ | | (_column-name_|_) |
      | _____ |
> | _include-column_ | | _OVERRIDING USER VALUE_ |
      | _____ |
> VALUES expression _____ ><
  | _____ |
  | | _DEFAULT _____ | | _____ | |
  | | NULL _____ | | _____ |
  | | <_, _____ | | _____ |
  | | (_expression_|_) | | _____ |
  | | _____ |
  | | _DEFAULT _____ | | _____ |
  | | NULL _____ | | _____ |
  | _____ |
  | <_, _____ |
  | _WITH common-table-expression | _____ |
  | _fullselect _____ |
  | _____ |
  | | _WITH__ RR__ | | | _QUERYNO__ integer_ | |

```



```

|          |          | _RS_ |
|          |          | _CS_ |
|_multi-row-insert_____|

include-column:
>> _INCLUDE_ ( <_,_____>
              |__column-name__ data-type_| ) _____>>

data-type:
>> _built-in type_____>>
    |__distinct_type_name_|

built-in-type:
> _SMALLINT_____>>
|_INTEGER_|
|_INT_|
|_BIGINT_|
|_DECIMAL_| (_____,_____)
|_DEC_| (_____,_____)
|_NUMERIC_| (_____,_____)
|_DECFLOAT_| (_____,_____)
|_FLOAT_| (_____,_____)
|_REAL_|
|_DOUBLE_|
|_CHARACTER_|
|_CHAR_| (_____)
|_CHARACTER VARYING_| (_____)
|_CHAR_|
|_VARCHAR_|
|_GRAPHIC_|
|_VARGRAPHIC_|
|_BINARY_|
|_BINARY VARYING_| (_____)
|_VARBINARY_|
|_DATE_|
|_TIME_|
|_TIMESTAMP_| (_____) WITHOUT TIME ZONE
|_TIMESTAMP_| (_____) WITH TIME ZONE

multi-row-insert:
>> _VALUES_ (_____,_____>
            |__host-variable-array__|
            |_NULL_|
            |_DEFAULT_|
            | <_,_____>
            | (_____,_____)|
            |__host-variable-array__|
            |_NULL_|
            |_DEFAULT_|
            |_____>
|_FOR_ __host-variable__ _ROWS_|

```

```

      | _integer-constant_ |
    > _ATOMIC_____ |_____ ><
      | _NOT ATOMIC CONTINUE ON SQLEXCEPTION_____ |

```

LABEL

```

>> _LABEL ON _TABLE_ table-name _____ IS string-constant _____ ><
      | | | view-name | | |
      | | ALIAS alias-name | | |
      | | COLUMN table-name.column-name | | |
      | | | view-name.column-name | | |
      | | | < , _____ | | |
      | | table-name ( column-name IS string-constant | ) | |
      | | view-name | | |

```

LOCK TABLE

```

>> _LOCK TABLE_ table-name _____ >
      | | PARTITION integer |
> _IN_ SHARE _____ MODE _____ ><
      | EXCLUSIVE |

```

MERGE

```

>> _MERGE INTO_ table-name _____ >
      | | view-name | | |
      | | | correlation-clause | | |
> _____ >
      | include-columns |
> _USING_ table-reference ON search-condition _____ >
      | source-values |
< _____ ELSE IGNORE _____ >
> _WHEN_ matching-condition THEN modification-operation | | _____ | _____ >
> _____ ><
      | NOT ATOMIC CONTINUE ON SQL EXCEPTION | | QUERYNO integer |

```

include-column:

```

      | | | < , _____ | | |
> _INCLUDE_ ( column-name data-type | ) _____ ><

```

Correlation-clause:

```

> _____ ><
      | | AS | | | |
      | | | correlation-name | | |
      | | | < , _____ | | |
      | | ( column-name ) _____ | | |

```

data-type:

```

>> built-in type _____ ><
      | distinct type name |

```

built-in-type:

```

> SMALLINT _____ ><
| | INTEGER | | |
| | INT | | |

```

```

| | _BIGINT_ | | | | |
| | _____ (5,0) _____ |
| | DECIMAL | | _____ |
| | DEC | | _____ (integer) _____ |
| | NUMERIC | | _____ |, integer |
| | _____ (34) _____ |
| | DECFLOAT | | _____ |
| | _____ (16) _____ |
| | _____ (53) _____ |
| | FLOAT | | _____ (integer) _____ |
| | REAL | | _____ PRECISION _____ |
| | DOUBLE | | _____ (1) _____ |
| | CHARACTER | | _____ |
| | CHAR | | _____ (integer) _____ | | _FOR_ _BIT_ _DATA_ |
| | CHARACTER VARYING | | _____ (integer) _____ |
| | CHAR | | _____ |
| | VARCHAR | | _____ |
| | _____ (1) _____ |
| | GRAPHIC | | _____ (integer) _____ |
| | VARGRAPHIC | | _____ (integer) _____ |
| | _____ (1) _____ |
| | BINARY | | _____ (integer) _____ |
| | BINARY VARYING | | _____ (integer) _____ |
| | VARBINARY | | _____ |
| | DATE |
| | TIME |
| | _____ ( 6) _____ WITHOUT TIME ZONE _____ |
| | TIMESTAMP | | _____ (integer) _____ | WITH TIME ZONE _____ |

```

source-table:

```

>> _ (VALUES values-single-row ) | _ AS _ <, _____ |
| _ values-multiple-row |

```

values-single-row:

```

>> _____ expression _____ >>
| | NULL _____ |
| | <, _____ |
| | _ (expression _____) |
| | NULL _____ |

```

values-multiple-row:

```

>> _____ expression _____ FOR host-variable _____ ROWS _____ >>
| | host-variable-array | | _____ integer-constant |
| | NULL _____ |
| | <, _____ |
| | _ (expression _____) |
| | NULL _____ |
| | host-variable-array |

```

matching-condition:

```

>> _____ MATCHED _____ >>
| | _NOT_ | | _AND_ search-condition |

```

modification-operation:

```

>> _____ update-operation _____ >>
| | insert-operation _____ |
| | delete-operation _____ |

```



```

|_rowset-positioning_____|
|_fetch-first-clause_____|
|_read-only-clause_____|
|_update-clause_____|
|_optimize-clause_____|
|_isolation-clause_____|
|_FOR MULTIPLE ROWS_____|
|_FOR SINGLE ROW_____|
|_ATOMIC_____|
|_____|
|_NOT ATOMIC CONINUE ON SQLEXCEPTION_|
|_SKIP LOCKED DATA_____|
|_USE CURRENTLY COMMITTED_|
|_WAIT FOR OUTCOME_____|
|_WITHOUT EXTENDED INDICATORS_____|
|_WITH EXTENDED INDICATORS_____|
|_CONCENTRATE STATEMENTS OFF_____|
|_CONCENTRATE STATEMENTS WITH LITERALS_|_

```

holdability :

```

>>_____<<
|_WITHOUT HOLD_|
|_WITH HOLD_____|

```

returnability :

```

>>_WITHOUT RETURN_____<<
|_TO CALLER_|
|_WITH RETURN_|_____|
|_TO CLIENT_|

```

rowset-positioning :

```

>>_____<<
|_WITHOUT ROWSET POSITIONING_|
|_WITH ROWSET POSITIONING_____|

```

concurrent-access-resolution :

```

>>_SKIP LOCKED DATA_____<<
|_USE CURRENTLY COMMITTED_|
|_WAIT FOR OUTCOME_____|

```

REFRESH TABLE

```

>>_REFRESH_TABLE table-name_____<<
|_QUERYNO integer_|

```

RELEASE

```

>>_RELEASE location-name_____<<
|_host-variable_|
|_CURRENT_____|
|_SQL_____|
|_ALL_|_____|

```

RELEASE SAVEPOINT

```

>>_RELEASE_____TO_____SAVEPOINT svpt-name_____<<

```

RELEASE (connection)

```

>>_RELEASE location-name_____<<

```

```

|_host-variable_|
|_CURRENT_|
|_SQL_|
|_ALL_|_|_|

```

RENAME

```

>> __RENAME__ TABLE
|_| source-table-name TO new-table-identifier >>
|_| INDEX source-index-name TO new-index-identifier |_|

```

REVOKE

```

>> __REVOKE__ authorization-specification >
|_| <_|
> __FROM__ authorization-name |_| >
|_| PUBLIC |_|
|_| ROLE-role-name |_|
> _____ >>
|_| <_| | | |
|_| authorization-name |_| |_|
|_| ALL |_|
>
> __INCLUDING DEPENDENT PRIVILEGES _____ >>
|_| NOT INCLUDING DEPENDENT PRIVILEGES |_| | RESTRICT |_|

```

REVOKE (collection privileges)

```

>> __REVOKE__ CREATE IN COLLECTION <_| collection-id |_| >
|_| PACKADM |_| | ON |_| | * |_|
>
> __FROM__ <_| authorization-name |_| >
|_| PUBLIC |_|
|_| ROLE-role-name |_|
> _____ >
|_| <_| | | |
|_| authorization-name |_| |_|
|_| ALL |_|
>
> __INCLUDING DEPENDENT PRIVILEGES _____ >>
|_| NOT INCLUDING DEPENDENT PRIVILEGES |_|

```

REVOKE (database privileges)

```

>> __REVOKE__ <_| DBADM |_| | ON DATABASE <_| database-name |_| >
|_| DBCTRL |_|
|_| DBMAINT |_|
|_| CREATETAB |_|
|_| CREATETS |_|
|_| DISPLAYDB |_|
|_| DROP |_|
|_| IMAGCOPY |_|
|_| LOAD |_|
|_| RECOVERDB |_|

```

```

|_REORG_____|
|_REPAIR_____|
|_STARTDB____|
|_STATS_____|
|_STOPDB_____|
|_PUBLIC_____|
|_ROLE-role-name_____|
|_ALL_____|
|_BY_____authorization-name_|
|_ALL_____|
|_INCLUDING DEPENDENT PRIVILEGES_____>>
|_NOT INCLUDING DEPENDENT PRIVILEGES_|

```

REVOKE (function or procedure privileges)

```

>>_REVOKE_EXECUTE_ON_____>
|_FUNCTION_function-name_|
|_(<_,'_____')_|
|_parameter-type_|
|_*_____|
|_SPECIFIC FUNCTION_specific-name_|
|_PROCEDURE_procedure-name_|
|_*_____|
|_FROM_____authorization-name_|_RESTRICT_____>
|_PUBLIC_____|_BY_____authorization-name_|
|_ROLE-role-name_____|_ROLE-role-name_____|
|_ALL_____|
|_INCLUDING DEPENDENT PRIVILEGES_____>>
|_NOT INCLUDING DEPENDENT PRIVILEGES_|

```

parameter type:

```

>>_data-type_____>>
|_AS LOCATOR_|

```

data type:

```

>>_built-in-data-type_____>>
|_distinct-type-name_|
|_array-type-name_|

```

built-in data type:

```

>_SMALLINT_____>>
|_INTEGER_|
|_INT_|
|_BIGINT_|
|_(5,0)_____|
|_DECIMAL_____|
|_DEC_(integer)_____|
|_NUMERIC_|_integer_|
|_(34)_____|

```

DECFLOAT	(16)	(53)							
FLOAT	(integer)								
REAL									
DOUBLE	PRECISION	(1)							
CHARACTER									
CHAR	(integer)		CCSID	ASCII	FOR	SBCS	DATA		
CHARACTER VARYING	(integer)			EBCDIC		MIXED			
CHAR				UNICODE		BIT			
VARCHAR									
CHARACTER LARGE OBJECT	(1M)								
CHAR	(integer)		CCSID	ASCII	FOR	SBCS	DATA		
CLOB				EBCDIC		MIXED			
				UNICODE					
GRAPHIC	(1)								
VARGRAPHIC	(integer)		CCSID	ASCII					
	(integer)			EBCDIC					
	(1M)			UNICODE					
DBCLOB	(integer)								
BINARY	(1)								
BINARY VARYING	(integer)								
VARBINARY									
BINARY LARGE OBJECT	(1M)								
BLOB	(integer)								
				K					
				M					
				G					
DATE									
TIME									
TIMESTAMP	(6)						WITHOUT TIME ZONE		
	(integer)						WITH TIME ZONE		
ROWID									
XML									

REVOKE (package privileges)

```

>> REVOKE ALL
      < ,
      BIND
      COPY
      EXECUTE
      RUN
      < ,
ON PACKAGE collection-id. package-id |
  PROGRAM | *
  < ,
FROM authorization-name |
  PUBLIC
  ROLE role-name
  >
  >
  < ,
  BY authorization-name |
  ALL
  ROLE role-name
  >

```



```
> ___ INCLUDING DEPENDENT PRIVILEGES _____><
|_NOT INCLUDING DEPENDENT PRIVILEGES_|
```

REVOKE (plan privileges)

```
>> ___ REVOKE _____<_/'_____>
|_BIND_____|_ON PLAN_____plan-name_|_____>
|_EXECUTE_|

> ___ FROM _____<_/'_____>
|_PUBLIC_____|
|_ROLE_role-name_|

> _____>
|_BY_____<_/'_____>
|_ALL_____|
|_ROLE_role-name_|

> ___ INCLUDING DEPENDENT PRIVILEGES _____><
|_NOT INCLUDING DEPENDENT PRIVILEGES_|
```

REVOKE (schema privileges)

```
>> ___ REVOKE _____<_/'_____>
|_ALTERIN_____|_ON SCHEMA_____schema-name_|_____>
|_CREATEIN_|
|_DROPIN_|
|_*_____|

> ___ FROM _____<_/'_____>
|_PUBLIC_____|
|_ROLE_role-name_|

> _____>
|_BY_____<_/'_____>
|_ALL_____|
|_ROLE_role-name_|

> ___ INCLUDING DEPENDENT PRIVILEGES _____><
|_NOT INCLUDING DEPENDENT PRIVILEGES_|
```

REVOKE (sequence privileges)

```
>> ___ REVOKE _____<_/'_____>
|_ALTER_____|_ON SEQUENCE_____schema-name_|_____>
|_USAGE_____|

> ___ FROM _____<_/'_____>
|_PUBLIC_____|
|_ROLE_role-name_|
|_RESTRICT_|

> _____>
|_BY_____<_/'_____>
|_ALL_____|
|_ROLE_role-name_|

> ___ INCLUDING DEPENDENT PRIVILEGES _____><
```

```
|_NOT INCLUDING DEPENDENT PRIVILEGES_|
```

REVOKE (system privileges)

```
>> _REVOKE_ <_/_/_____ | _____ FROM <_/_/_____ |_>
| ARCHIVE | | PUBLIC |
| BINDADD | | ROLE_role-name |
| BINDAGENT |
| BSDS |
| CREATEALIAS |
| CREATEDBA |
| CREATEDBC |
| CREATESG |
| CREATETMTAB |
| CREATE_SECURE_OBJECT |
| DATAACCESS |
| DBADAM |
| DEBUGSESSION |
| DISPLAY |
| EXPLAIN |
| MONITOR1 |
| MONITOR2 |
| RECOVER |
| SQLADM |
| STOPALL |
| STOSPACE |
| SYSADM |
| SYSCTRL |
| SYSOPR |
| TRACE |
> _____ >
| <_/_/_____ |
|_BY_ authorization-name_|
| ALL |
| ROLE_role-name |
> _____ ><
|_NOT INCLUDING DEPENDENT PRIVILEGES_|
```

REVOKE (table or view privileges)

```
PRIVILEGES
>> _REVOKE_ ALL | _____ | _____ >
| <_/_/_____ |
| ALTER |
| DELETE |
| INDEX |
| INSERT |
| REFERENCES |
| SELECT |
| TRIGGER |
| UPDATE |
> _____ >
|_ON_ | _____ | _____ table-name | _____ >
```

```

      |_view-name_|
> _FROM <_,'_____
      |_authorization-name_| _____>
      |_PUBLIC_|
      |_ROLE_role-name_|
> _____>
      |_BY <_,'_____
      |_authorization-name_| _____|
      |_ALL_|
      |_ROLE_role-name_|
> _____>
> _____INCLUDING DEPENDENT PRIVILEGES_____>>
  |_NOT INCLUDING DEPENDENT PRIVILEGES_|

```

REVOKE (type or JAR privileges)

```

>> _REVOKE_USAGE ON _____ TYPE <_,'_____
      |_type-name_| _____>
      |_JAR <_,'_____
      |_jar-name_| _____|
> _____>
      |_FROM <_,'_____
      |_authorization-name_| _____>
      |_PUBLIC_|
      |_ROLE_role-name_|
> _____>
      |_RESTRICT_____>
      |_BY <_,'_____
      |_authorization-name_| _____|
      |_ALL_|
> _____>
> _____INCLUDING DEPENDENT PRIVILEGES_____>>
  |_NOT INCLUDING DEPENDENT PRIVILEGES_|

```

REVOKE (use privileges)

```

>> _REVOKE USE OF _____>
      |_<_,'_____
      |_BUFFERPOOL bpname_| _____>
      |_ALL BUFFERPOOLS_|
      |_STOGROUP <_,'_____
      |_stogroup-name_| _____|
      |_TABLESPACE <_,'_____
      |_table-space-name_| _____|
      |_database-name_|
> _____>
      |_FROM <_,'_____
      |_authorization-name_| _____>
      |_PUBLIC_|
      |_ROLE_role-name_|
> _____>
      |_BY <_,'_____
      |_authorization-name_| _____|
      |_ALL_|
      |_ROLE_role-name_|
> _____>
> _____INCLUDING DEPENDENT PRIVILEGES_____>>
  |_NOT INCLUDING DEPENDENT PRIVILEGES_|

```


SET CONNECTION

```
>> __SET CONNECTION location-name >>
      | host-variable |
```

SET assignment statement

```
>> __SET assignment-clause >>
```

assignment-clause:

```
| array-variable-name (array-index) expression |
| | NULL | |
| < , expression | |
| target-variable expression | |
| | NULL | |
| | DEFAULT | |
| < , expression | |
| ( target-variable ) ( expression ) |
| | NULL | |
| | DEFAULT | |
| row subselect |
| VALUES expression |
| | NULL | |
| | DEFAULT | |
| < , expression | |
| ( expression ) |
| | NULL | |
| | DEFAULT | |
```

target-variable:

```
> global-variable-name >>
  | host-variable-name |
  | SQL-parameter-name |
  | SQL-variable-name |
  | transition-variable_name |
```

SET CURRENT APPLICATION COMPATIBILITY

```
>> __SET CURRENT APPLICATION COMPATIBILITY compatibility string-constant >>
      | host-variable |
```

SET CURRENT APPLICATION ENCODING SCHEME

```
>> __SET CURRENT APPLICATION ENCODING SCHEME encoding-scheme >>
> string-constant >>
  | host-variable |
```

SET CURRENT DEBUG MODE

```
>> __SET CURRENT DEBUG MODE debug-mode host-variable >>
      | DISALLOW |
      | ALLOW |
      | DIABLE |
```

SET CURRENT DECFLOAT ROUNDING MODE

```
>> __SET CURRENT DECFLOAT ROUNING MODE |__|=|__ ROUND_CEILING _____>>
| ROUND_DOWN _____|
| ROUND_FLOOR _____|
| ROUND_HALF_DOWN _____|
| ROUND_HALF_EVEN _____|
| ROUND_HALF_UP _____|
| ROUND_UP _____|
| string-constant _____|
| host-variable _____|
```

SET CURRENT DEGREE

```
>> __SET CURRENT DEGREE = string-constant _____>>
| host-variable _____|
```

SET CURRENT EXPLAIN MODE

```
>> __SET CURRENT EXPLAIN MODE = NO _____>>
| YES _____|
| EXPLAIN _____|
| host-variable _____|
```

SET CURRENT GET_ACCEL_ARCHIVE

```
>> __SET CURRENT_GET_ACCEL_ARCHIVE |__|=|__ NO _____>>
| YES _____|
| host-variable _____|
```

SET CURRENT LOCALE LC_CTYPE

```
>> __SET _____ LC_CTYPE |__|=|__>
| | CURRENT _____|
| | LOCALE _____|
| CURRENT_LC_CTYPE _____|
> string-constant _____>>
| host-variable _____|
```

SET CURRENT LOCK TIMEOUT

```
>> __SET CURRENT_LOCK TIMEOUT |__|=|__ WAIT _____>>
| NOT WAIT _____|
| ALLOW _____|
| NULL _____|
| WAIT_integer _____|
| variable _____|
```

SET CURRENT MAINTAINED TABLE TYPES FOR OPTIMIZATION

```
>> __SET CURRENT MAINTAINED _____TABLE_____ FOR OPTIMIZATION _____|=|__>
> ALL _____>>
| NONE _____|
| SYSTEM _____|
```

```
|_SESSION_USER_|
|_|_USER_|
|_|_host-variable_|
```

SET CURRENT OPTIMIZATION HINT

```
>> __SET CURRENT OPTIMIZATION HINT = _____<<
|_|_string-constant_|
|_|_host-variable_|
```

SET CURRENT PACKAGE PATH

```
>> __SET CURRENT PACKAGE PATH_|_|_<_|
|_|_collection-id_|
|_|_SESSION_USER_|
|_|_USER_|
|_|_CURRENT PACKAGE PATH_|
|_|_CURRENT PATH_|
|_|_host-variable_|
|_|_string-constant_|
```

SET CURRENT PACKAGESET

```
>> __SET CURRENT PACKAGESET = _____<<
|_|_SESSION USER_|
|_|_USED_|
|_|_string-constant_|
|_|_host-variable_|
```

SET CURRENT PRECISION

```
>> __SET CURRENT PRECISION = _____<<
|_|_string-constant_|
|_|_host-variable_|
```

SET CURRENT QUERY ACCELERATION

```
>> __SET CURRENT QUERY ACCELERATION_|_|_<<
|_|_NONE_|
|_|_ENABLE_|
|_|_ENABLE WITH FAILBACK_|
|_|_ELIGIBLE_|
|_|_ALL_|
|_|_host-variable_|
```

SET CURRENT REFRESH AGE

```
>> __SET CURRENT REFRESH AGE_|_|_<<
|_|_numeric-constant_|
|_|_ANY_|
|_|_host-variable_|
```

SET CURRENT RULES

```
>> __SET CURRENT RULES = _____<<
|_|_string-constant_|
|_|_host-variable_|
```

SET CURRENT ROUTINE VERSION

```
>> __SET CURRENT ROUTINE VERSION_|_|_<<
|_|_routine-version-id_|
|_|_string-constant_|
|_|_host-variable_|
```

SET CURRENT SQLID

```
>> __SET CURRENT SQLID = __SESSION_USER_____><
      | |__USER_____| |
      | |__string-constant_| |
      | |__host-variable___|
```

SET CURRENT TEMPORAL BUSINESS_TIME

```
>> __SET CURRENT TEMPORAL BUSINESS_TIME |__|=|__NULL_____><
      | |_____| |__expression___|
```

SET CURRENT TEMPORAL SYSTEM_TIME

```
>> __SET CURRENT TEMPORAL SYSTEM_TIME |__|=|__NULL_____><
      | |_____| |__expression___|
```

SET ENCRYPTION PASSWORD

```
>> __SET ENCRYPTION PASSWORD |__|=|__password-host-variable_____>
      | |_____| |__password-string-const_|
> _____><
| |_____| | | | | |
| |__WITH HINT_| |__|=| |__hint-host-variable___|
| |_____| |__hint-string-const_|
```

SET PATH

```
>> __SET |__CURRENT_| |__|=|__PATH_| _____>
<|_____|
| |__schema-name_____| _____><
| |__SYSTEM PATH_____|
| |__SESSION_USER_____|
| |__USER_____|
| |__CURRENT_____|
| |__PATH_____|
| |__CURRENT PACKAGE PATH_|
| |__host-variable_____|
| |__string-constant_____|
```

SET SCHEMA

```
>> __SET |__CURRENT_| |__|=|__SCHEMA_| |__|=|__schema-name_____>
| |__CURRENT_SCHEMA_____| | |__SESSION USER_____| |
| |_____| | |__USER_____| |
| |_____| | |__host-variable_____|
| |_____| | |__string-constant_____|
| |_____| | |__DEFAULT_____|
```

SET SESSION TIME_ZONE

```
>> __SET_SESSION TIME_ZONE |__|=|__string-constant_____>
| |_____| |__host-variable_____|
```


SIGNAL SQLSTATE

```

>> __SIGNAL__ SQLSTATE |__VALUE__ | sqlstate-string-constant _____>
      |__condition-name__ |__variable-name__ |
> (__diagnostic-string-constant__) _____><

```

TRANSFER OWNERSHIP

```

>> __TRANSFER OWNERSHIP OF__object__TO__new-owner__REVOKE PRIVILEGES _____>

object:
> _____DATABASE__database-name_____><
  |__INDEX__index-name_____|
  |__STOGROUP__stogroup-name_____|
  |__TABLE__table-name_____|
  |__TABLESPACE_____tablespace-name_|
  |_____|__database-name_|
  |__VIEW__view-name_____|

new-owner:
> _____ROLE__role-name_____><
  |__USER__authorization-name__|
  |__SESSION__USER_____|

```

TRUNCATE

```

>> __TRUNCATE__ |__TABLE__|__table-name__ |__DROP STORAGE__| _____>
      |__REUSE STORAGE__|

> _____IGNORE DELETE TRIGGERS_____><
  |__RESTRICT WHEN DELETE TRIGGERS__| _____|__IMMEDIATE__|

```

UPDATE

```

searched update:
>> __UPDATE__ table-name _____>
      |__view-name__| |__correlation-name__| |__include-column__|
> __SET__ assignment-clause _____>
      |__WHERE__ search-condition_|
> _____><
  |__SKIP LOCKED DATA__| |__QUERYNO__ integer_|
  |__WITH__ RR _____|
      |__RS__|
      |__CS__|

positioned update:
>> __UPDATE__ table-name _____SET__assignment-clause_____>
      |__view-name__| |__correlation-name__|
> __WHERE CURRENT OF__ cursor-name _____><
      |__FOR ROW__ host-variable__ OF ROWSET__|
      |integer-constant|

period-clause:

```

```
>>_FOR PORTION OF BUSINESS_TIME_ FROM_value1_TO_value2_>>
      |_BETWEEN value1 AND value2_|
```

include-column:

```
<_,_____>
>>_INCLUDE_ ( _column-name_ data-type_ | _ )>>
```

data-type:

```
>>_built-in type_>>
      |_distinct_type_name_|
```

built-in-type:

```
>_SMALLINT_>>
|_INTEGER_|
|_INT_|
|_BIGINT_|
|_DECIMAL_|_(5,0)| | | |
|_DEC_|_|_(integer_|_|)|
|_NUMERIC_|_|_(integer_|_|)|
|_DECFLOAT_|_(34)|
|_|_(16)|
|_|_(53)|
|_FLOAT_|_|_(integer_|_|)|
|_REAL_|
|_DOUBLE_|_|_(1)| | | | | |
|_CHARACTER_|_|_(1)|
|_|_CHAR_|_|_(integer_|_|)|_|_FOR_BIT_DATA_|
|_|_CHARACTER VARYING_|_(integer_|_|)|
|_|_CHAR_|
|_|_VARCHAR_|
|_|_(1)|
|_GRAPHIC_|_|_(integer_|_|)|
|_VARGRAPHIC_|_(integer_|_|)|
|_|_(1)|
|_BINARY_|_|_(integer_|_|)|
|_|_BINARY VARYING_|_(integer_|_|)|
|_|_VARBINARY_|
|_DATE_|
|_|_TIME_| | | | | | |
|_|_(6_)_|_|_WITHOUT TIME ZONE_|
|_|_TIMESTAMP_|_|_(integer_|_|)|_|_WITH TIME ZONE_|
```

assignment clause:

```
<_,_____>
>>_column-name= expression_|>>
      |_DEFAULT_|
      |_NULL_|
      |<_,_____>
      |_( _column-name_ ) = ( _expression_| )_|
      |_|_DEFAULT_|
      |_|_NULL_|
      |_|_row-fullselect_|
      |_|_UNPACK function invoc._|
```

VALUES

```
>>_VALUES_ expression_>>
```

```
| <_, _____ |
|_( _____ expression _____ )_|
```

VALUES INTO

```
>> __VALUES _____ CURRENT PACKAGESET _____ INTO __target-variable_____ ><
| | _____ CURRENT PACKAGE PATH _____ | |
| | _____ CURRENT SERVER _____ |
| | <_, _____ | <_, _____ |
|_( _____ expression _____ )_| INTO _____ target-variable _____ |
| _____ NULL _____ | | _____ array-variable_( _____ array-index _____ )_|
```

target-variable:

```
> __global-variable-name_____ ><
| _____ host-variable-name _____ |
| _____ SQL-parameter-name _____ |
| _____ SQL-variable-name _____ |
| _____ transition-variable_name _____ |
```

WHENEVER

```
>> __WHENEVER _____ NOT FOUND _____ CONTINUE _____ ><
| _____ SQLERROR _____ | | _____ GOTO _____ host-label _____ |
| _____ SQLWARNING _____ | | _____ GO TO _____ |
```

Commands

-ACCESS DATABASE

```
>> __ACCESS DATABASE__ ( <_,_____
                        |_____ database-name_|_____ ) _____>
                        |_*_____
                        |_____ dbname1:dbname2_____
                        |_____ dbname*_____
                        |_*dbname_____
                        |_____ *dbname*_____
                        |_*dbstring1*dbstring2*_|
>
|_____
|_SPACENAM( <_,_____
            |_____ space-name_|_____ ) _____
            |_*_____
            |_____ spacename1:spacename2_____
            |_____ spacename*_____
            |_*spacename_____
            |_____ *spacename*_____
            |_*spacestring1*spacestring2*_|
>
__MODE( OPEN _____ )>>
      |_NGBPDEP_|
      |_STATS_|
```

-ALTER BUFFERPOOL

```
>> __ALTER BUFFERPOOL__ ( __bpname__ ) _____>
                        |_VPSIZE(integer)_|
>
|_____
|_VPSIZEMIN_|_(integer)_| |_VPSIZEMAX_|_(integer)_|
>
|_FRAMESIZE( 4K )_| |_VPSEQT(integer)_| |_VPPSEQT(integer)_|
  |_1M_|
  |_2G_|
>
|_DWQT(integer)_| |_VDWQT(integer1, integer2)_|
>
|_PGSTEAL__( LRU )_|
  |_FIFO_|
  |_NONE_|
>
|_____
|_PGFIX__( _YES_ )_| |_AUTOSIZE__( _YES_ )_|
>
|_SPSIZE(integer)_| |_SPSEQT(integer)_|
>>
```

-ACTIVATE

```
>> __ACTIVE FUNCTION LEVEL__ ( _function-level_ ) _____>
                        |_TEST_|
```

-ACTIVATE NEW FUNCTION

```
>> _ACTIVE NEW FUNCTION _____ >
```

-ALTER GROUPBUFFERPOOL

```
>> _ALTER GROUPBUFFERPOOL_ ( _ gbpname _____ ) _____ >
|_ structure-name _|
> _____ >
|_ GBPCACHE ( _ YES _ ) _| |_ AUTOREC ( _ YES _ ) _|
|_ NO _| |_ NO _|
> _____ >
|_ RATIO (ratio) _| |_ CLASST (Thr1, Thr2) _| |_ GBPOOLT (integer) _|
> _____ >>
|_ GBPCHKPT (integer) _|
```

-ALTER UTILITY

```
>> _ALTER UTILITY_ ( _ utility-id _ ) _REORG _____ >
|_ REBUILD _|
> _____ >
|_ DEADLINE ( _ NONE _ ) _| |_ MAXRO ( _ integer _ ) _|
|_ timestamp _| |_ DEFER _|
> _____ >>
|_ LONGLOG ( _ CONTINUE _ ) _| |_ DELAY ( _ integer _ ) _|
|_ TERM _|
|_ DRAIN _|
```

-ARCHIVE LOG

```
>> _ARCHIVE LOG _____ >
|_ SCOPE (MEMBER) _____|
> _____ >>
|_ SCOPE (GROUP) _____|
|_ MODE (QUIESCE) _____|
|_ TIME (nnn) _| |_ NO _|
|_ WAIT ( _ YES _ ) _|
|_ CANCEL OFFLOAD _____|
```

-BIND PACKAGE

```
>> _BIND PACKAGE_ ( _____ collection-id _____ ) _____ >
|_ location-name. _| |_ OWNER (authorization-id) _|
> _____ enable-block _____ member-block _____ >
|_ QUALIFIER (qualifier-name) _|
> _____ >
|_ DEFER (PREPARE) _____ | |_ ACTION (REPLACE) _____ | |
|_ NODEFER (PREPARE) _____ | |_ REPLVER (version-id) _| |
|_ DEFER (INHERITFROMPLAN) _| |_ (ADD) _____ |
> _____ >
|_ CURRENTDATA ( _ NO _ ) _| |_ DECSTAT ( _ NO _ ) _|
|_ YES _| |_ YES _|
> _____ >
|_ DRDA _____ | |_ 1 _____ | |_ DYNAMICRULES ( _ RUN _ ) _|
|_ DBPROTOCOL ( _ DRDACBF _ ) _| |_ DEGREE ( _ ANY _ ) _| |_ BIND _____ |
|_ DEFINEBIND _|
```

```

|_DEFINERUN_|
|_INVOKEBIND_|
|_INVOKERUN_|
>
|_ENCODING( _ASCII_ ) | | _NO_ | | _I_ |
|_EBCDIC_ | | _EXPLAIN( _YES_ ) | | _FLAG( _W_ ) |
|_UNICODE_ | | _ONLY_ | | _E_ |
|_ccsid_ | | _C_ |
>
|_IMMEDWRITE( _NO_ ) | | _ISOLATION( _RR_ ) |
|_YES_ | | _RS_ |
|_CS_ |
|_UR_ |
|_NC_ |
>
|_NONE_ |
|_NO_ | | _REOPT( _ALWAYS_ ) | | _OPHTHINT( _'hint-id'_ ) |
|_KEEPDYNAMIC( _YES_ ) | | _ONCE_ |
|_AUTO_ |
>
|_<_ | | _RELEASE( _COMMIT_ ) |
|_PATH( _schema-name_ ) | | _DEALLOCATE_ |
|_USER_ |
>
|_NOPACKAGE_ | | _RUN_ |
|_SQLERROR( _CONTINUE_ ) | | _VALIDATE( _BIND_ ) |
|_CHECK_ |
>
rounding-block
|_NO_ | | _GENERIC( _'string'_ ) |
|_EXTENDEDINDICATOR_ | | _YES_ |
>
|_CONCURRENTACCESSRESOLUTION( _USECURRENTLYCOMMITTED_ ) |
|_WAITFOROUTCOME_ |
>
|_NONE_ | | _NONE_ | | | | |
|_AREUSE_ | | _ERROR_ | | _ACOMPARE_ | | _WARN_ |
|_WARN_ | | _ERROR_ |
>
|_SYSTIMESENSITIVE( _YES_ ) | | _YES_ |
|_NO_ | | _NO_ |
|_BUSTIMESENSITIVE( _NO_ ) |
>
|_ARCHIVESENSITIVE( _YES_ ) | | _V10R1_ |
|_NO_ | | _V11R1_ |
member-block:
> MEMBER(dbrm-member-name)
| | _LIBRARY( dbrm-library-name ) |
|_COPY( collection-id.package-id ) |
| | _COPYVER( ver-id ) | | _COMPOSITE_ |
| | _OPTIONS( _COMMAND_ ) |
|_DEPLOY( collection-id.package-id )_COPYVER( ver-id )
enable-block:
>> _ENABLE( * )
|

```



```

      | _AUTO ____ |                               | _PATH(____ schema-name _____|
                                                    | _USER _____|
> _____>
| _____ COMMIT _____ || _____ DB2 _____ || _____ RUN _____ |
| _RELEASE(____ _DEALLOCATE____ _)_ || _____ SQLRULES(____ _STD____ _)_ || _____ VALIDATE(____ _BIND____ _)_ |
> _____>>
| _____ ROUNDING(____ CEILING____ _)_ | _____ DISABLE _____ |
| _____ DOWN _____ | _____ _PROGAUTH(____ _ENABLE____ _)_ |
| _____ FLOOR _____ |
| _____ HALFDOWN _____ |
| _____ HALFEVEN _____ |
| _____ HALFUP _____ |
| _____ UP _____ |
> _____>
| _____ CONCURRENTACCESSRESOLUTION(____ USECURRENTLYCOMMITTED____ _)_ |
| _____ WAITFOROUTCOME _____ |

```

enable-block:

```

>> _____>>
| _____ ENABLE(*) _____ |
| | _____ <_____ | _____ <_____ | |
| | _____ ENABLE _____ (____ BATCH _____) _____ |
| | _____ _DISABLE____ | _____ DLIBATCH _____ | _____ <_____ |
| | _____ | _____ DLIBATCH(____ connection-name _____) |
| | _____ | _____ DB2CALL _____ | _____ CICS _____ |
| | _____ | _____ CICS(____ applid _____) _____ |
| | _____ | _____ IMS _____ | _____ IMSBMP _____ |
| | _____ | _____ IMSBMP(____ imsid _____) _____ |
| | _____ | _____ IMSMPP _____ | _____ IMSMPP(____ imsid _____) _____ |
| | _____ | _____ RRSAP _____ |

```

Pklist-block:

```

>> _PKLIST(____ <_____ , collection-id _____ package-id _____) _____>>
| _____ location-name _____ | _____ * _____ | _____ * _____ |
| _____ * _____ |

```

-BIND QUERY

```

>> ___ BIND QUERY _____>>
| _____ NO _____ | _____ _EXPLAININPUTSCHEMA(schema-name) _____ |
| _____ _LOOKUP(____ _YES____ _)_ |

```

-CANCEL THREAD

```

>> ___ CANCEL _____ THREAD(token) _____>
| _____ _DDF THREAD(____ _luwid____ _)_ | _____ _DUMP____ | _____ _LOCAL____ | _____ _NOBACKOUT____ |
| _____ _token____ |
> _____>>
| _____ _FORCE____ |

```

/CHANGE IMS

```

>> ___/CHANGE _____ _SUBSYS _____ subsystem-name _____>
| _____ _SUBSYS _____ ALL _____ |
| _____ _SUBSYS _____ subsystem-name _____ _OASN _____ schedule-number _____ |
> ___ RESET _____>>

```


DCLGEN

```

>> __DCLGEN__TABLE(  <_ , _____>
                    |_view-name_| |_OWNER(owner-name)|
> _____>
|_AT(location-name)|
> LIBRARY(library name _____)
|_(member-name)| |_/password|
> _____>
|_ACTION(  <_ , _____> | | _____>
|_REPLACE_| | | _____>
|_LANGUAGE(  <_ , _____> |
|_PLI_| |
|_C_| |
|_IBMCOB_| |
|_CPP_| |
> _____>
|_NAMES(prefix)| |_STRUCTURE(structure-name)| |_APOST_|
|_QUOTE_|
> _____>
|_NO_| | |_DBCSSYMBOL(  <_ , _____> |
|_LABEL_| |_YES_| | | |_N_|
> _____>
|_YES_| | | |_NO_| | | |
|_DBCSDELIM(  <_ , _____> | | |_COLSUFFIX(  <_ , _____> |
|_NO_| | )_| | |_YES_| | )_|
> _____>>
|_NO_| | | |_STD_| | | |_NO_| | | | |
|_INDVAR(  <_ , _____> | | |_RMARGIN(  <_ , _____> | | |_DCLBIT(  <_ , _____> |
|_YES_| | )_| | |_WIDE_| | )_| | |_YES_| | )_|

```

/DISPLAY IMS

```

>> __/DISPLAY__  <_ , _____>
SUBSYS  <_ , _____>
|_SUBSYS  <_ , _____>
|_OASNSUBSYS  <_ , _____>
|_OASN__SUBSYS  <_ , _____>

```

-DISPLAY ACCEL

```

>> __DISPLAY__ACCEL  <_ , _____>
|_(* ) _____>
|_accelerator-name_| | _____>
|_DETAIL_|
> _____>
|_LIST(  <_ , _____> | | _____>
|_ACTIVE_| | | _____>
|_SCOPE__(  <_ , _____> | | _____>
|_GROUP_| | )_|
> _____>>
|_MEMBER(member-name)|

```

-DISPLAY ARCHIVE

```

>> __DISPLAY__ARCHIVE _____>>

```

-DISPLAY BLOCKERS

```

<_ , _____

```

```
>> __DISPLAY BLOCKERS__ ( __ database-name_ | ____ ) _____ >
|_*_____ | | _DETAIL_ |
|_dbname1:dbname2_____ |
|_dbname*_____ |
|_*dbname_____ |
|_*dbname*_____ |
|_*dbstring1*dbstring2*_____ |
```

-DISPLAY BUFFERPOOL

```
>> __DISPLAY BUFFERPOOL__ ( _ACTIVE_ ) _____ >
| ( _*_ ) _____ |
|<_ , _____ |
| ( ___ bpname_ | _ ) | _____ >
| _____ |
|_DETAIL_ ( _INTERVAL_ | _ ) | | _LIST_ ( _ACTIVE_ | _ ) |
|_*_____ | |_*_____ |
| _____ |
|_ACTIVE_ |
|> _____ >
|_LSTATS_ | |_*_____ |
| _____ >
|_*_____ |
|<_ , _____ |
|_DBNAME_ ( _ database-name_ | _ ) |
|_name1:name2_____ |
|_name*_____ |
| _____ >
|_*_____ | | _GBPDEP_ ( _YES_ | _ ) |
|<_ , _____ | | _NO_ |
|_SPACENAM_ ( _ space-name_ | _ ) |
|_name1:name2_____ |
|_name*_____ |
| _____ >>
|_CASTOWNR_ ( _YES_ | _ ) |
|_NO_ |
```

-DISPLAY DATABASE

```
>> __DISPLAY DATABASE__ ( <_ , _____ database-name_ | ____ ) _____ >
|_*_____ |
|_dbname1:dbname2_____ |
|_dbname*_____ |
|_*dbname_____ |
|_*dbname*_____ |
|_*dbstring1*dbstring2*_____ |
| _____ >
| | _USE_ | |
| | _CLAIMERS_ |
| | _LOCKS_ |
| | _LPL_ |
| | _WEPR_ |
| | _____ |
| |<_ , _____ |
| | _SPACENAM_ ( _ space-name_ | ____ ) _____ |
```

```

|_*_____||_____||_____||
|_spacename1:spacename2_____||_USE_____||_ONLY_|
|_spacename*_____||_CLAIMERS_|
|_*spacename_____||_LOCKS_|
|_*spacename*_____||_LPL_|
|_*spacestring1*spacestring2*|_WEPR_____||
|_ONLY_____||
>_____>>
|_<_,_____||_____||_OVERVIEW_|
|_PART(____integer_|_____)_||_____||
|_integer1:integer2_|_____||
>_____>>
|_50_____||_____||
|_LIMIT(____integer_|_)_|_____||
|_*_____||_____||
>_____>>
|_AFTER_|_ACTIVE_|_RESTRICT_(_____)_|_ADVISORY_(_____)_| | |
|_<_,_____||_____||_<_,_____||
|_ACHKP_____||_____||_ICOPY_|
|_CHKP_____||_____||_AUXW_|
|_COPY_____||_____||_ARBDP_|
|_GRECP_____||_____||_AREO*_|
|_LPL_____||_____||_AREOR_|
|_RBDP_____||_____||_____||
|_RECP_____||_____||_____||
|_REORP_____||_____||_____||
|_RO_____||_____||_____||
|_STOP_____||_____||_____||
|_UT_____||_____||_____||
|_UTRO_____||_____||_____||
|_UTRW_____||_____||_____||
|_UTUT_____||_____||_____||
|_UT*_____||_____||_____||
|_WEPR_____||_____||_____||

```

-DISPLAY DDF

```

>>_DISPLAY DDF_____>>
|_ALIAS (alias-name)_||_DETAIL_|

```

-DISPLAY DYNQUERYCAPTURE

```

>>_DISPLAY DYNQUERYCAPTURE_____>
|_(*)_____||_____||
|_<_,_____||_____||
|_CNO(|_(____integer_|_)_|_)_|

```

-DISPLAY FUNCTION SPECIFIC

```

>>_DISPLAY FUNCTION SPECIFIC_____>
|_(*.*)_____||_____||
>_|_____||_____||
|_<_,_____||_____||
|_(____schema.specific-function-name_|_)_|
|_schema.partial-name*_____||
>_____>>
|_LOCAL_|

```

```
|_SCOPE__ ( |_____ | )_|
|_GROUP_|
```

-DISPLAY GROUP

```
>> __DISPLAY GROUP _____ >>
|_DETAIL_|
```

-DISPLAY GROUPBUFFERPOOL

```
>> __DISPLAY GROUPBUFFERPOOL _____ >
|_ (* )_|
|_ < , ______|
|_ ( _____ gbpname _____ | )_|
|_ structure-name_|

> _____ >
|_ * _____| |_ MDETAIL _____| | |
|_ TYPE__ ( |_ GCONN _____ | )_| |_ INTERVAL _____|
|_ MCONN _____| |_ ( |_____ | )_|
|_ NOCACHE_| |_ * _____|

> _____ >>
|_ GDETAIL _____| |_ NO _____| | |
|_ INTERVAL _____| |_ CONNLIST__ ( |_ YES | )_|
|_ ( |_____ | )_|
|_ * _____|
```

-DISPLAY LOCATION

```
>> __DISPLAY LOCATION _____ (*) _____ >
|_ < , _____| |_ _DETAIL_|
|_ ( _____ location-name _____ | )_|
|_ partial-location*_|
|_ <luname> _____|
|_ ipaddr _____|
```

-DISPLAY LOG

```
>> __DISPLAY LOG _____ >>
```

-DISPLAY ML

```
>> __DISPLAY ML _____ >>
```

-DISPLAY PROCEDURE

```
>> __DISPLAY PROCEDURE _____ (*.*) _____ >
|_ < , ______|
|_ ( _____ schema.procedure-name _____ | )_|
|_ schema.partial-name*_|
|_ procedure-name _____|
|_ partial-name* _____|

> _____ >>
|_ LOCAL _____|
|_ SCOPE__ ( |_____ | )_|
|_ GROUP_|
```

-DISPLAY PROFILE

```
>> __DISPLAY PROFILE _____>>
```

-DISPLAY RLIMIT

```
>> __DISPLAY RLIMIT _____>>
```

-DISPLAY RESTSVC

```
>> __DISPLAY RESTSVC ( * . * ) _____>
| _____ |
| < , _____ |
| ( _____ Coll-id.service-name.version-id _____ ) |
| | coll-id.service-name |
| | coll-id.partial-name* _____ |
| | service-name |
| | partial-name* _____ |
| _____ |
| _____>>
| _____ |
| | _____ * _____ | | | _____ 100 _____ | | |
| | _STATUS_ ( | _STARTED_ _____ ) | | | _LIMIT_ ( | _integer_ _____ ) |
| | _STOPPREJ_ _____ | | | _____ * _____ |
| _____>>
| | _____ * _____ |
| | _SCOPE_ ( | _GROUP_ _____ ) |
```

-DISPLAY STATS

```
>> __DISPLAY STATS ( _INDEXMEMORYUSAGE_ ) _____>>
| _DIS_ _____ | | _IDXMEMUSE_ _____ | | _LIMIT_ ( _integer_ _____ ) |
| _____ | | _____ | | _____ |
```

-DISPLAY THREAD

```
>> __DISPLAY THREAD _____>
| _____ |
| < , _____ |
| ( _____ connection-name _____ ) |
| | partial-connection* _____ |
| ( _____ * _____ ) |
| _____>
| _____ |
| | _____ LOCAL _____ | | | _____ ACTIVE _____ | | | |
| | _SCOPE_ ( | _____ | ) | | | _TYPE_ ( | _INDOUBT_ _____ ) |
| | _____ | | | _____ * _____ |
| | _____ GROUP _____ | | | _____ INACTIVE _____ |
| | _____ | | | _____ POSTPONED _____ |
| | _____ | | | _____ PROC _____ |
| | _____ | | | _____ SYSTEM _____ |
| _____>
| | _____ | | | |
| | _____< , _____ | | | _____ _DETAIL_ _____ |
| | _____ LOCATION ( _____ location-name _____ ) |
| | | partial-location* _____ |
| | | _____ * _____ |
| | _____ |
| | _____< , _____ |
| | _____ LUWID ( _____ luwid _____ ) |
| | | partial-luwid* _____ |
| | | _____ token _____ |
| _____>>
```

```
|
| <_, _____ |
| |RRSURID|_ (|rrs-urid|_) |
| |_*| _____ |
|
| |_____512_____ | | |
| |LIMIT(|_integer_|_) |
| |_*| _____ |
```

-DISPLAY TRACE

```
>> __DISPLAY TRACE (|_*|) _____ >
|
| (|PERFM|) | _____LOCAL_____ | | | | |
| (|ACCTG|) | |SCOPE (|_| _____|_) |
| (|STAT|) | |GROUP| _____ |
| (|AUDIT|) |
| (|MONITOR|) |
> _____ >
| |destination block| |constraint block| _____ >
> _____ ><
| |DETAIL(output-type)| |COMMENT(string)| |RMID| _____ ><
```

destination block:

```
> __DEST (<_, _____ |) _____ >
|
| |GTF| _____ |
| |SMF| _____ |
| |SRV| _____ |
| |OPn| _____ |
```

constraint block:

```
> __PLAN (|_*| _____ |) _____ PKGLOC (|_*| _____ |) _____ >
|
| |<_, _____ | |_____package-location_____ |
| |_____plan-name_____ | |_____partial-package-location_____ |
```

```
> __AUTHID (|_*| _____ |) _____ >
|
| |_____auth-id_____ |
| |_____partial-userid_____ |
```

```
> __CLASS (|_*| _____ |) _____ TNO (|_*| _____ |) _____ >
|
| |_____integer_____ | |_____integer_____ |
```

```
> __LOCATION (|_*| _____ |) _____ USERID (|_*| _____ |) _____ >
|
| |_____location-name_____ | |_____user-id_____ |
| |<luname> _____ | |_____partial-userid_____ |
| |_____partial-element_____ |
| |_____ipaddr_____ |
| |_____partial-ipaddr_____ |
```

```
> __APPLNAME (|_*| _____ |) _____ >
|
| |_____application-name_____ |
| |_____partial-application-name_____ |
```

```
> __WRKSTN (|_*| _____ |) _____ >
|
| |_____workstation-name_____ |
| |_____partial-workstation-name_____ |
```

```

      *
      |<,'_____ |
> __CONNID( |__connection-role-id_|_____|_) _____>
      |__partial-connection-name_____|

      *
      |<,'_____ |
> __CORRID( |__correlation-role-id_|_____|_) _____>
      |__partial-correlation-name_____|

      *
      |<,'_____ |
> __ROLE(____|__correlation-role_____|_____|_) _____>
      |__partial-correlation-role-id_| |__constraint block 2_|

constraint block 2:

> __XPLAN(____<,'_____ |_____) __XPKGLOC(____<,'_____ |_____) _____>
      |__partial-plan-name_| |__partial-pkge-location_|

> __XPKGCOL(____<,'_____ |_____) _____>
      |__partial-package-collection-id_|

> __XPKGPROG(____<,'_____ |_____) _____>
      |__partial-package-program-name_|

> __XAUTHID(____<,'_____ |_____) _____>
      |__partial-authorization-id_____|

> __XLOC(____<,'_____ |_____) __XUSERID(____<,'_____ |_____) _____>
      |__partial-location-name_| |__partial-userid_|
      |<luname>_____ |
      |__partial <luname>_____|
      |ipaddr_____ |
      |__partial-ipaddr_____|

> __XAPPNAME(____<,'_____ |_____) _____>
      |__partial-application-name_|

> __XWRKSTN(____<,'_____ |_____) _____>
      |__partial-workstation-name_|

> __XCONNID(____<,'_____ |_____) _____>
      |__partial-connection-name_____|

> __XCORRID(____<,'_____ |_____) _____>
      |__partial-correlation-name_____|

> __XROLE(____<,'_____ |_____) _____>
      |__partial-correlation-role-id_|

```

-DISPLAY UTILITY

```

>> __DISPLAY UTILITY__(____<,'_____ |_____) _____>
      |__partial-utility-id*_|
      |_*_____ |

```

```
> _____>>
| _____|
|_MEMBER( member-name )_|
```

DSN TSO

```
>> _DSN _____>
| _____|
|_SYSTEM( subsystem-name )_|
|_group-attachment-name_|
|_subgroup-attachment-name_|
```

```
> _____>
|_RETRY( 0 )_|
|_TEST( integer )_|
|_integer_|
```

```
> _____>>
|_GROUP( YES )_|
|_ASUSER( userid )_|
|_NO_|
```

DSNC (CICS attachment facility)

```
>> _DSNC _____db2-command _____>>
|_destination_|
```

DSNC DISCONNECT (CICS attachment facility)

```
>> _DSNC DISCONNECT _____plan-name _____>>
```

DSNC DISPLAY (CICS attachment facility)

```
>> _DSNC DISPLAY _____PLAN _____>
| _____|
|_TRANSACTION _____|
|_transaction-id_|
|_STATISTICS _____|
|_destination_|
```

DSNC MODIFY (CICS attachment facility)

```
>> _DSNC MODIFY _____DESTINATION _____old_new _____>>
|_TRANSACTION _____transaction-id _____integer_|
```

DSNC STOP (CICS attachment facility)

```
>> _DSNC STOP _____QUIESCE _____>>
|_FORCE_|
```

DSNC START (CICS attachment facility)

```
>> _DSNC STRT _____ssid _____>>
```

DSNH (TSO CLIST)

```
>> _DSNH _____INPUT( data-set-name ) _____>>
| _____|
|_clist-parameter_|
```

END

```
>> _END _____>>
```


-MODIFY DDF

```

>> __MODIFY DDF ALIAS(alias-name) _____ >
|
| | DELETE _____ |
| | START _____ |
| | STOP _____ |
| | CANCEL _____ |
| | PORT(port-name) _____ |
| | SECPORT(secport-name) _____ |
| | NPORT _____ |
| | NSECPORT _____ |
| | IPV4(ipv4-address) _____ |
| | IPV6(ipv6-address) _____ |
| | NIPV4 _____ |
| | NIPV6 _____ |
|
| *
|
| | RQSTWLB_( | loc-name | | ) _____ |
| | | alias-name | _____ |
|
| *
|
| | DFLTWLB_( | loc-name | | ) _____ |
| | | alias-name | _____ |
|
|
| | BNDOPT _____ | | | |
| | PKGREL_( | COMMIT | | ) _____ |
| | | BDNPOOL | _____ |
| | SESSIDLE_( session-idle-limit) _____ |

```

MODIFY IRLMPROC, ABEND

```

>> __MODIFY __irlmproc,ABEND_ | _____ ><
| | ,DUMP _____ |
| | | ,NODUMP | _____ |

```

MODIFY IRLMPROC, DIAG

```

>> __MODIFY __irlmproc,DIAG_ | _____ ><
| | ,DELAY _____ | | |
| | | ,PLOCK | _____ |
| | | ,ALL | _____ |
| | | ,NONE | _____ |
| | | ,HANG | _____ |

```

MODIFY IRLMPROC, PURGE

```

>> __MODIFY __irlmproc,PURGE,db2name _____ ><

```

MODIFY IRLMPROC, SET

```

>> __MODIFY __irlmproc,SET_ | _____ ><
| | ,DEADLOCK=nnnn _____ | | | |
| | | ,LTE=nnnn _____ |
| | | ,PVT=nnnn _____ |
| | | ,MVT=nnnnnU _____ |
| | | ,TIMEOUT=nnnn,subsystem-name _____ |
| | | | 10 _____ |
| | | ,TRACE= | nnn | _____ |

```

MODIFY IRLMPROC, STATUS

```

>> __MODIFY __irlmproc,STATUS_ | _____ ><
| | | ,irlmx _____ |
| | | | ,ALLD | _____ |

```

```

|_,ALLI_|
|_,MAINT_|
|_,STOR_|
|_,TRACE_|

```

-MODIFY TRACE (DB2)

```

>> _MODIFY TRACE_ ( _PERFM_ ) _CLASS_ ( |<_, _____|
| ACCTG_|
| STAT_|
| AUDIT_|
| MONITOR_|
|_*_____||
> _TNO(integer) _IFCID( |<_, _____|
| ifcid_nbr_| ) _COMMENT(string)_ |

```

REBIND PACKAGE

```

>> _REBIND PACKAGE_____>
>> ( _____collection-id_ . package-id_____>
| | _location-name_| |_* _____| |_* _____| |. ( _____ )_| |
| | _____| |_* _____| |_* _____| |_* _____| |
| |_* _____| |_* _____| |_* _____| |_* _____| |
> _enable-block_____plan-management-block_____acceleration-block_____>
> | _OWNER(auth-id)_ | | _QUALIFIER(qualifier-name)_ | | _CURRENTDATA( _YES_ )_|
| | _NO_ | |
> | _DBPROTOCOL_( _DRDACBF_ ) | | _DEFER(PREPARE)_____ | | _DEGREE( _ 1_ )_|
| | _DRDA_| | | _NODEFER(PREPARE)_____ | | _ANY_|
| | _DEFER(INHERITFROMPLAN)_ | |
> | _DYNAMICRULES( _RUN_ ) | | _RELEASE( _COMMIT_ ) | | _DECSTAT( _NO_ )_|
| | _BIND_| | | _DEALLOCATE_| | | _YES_|
| | _DEFINE_|
| | _INVOKE_|
> | _ENCODING( _ASCII_ ) | | | _NO_ | | | _I_|
| | _EBCDIC_| | | _EXPLAIN( _YES_ ) | | | _FLAG( _ W_ ) |
| | _UNICODE_| | | _ONLY_| | | _E_|
| | _ccsid_| | | _C_|
> | _IMMEDWRITE_( _NO_ ) | | | _ISOLATION( _RR_ ) |
| | _YES_| | | _RS_|
| | _INHERITFROMPLAN_| | | _CS_|
| | _UR_|
| | _NC_|
> | | _NO_ | | | _NONE_ | | | _OPTHINT_( _ 'hint-id'_ ) |
| | _KEEPDYNAMIC( _YES_ ) | | | _REOPT( _ALWAYS_ ) |
| | _ONCE_|
| | _AUTO_|
>

```

```

| < , _____ | | _PATHDEFAULT_ | | _RUN_ |
| _PATH ( _____ schema-name _____ ) | | _VALIDATE ( _____ BIND _____ ) |
| _____ USER _____ |
>
| _____ NO _____ | | _GENERIC ('string') _____ | | _SWITCH ( _____ PREVIOUS _____ ) |
| _EXTENDEDINDICATOR _____ YES _____ | | _____ ORIGINAL _____ |
>
| _____ CONCURRENTACCESSRESOLUTION _____ ( _____ USECURRENTLYCOMMITTED _____ ) |
| _____ WAITFOROUTCOME _____ |
>
| _____ YES _____ | | _____ YES _____ |
| _SYSTIMESENSITIVE ( _____ NO _____ ) | | _BUSTIMESENSITIVE ( _____ NO _____ ) |
>
| _____ YES _____ | | _____ YES _____ |
| _ARCHIVESENSITIVE ( _____ NO _____ ) | | _APPLCOMPAT ( _____ V10R1 _____ ) |
| _____ V11R1 _____ |
| _____ V12R1 _____ |
>
| _____ YES _____ |
| _CONCENTRATESTMT ( _____ NO _____ ) |

```

enable-block:

```

>> _____ >>
| _____ ENABLE (*) _____ |
| _____ < , _____ | | _____ < _____ | | |
| _____ ENABLE _____ ( _____ BATCH _____ ) | | _____ |
| _____ DISABLE _____ | | _____ DLIBATCH _____ | | _____ < , _____ |
| _____ | | _____ DB2CALL _____ | | _____ DLIBATCH ( _____ connection-name _____ ) |
| _____ | | _____ CICS _____ | | _____ < , _____ |
| _____ | | _____ IMS _____ | | _____ CICS ( _____ applid _____ ) |
| _____ | | _____ IMSBMP _____ | | _____ < , _____ |
| _____ | | _____ IMSMPP _____ | | _____ IMSBMP ( _____ imsid _____ ) |
| _____ | | _____ REMOTE _____ | | _____ < , _____ |
| _____ | | _____ RRSF _____ | | _____ IMSMPP ( _____ imsid _____ ) |
| _____ | | _____ | | _____ < , _____ |
| _____ | | _____ | | _____ REMOTE ( _____ location-name _____ ) |
| _____ | | _____ | | _____ < luname _____ |

```

plan-management-block:

```

> _____ >
| _____ | | _____ YES _____ |
| _PLANMGMT ( _____ BASIC _____ ) | | _APRETAINDUP _____ NO _____ |
| _____ EXTENDED _____ |
| _____ OFF _____ |
>
| _____ NONE _____ | | _____ NONE _____ | | _____ CURRENT _____ |
| _AREUSE _____ ERROR _____ | | _ACOMPARE _____ WARN _____ | | _APREUSESOURCE ( _____ ) |
| _____ WARN _____ | | _____ ERROR _____ | | _____ PREVIOUS _____ |
| _____ ORIGINAL _____ |

```

acceleration-block:

```

> _____ >
| _____ GETACCELARCHIVE _____ ( _____ ) | | _____ QUERYACCELERATION _____ ( _____ ) |
| _____ NO _____ | | _____ NONE _____ |
| _____ YES _____ | | _____ ENABLE _____ |

```

```

|_ENABLEWITHFAILBACK_|
|_ELIGIBLE_____|
|_ALL|_____|

```

REBIND PLAN

```

>>_REBIND PLAN_( <_/'_____
                |_plan-name_|_ )_____>
                |_*_____| |_OWNER(authorization-id)|_>
>_____>
|_QUALIFIER(qualifier-name)|_>
>_____>
|_PKLIST( <_/'_____
          |_collection-id_|_package-id_|_ )_|_
          |_location-name_|_ |_*_____| |_*_____|_
          |_*_____|_
|_NOPKLIST_____|_
>_____>
|_NODEFER(PREPARE)|_ |_ACQUIRE(USE_____)|_ |_CACHESIZE(decimal-value)|_
|_DEFER(PREPARE)___|_ |_ALLOCATE_|_
>_____>
|_CURRENTDATA( NO_____ )_|_ |_CURRENTSERVER(location-name)|_
|_YES_|_
>_____>
|_DBPROTOCOL( DRDA_____ )_|_ |_DEGREE( 1_____ )_|_
|_ANY_|_
>_____>
|_DISCONNECT( EXPLICIT_____ )_|_ |_DYNAMICRULES( RUN_____ )_|_
|_AUTOMATIC_____|_ |_BIND_|_
|_CONDITIONAL_|_
>_____>
|_ENCODING( ASCII_____ )_|_ |_EXPLAIN( NO_____ )_|_ |_I_|_
|_EBCDIC_|_ |_YES_|_ |_FLAG( W_|_ )_|_
|_UNICODE_|_ |_E_|_
|_ccsid_|_ |_C_|_
>_____>
|_IMMEDWRITE( NO_____ )_|_ |_ISOLATION( RR_____ )_|_ |_NO_|_
|_YES_|_ |_RS_|_ |_KEEPDYNAMIC( YES_|_ )_|_
|_CS_|_
|_UR_|_
>_____>
|_NONE_____ |_ |_OPTHINT( 'hint-id' )_|_ |_ <_/'_____ |_
|_REOPT( ALWAYS_|_ )_|_ |_PATH( schema-name_|_ )_|_
|_ONCE_|_ |_USER_____ |_
|_AUTO_|_
>_____>
|_ |_ |_RELEASE( COMMIT_____ )_|_ |_SQLRULES( DB2_____ )_|_
|_PATHDEFAULT_|_ |_DEALLOCATE_|_ |_STD_|_
>_____>
|_VALIDATE( RUN_____ )_|_ |_DISABLE_|_
|_BIND_|_ |_PROGGAUTH( ENABLE_|_ )_|_
>_____>
|_CONCURRENTACCESSRESOLUTION( USECURRENTLYCOMMITTED )_|_
|_WAITFOROUTCOME_____|_

```

enable-block

```

>> _____><
|_ ENABLE (*) _____|
|_ ENABLE _____| <_, _____| < _____| | | |
|_ _DISABLE_ _____| |_ BATCH _____| |_) _____|
|_ _____| |_ DLIBATCH _____| |_ _____|
|_ _____| |_ DB2CALL _____| |_ DLIBATCH ( _____connection-name_ |_) _____|
|_ _____| |_ CICS _____| |_ _____|
|_ _____| |_ IMS _____| |_ CICS ( _____applid_ |_) _____|
|_ _____| |_ IMSBMP _____| |_ _____|
|_ _____| |_ IMSMPP _____| |_ IMSBMP ( _____imsid_ |_) _____|
|_ _____| |_ RRSAP _____| |_ _____|
|_ _____| |_ IMSMPP ( _____imsid_ |_) _____|

```

REBIND TRIGGER PACKAGE

```

>>_REBIND TRIGGER PACKAGE ( _____collection-id_ . _____package-id_ )_>
|_ _____location-name_ ._| |_* _____| |_* _____|
>
|_ CURRENTDATA ( _____YES_ )_| |_ DECSTAT ( _____NO_ )_| |_ EXPLAIN ( _____YES_ )_|
|_ _____NO_ | |_ _____YES_ | |_ _____NO_ |
|_ _____ONLY_ |
>
|_ PLANMGMT ( _____BASIC_ )_| |_ _____YES_ | |_ _____I_ | | |
|_ _____EXTENDED_ | |_ APRETAINDUP ( _____NO_ |_) | |_ FLAG ( _____W_ |_) |
|_ _____OFF_ | |_ _____WARN_ | |_ _____E_ |
|_ _____C_ |
>
|_ IMMEDIATEWRITE ( _____NO_ )_| |_ ISOLATION ( _____RR_ )_| |_ RELEASE ( _____COMMIT_ )_|
|_ _____YES_ | |_ _____RS_ | |_ _____DEALLOCATE_ |
|_ _____CS_ |
|_ _____UR_ |
|_ _____NC_ |
>
|_ CONCURRENTACCESSRESOLUTION ( _____USECURRENTLYCOMMITTED_ )_|
|_ _____WAITFOROUTCOME_ |
>
|_ PLANMGMT ( _____BASIC_ )_| |_ APRETAINDUP ( _____NONE_ |_) | |
|_ _____EXTENDED_ | |_ _____WARN_ | |_) |
|_ _____OFF_ | |_ _____ERROR_ |
>
|_ AREUSE ( _____NONE_ )_| |_ _____NONE_ | |_ _____CURRENT_ | | | | |
|_ _____ERROR_ | |_) | |_ ACOMPARE ( _____WARN_ |_) | |_ APREUSESOURCE ( _____|_) |
|_ _____WARN_ | |_) | |_ _____ERROR_ | |_) | |_ _____PREVIOUS_ |
|_ _____ORIGINAL_ |
>>
|_ SWITCH ( _____PREVIOUS_ )_|
|_ _____ORIGINAL_ |
>
|_ SYSTIMESENSITIVE ( _____YES_ |_) | |_ BUSTIMESENSITIVE ( _____YES_ |_) |
|_ _____NO_ |_) | |_ _____NO_ |_) |
>
|_ ARCHIVESENSITIVE ( _____YES_ |_) | |_ APPLCOMPAT ( _____V10R1_ |_) |
|_ _____NO_ |_) | |_ _____V11R1_ |

```

|_V12R1_|

-RECOVER BSDS

```
>> __RECOVER BSDS _____ ><
```

-RECOVER INDOUBT

```
>> __RECOVER INDOUBT _____ ACTION( __COMMIT__ ) _____ >
      | (connection-name) | | _ABORT_ |
```

```
> __ID( __correlation-id__ ) _____ ><
  | * _____ |
  | < _____ |
  | _NID( __network-id__ ) _____ |
  | < _____ |
  | _LUWID( __luwid__ | ) _____ |
  | _token_ |
```

-RECOVER POSTPONED

```
>> __RECOVER POSTPONED _____ ><
      | _CANCEL_ |
```

-REFRESH DB2, EARLY

```
>> __REFRESH DB2, EARLY _____ ><
```

-RESET GENERICLU

```
>> __RESET GENERICLU _____ ><
      | ( __luname__ | ) _____ |
      | | _netid.luname_ | _____ |
      | ( * ) _____ |
```

-RESET INDOUBT

```
>> __RESET INDOUBT _____ >
```

```
> __LUNAME( __luname__ ) _____ ><
  | * _____ | | _FORCE_ |
  | < _____ |
  | _LOCATION( __location-name__ ) _____ |
  | < _____ |
  | _IPADDR( __ipaddr.port__ | ) _____ |
  | * _____ | | _FORCE_ |
  | < _____ |
  | _LUWID( __luwid__ | ) _____ |
  | _token_ | | _LOCATION( location-name ) |
```

RUN

```
>> __RUN__ PROGRAM(program-name) _____ >
```

```
      | _____ | | _PLAN(plan-name)_ | |
      | _CP__PLAN(plan-name) _____ |
```

```
> _____ ><
  | _LIBRARY(library-name)_ | | _PARMS(parameter-string)_ |
```

-SET ARCHIVE

```
>> __SET ARCHIVE _____ ><
      | | _COUNT__ ( __integer__ ) | | _TIME( __minutes__ ) | |
```


-START DATABASE

```

>> _START DATABASE ( <_ , _____ ) _____ >
| * _____ |
| dbname1:dbname2 _____ |
| dbname* _____ |
| *dbname _____ |
| *dbname* _____ |
| *dbstring1*dbstring2* _____ |
> _____ >
| _____ |
| _SPACENAM ( _____ ) _____ |
| * _____ |
| spacename1:spacename2 _____ |
| spacename* _____ |
| *spacename _____ |
| *spacename* _____ |
| *spacestring1*spacestring2* _____ |
> _____ >
| _____ | | _CLONE_ |
| _PART ( _____ ) _____ |
| integer _____ |
| integer1:integer2 _____ |
| RW _____ |
> _____ ACCESS ( _____ ) _____ ><
| _____ |
| _____ |
| RREPL _____ |
| FORCE _____ |

```

-START DB2

```

>> _START DB2 _____ >
| _____ | | _____ DSNDECP _____ |
| _____ PARM ( _____ ) _____ | | _____ DECP ( _____ ) _____ |
| _____ | | _____ decp-name _____ |
> _____ >
| _____ * _____ | | _____ NO _____ |
| _____ ACCESS ( _____ ) _____ | | _____ LIGHT ( _____ YES _____ ) _____ |
| _____ | | _____ NOINDOUBTS _____ |
| _____ | | _____ CASTOUT _____ |
> _____ >
| _____ MSTR (jcl-substitution) _____ | | _____ DBM1 (jcl-substitution) _____ |
> _____ ><
| _____ DIST (jcl-substitution) _____ |

```

-START DDF

```

>> _START DDF _____ ><

```

-START DYNQUERYCAPTURE

```

>> _START DYNQUERYCAPTURE _STBLGRP (stabilization-group) _____ >
| _____ cache-snap_spec _____ |
| _____ 2 _____ |
| _____ THRESHOLD ( _____ integer _____ ) _____ |
> _____ >
| _____ STMTID ( integer ) _____ |
| _____ STMTTOKEN ( string_constant ) _____ |

```

Cache-snap-spec:

```
>
|_____ * _____| | _____ NO _____| | _____ LOCAL _____|
|_CURSQLID( |_SQLID_| )_| |_MONITOR( |_YES_| )_| |_SCOPE_( |_GROUP_| )_|
```

-START FUNCTION SPECIFIC

```
>> __START FUNCTION SPECIFIC _____ >
|_____ (*.*) _____|
|_____ < , _____|
|_ ( _____ schema.specific-function-name _____ )_|
|_ _____ schema.partial-name* _____| |
> _____ >>
|_____ LOCAL _____|
|_SCOPE_( |_GROUP_| )_|
```

-START admtproc

```
>> __START __irlmproc, _____ >>
|_____ TRACE= ON _____|
|_____ OFF _____|
```

-START irlmproc

```
>> __START __irlmproc, _____ >>
|_____ < , _____|
|_ DEADLOK=' iiii, kkkk' _____|
|_ IRLMGRP=' irlm-group-name _____|
|_ IRLMID=n _____|
|_ IRLNMN=irlmname _____|
|_ LOCKTAB=irlmltnm _____|
|_ MAXCSA=nnn _____|
|_ MAXUSRS=nnn _____|
|_ PC= YES _____|
|_ NO _____|
|_ PGPROT= YES _____|
|_ NO _____|
|_ SCOPE= LOCAL _____|
|_ GLOBAL _____|
|_ NODISCON _____|
|_ TRACE= NO _____|
|_ YES _____|
```

-START ML

```
>> __START ML _____ >
```

-START PROCEDURE

```
>> __START PROCEDURE _____ >
|_____ (*.*) _____|
|_____ < , _____|
|_ ( _____ schema.procedure-name _____ )_|
|_ _____ schema.partial-name* _____|
```

```

|_procedure-name_____|
|_partial-name*_____|
> _____>>
|_LOCAL_|
|_SCOPE__ (|_ |_)_|
|_GROUP_|

```

-START PROFILE

```
>> __START PROFILE _____>>
```

-START RLIMIT

```
>> __START RLIMIT _____>>
|_ID=id|
```

-START RESTSVC

```
>> __START RESTSVC _____>
|_(*.*)_____|
|_<_|_____|
|_ (|_Coll-id.service-name.version-id_|_)_|
|_coll-id.service-name_|
|_coll-id.partial-name*_____|
|_service-name_|
|_partial-name*_____|
> _____>>
|_SCOPE__ (|_GROUP_|_|
```

-START TRACE

```
>> __START TRACE (|_PERFM_|) _____>
|_ACCTG_| |_LOCAL_| | |
|_STAT_| |_SCOPE__ (|_ |_)_|
|_AUDIT_| |_GROUP_|
|_MONITOR_|
> _____>
|_destination block_| |_constraint block_| |_RMID_|
> _____>>
|_COMMENT(string)_| |_filtering block_|
```

destination block:

```
> __DEST (|_<_|_|) _____>
|_GTF_|
|_SMF_|
|_SRV_|
|_OPn_|
|_OPX_|
```

constraint block:

```
> __PLAN (|_<_|_|) |_PKGLOC (|_<_|_|) _____>
|_plan-name_| |_package-location_|
|_partial-plan-name_| |_partial-package-location_|
> __PKGCOL (|_<_|_|) _____>
|_package-collection-id_|
|_partial-package-collection-id_|
|_<_|_|
```

```

> __PKGPROG( | <,'_____ |
|_package-program-name_|_| ) _____>
|_partial-package-program-name_|
*
> __AUTHID( | <,'_____ |
|_auth-id_|_| ) _____>
|_partial-authid_|
*
> __CLASS( | <,'_____ | | <,'_____ |
|_integer_|_| ) __TNO( | <,'_____ |
|_integer_|_| ) _____>
*
> __LOCATION( | <,'_____ |
|_location-name_|_| ) _____>
|_<luname>_|
|_partial-element_|
|_ipaddr_|
|_partial-ipaddr_|
*
> __USERID( | <,'_____ |
|_user-id_|_| ) _____>
|_partial-userid_|
*
> __APPLNAME( | <,'_____ |
|_application-name_|_| ) _____>
|_partial-application-name_|
*
> __WRKSTN( | <,'_____ |
|_workstation-name_|_| ) _____>
|_partial-workstation-name_|
*
> __CONNID( | <,'_____ |
|_connection-role-id_|_| ) _____>
|_partial-connection-name_|
*
> __CORRID( | <,'_____ |
|_correlation-role-id_|_| ) _____>
|_partial-correlation-name_|
*
> __ROLE( | <,'_____ |
|_correlation-role_|_| ) _____>
|_partial-correlation-role-id_|
*
> __IFCID( | <,'_____ | | <,'_____ |
|_ifcid_|_| ) __BUFSIZE_( |_k_bytes_| _____>
<,'_____ | <,'_____ |
> __TDATA( __CORRELATION_|_| ) __AUDTPLCY( |_policy-name_|_ASID(x' dddd' ) _____>
|_TRACE_|
|_CPU_|
|_DISTRIBUTED_|

```

filtering block:

```

> __XPLAN( | <,'_____ | | <,'_____ |
|_plan-name_|_| ) __XPKGLOC( | <,'_____ |
|_package-location_|_| ) _____>
|_partial-plan-name_| |_partial-pkge-location_|
<,'_____

```

```

> __XPKGCOL(____package-collection-id____|____)____>
|_partial-package-collection-id_|
<_,____>
> __XPKGPROG(____package-program-name____|____)____>
|_partial-package-program-name_|
<_,____>
> __XAUTHID(____authorization-id____|____)____>
|_partial-authorization-id____|
<_,____>
> __XLOC(____location-name____|____) __XUSERID(____userid____|____)____>
|_partial-location-name_| |_partial-userid_|
|<luname>|
|_partial <luname>_|
|_ipaddr_|
|_partial-ipaddr_|
<_,____>
> __XAPPNAME(____application-name____|____)____>
|_partial-application-name_|
<_,____>
> __XWRKSTN(____workstation-name____|____)____>
|_partial-workstation-name_|
<_,____>
> __XCONNID(____connection-role-id____|____)____>
|_partial-connection-name____|
<_,____>
> __XCORRID(____correlation-role-id____|____)____>
|_partial-correlation-name____|
<_,____>
> __XROLE(____correlation-role____|____)____>
|_partial-correlation-role-id_|

```

-STOP ACCEL

```

|_(*_)____|
>> __STOP ACCEL |_(____accelerator-name____|____)____>
|____|
|_QUIESCE____| |_LOCAL____|
|_MODE_(|_FORCE____|_)_| |_SCOPE_(|_GROUP_|_)_|
|_MEMBER(member-name)_|

```

/STOP IMS

```

>> __/STOP____SUBSYS____<_,____subsystem-name____>>>
|_SUBSYS ALL____|

```

STOP admtproc

```

>> __STOP____admtproc____>>

```

-STOP CCDS

```

>> __STOP CCDS____>>

```

-STOP DATABASE

```

>> __STOP DATABASE ( <_,'database-name'_|_____ ) _____>
|_*|
|_dbname1:dbname2_|_____|
|_dbname*_|_____|
|_*dbname_|_____|
|_*dbname*_|_____|
|_*dbstring1*dbstring2*_|_____|
>_____|_____ ) _____>
|_SPACENAM ( <_,'space-name'_|_____ ) _____|
|_*|
|_spacename1:spacename2_|_____|
|_spacename*_|_____|
|_*spacename_|_____|
|_*spacename*_|_____|
|_*spacestring1*spacestring2*_|_____|
>_____>>
|_CLONE_| |_AT (COMMIT)_|

```

-STOP DB2

```

>> __STOP DB2 |_____| |_____| |_____| _____>>
|_MODE (QUIESCE)_| |_____| |_____|
|_MODE (FORCE)_| |_____| |_CASTOUT (NO)_|

```

-STOP DDF

```

>> __STOP DDF |_____| _____>>
|_MODE (QUIESCE)_|
|_MODE (FORCE)_|
|_MODE (SUSPEND)_| |_CANCEL (n)_|
|_| |_WAIT (n)_|

```

-STOP DYNQUERYCAPTURE

```

>> __DISPLAY DYNQUERYCAPTURE _____>
|_| |_*| | | | | |
|_| |_<_,'integer'_|_|_|
|_| |_CNO (|_ (|_ 'integer'_|_|)_|_|
>_____>>
|_| |_LOCAL_|
|_| |_SCOPE (|_|_GROUP_|_|)_|

```

-STOP FUNCTION SPECIFIC

```

>> __STOP FUNCTION SPECIFIC _____>
|_| |_*.*_|
>_____>
|_| |_<_,'schema.specific-function-name'_|_|_|
|_| |_schema.partial-name*_|
>_____>>
|_| |_QUEUE_| |_| |_LOCAL_|
|_| |_ACTION (|_|_REJECT_|_|)_| |_| |_SCOPE (|_|_GROUP_|_|)_|

```

STOP irlmproc

```
>> __STOP_irlmproc_____ >
```

-STOP CCDS

```
>> __STOP CCDS_____ <<
```

-STOP PROCEDURE

```
>> __STOP PROCEDURE_ ( *.* ) _____ >
|_____|
| < , _____ |
| ( _____ schema.procedure-name _____ ) |
| | _____ schema.partial-name* _____ |
| | _____ procedure-name _____ |
| | _____ partial-name* _____ |
|_____|
> _____ <<
| _____ QUEUE _____ | | _____ LOCAL _____ |
| _____ ACTION _____ ( _____ REJECT _____ ) _____ |
| _____ SCOPE _____ ( _____ _____ ) _____ |
| _____ GROUP _____ |
```

-STOP PROFILE

```
>> __STOP PROFILE_____ <<
```

-STOP RLIMIT

```
>> __STOP RLIMIT_____ <<
```

-STOP RESTSVC

```
>> __STOP RESTSVC_ ( *.* ) _____ >
|_____|
| < , _____ |
| ( _____ Coll-id.service-name.version-id _____ ) |
| | _____ coll-id.service-name _____ |
| | _____ coll-id.partial-name* _____ |
| | _____ service-name _____ |
| | _____ partial-name* _____ |
|_____|
> _____ <<
| _____ SCOPE _____ ( _____ GROUP _____ ) _____ |
| _____ ACTION _____ ( _____ REJECT _____ ) _____ |
```

-STOP TRACE

```
>> __STOP TRACE_ ( _____ PERFM _____ ) _____ ASID(x' dddd' ) _____ >
| _____ ACCTG _____ | | _____ LOCAL _____ |
| _____ STAT _____ | | _____ SCOPE _____ ( _____ _____ ) _____ |
| _____ AUDIT _____ | | _____ GROUP _____ |
| _____ MONITOR _____ |
| _____ * _____ |
|_____|
> _____ < , _____ >
| _____ DEST _____ | _____ >
| _____ GTF _____ | | _____ constraint block _____ | | _____ filtering block _____ |
| _____ SMF _____ |
| _____ SRV _____ |
| _____ OPn _____ |
|_____|
> _____ >
| _____ RMID _____ | | _____ COMMENT(string) _____ |
```

constraint block:

```

> __PLAN( |< / |
|_plan-name_| |_) _PKGLOC( |< / |
|_partial-plan-name_| |_)
|_package-location_| |_)
|_partial-package-location_|

> __PKGCOL( |< / |
|_package-collection-id_| |_)
|_partial-package-collection-id_|

> __PKGPROG( |< / |
|_package-program-name_| |_)
|_partial-package-program-name_|

> __AUTHID( |< / |
|_auth-id_| |_)
|_partial-authid_|

> __CLASS( |< / |
|_integer_| |_) _TNO( |< / |
|_integer_| |_)

> __LOCATION( |< / |
|_location-name_| |_)
|<luname>_|
|_partial-element_|
|_ipaddr_|
|_partial-ipaddr_|

> __USERID( |< / |
|_user-id_| |_)
|_partial-userid_|

> __APPLNAME( |< / |
|_application-name_| |_)
|_partial-application-name_|

> __WRKSTN( |< / |
|_workstation-name_| |_)
|_partial-workstation-name_|

> __CONNID( |< / |
|_connection-role-id_| |_)
|_partial-connection-name_|

> __CORRID( |< / |
|_correlation-role-id_| |_)
|_partial-correlation-name_|

> __ROLE( |< / |
|_correlation-role_| |_)
|_partial-correlation-role-id_|

> __AUDTPLCY( |< / |
|_policy-name_| |_)

```

filtering block:


```

> __XPLAN ( _____ <,'_____> _____ <,'_____> _____ ) _____
|_plan-name_| _____ )_XPKGLOC( _____package-location_| _____) _____
|_partial-plan-name_| _____ |_partial-pkge-location_| _____
|_ _____>
> __XPKGCOL( _____package-collection-id _____| _____) _____
|_package-collection-id _____| _____
|_partial-package-collection-id_| _____
|_ _____>
> __XPKGPROG( _____package-program-name _____| _____) _____
|_package-program-name _____| _____
|_partial-package-program-name_| _____
|_ _____>
> __XAUTHID( _____authorization-id _____| _____) _____
|_authorization-id _____| _____
|_partial-authorization-id _____| _____
|_ _____>
> __XLOC ( _____location-name | _____ ) _XUSERID ( _____userid | _____ ) _____
|_location-name_| _____ )_XUSERID( _____userid_| _____) _____
|_partial-location-name_| _____ |_partial-userid_| _____
|_<luname> _____| _____
|_partial <luname> _____| _____
|_ipaddr _____| _____
|_partial-ipaddr _____| _____
|_ _____>
> __XAPPNAME ( _____application-name | _____ ) _____
|_application-name_| _____
|_partial-application-name_| _____
|_ _____>
> __XWRKSTN( _____workstation-name | _____ ) _____
|_workstation-name_| _____
|_partial-workstation-name_| _____
|_ _____>
> __XCONNID( _____connection-role-id | _____ ) _____
|_connection-role-id_| _____
|_partial-connection-name_| _____
|_ _____>
> __XCORRID( _____correlation-role-id | _____ ) _____
|_correlation-role-id_| _____
|_partial-correlation-name_| _____
|_ _____>
> __XROLE ( _____correlation-role _____| _____ ) _____
|_correlation-role _____| _____
|_partial-correlation-role-id_| _____

```

-TERM UTILITY

```

>> __TERM UTILITY ( _____utility-id _____ ) _____<<
|_utility-id _____| _____
|_partial-utility-id*_| _____
|_ * _____| _____

```

TRACE IMS

```

>> __/TRACE SET ON _____>
|_OFF_| _____|_ALL_| _____
|_TABLE_|_SUBS_|_|| _____
> _____<<
|_NOLOG_| _____| _____
|_OPTION_|_LOG_|_|| _____

```

TRACE CT

```

>> __TRACE CT, _____WTRSTART=parmlibmem | _____,WRAP _____<<
|_WTRSTART=parmlibmem_| _____|_NOWRAP_| _____| _____
|_WTRSTOP=jobname _____| _____| _____| _____
|_ON, _____COMP=ir1mnm _____| _____| _____| _____
|_ _____|_SUB=( _____DBM _____)_| _____| _____

```

	EXP	
	INT	
	SLM	
	XCF	
	XIT	
_OFF		

SQL Control Statements

SQL Control Statement

```
>> assignment-statement >>
| CALL statement |
| CASE statement |
| compound-statement |
| FOR statement |
| GET DIAGNOSTICS stmt |
| GOTO statement |
| IF statement |
| ITERATE statement |
| LEAVE statement |
| LOOP statement |
| REPEAT statement |
| RESIGNAL statement |
| RETURN statement |
| SIGNAL statement |
| WHILE statement |
```

Assignment

```
>> SET assignment-clause >>
| label: |
```

assignment-clause:

```
> SQL-parameter-name = CURRENT SERVER >>
| | SQL-variable-name | | CURRENT PACKAGESET |
| | CURRENT PACKAGE PATH |
| < , SQL-parameter-name = expression |
| | SQL-variable-name | | NULL |
| | < , SQL-parameter-name | | < , expression |
| | SQL-variable-name | | NULL |
| | VALUES expression |
| | NULL |
| | < , expression |
| | SQL-parameter-name | | NULL |
```

CALL

```
>> CALL procedure-name >
| ( >>
| | < , SQL-variable-name |
| | SQL-parameter-name |
| | expression |
| | NULL |
```

CASE

```
> CASE searched-case-statement-when-clause >
```

```

      |_simple-case-statement-when-clause_|
> _____ END CASE _____ >
      |_<_____>|
      |_ELSE_____SQL-procedure-statement_____;_|_|
searched-case-statement-when-clause:
<_____>
> _____ WHEN search-condition THEN _____ SQL-procedure-statement_____;_|_| _____ >
simple-case-statement-when-clause:
> _____ expression _____ >
<_____>
> _____ WHEN expression THEN _____ SQL-procedure-statement_____;_|_| _____ >

```

Compound

```

>> _____ NOT ATOMIC _____ >
    |_label:_| _____ >
> _____ >
    |_<_____>|
    |_SQL-variable-declaration_____;_|_|
    |_condition-declaration_|
    |_return-codes-declaration_|
> _____ >
    |_<_____>|
    |_DECLARE-CURSOR-statement_____;_|_|
    <_____>
> _____ SQL-procedure-statement_____;_| _____ >
    |_<_____>|
    |_handler-declaration_____;_|_|
> _____ END _____ >>
    |_label_|

```

SQL-variable-declaration:

```

>> _____ DECLARE _____ >
    <_____/_____> _____ DEFAULT NULL _____ >
> _____ SQL-variable-name |_data-type_| _____ >>
    |_____| |_DEFAULT_constant_| |_____|
    |_RESULT_SET_LOCATOR VARYING _____|

```

condition-declaration:

```

>> _____ DECLARE condition-name _____ CONDITION _____ FOR _____ string-constant _____ >>
    |_____| |_SQLSTATE _____|
    |_VALUE_|

```

return-codes-declaration:

```

>> _____ DECLARE _____ SQLSTATE _____ CHAR(5) _____ _____ >>
    |_____| |_DEFAULT_constant_| |_____|
    |_____| |_DEFAULT 0 _____| |_____|
    |_SQLCODE _____ INTEGER _____| |_DEFAULT_constant_|

```

statement-declaration:

```

>> _____ DECLARE statement-name _____ STATEMENT _____ >>

```

handler-declaration:

```

>> __DECLARE__ __CONTINUE__ __HANDLER__ FOR _____ >
      |__EXIT__|
> __specific-condition-value__ __SQL-procedure-statement__ <<
      |__general-condition-value__|
specific-condition-value:
  < , _____
>> __SQLSTATE__ | _____ | __string__ | _____ <<
      |__condition-name__|
general-condition-value:
>> __SQLLEXCEPTION__ <<
      |__SQLWARNING__|
      |__NOT FOUND__|

```

FOR

```

>> _____ FOR _____ >
      |__label:_| |__for-loop-name__ AS__| | _____ | |
      | _____ | |__csr-name__ CURSOR__ | _____ | |__FOR__|
      | _____ | |__WITH HOLD__|
      < _____
> __select-statement__ DO __SQL-procedure-statement__ | ; __END FOR__ _____ <<
      |__label:_|

```

GET DIAGNOSTICS

```

>> __GET DIAGNOSTICS__ __SQL-variable-name__ = __ROW_COUNT__ _____ <<

```

GOTO

```

>> _____ GOTO __target-label__ _____ <<
      |__label:_|

```

IF

```

>> __IF__ __search-condition__ THEN _____ < _____ >
      < _____ >
> _____ >
      | _____ |
      |__ELSEIF__ __search-condition__ THEN _____ SQL-procedure-statement__ ; | _____ |
> _____ END IF _____ <<
      | _____ < _____ |
      |__ELSE__ _____ SQL-procedure-statement__ ; | _____ |

```

ITERATE

```

>> _____ ITERATE __target-label__ _____ <<
      |__label:_|

```

LEAVE

```

>> _____ LEAVE __target-label__ _____ <<
      |__label:_|

```

LOOP

```

>> _____ LOOP _____ < _____ >
      |__label:_| | _____ SQL-procedure-statement__ ; | _____ END LOOP _____ <<
      | _____ | |__label__|

```

REPEAT

```

>> _____ REPEAT _____ < _____ >
|_label:_|
> _UNTIL_ search-condition _END REPEAT _____ >>
|_label_|

```

RESIGNAL

```

>> _____ RESIGNAL _____ >
|_label:_|
> _____ >
|_VALUE_|
|_SQLSTATE_| _____ | sqlstate-string-constant | | | |
| _____ | | _____ | | | signal-information |
| _____ | | _____ | |
|_SQL-condition-name_| _____ |

```

signal-information:

```

>> _SET MESSAGE_TEXT _= __diagnostic-string-expression _____ >

```

RETURN

```

>> _____ RETURN _____ >
|_label:_| _____ |_expression_|
| _____ | | _____ |
|_NULL_| _____ |
| _____ | _____ fullselect |
| _____ |
| _____ |
|_WITH_common-table-expression_| _____ |

```

SIGNAL

```

>> _____ SIGNAL _____ >
|_label:_|
> _____ >
|_VALUE_|
|_SQLSTATE_| _____ | sqlstate-string-constant | | | |
| _____ | | _____ | | | signal-information |
| _____ | | _____ | |
|_SQL-condition-name_| _____ |

```

signal-information:

```

>> _SET MESSAGE_TEXT _= __diagnostic-string-expression _____ >

```

WHILE

```

>> _____ WHILE search-condition DO SQL-procedure-statement ; _END WHILE _____ >
|_label:_| _____ |_label_|

```

SQL Procedure Statement

```

>> _____ SQL-control-statement _____ >>
    ALLOCATE CURSOR statement
    ALTER DATABASE statement
    ALTER FUNCTION statement (external scalar, external table, sourced, SQL
    scalar, or SQL table)
    ALTER INDEX statement
    ALTER PROCEDURE statement (external, SQL-external, or SQL-native)

```

ALTER SEQUENCE statement
ALTER STOGROUP statement
ALTER TABLE statement
ALTER TABLESPACE statement
ALTER TRUSTED CONTEXT statement
ALTER VIEW statement
ASSOCIATE LOCATORS statement
CALL statement
CLOSE statement
COMMENT statement
COMMIT statement
CONNECT statement
CREATE ALIAS statement
CREATE DATABASE statement
CREATE FUNCTION statement (external scalar,external table,sourced)
CREATE GLOBAL TEMPORARY TABLE statement
CREATE INDEX statement
CREATE PROCEDURE statement (external)
CREATE ROLE statement
CREATE SEQUENCE statement
CREATE STOGROUP statement
CREATE TABLE statement
CREATE TABLESPACE statement
CREATE TRUSTED CONTEXT statement
CREATE TYPE statement
CREATE VIEW statement
DECLARE CURSOR statement
DECLARE GLOBAL TEMPORARY TABLE statement
DELETE statement
DROP statement
EXCHANGE statement
EXECUTE statement
EXECUTE IMMEDIATE statement
FETCH statement
GET DIAGNOSTICS statement
GRANT statement
INSERT statement
LABEL statement
LOCK TABLE statement
MERGE statement
OPEN statement
PREPARE statement
REFRESH TABLE statement
RELEASE statement
RELEASE SAVEPOINT statement
RENAME statement
REVOKE statement
ROLLBACK statement
SAVEPOINT statement
SELECT INTO statement
SET CONNECTION statement
SET special-register statement
TRUNCATE statement
UPDATE statement
VALUES INTO statement

Explain Tables

PLAN_TABLE

Contains information about access paths for queries that were explained or hints.

Column name	Data type	Description
QUERYNO	INTEGER	A number to identify the statement being explained
QBLOCKNO	SMALLINT	A number that identifies each query block within a query. Numbers are not in any particular order, nor are they consecutive.
APPLNAME	VARCHAR(24)	Name of application plan for row
PROGNAME	VARCHAR(128)	Name of program or package containing statement being explained
PLANNO	SMALLINT	Number of steps in which query indicated in QBLOCKNO was processed. Indicates order in which the steps were executed.
METHOD	SMALLINT	Join method used for the step: 0 = First table accessed, continuation of previous table accessed, or not used 1 = Nested loop join 2 = Merge scan join 3 = Sorts needed by ORDER BY, GROUP BY, SELECT DISTINCT, UNION, a quantified predicate, or an IN predicate 4 = Hybrid join
CREATOR	VARCHAR(128)	Creator of the new table accessed in this step; blank if METHOD is 3
TNAME	VARCHAR(128)	Name of a table, materialized query table, created or declared temporary table, materialized view, or materialized table expression. Blank if METHOD is 3. Can also contain name of a table in the form DSNWFQB(<i>qblockno</i>). DSNWFQB(<i>qblockno</i>) is used to represent the intermediate result of a UNION ALL, an INTERSECT ALL, an EXCEPT ALL, or an outer join that is materialized. If a view is merged, the name of the view does not appear. DSN_DIM_TBLX(<i>qblockno</i>) is used to represent the work file of a star join dimension table. DSB_SPIX_TBLX(<i>qblockno</i>) is used for a sparse index for a sideways table reference.
TABNO	SMALLINT	IBM use only
ACCESSTYPE	CHAR(2)	Method of accessing the new table: DI = An intersection of multiple DOCID lists to return final DOCID list DU = Union of multiple DOCID lists to return the final DOCID list DX = An XML index scan of the index named in ACCESSNAME to return a DOCID list E = Direct row using a row change timestamp column H = Hash access HN = Hash access using an IN predicate, or an IN

		<p>predicate that Db2 generates</p> <p>IN = Index scan when matching predicate contains an IN predicate and the IN-list is accessed through an in-memory table</p> <p>I = An index (identified in ACCESSCREATOR and ACCESSNAME)</p> <p>I1 = One-fetch index scan</p> <p>M = Multiple index scan (followed by MX, MI, MH, or MU)</p> <p>MH = Hash overflow index</p> <p>MX = Index scan on index named in ACCESSNAME. When the access method MX follows the access method DX, DI, or DU, the table is accessed by the DOCID index using the DOCID list returned by DX, DI, or DU</p> <p>MI = Intersection of multiple indexes</p> <p>MU = Union of multiple indexes</p> <p>N = Index scan when matching predicate contains the IN keyword or by an index scan when Db2 rewrites a query using the IN keyword</p> <p>NR = Range list access</p> <p>O = Work file scan, as a result of a subquery</p> <p>P = Dynamic pair-wise index scan</p> <p>R = Table space scan</p> <p>RW = work file scan of materialized user-defined table function</p> <p>V = Buffers for an INSERT statement within a SELECT</p> <p>Blank = Not applicable to the current row</p>
MATCHCOLS	SMALLINT	For ACCESTYPE I, I1, N, NR, MX, or DX, number of index keys used in an index scan; otherwise, 0
ACCESSCREATOR	VARCHAR(128)	For ACCESTYPE I, I1, N, NR, MX, or DX, creator of index
ACCESSNAME	VARCHAR(128)	For ACCESTYPE I, I1, H, MH, N, NR, MX, or DX, name of index
INDEXONLY	CHAR(1)	If access to an index alone is used, or if data, too, must be accessed. Y = Yes; N = No
SORTN_UNIQ	CHAR(1)	New table is sorted to remove duplicate rows Y=Yes; N= No
SORTN_JOIN	CHAR(1)	New table is sorted for join method 2 or 4 Y = Yes; N = No
SORTN_ORDERBY	CHAR(1)	New table is sorted for ORDER BY Y = Yes; N = No
SORTN_GROUPBY	CHAR(1)	New table is sorted for GROUP BY Y = Yes; N = No
SORTC_UNIQ	CHAR(1)	Composite table is sorted to remove duplicate rows. Y = Yes; N = No
SORTC_JOIN	CHAR(1)	Composite table is sorted for join method 1, 2, or 4 Y = Yes; N = No
SORTC_ORDERBY	CHAR(1)	Composite table is sorted for an ORDER BY clause or a quantified predicate. Y = Yes; N = No
SORTC_GROUPBY	CHAR(1)	Composite table is sorted for a GROUP BY clause Y = Yes; N = No

TSLOCKMODE	CHAR(3)	<p>Indication of mode of lock to be acquired on new table or its table space or table space partitions. If the isolation can be determined at bind time, the values are:</p> <p>IS = Intent share lock IX = Intent exclusive lock S = Share lock U = Update lock X = Exclusive lock SIX = Share with intent exclusive lock N = UR isolation; no lock</p> <p>If the isolation cannot be determined at bind time, the lock mode determined by the isolation at runtime is shown by the following values.</p> <p>NS = For UR isolation, no lock; for CS, RS, or RR, an S lock NIS = For UR isolation, no lock; for CS, RS, or RR, an IS lock NSS = For UR isolation, no lock; for CS or RS, an IS lock; for RR, an S lock SS = For UR, CS, or RS isolation, an IS lock; for RR, an S lock</p> <p>The data in this column is right-justified. For example, IX appears as a blank followed by I followed by X. If the column contains a blank, no lock is acquired.</p> <p>If the access method in the ACESSTYPE column is DX, DI, or DU, no latches are acquired on the XML index page, and no lock is acquired on the new base table data page or row, nor on the XML table and the corresponding table spaces</p>
TIMESTAMP	CHAR(16)	Deprecated, use EXPLAIN_TIME instead
REMARKS	VARCHAR(762)	Can insert any character string of 762 or fewer characters
PREFETCH	CHAR(1)	<p>If data pages are read in advance by prefetch:</p> <p>D = Optimizer expects dynamic prefetch S = Pure sequential prefetch L = Prefetch through a page list U = List prefetch with an unsorted RID list Blank = Unknown at bind time or no prefetch</p>
COLUMN_FN_EVAL	CHAR(1)	<p>When a SQL aggregate function is evaluated:</p> <p>R = While data is being read from the table or index S = While performing a sort to satisfy a GROUP BY clause X = While data is read from a table or index, for aggregate functions when an OFFSET clause is specified Y = While performing a sort, for aggregate functions when an OFFSET clause if specified Blank = After data retrieval after any sorts</p>
MIXOPSEQ	SMALLINT	<p>Sequence number of a step in a multiple index operation:</p> <p>1, 2, . . . n = For steps of multiple index procedure (ACESSTYPE is MX, MI, MU, DX, DI, or DU), the</p>

		sequence number of the OR predicate in the SQL statement (ACCESSTYPE is NR) 0 = For any other rows
VERSION	VARCHAR(122)	Version identifier for the package
COLLID	VARCHAR(128)	Collection ID: DSNDYNAMICSQLCACHE: row originates from dynamic statement cache DSNEXPLAINMODEYES: row originates from an application that specifies YES for CURRENT EXPLAIN MODE special register DSNEXPLAINMODEEXPLAIN: row originates from an application that specifies EXPLAIN for CURRENT EXPLAIN MODE special register When SQL statement is embedded in a compiled SQL function, native SQL procedure or advanced trigger, column is schema of compiled SQL function, native SQL procedure or advanced trigger
ACCESS_DEGREE	SMALLINT	Number of parallel tasks or operations activated by a query determined at bind time
ACCESS_PGROUP_ID	SMALLINT	Identifier of parallel group for accessing new table
JOIN_DEGREE	SMALLINT	Number of parallel operations or tasks used in joining composite table with new table
JOIN_PGROUP_ID	SMALLINT	Identifier of parallel group for joining composite table with new table
SORTC_PGROUP_ID	SMALLINT	Parallel group identifier for parallel sort of composite table
SORTN_PGROUP_ID	SMALLINT	Parallel group identifier for parallel sort of new table
PARALLELISM_MODE	CHAR(1)	Mode of parallelism. C = CP parallelism
MERGE_JOIN_COLS	SMALLINT	Number of columns joined during merge scan join
CORRELATION_NAME	VARCHAR(128)	Correlation name of a table or view that is specified in the statement
PAGE_RANGE	CHAR(1)	If page range screening is used. Y = Yes; blank = No
JOIN_TYPE	CHAR(1)	Type of an outer join: F = Full outer join L = Left outer join P = Pair-wise join S = Star join Blank = Inner join or no join RIGHT OUTER JOIN converts to a LEFT OUTER JOIN so that JOIN_TYPE contains L.
GROUP_MEMBER	VARCHAR(24)	Name of subsystem that executed EXPLAIN
IBM_SERVICE_DATA	VARCHAR(254)	IBM use only

WHEN_OPTIMIZE	CHAR(1)	<p>When access path was determined:</p> <p>blank = At bind time, using a default filter factor for any host variables, parameter markers, or special registers</p> <p>B = At bind time, using a default filter factor for any host variables, parameter markers, or special registers; however, the statement is reoptimized at runtime using input variable values for input host variables, parameter markers, or special registers. The bind option REOPT(ALWYAS), REOPT(ONCE), or REOPT(AUTO), must be specified for reoptimization to occur</p> <p>R = At runtime, using input variables for any host variables, parameter markers, or special registers. The bind option REOPT(ALWAYS), REOPT(ONCE), or REOPT(AUTO) must be specified for this to occur</p>
QBLOCK_TYPE	CHAR(6)	<p>For each query block, the type of SQL operation performed. For outermost query, identifies statement type.</p> <p>SELECT = SELECT</p> <p>INSERT = INSERT</p> <p>UPDATE = UPDATE</p> <p>MERGE = MERGE</p> <p>DELETE = DELETE</p> <p>SELUPD = SELECT with FOR UPDATE OF</p> <p>DELCUR = DELETE WHERE CURRENT OF CURSOR</p> <p>UPDCUR = UPDATE WHERE CURRENT OF CURSOR</p> <p>CORSUB = Correlated subquery</p> <p>TRUNCA = TRUNCATE</p> <p>NCOSUB = Noncorrelated subquery</p> <p>TABLEX = Table expression</p> <p>TRIGGR = WHEN clause on CREATE TRIGGER</p> <p>UNION = UNION</p> <p>UNIONA = UNION ALL</p> <p>INTERS = INTERSECT</p> <p>INTERA = INTERSECT ALL</p> <p>EXCEPT = EXCEPT</p> <p>EXCEPTA = EXCEPT ALL</p>
OPTHINT	VARCHAR(128)	String used to identify row as optimization hint
HINT_USED	VARCHAR(128)	<p>APREUSE - When an access path was successfully reused because APREUSE option was specified at bind or rebind</p> <p>'<i>opthint-value</i>' - When PLAN_TABLE access path hints are used</p> <p><i>opthint-value</i> is value of OPTHINT column for hint that was used</p> <p>SYSQUERYPLAN <i>query-id</i> - When statement-level access path hints are used. <i>query-id</i> is value of QUERYID column in SYSQUERYPLAN catalog table for hint</p> <p>SYSQUERYSEL <i>query-id</i> - When a predicate</p>

		selectivity override is used. <i>query-id</i> is the value of the QUERYID column of the SYSQUERYSEL catalog table row for the hint EXPLAIN PACKAGE: COPY <i>copy-id</i> – When row is result of an EXPLAIN PACKAGE statement. <i>copy-id</i> is one of following values: 0 = Current copy 1 = Previous copy 2 = Original copy
PRIMARY_ACCESTYPE	CHAR(1)	Whether direct row access will be attempted first: D = Db2 will try to use direct row access. If it cannot use direct row access at runtime, it uses the access path described in the ACCESTYPE column of PLAN_TABLE P = Db2 used data partitioned secondary index and a part-level operation to access the data S = Db2 used sparse index access for sideways table reference T = Base table or result file is materialized into a work file, and the work file is accessed via sparse index access. If a base table is involved, ACCESTYPE is how base table is accessed Blank = Db2 will not try to use direct row access ACCESTYPE column provides information on the method of accessing the table
PARENT_QBLOCK	SMALLINT	Number that indicates QBLOCKNO of parent query
TABLE_TYPE	CHAR(1)	Type of new table: B = Buffers for SELECT from INSERT, SELECT from UPDATE, SELECT from MERGE, or SELECT from DELETE statement. C = Common table expression F = Table function I = New table is generated from an IN-LIST predicate. If IN-LIST predicate is selected as the matching predicate, it will be accessed as an in-memory table M = Materialized query table Q = Temporary intermediate result table (not materialized). For name of view or nested table expression, a value of Q indicates that the materialization was virtual and not actual. Materialization can be virtual when the view or nested table expression definition contains a UNION ALL that is not distributed. R = Recursive common table expression S = Subquery (correlated or non-correlated) T = Table W = Work file Value is null if query uses GROUP BY, ORDER BY, or DISTINCT, which requires an implicit sort
TABLE_ENCODE	CHAR(1)	Encoding scheme of table A = ASCII E = EBCDIC U = Unicode

		M = Table contains multiple CCSID sets
TABLE_SCCSID	SMALLINT	SBCS CCSID value of the table If TABLE_ENCODE is M, value is 0
TABLE_MCCSID	SMALLINT	Mixed CCSID value of the table If TABLE_ENCODE is M, value is 0 IF MIXED=NO in application defaults, value is -2
TABLE_DCCSID	SMALLINT	DBCS CCSID value of the table If TABLE_ENCODE is M, value is 0 If MIXED=NO in application defaults, value is -2
ROUTINE_ID	INTEGER	IBM use only
CTREF	SMALLINT	If referenced table is a common table expression, the value is the top-level query block number
STMTTOKEN	VARCHAR(240)	A user-specified statement token
PARENT_PLANNO	SMALLINT	Corresponds to the plan number in the parent query block where a correlated subquery is involved. Or, for non-correlated subqueries, corresponds to the plan number in the parent query block that represents the work file for the subquery
BIND_EXPLAIN_ONLY	CHAR(1)	Identifies whether the row was inserted by the BIND command with the EXPLAIN(ONLY) option
SECTNOI	INTEGER	Section number of the statement
EXPLAIN_TIME	TIMESTAMP	Time when EXPLAIN information was captured: All cached statements - When statement entered the cache Non-cached static statements - When statement was bound Non-cached dynamic statements - When EXPLAIN was executed
MERGC	CHAR(1)	If composite table is consolidated before join Y = Yes N = No
MERGN	CHAR(1)	If new table is consolidated before join, or if access that used a DPSI involved a merge operation Y = Yes N = No D = Access involved a merge operation. U = Access did not involve a merge operation
SCAN_DIRECTION	CHAR(1)	For index access, direction of index scan: F = Forward R = Reverse Blank = Index scan is not used
EXPANSION_ REASON	CHAR(1)	Applies to only statements that reference archive tables or temporal tables. Else, blank
PER_STMT_ID	BIGINT	Persistent statement identifier for SQL statements

DSN_COLDIST_TABLE

Column distribution table contains non-uniform column group statistics that are obtained dynamically by the optimizer

Column name	Data type	Description
QUERYNO	INTEGER	Number to identify the statement being explained

APPLNAME	VARCHAR(128)	Name of application plan for row
PROGNAME	VARCHAR(128)	Name of program or package containing statement being explained
COLLID	VARCHAR(128)	Collection ID: DSNDYNAMICSQLCACHE: row originates from dynamic statement cache DSNEXPLAINMODEYES: row originates from an application that specifies YES for CURRENT EXPLAIN MODE special register DSNEXPLAINMODEEXPLAIN: row originates from an application that specifies EXPLAIN for CURRENT EXPLAIN MODE special register When the SQL statement is embedded in a compiled SQL function, native SQL procedure or advanced trigger, this column is the schema of the compiled SQL function, native SQL procedure or advanced trigger.
GROUP_MEMBER	VARCHAR(128)	Member name of subsystem that executed EXPLAIN
SECTNOI	INTEGER	Section number of the statement
VERSION	VARCHAR(122)	Version identifier for the package
EXPLAIN_TIME	TIMESTAMP	EXPLAIN timestamp
SCHEMA	VARCHAR(128)	Schema of table that contains column
TBNAME	VARCHAR(128)	Name of the table that contains the column
NAME	VARCHAR(128)	Name of column
COLVALUE	VARCHAR(2000)	Contains data of a frequently occurring value in column
TYPE	CHAR(1)	The type of statistics: C = Cardinality F = Frequent value H = Histogram T = Real-time table cardinality L = Real-time column cardinality (unique index only) P = Real-time partition cardinality
CARDF	FLOAT	TYPE=C = number of distinct values for column group TYPE=H = number of distinct values for column group in a quantile indicated by value of QUANTILENO column TYPE = T = value related to real-time statistics determined by COLVALUE TYPE = L= value related to real-time statistics column QUANTILENO contains column number and NAME contains partition number
COLGROUPCOLNO	VARCHAR(254)	Identity of set of columns associated with the statistics
NUMCOLUMNS	SMALLINT	Number of columns associated with the statistics
FREQUENCYF	FLOAT	Percentage of rows in table with value specified in COLVALUE column when number is multiplied by 100
QUANTILENO	SMALLINT	Ordinary sequence number of a quantile in the whole consecutive value range, from low to high
LOWVALUE	VARCHAR(2000)	TYPE=H, lower bound for quantile indicated by value of the QUANTILENO column
HIGHVALUE	VARCHAR(2000)	TYPE=H, higher bound for the quantile indicated by the value of the QUANTILENO column
EXPANSION_REASON	CHAR(2)	Applies to only statements that reference archive or temporal tables. Else, blank
PER_STMT_ID	BIGINT	Persistent statement identifier for SQL statements

DSN_DETCOST_TABLE

Contains information about detailed cost estimation of the mini-plans in a query

Column name	Data type	Description
QUERYNO	INTEGER	Number to identify the statement being explained
QBLOCKNO	SMALLINT	Number used to identify each query block within a query
PLANNO	SMALLINT	Number used to identify each mini-plan within query block
APPLNAME	VARCHAR(24)	Name of application plan for row
PROGNAME	VARCHAR(128)	Name of program or package containing statement being explained
OPENIO	FLOAT(4)	Do-at-open I/O cost for the non-correlated subquery
OPENCPU	FLOAT(4)	Do-at-open CPU cost for the non-correlated subquery
OPENCOST	FLOAT(4)	Do-at-open total cost for the non-correlated subquery
ONECOMPROWS	FLOAT(4)	Number of rows qualified after applying local predicates
IMFF	FLOAT(4)	Filter factor of matching predicates only
IMFFADJ	FLOAT(4)	Filter factor of matching and screening predicates
DMCOLS	FLOAT(4)	Number of data manager columns
DMROWS	FLOAT(4)	Number of data manager rows returned (after all stage 1 predicates are applied)
RDSROW	FLOAT(4)	Number of RDS rows returned (after all stage 1 and stage 2 predicates are applied)
SNCOLS	SMALLINT	Number of columns as sort input for a new table
SNROWS	FLOAT(4)	Number of rows as sort input for a new table
SNRECSZ	INTEGER	Record size for new table
SNPAGES	FLOAT(4)	Page size for new table
SNRUNS	FLOAT(4)	Number of runs generated for a sort of a new table
SNMERGES	FLOAT(4)	Number of merges needed during a sort
SNCCOLS	FLOAT(4)	Number of columns as sort input for a composite table
SCROWS	FLOAT(4)	Number of rows as sort input for a composite table
SCRECSZ	INTEGER	Record size for a composite table
SCPAGES	FLOAT(4)	Page size for a composite table
SCRUNS	FLOAT(4)	Number of runs generated during sort of composite table
SCMERGES	FLOAT(4)	Number of merges during a sort of composite table
COMPCARD	FLOAT(4)	Total composite cardinality
COMPCOST	FLOAT(4)	Total cost
EXPLAIN_TIME	TIMESTAMP	EXPLAIN timestamp
GROUP_MEMBER	VARCHAR(24)	Member name of Db2 subsystem that executed EXPLAIN
UNCERTAINTY	FLOAT(4)	Describes uncertainty factor of inner table index access
UNCERTAINTY_1T	FLOAT(4)	Describes uncertainty factor of ONECOMPROWS column
SECTNOI	INTEGER	Section number of the statement
COLLID	VARCHAR(128)	Collection ID
VERSION	VARCHAR(128)	Version identifier for the package
IXSCAN_SKIP_DUPS	CHAR(1)	Duplicate index key values are skipped during index scan Y = Duplicate key values are skipped N = Duplicate key values are not skipped
IXSCAN_SKIP_SCREEN	CHAR(1)	Key ranges disqualified by index screening predicates are skipped during an index scan Y = Disqualified key ranges are skipped N = Key ranges are not skipped
EARLY_OUT	CHAR(1)	If fetching from the table stops after the first qualified row Y = Internal fetching stops after the first qualified row

		N = Internal fetching continues after the first qualified row Blank = EXPLAIN data captured in a previous release
EXPANSION_ REASON	CHAR(2)	Applies to only statements that reference archive tables or temporal tables. Else, blank
BLOCK_FETCH	CHAR(1)	Whether block fetch was used for query: (Y or N)
PER_STMT_ID	BIGINT	Persistent statement identifier for SQL statements

DSN_FILTER_TABLE

Contains information about how predicates are used during query processing.

Column name	Data type	Description
QUERYNO	INTEGER	Identification of statement being explained
QBLOCKNO	SMALLINT	Identification of each query block within a query
PLANNO	SMALLINT	Identification of each mini-plan within a query block
APPLNAME	VARCHAR(24)	Name of application plan for row
PROGNAME	VARCHAR(128)	Name of program or package containing statement
COLLID	VARCHAR(128)	Collection ID: DSNDYNAMICSQLCACHE: row originates from dynamic statement cache DSNEXPLAINMODEYES: row originates from an application that specifies YES for CURRENT EXPLAIN MODE special register DSNEXPLAINMODEEXPLAIN: row originates from an application that specifies EXPLAIN for CURRENT EXPLAIN MODE special register When the SQL statement is embedded in a compiled SQL function, native SQL procedure or advanced trigger, this column is the schema of the compiled SQL function, native SQL procedure or advanced trigger
ORDERNO	INTEGER	Order a predicate is applied within each stage
PREDNO	INTEGER	A number used to identify a predicate within a query
STAGE	CHAR(9)	Indicates at which stage the predicate is evaluated <ul style="list-style-type: none"> • Matching • Screening • Pagerange • Stage 1 • Stage 2
EXPLAIN_TIME	TIMESTAMP	EXPLAIN timestamp
GROUP_MEMBER	VARCHAR(24)	Member name of subsystem that executed EXPLAIN
SECTNOI	INTEGER	Section number of the statement
VERSION	VARCHAR(122)	Version identifier for the package
PUSHDOWN	CHAR(1)	Whether predicate is pushed down into Index Manager or Data Manager subcomponents for evaluation I = Index Manager evaluates the predicate D = Data Manager evaluates the predicate Blank = predicate is not pushed down for evaluation
EXPANSION_ REASON	CHAR(2)	Applies to only statements that reference archive tables or temporal tables. Else, blank
PER_STMT_ID	BIGINT	Persistent statement ID for SQL statements

DSN_FUNCTION_TABLE

Contains information about the cost of user-defined functions used in a SQL statement.

Column name	Data type	Description
QUERYNO	INTEGER	Identifier of statement being explained
QBLOCKNO	INTEGER	Number of query block within a query
APPLNAME	VARCHAR(24)	Name of application plan for row
PROGNAME	VARCHAR(128)	Name of program or package containing statement being explained
COLLID	VARCHAR(128)	Collection ID: DSNDYNAMICSQLCACHE: row originates from dynamic statement cache DSNEXPLAINMODEYES: row originates from an application that specifies YES for CURRENT EXPLAIN MODE special register DSNEXPLAINMODEEXPLAIN: row originates from an application that specifies EXPLAIN for CURRENT EXPLAIN MODE special register When the SQL statement is embedded in a compiled SQL function, native SQL procedure or advanced trigger, this column is the schema of the compiled SQL function, native SQL procedure or advanced trigger
GROUP_MEMBER	VARCHAR(24)	Member name that executed EXPLAIN, or blank
EXPLAIN_TIME	TIMESTAMP	Time at which the statement is processed
SCHEMA_NAME	VARCHAR(128)	Schema name of function invoked in statement
FUNCTION_NAME	VARCHAR(128)	Name of function invoked in statement
SPEC_FUNC_ID	VARCHAR(128)	Specific name of function invoked in statement
FUNCTION_TYPE	CHAR(2)	Type of function invoked in statement: CU = Column function SU = Scalar function TU = Table function
VIEW_CREATOR	VARCHAR(128)	If function specified in FUNCTION_NAME column is referenced in a view definition, the creator of the view
VIEW_NAME	VARCHAR(128)	Name of view if FUNCTION_NAME referenced in a view definition
PATH	VARCHAR(2048)	SQL path used to resolve schema of function
FUNCTION_TEXT	VARCHAR(1500)	Text of function reference
FUNC_VERSION	VARCHAR(122)	Version of a non-inline SQL scalar function
SECURE	CHAR(1)	Indicates whether user-defined function is secure
SECTNOI	INTEGER	Section number of statement
VERSION	VARCHAR(122)	Version identifier for package
EXPANSION_REASON	CHAR(2)	Applies to only statements that reference archive tables or temporal tables. Else, blank
PER_STMT_ID	BIGINT	Persistent statement ID for SQL statement

DSN_KEYTGTDIST_TABLE

Contains non-uniform index expression statistics obtained dynamically by the optimizer.

Column name	Data type	Description
QUERYNO	INTEGER	Number to identify statement being explained
APPLNAME	VARCHAR(128)	Name of application plan for row
PROGNAME	VARCHAR(128)	Name of program or package for explained statement
COLLID	VARCHAR(128)	Collection ID:

		<p>DSNDYNAMICSQLCACHE: row originates from dynamic statement cache</p> <p>DSNEXPLAINMODEYES: row originates from an application that specifies YES for CURRENT EXPLAIN MODE special register</p> <p>DSNEXPLAINMODEEXPLAIN: row originates from an application that specifies EXPLAIN for CURRENT EXPLAIN MODE special register</p> <p>When the SQL statement is embedded in a compiled SQL function, native SQL procedure or advanced trigger, this column is the schema of the compiled SQL function, native SQL procedure or advanced trigger</p>
GROUP_MEMBER	VARCHAR(128)	Member name of subsystem that executed EXPLAIN
SECTNOI	INTEGER	Section number of statement
VERSION	VARCHAR(122)	Version identifier for package
EXPLAIN_TIME	TIMESTAMP	EXPLAIN timestamp
IXSCHEMA	VARCHAR(128)	Qualifier of the index
IXNAME	VARCHAR(128)	Name of the index
KEYSEQ	VARCHAR(128)	Numeric position of the key-target in the index
KEYVALUE	VARCHAR(2000)	Contains the data of a frequently occurring value
TYPE	CHAR(1)	<p>Type of statistics:</p> <p>C = Cardinality</p> <p>F = Frequent value</p> <p>H = Histogram</p> <p>I = Real-time index statistics</p>
CARDF	FLOAT	<p>TYPE=C = number of distinct values for column group</p> <p>TYPE=H = number of distinct values for column group in a quantile indicated by value of QUANTILENO</p> <p>TYPE=T = value related to real-time index statistics determined by KEYVALUE</p>
KEYGROUPKEYNO	VARCHAR(254)	Value that identifies set of keys associated with the statistics. If statistics are associated with more than a single key, it contains an array of SMALLINT key numbers with a dimension that is equal to the value in NUMKEYS. If statistics are only associated with a single key, it contains 0
NUMKEYS	SMALLINT	Number of keys that are associated with the statistics
FREQUENCYF	FLOAT	Percentage of rows in table with value that is specified in KEYVALUE column when the number is multiplied by 100
QUANTILENO	SMALLINT	Ordinary sequence number of a quantile in the whole consecutive value range, from low to high
LOWVALUE	VARCHAR(2000)	TYPE=H = lower bound for the quantile indicated by value of QUANTILENO column
HIGHVALUE	VARCHAR(2000)	For TYPE=H = higher bound for quantile indicated by value of QUANTILENO column
EXPANSION_REASON	CHAR(2)	Applies to only statements that reference archive tables or temporal tables. Else, blank
PER_STMT_ID	BIGINT	Persistent statement identifier for SQL statements

DSN_PGRANGE_TABLE

Contains information about qualified partitions for all page range scans in a query.

Column name	Data type	Description
QUERYNO	INTEGER	ID of statement being explained
QBLOCKNO	SMALLINT	ID of each query block within a query
TABNO	SMALLINT	Table number
RANGE	SMALLINT	Sequence number of the current page range
FIRSTPART	SMALLINT	Starting partition in the current page range
LASTPART	SMALLINT	Ending partition in the current page range
NUMPARTS	SMALLINT	Number of partitions in the current page range
EXPLAIN_TIME	TIMESTAMP	EXPLAIN timestamp
GROUP_MEMBER	VARCHAR(24)	Member name of subsystem that executed EXPLAIN
SECTNOI	INTEGER	Section number of the statement
APPLNAME	VARCHAR(24)	Name of application plan for row
PROGNAME	VARCHAR(24)	Name of program or package for Explained statement
COLLID	VARCHAR(128)	Collection ID: DSNDYNAMICSQLCACHE: row originates from dynamic statement cache DSNEXPLAINMODEYES: row originates from an application that specifies YES for CURRENT EXPLAIN MODE special register DSNEXPLAINMODEEXPLAIN: row originates from an application that specifies EXPLAIN for CURRENT EXPLAIN MODE special register When the SQL statement is embedded in a compiled SQL function, native SQL procedure or advanced trigger, this column is the schema of the compiled SQL function, native SQL procedure or advanced trigger
VERSION	VARCHAR(122)	Version identifier for the package
EXPANSION_REASON	CHAR(2)	Column applies to only statements that reference archive tables or temporal tables. Else, blank
PER_STMT_ID	BIGINT	Persistent statement ID or SQL statements

DSN_PGROUP_TABLE

Contains information about the parallel groups in a query.

Column name	Data type	Description
QUERYNO	INTEGER	ID of statement being explained
QBLOCKNO	SMALLINT	ID of each query block within a query
PLANNAME	VARCHAR(24)	Application plan name
COLLID	VARCHAR(24)	Collection ID: DSNDYNAMICSQLCACHE: row originates from dynamic statement cache DSNEXPLAINMODEYES: row originates from an application that specifies YES for CURRENT EXPLAIN MODE special register DSNEXPLAINMODEEXPLAIN: row originates from an application that specifies EXPLAIN for CURRENT EXPLAIN MODE special register When SQL statement is embedded in a compiled SQL function, native SQL procedure or advanced trigger, column is schema of compiled SQL function, native SQL procedure or advanced trigger
PROGNAME	VARCHAR(128)	Program name (binding an application) or package name (binding a package)

EXPLAIN_TIME	TIMESTAMP	Explain timestamp
VERSION	VARCHAR(122)	Version identifier for the package
GROUPID	SMALLINT	Parallel group identifier within the current query block
FIRSTPLAN	SMALLINT	Plan number of first contributing mini-plan associated within this parallel group
LASTPLAN	SMALLINT	Plan number of last mini-plan associated with this parallel group
CPUCOST	REAL	Estimated CPU cost of parallel group in milliseconds
IO COST	REAL	Estimated I/O cost of parallel group in milliseconds
BESTTIME	REAL	Estimated elapsed time parallel for task for group
DEGREE	SMALLINT	Degree of parallelism determined at bind time
MODE	CHAR(1)	Parallel mode: I = I/O parallelism C = CPU parallelism N = No parallelism
REASON	SMALLINT	Reason for downgrading parallelism mode
LOCALCPU	SMALLINT	Number of CPUs currently when preparing the query
TOTALCPU	SMALLINT	Total number of CPUs in Sysplex
FIRSTBASE	SMALLINT	Table number of table that on which partitioning is performed
LARGETS	CHAR(1)	Y = table space is large in this group
PARTKIND	CHAR(1)	Partitioning type: L = Logical partitioning P = Physical partitioning
GROUPTYPE	CHAR(1)	Indicates operations in parallel group: table access, join, or sort (A, AJ, or AJS)
ORDER	CHAR(1)	Ordering requirement of this parallel group: N = No order T = Natural order K = Key order
STYLE	CHAR(4)	Input/output format style of parallel group RIRO = Records IN, Records OUT WIRO = Work file IN, Records OUT WIWO = Work file IN, Work file OUT
RANGEKIND	CHAR(1)	Range type: K = Key range L = IN-list elements partitioning P = Page range R = Record range partitioning
NKEYCOLS	SMALLINT	Number of key columns that will participate in key operation for this parallel group
LOWBOUND	VARCHAR(40)	Low bound of the parallel group
HIGHBOUND	VARCHAR(40)	High bound of the parallel group
LOWKEY	VARCHAR(40)	Low key of range if partitioned by key range
HIGHKEY	VARCHAR(40)	High key of range if partitioned by key range
FIRSTPAGE	CHAR(4)	First page in range if partitioned by page range
LASTPAGE	CHAR(4)	Last page in range if partitioned by page range
GROUP_MEMBER	VARCHAR(24)	Name of subsystem where EXPLAIN was executed
APPLNAME	VARCHAR(24)	Application plan name
SECTNOI	INTEGER	Section number of the statement
EXPANSION_REASON	CHAR(2)	Column applies to only statements that reference archive tables or temporal tables. Else, blank

PER_STMT_ID	BIGINT	Persistent statement identifier for SQL statements
-------------	--------	--

DSN_PREDICAT_TABLE

Contains information about all the predicates in a query.

Column name	Data type	Description
QUERYNO	INTEGER	ID of statement being explained
QBLOCKNO	SMALLINT	ID of each query block within a query
APPLNAME	VARCHAR(24)	Name of application plan for row
PROGNAME	VARCHAR(24)	Name of program or package containing statement being explained
PREDNO	INTEGER	A number used to identify a predicate within a query
TYPE	CHAR(8)	String used to indicate type/operation of predicate: AND, OR, EQUAL, RANGE, BETWEEN, IN, LIKE, NOT LIKE, EXISTS, COMPOUND, NOT EXIST, SUBQUERY, HAVING, OTHERS
LEFT_HAND_SIDE	VARCHAR(128)	If left-hand side (LHS) of predicate is a table column (LHS_TABNO > 0), indicates column name: VALUE, COLEXP, NONCOLEXP, CORSUB, NONCORSUB, SUBQUERY, EXPRESSION, blank
LEFT_HAND_PNO	INTEGER	If LHS of the predicate is a table column (LHS_TABNO > 0), indicates column name: VALUE, COLEXP, NONCOLEXP, CORSUB, NONCORSUB, SUBQUERY, EXPRESSION, blank
LHS_TABNO	SMALLINT	If LHS of predicate is a table column, indicates a number that uniquely identifies corresponding table reference within a query
LHS_QBNO	SMALLINT	If LHS of predicate is a table column, indicates a number that uniquely identifies corresponding table reference within a query
RIGHT_HAND_SIDE	VARCHAR(128)	If right-hand side (RHS) of predicate is a table column (RHS_TABNO > 0), indicates column name: VALUE, COLEXP, NONCOLEXP, CORSUB, NONCORSUB, SUBQUERY, EXPRESSION, blanks
RIGHT_HAND_PNO	INTEGER	If predicate is a compound (AND/OR), indicates second child predicate
RHS_TABNO	CHAR(1)	If RHS of predicate is a table column, indicates a number that uniquely identifies corresponding table reference within a query
RHS_QBNO	CHAR(1)	If RHS of predicate is a subquery, indicates a number that uniquely identifies corresponding query block within a query
FILTER_FACTOR	FLOAT	Estimated filter factor
BOOLEAN_TERM	CHAR(1)	If predicate can be used to determine truth value of whole WHERE clause
SEARCHARG	CHAR(1)	Whether predicate can be processed by data manager (DM) stage 1
AFTER_JOIN	CHAR(1)	Indicates predicate evaluation phase: A = After join D = During join Blank = Not applicable
ADDED_PRED	CHAR(1)	Whether predicate is generated by Db2, and reason predicate is added:

		Blank = Db2 did not add the predicate B = bubble up C = correlation J = join K = LIKE for expression-based index L = localization P = push down R = page range S = simplification T = transitive closure
REDUNDANT_P PRED	CHAR(1)	Whether predicate is a redundant predicate
DIRECT_ACCESS	CHAR(1)	Predicate is direct access directly to row via ROWID
KEYFIELD	CHAR(1)	Whether predicate includes the index key column of the involved table
EXPLAIN_TIME	TIMESTAMP	EXPLAIN timestamp
TEXT	VARCHAR(2000)	Text of transformed predicate
MARKER	CHAR(1)	Predicate includes host variables, parameter markers, or special registers
PARENT_PNO	INTEGER	Parent predicate number
NEGATION	CHAR(1)	Whether the predicate is negated via NOT
LITERALS	VARCHAR(128)	Literal value or literal values separated by colon
CLAUSE	CHAR(8)	Clause where the predicate exists: HAVING = HAVING clause ON = ON clause WHERE = WHERE clause SELECT = The SELECT clause
GROUP_MEMBER	VARCHAR(24)	Member name of the Db2 that executed EXPLAIN
ORIGIN	CHAR(1)	Indicates the origin of the predicate Blank = generated by Db2 C = column mask R = row permission U = specified by the user
UNCERTAINTY	FLOAT(4)	Describes uncertainty factor of a predicate's estimated filter factor - Larger value = high degree of uncertainty - Zero = no uncertainty or not considered
SECTNOI	INTEGER	Section number of the statement
COLLID	VARCHAR(128)	Collection ID: DSNDYNAMICSQLCACHE: row originates from dynamic statement cache DSNEXPLAINMODEYES: row originates from an application that specifies YES for CURRENT EXPLAIN MODE special register DSNEXPLAINMODEEXPLAIN: row originates from an application that specifies EXPLAIN for CURRENT EXPLAIN MODE special register When SQL statement is embedded in a compiled SQL function, native SQL procedure or advanced trigger, column is schema of compiled SQL function, native SQL procedure or advanced trigger
VERSION	VARCHAR(122)	Version identifier for the package
EXPANSION_	CHAR(2)	Column applies to only statements that reference

REASON		archive tables or temporal tables. Else, blank
PER_STMT_ID	BIGINT	Persistent statement identifier for SQL statements

DSN_PREDICATE_SELECTIVITY

Contains information about selectivity of predicates used for access path selection. It is used as an input table for the BIND QUERY command when selectivity overrides are specified.

Column name	Data type	Description
QUERYNO	INTEGER	Number to identify the statement being explained
QBLOCKNO	SMALLINT	Number that identifies each query block within a query
APPLNAME	VARCHAR(24)	Name of application plan for row
PROGNAME	VARCHAR(128)	Name of program or package containing statement being explained
SECTNOI	INTEGER	Section number of the statement
COLLID	VARCHAR(128)	Collection ID: DSNDYNAMICSQLCACHE: row originates from dynamic statement cache DSNEXPLAINMODEYES: row originates from an application that specifies YES for CURRENT EXPLAIN MODE special register DSNEXPLAINMODEEXPLAIN: row originates from an application that specifies EXPLAIN for CURRENT EXPLAIN MODE special register When SQL statement is embedded in a compiled SQL function, native SQL procedure or advanced trigger, column is schema of compiled SQL function, native SQL procedure or advanced trigger
VERSION	VARCHAR(122)	Version identifier for the package
PREDNO	INTEGER	Identifies a specific predicate within a query
INSTANCE	SMALLINT	Selectivity instance. Used to group related selectivities
SELECTIVITY	FLOAT	Selectivity estimate
WEIGHT	FLOAT(4)	Percentage of executions with specified selectivity
ASSUMPTION	VARCHAR(128)	NULL = How selectivity was estimated, or is used NORMAL = Selectivity is estimated using normal selectivity assumptions OVERRIDE = Selectivity is based on an override
INSERT_TIME	TIMESTAMP	Time when row was inserted or updated
EXPLAIN_TIME	TIMESTAMP	Time when EXPLAIN information was captured: <ul style="list-style-type: none"> - All cached statements - When statement entered cache - Non-cached static statements - When statement was bound, - Non-cached dynamic statements - When EXPLAIN was executed
EXPANSION_REASON	CHAR(2)	Applies to only statements that reference archive tables or temporal tables. Else, blank
PER_STMT_ID	BIGINT	Persistent statement identifier for SQL statements

DSN_QUERYINFO_TABLE

Contains information about the eligibility of query blocks for automatic query rewrite.

Column name	Data type	Description
QUERYNO	INTEGER	ID of statement being explained
QBLOCKNO	SMALLINT	ID of each query block within a query
QINAME1	VARCHAR(128)	TYPE=A: - REASON_CODE=0, value is name of accelerator server to which query is sent - REASON_CODE<>0, query was not sent to a accelerator server
QINAME2	VARCHAR(128)	TYPE=A and REASON_CODE=0, is name of location
APPLNAME	VARCHAR(24)	Name of application plan for row
PROGNAME	VARCHAR(128)	Name of program or package containing statement being explained
VERSION	VARCHAR(122)	Version identifier for the package
GROUP_MEMBER	VARCHAR(24)	Member name of subsystem that executed EXPLAIN.
COLLID	VARCHAR(128)	Collection ID: DSNDYNAMICSQLCACHE - row originates from dynamic statement cache DSNEXPLAINMODEYES - row originates from an application with YES for CURRENT EXPLAIN MODE special register DSNEXPLAINMODEEXPLAIN - row originates from an application that specifies EXPLAIN for CURRENT EXPLAIN MODE special register When SQL statement is embedded in a non-inline SQL function or native SQL procedure, column is not used.
SECTNOI	INTEGER	Section number of statement
SEQNO	INTEGER	Sequence number for row if QI_DATA exceeds size of its column
EXPLAIN_TIME	TIMESTAMP	Time when EXPLAIN information was captured: All cached statements - When statement entered cache Non-cached static statements - When statement was bound Non-cached dynamic statements - When EXPLAIN was executed
TYPE	CHAR(8)	Type of output for this row: A = row for query that Db2 attempts to run on an accelerator server
QI_DATA	CLOB(2M)	TYPE=A: - REASON_CODE values other than 0, value is description of REASON_CODE value - REASON_CODE value of 0, value is query text, after it is converted for processing by accelerator
EXPANSION_REASON	CHAR(2)	Column applies to only statements that reference archive tables or temporal tables
PER_STMT_ID	BIGINT	Persistent statement identifier for SQL statements

DSN_PTASK_TABLE

Contains information about the parallel tasks in a query.

Column name	Data type	Description
QUERYNO	INTEGER	ID of statement being explained

QBLOCKNO	SMALLINT	ID of each query block within a query
PGDNO	SMALLINT	Parallel group identifier within current query block
APPLNAME	VARCHAR(24)	Name of application plan for row
PROGNAME	VARCHAR(128)	Name of program or package containing statements
LPTNO	SMALLINT	Parallel task number
KEYCOLID	SMALLINT	Key columns ID (KEY range only)
DPSI	CHAR(1)	Whether a data partition secondary index (DPSI) used
LPTLOKEY	VARCHAR(40)	Low key value for this key column for this parallel task (KEY range only)
LPTHIKEY	VARCHAR(40)	High key value for this key column for this parallel task (KEY range only)
LPTLOPAG	CHAR(4)	Low page information if partitioned by page range
LPTLHIPAG	CHAR(4)	High page information if partitioned by page range
LPTLOPG	CHAR(4)	Lower bound page number for parallel task (page range or DPSI enabled)
LPTHIPG	CHAR(4)	Upper bound page number for parallel task (page range or DPSI enabled)
LPTLOPT	SMALLINT	Lower bound partition number for parallel task(page range or DPSI enabled)
KEYCOLDT	SMALLINT	Data type for this key column (KEY range only)
KEYCOLPREC	SMALLINT	Precision/length for this key column (KEY range only)
KEYCOLSCAL	SMALLINT	Scale for this key column (KEY range with decimal data type only)
EXPLAIN_TIME	TIMESTAMP	EXPLAIN timestamp
GROUP_MEMBER	VARCHAR(24)	Member name of subsystem that executed EXPLAIN
SECTNOI	INTEGER	Section number of the statement
COLLID	VARCHAR(128)	Collection ID: DSNDYNAMICSQLCACHE: row originates from dynamic statement cache DSNEXPLAINMODEYES: row originates from an application that specifies YES for CURRENT EXPLAIN MODE special register DSNEXPLAINMODEEXPLAIN: row originates from an application that specifies EXPLAIN for CURRENT EXPLAIN MODE special register When SQL statement is embedded in a compiled SQL function, native SQL procedure or advanced trigger, column is the schema of compiled SQL function, native SQL procedure or advanced trigger
VERSION	VARCHAR(122)	Version identifier for the package
EXPANSION_REASON	CHAR(2)	Column applies to only statements that reference archive tables or temporal tables. Else, blank
PER_STMT_ID	BIGINT	Persistent statement identifier for SQL statements

DSN_QUERY_TABLE

Contains information about an SQL statement and displays the statement before and after query transformation in XML.

Column Name	Data Type	Description
QUERYNO	INTEGER	ID of statement being explained
TYPE	CHAR(8)	Type of the data in the NODE_DATA column
QUERY_STAGE	CHAR(8)	Stage during query transformation

SEQNO	INTEGER	Sequence number for row if NODE_DATA exceeds size of its column
NODE_DATA	CLOB(2M)	XML data containing the SQL statement and its query block, table, and column information
EXPLAIN_TIME	TIMESTAMP	EXPLAIN timestamp
QUERY_ROWID	ROWID	ROWID of the statement
GROUP_MEMBER	VARCHAR(24)	Name of subsystem that executed EXPLAIN
HASHKEY	INTEGER	Hash value of the contents in NODE_DATA
HASH_PRED	CHAR(1)	When NODE_DATA contains an SQL statement, indicates whether statement contains a parameter marker literal, a non-parameter marker literal, or no predicates
SECTNOI	INTEGER	Section number of the statement
APPLNAME	VARCHAR(24)	Name of application plan for row
PROGNAME	VARCHAR(128)	Name of program or package containing statement
COLLID	VARCHAR(128)	Collection ID: DSNDYNAMICSQLCACHE: row originates from dynamic statement cache DSNEXPLAINMODEYES: row originates from an application that specifies YES for CURRENT EXPLAIN MODE special register DSNEXPLAINMODEEXPLAIN: row originates from an application that specifies EXPLAIN for CURRENT EXPLAIN MODE special register When the SQL statement is embedded in a compiled SQL function, native SQL procedure or advanced trigger, this column is the schema of the compiled SQL function, native SQL procedure or advanced trigger
VERSION	VARCHAR(122)	Version identifier for the package
EXPANSION_REASON	CHAR(2)	Column applies to only statements that reference archive tables or temporal tables. Else, blank

DSN_SORTKEY_TABLE

Contains information about sort keys for all the sorts required by a query.

Column name	Data Type	Description
QUERYNO	INTEGER	ID os statement being explained
QBLOCKNO	SMALLINT	ID of query block within a query
PLANNO	SMALLINT	ID of mini-plan within a query block
APPLNAME	VARCHAR(24)	Name of application plan for row
PROGNAME	VARCHAR(128)	Name of program or package containing statement
COLLID	VARCHAR(128)	Collection ID: DSNDYNAMICSQLCACHE: row originates from dynamic statement cache DSNEXPLAINMODEYES: row originates from an application that specifies YES for CURRENT EXPLAIN MODE special register DSNEXPLAINMODEEXPLAIN: row originates from an application that specifies EXPLAIN for CURRENT EXPLAIN MODE special register When the SQL statement is embedded in a compiled SQL function, native SQL procedure or advanced

		trigger, this column is the schema of the compiled SQL function, native SQL procedure or advanced trigger
SORTNO	SMALLINT	Sequence number of the sort
ORDERNO	SMALLINT	Sequence of the sort key
EXPTYPE	CHAR(3)	Type of the sort ke: COL, EXP , QRY
TEXT	VARCHAR(128)	Sort key text = column name, scalar subquery, or Record ID
TABNO	SMALLINT	Identifies corresponding table reference within query
COLNO	SMALLINT	ID that corresponds with column within a query
DATATYPE	CHAR(18)	Data type of sort key: HEXADECIMAL, CHARACTER, PACKED FIELD , FIXED(31), FIXED(15), DATE, TIME, VARCHAR, PACKED FLD ,FLOAT TIMESTAMP, UNKNOWN DATA TYPE'
LENGTH	INTEGER	Length of the sort key
EXPLAIN_TIME	TIMESTAMP	EXPLAIN timestamp
GROUP_MEMBER	VARCHAR(24)	Name of subsystem that executed EXPLAIN
SECTNOI	INTEGER	Section number of statement
VERSION	VARCHAR(122)	Version identifier for package
EXPANSION_REASON	CHAR(2)	Applies to only statements that reference archive tables or temporal tables. Else, blank
PER_STMT_ID	BIGINT	Persistent statement identifier for SQL statements

DSN_SORT_TABLE

Contains information about sort operations required for a query.

Column name	Data Type	Description
QUERYNO	INTEGER	Number to identify statement being explained
QBLOCKNO	SMALLINT	Number to identify each query block within query
PLANNO	SMALLINT	Number to identify each mini-plan within query block
APPLNAME	VARCHAR(24)	Name of application plan for row
PROGNAME	VARCHAR(128)	Name of program or package containing statement being explained
COLLID	VARCHAR(128)	Collection ID: DSNDYNAMICSQLCACHE: Row from dynamic statement cache. DSNEXPLAINMODEYES: Row from an application that specifies YES for value of CURRENT EXPLAIN MODE special register. DSNEXPLAINMODEEXPLAIN: Row from an application that specifies EXPLAIN for value of CURRENT EXPLAIN MODE special register. When the SQL statement is embedded in a compiled SQL function, native SQL procedure or advanced trigger, this column is the schema of the compiled SQL function, native SQL procedure or advanced trigger.
SORTC	CHAR(5)	Reasons for sort of composite table G = Group By O = Order By J = Join U = Uniqueness
SORTN	CHAR(5)	Reasons for sort of composite table G = Group By O = Order By

		J = Join U = Uniqueness
SORTNO	SMALLINT	Sequence of the sort
KEYSIZE	SMALLINT	Sum of the lengths of the sort keys
EXPLAIN_TIME	TIMESTAMP	EXPLAIN timestamp
GROUP_MEMBER	VARCHAR(24)	Member name of subsystem that executed EXPLAIN
SECTNOI	INTEGER	Section number of the statement
VERSION	VARCHAR(122)	Version identifier for package
EXPANSION_REASON	CHAR(2)	Applies to only statements that reference archive tables or temporal tables. Else, blank
PER_STMT_ID	BIGINT	Persistent statement identifier for SQL statements

DSN_STATEMENT_CACHE_TABLE

Contains information about the SQL statements in the statement cache.

Column name	Data Type	Description
STMT_ID	INTEGER	An EDM unique token
STMT_TOKEN	VARCHAR(240)	A user-provided identification string
COLLID	VARCHAR(128)	Collection ID: DSNDYNAMICSQCCACHE: Row from dynamic statement cache. DSNEXPLAINMODEYES: Row originates from an application that specifies YES for value of CURRENT EXPLAIN MODE special register. DSNEXPLAINMODEEXPLAIN: Row from an application that specifies EXPLAIN for value of the CURRENT EXPLAIN MODE special register. When the SQL statement is embedded in a compiled SQL function, native SQL procedure or advanced trigger, this column is the schema of the compiled SQL function, native SQL procedure or advanced trigger
PROGRAM_NAME	VARCHAR(128)	Name of package or DBRM that performed initial PREPARE
INV_DROPALT	CHAR(1)	Invalidated by DROP/ALTER
INV_REVOKE	CHAR(1)	Invalidated by REVOKE
INV_LRU	CHAR(1)	Removed from cache by LRU
INV_RUNSTATS	CHAR(1)	Invalidated by RUNSTATS
CACHED_TS	TIMESTAMP	Timestamp when statement was cached
USERS	INTEGER	Number of current users of statement. These are the users that have prepared or executed the statement during their current unit of work
COPIES	INTEGER	Number of copies of statement owned by all threads in the system
LINES	INTEGER	Precompiler line number from the initial PREPARE
PRIMAUTH	VARCHAR(128)	Primary auth ID of user that did initial PREPARE
CURSQLID	VARCHAR(128)	CURRENT SQLID of user that did initial prepare
BIND_QUALIFIER	VARCHAR(128)	Bind object qualifier for unqualified table names
BIND_ISO	CHAR(2)	ISOLATION bind option: UR = Uncommitted read CS = Cursor stability RS = Read stability RR =Repeatable read
BIND_CDATA	CHAR(1)	DATA CURRENTDATA bind option:

		Y = CURRENTDATA(YES) N = CURRENTDATA(NO)
BIND_DYNRL	CHAR(1)	DYNAMICRULES bind option: B = DYNAMICRULES(BIND) R = DYNAMICRULES(RUN)
BIND_DEGRE	CHAR(1)	CURRENT DEGREE value: A = ANY 1 = 1
BIND_SQLRL	CHAR(1)	CURRENT RULES value: D = Db2 S = SQL
BIND_CHOLD	CHAR(1)	Cursor WITH HOLD bind option: Y = PREPARE done for a cursor WITH HOLD N = PREPARE not done for a cursor WITH HOLD
STAT_TS	TIMESTAMP	Timestamp of stats when IFCID 318 is started
STAT_EXEC	INTEGER	Column is deprecated. Use STAT_EXECB instead
STAT_GPAG	INTEGER	Column is deprecated. Use STAT_GPAGB instead
STAT_SYNR	INTEGER	Column is deprecated. Use STAT_SYNRB instead
STAT_WRIT	INTEGER	Column is deprecated. Use STAT_WRITB instead
STAT_EROW	INTEGER	Column is deprecated. Use STAT_EROWB instead
STAT_PROW	INTEGER	Column is deprecated. Use STAT_PROWB instead
STAT_SORT	INTEGER	Column is deprecated. Use STAT_SORTB instead
STAT_INDX	INTEGER	Column is deprecated. Use STAT_INDXB instead
STAT_RSCN	INTEGER	Column is deprecated. Use STAT_RSCNB instead
STAT_PGRP	INTEGER	Column is deprecated. Use STAT_PGRPB instead
STAT_ELAP	FLOAT	Accumulated elapsed time used for statement
STAT_CPU	FLOAT	Accumulated CPU time used for statement
STAT_SUS_SYNIO	FLOAT	Accumulated wait time for synchronous I/O
STAT_SUS_LOCK	FLOAT	Accumulated wait time for lock and latch requests
STAT_SUS_SWIT	FLOAT	Accumulated wait time for synchronous execution unit switch
STAT_SUS_GLCK	FLOAT	Accumulated wait time for global locks
STAT_SUS_OTHR	FLOAT	Accumulated wait time for read activity done by another thread
STAT_SUS_OTHW	FLOAT	Accumulated wait time for write activity done by another thread
STAT_RIDLMT	INTEGER	Column is deprecated. Use STAT_RIDLMTB instead
STAT_RIDSTOR	INTEGER	Column is deprecated. Use STAT_RIDSTORB instead
EXPLAIN_TS	TIMESTAMP	When the statement cache table is populated
SCHEMA	VARCHAR(128)	CURRENT SCHEMA value
STMT_TEXT	CLOB(2M)	Statement text
STMT_ROWID	ROWID	Statement ROWID
BIND_RO_TYPE	CHAR(1)	Current specification of REOPT option for statement: N = REOPT(NONE) 1 = REOPT(ONCE) or its equivalent A = REOPT(AUTO) or its equivalent 0 = No need for REOPT(AUTO)
BIND_RA_TOT	INTEGER	Total number of REBIND commands issued for dynamic statement because of REOPT(AUTO) option
GROUP_MEMBER	VARCHAR(24)	Name of Db2 subsystem that inserted row
STAT_GPAGB	BIGINT	Number of getpage operations performed
STAT_SYNRB	BIGINT	Number of synchronous buffer reads performed

STAT_WRITB	BIGINT	Number of buffer write operations performed
STAT_EROWB	BIGINT	Number of rows that are examined
STAT_PROWB	BIGINT	Number of rows that are processed
STAT_SORTB	BIGINT	Number of sorts that are performed
STAT_EXECB	BIGINT	Number of times this statement has been run. For a statement with a cursor, this is the number of OPENS
STAT_INDXB	BIGINT	Number of index scans that are performed
STAT_RSCNB	BIGINT	Number of table space scans that are performed
STAT_PGRPB	BIGINT	Number of parallel groups that are created
STAT_RIDLIMTB	BIGINT	Number of times a RID list was not used because the number of RIDs would have exceeded Db2 limits
STAT_RIDSTORB	BIGINT	Number of time a RID list was not used because there is not enough storage available to hold the list of RIDs
LITERAL_REPL	CHAR(1)	Identifies cached statements where literal values are replaced by '&': R = Statement is prepared with CONCENTRATE STATEMENTS WITH LITERALS behavior and literal constants in statement have been replaced with '&' D = Statement is a duplicate statement instance with different literal reusability criteria Blank = Literal values are not replaced
STAT_SUS_LATCH	FLOAT	Accumulated wait time for latch requests
STAT_SUS_PLATCH	FLOAT	Accumulated wait time for page latch requests
STAT_SUS_DRAIN	FLOAT	Accumulated wait time for a drain lock requests
STAT_SUS_CLAIM	FLOAT	Accumulated wait time for claim count requests
STAT_SUS_LOG	FLOAT	Accumulated wait time for the log writer requests
EXPANSION_REASON	CHAR(2)	Applies only to statements that reference archive tables or temporal tables. Else, blank
ACCELERATED	CHAR(10)	Whether cached statement was prepared for acceleration server. NO, YES, NEVER
STAT_ACC_ELAP	BIGINT	Accumulated elapsed time for accelerator
STAT_ACC_CPU	BIGINT	Accumulated CPU time for accelerator
STAT_ACC_ROW	BIGINT	Accumulated number of rows returned from accelerator
STAT_ACC_BYTE	BIGINT	Accumulated number of bytes returned from accelerator
STAT_ACC_1ROW	BIGINT	Time waited for first row to be returned from accelerator
STAT_ACC_DB2	BIGINT	Total time accelerator waited for Db2 to request query results
STAT_ACC_EXEC	BIGINT	Accumulated execution time for accelerator
STAT_ACC_WAIT	BIGINT	Accumulated wait time for accelerator
ACCEL_OFFLOAD_ELIGIBLE	CHAR(1)	NO – statement not eligible for acceleration YES – statement is candidate for acceleration
ACCELERATOR_NAME	VARCHAR(128)	Concatenated name of accelerator server that processed query
STAT_SUS_CHILDLLOCKS	FLOAT	Accumulated wait time for child L-locks for statement
STAT_SUS_OTHERLLOCKS	FLOAT	Accumulated wait time for other L-locks for statement
STAT_SUS_PPPLOCKS	FLOAT	Accumulated wait time for P/PP-Locks for statement
STAT_SUS_PLOCKS	FLOAT	Accumulated wait time for page P-locks for statement

PAGELOCKS		
STAT_SUS_OTHERLOCKS	FLOAT	Accumulated wait time for other P-locks for statement
PER_STMT_ID	BIGINT	Statement identifier for stabilized dynamic SQL
STBLGRP	VARCHAR(128)	Stabilization group specified in a START DYNQRY
QUERY_HASH	CHAR(16)	Hash key generated by the statement user
QUERY_HASH_VERSION	INTEGER	Version of QUERY_HASH
STABILIZED	CHAR(1)	Indicates whether the statement was stabilized
APPLCOMPAT	CHAR(10)	Application compatibility level of a dynamic SQL statement
CNO	BIGINT	Command number for the dynamic query capture monitor
STAT_SUS_PIPE	FLOAT	Accumulated wait time for latch requests

DSN_STATEMNT_TABLE

Contains information about the estimated cost of specified SQL statements.

Column name	Data Type	Description
QUERYNO	INTEGER	Number to identify the statement being explained
APPLNAME	VARCHAR(24)	Name of application plan for row
PROGNAME	VARCHAR(128)	Name of program or package containing statement being explained
COLLID	VARCHAR(128)	Collection ID: DSNDYNAMICSQLCACHE: row originates from dynamic statement cache DSNEXPLAINMODEYES: row originates from an application that specifies YES for CURRENT EXPLAIN MODE special register DSNEXPLAINMODEEXPLAIN: row originates from an application that specifies EXPLAIN for CURRENT EXPLAIN MODE special register When the SQL statement is embedded in a compiled SQL function, native SQL procedure or advanced trigger, this column is the schema of the compiled SQL function, native SQL procedure or advanced trigger
GROUP_MEMBER	VARCHAR(24)	Name of subsystem that executed EXPLAIN, or blank
EXPLAIN_TIME	TIMESTAMP	Time statement is processed, same as BIND_TIME in PLAN_TABLE
STMT_TYPE	CHAR(6)	Type of statement being explained: SELECT = SELECT INSERT = INSERT UPDATE = UPDATE DELETE = DELETE MERGE = MERGE TRUNCA = TRUNCATE SELUPD = SELECT with FOR UPDATE OF DELCUR = DELETE WHERE CURRENT OF CURSOR UPDCUR = UPDATE WHERE CURRENT OF CURSOR
COST_CATEGORY	CHAR(1)	If Db2 was forced to use default values when making

		its estimates: A = Cost estimation made without using default values B = Some condition exists for which Db2 was forced to use default values. REASON to determine why Db2 was unable to put estimate in cost category A
PROCMS	INTEGER	Estimated processor cost in milliseconds for SQL statement
PROCSU	INTEGER	Estimated processor cost in service units for SQL statement
REASON	VARCHAR(254)	Reasons for putting an estimate into cost category B: ACCELMODEL ELIGIBLE: eligible for acceleration ACCELMODEL NOT ELIGIBLE: not eligible for acceleration HAVING CLAUSE: A subselect in SQL statement contains a HAVING HOST VARIABLES: The statement uses host variables, parameter markers, or special registers. OPTIMIZATION HINTS: statement level or access path hint applied PROFILEID: Profile id if using profile monitoring REFERENTIAL CONSTRAINTS: Referential constraints of the type CASCADE or SET NULL exist on the target table of a DELETE statement. TABLE CARDINALITY: cardinality statistics are missing for one or more of the tables used in the statement. UDF: The statement uses user-defined functions. TRIGGERS: Triggers are defined on the target table of an INSERT, UPDATE, or DELETE statement.
STMT_ENCODE	CHAR(1)	Encoding scheme of the statement. If the statement represents a single CCSID set, possible values are: A = ASCII E = EBCDIC U = Unicode If statement has multiple CCSID sets, value is M
TOTAL_COST	FLOAT	Overall estimated cost of statement
SECTNOI	INTEGER	Section number of the statement
VERSION	VARCHAR(122)	Version identifier for the package
EXPANSION_REASON	CHAR(2)	Applies to only statements that reference archive tables or temporal tables. Else, blank
APCOMPARE_STATUS	CHAR(1)	Status of access path comparison operation for APCOMPARE option on BIND or REBIND S = Access path comparison succeeded F = New access path does not match previous, comparison failed N = No match
APREUSE_STATUS	CHAR(1)	Status of access path comparison operation for APREUSE option on BIND or REBIND S = Access path reuse succeeded F = Access path reuse failed N = No match
APREUSE_VERSION	VARCHAR(122)	Version identifier of package

APREUSE_COPYID	INTEGER	Copy number of identifier for package
EXPLAIN_TYPE	CHAR(1)	Type of action that created row: A = Automatic rebind B = BIND command C = EXPLAIN STATEMENT CACHE statement D = Dynamic EXPLAIN statement R = REBIND command S = EXPLAIN STABILIZED DYNAMIC QUERY statement
PER_STMT_ID	BIGINT	Persistent statement identifier for SQL statements
QUERY_HASH	CHAR(16)	Hash key generated by statement text

DSN_STAT_FEEDBACK

Recommendations for capturing missing or conflicting statistics defined during EXPLAIN.

Column name	Data Type	Description
QUERYNO	INTEGER	Number to identify the statement being explained
APPLNAME	VARCHAR(24)	Name of application plan for row
PROGNAME	VARCHAR(128)	Name of program or package containing statement being explained
COLLID	VARCHAR(128)	Collection ID: DSNDYNAMICSQLCACHE: Row from dynamic statement cache. DSNEXPLAINMODEYES: Row from an application that specifies YES for the value of the CURRENT EXPLAIN MODE special register. DSNEXPLAINMODEEXPLAIN: Row from an application that specifies EXPLAIN for the value of the CURRENT EXPLAIN MODE special register. When the SQL statement is embedded in a compiled SQL function, native SQL procedure or advanced trigger, column is schema of compiled SQL function, native SQL procedure or advanced trigger
EXPLAIN_TIME	TIMESTAMP	EXPLAIN timestamp
GROUP_MEMBER	VARCHAR(24)	Member name of the Db2 subsystem that executed EXPLAIN
SECTNOI	INTEGER	Section number of statement
VERSION	VARCHAR(122)	Version identifier for package
TBCREATOR	VARCHAR(128)	Creator of table
TBNAME	VARCHAR(128)	Name of table
IXCREATOR	VARCHAR(128)	Creator of index
IXNAME	VARCHAR(128)	Name of index
COLNAME	VARCHAR(128)	Name of column
NUMCOLUMNS	SMALLINT	Number of columns in the column group
COLGROUPCOLNO	VARCHAR(254)	Identifies set of columns associated with statistics
TYPE	CHAR(1)	Type of statistic to collect: C = Cardinality F = Frequency H = Histogram I = Index T = Table
DBNAME	VARCHAR(24)	Name of database
TSNAME	VARCHAR(24)	Name of table space

REASON	CHAR(8)	Reason that the statistic was recommend: BASIC - A basic statistic value for a column table or index is missing. No statistics were collected for the identified object KEYCARD - Cardinalities of index key columns are missing LOWCARD - Cardinality of the column is a low value, which indicates that data might be skewed NULLABLE - Distribution statistics are not available for a nullable column, which indicates that data might be skewed DEFAULT - A predicate references a value that is probably a default value, which indicates that data might be skewed RANGEPRD - Histogram statistics not available for a range predicate PARALLEL - Parallelism could be improved by uniform partitioning of key ranges CONFLICT - Another statistic contains a value that conflicts with the value of this statistic. COMPPFIX - Multi-column cardinality statistics are needed for an index compound filter factor *STALE – A statistic appears to be out of sync
REMARKS	VARCHAR(254)	Free form text for extensibility

DSN_STRUCT_TABLE

Contains information about the query blocks in a query.

Column name	Data Type	Description
QUERYNO	INTEGER	Number to identify the statement being explained
QBLOCKNO	SMALLINT	Number used to identify each query block within a query
APPLNAME	VARCHAR(24)	Name of application plan for row
PROGNAME	VARCHAR(128)	Name of program or package containing statement being explained
PARENT	SMALLINT	Parent query block number of current query block in structure of SQL text; same as PARENT_QBLOCKNO in PLAN_TABLE.
TIMES	FLOAT	Estimated number of rows returned by Data Manager and number of executions of the query block.
ROWCOUNT	INTEGER	Estimated number of rows returned by RDS (query cardinality)
ATOPEN	CHAR(1)	Whether query block is moved up for do-at-open processing. Y if done-at-open or N otherwise
CONTEXT	CHAR(10)	Context of current query block. Values are: TOP LEVEL, UNION, UNION ALL, PREDICATE, TABLE EXP, UNKNOWN
ORDERNO	SMALLINT	Not used
DOATOPEN_PARENT	SMALLINT	Parent query block number of current query block. Do-at-open parent if the query block is done-at-open, may differ from PARENT_QBLOCKNO in PLAN_TABLE

QBLOCK_TYPE	CHAR(6)	Type of the current query block: SELECT ,INSERT, UPDATE, DELETE, SELUPD, DELCUR ,UPDCUR, CORSUB, NCOSUB, TABLEX, TRIGGR, UNION ,UNIONA, CTE Equivalent to QBLOCK_TYPE column in PLAN_TABLE, except for CTE
EXPLAIN_TIME	TIMESTAMP	EXPLAIN timestamp
GROUP_MEMBER	CHAR(8)	Name of subsystem that executed EXPLAIN
ORIGIN	CHAR(1)	Indicates the origin of the query block Blank = generated by Db2 C = column mask R = row permission U = specified by the user
SECTNOI	INTEGER	Section number of the statement
COLLID	VARCHAR(128)	Collection ID: DSNDYNAMICSQLCACHE: row from dynamic statement cache. DSNEXPLAINMODEYES: Row from an application that specifies YES for the value of the CURRENT EXPLAIN MODE special register. DSNEXPLAINMODEEXPLAIN: Row from an application that specifies EXPLAIN for value of CURRENT EXPLAIN MODE . When the SQL statement is embedded in a compiled SQL function, native SQL procedure or advanced trigger, this column is the schema of the compiled SQL function, native SQL procedure or advanced trigger
VERSION	VARCHAR(122)	Version identifier for the package
EXPANSION_ REASON	CHAR(2)	Applies to only statements that reference archive tables or temporal tables. Else, blank
PER_STMT_ID	BIGINT	Persistent statement identifier for SQL statements

DSN_VIEWREF_TABLE

Contains information about all views and materialized query tables used to process a query.

Column name	Data Type	Description
QUERYNO	INTEGER	Number to identify the statement being explained
APPLNAME	VARCHAR(24)	Name of application plan for row
PROGNAME	VARCHAR(128)	Name of program or package containing statement being explained
VERSION	VARCHAR(122)	Version identifier for the package
COLLID	VARCHAR(128)	Collection ID
CREATOR	VARCHAR(128)	Authorization ID of the owner of the object
NAME	VARCHAR(128)	Name of the object
TYPE	CHAR(1)	Type of object: V = View R = MQT used to replace the base table for rewrite M = MQT
MQTUSE	SMALLINT	IBM internal use only
EXPLAIN_TIME	TIMESTAMP	EXPLAIN timestamp
GROUP_MEMBER	VARCHAR(24)	Name of subsystem that executed EXPLAIN
SECTNOI	INTEGER	Section number of the statement

EXPANSION_ REASON	CHAR(2)	Applies to only statements that reference archive tables or temporal tables. Else, blank
----------------------	---------	--

Db2 Input Tables

DSN_USERQUERY_TABLE

Identifies statements whose access paths are influenced.

Column name	Data type	Description
QUERYNO	INTEGER	Unique identifier of the query, used to correlate with PLAN_TABLE rows for statement-level access paths
SCHEMA	VARCHAR(128)	Default schema name of unqualified database objects in the query, or blank
HINT_SCOPE	SMALLINT	Scope at which matching applies 0 System-level access path hint 1 Package-level access plan hint
QUERY_TXT	CLOB(2M)	The text of the SQL statement
USERFILTER	CHAR(8)	A filter name that you can specify to group a set of rows together, or blank
OTHER_OPTIONS	CHAR(128)	For IBM® internal use only, or blank
COLLECTION	VARCHAR(128)	Collection name of package from SYSPACKAGE catalog table
PACKAGE	VARCHAR(128)	Name of package for SYSPACKAGE table
VERSION	VARCHAR(128)	Version of package for retrieval of bind options for SYSPACKAGE catalog table
REOPT	VARCHAR(128)	Value of the REOPT bind option: A = REOPT(AUTO) 1 = REOPT(ONCE) N = REOPT(NONE) Y = REOPT(ALWAYS) Blank = Not specified
STARJOIN	CHAR(1)	Whether star join processing was enabled Y = STARJOIN enabled N = STARJOIN disabled Blank = Not specified
MAX_PAR_DEGREE	INTEGER	Maximum degree of parallelism
DEF_CURR_DEGREE	CHAR(3)	Whether parallelism was enabled: ONE = Parallelism disabled ANY = Parallelism enabled Blank = Not specified
SJTABLES	INTEGER	Minimum number of tables to qualify for star join
QUERYID	BIGINT	Identifies relevant access plan hint information in the SYSQUERY and SYSQUERYPLAN catalog tables
OTHER_PARMS	VARCHAR	For IBM internal use only, or BLANK
SELECTVTY_OVERRIDE	CHAR(1)	Whether row creates selectivity overrides: Y - Selectivity overrides are created N - Selectivity overrides are not created
ACCESSPATH_HINT	CHAR(1)	Whether row specifies an access path for query Y - Access paths are specified N - Access path are not specified Blank- Access path might be specified

OPTION_OVERRIDE	CHAR(1)	If statement-level optimization parameters are created: Y - Optimization parameters are created N - Optimization parameters are not created Blank - Optimization parameters might be created
-----------------	---------	---

DSN_VIRTUAL_INDEXES

Enables optimization tools to test the effect of creating and dropping indexes on the performance of particular queries.

Column name	Data type	Description
TBCREATOR	VARCHAR(128)	Schema or auth ID of owner of table which index created or dropped
TBNAME	VARCHAR(128)	Name of table which index is created or dropped
IXCREATOR	VARCHAR(128)	Schema or authorization ID of owner of index
IXNAME	VARCHAR(128)	Index name
ENABLE	CHAR(1)	If index should be considered in scenario being tested Y - Use this index N - Do not use this index
MODE	CHAR(1)	Whether index is being created or dropped C - index is to be created D - index is to be dropped
UNIQUERULE	CHAR(1)	Whether index is unique D - index is not unique U - index is unique
COLCOUNT	SMALLINT	Number of columns in the key
CLUSTERING	CHAR(1)	Indicates whether index is clustered Y - index is clustered N - index is not clustered
NLEAF	INTEGER	Number of active leaf pages in index
NLEVELS	SMALLINT	Number of levels in index tree
INDEXTYPE	CHAR(1)	Index type 2 – non-partitioned secondary index D - data-partitioned secondary index
PGSIZE	SMALLINT	Size, in KB, of leaf pages in index
FIRSTKEY CARDF	FLOAT	Number of distinct values of first key column
FULLKEY CARDF	FLOAT	Number of distinct values of key
CLUSTER RATIOF	FLOAT	Percentage of rows in clustering order
PADDED	CHAR(1)	Whether keys are padded for varying-length column data Y - Padded N - Not padded
COLNO1	SMALLINT	Column number of first column in index key
ORDERING1	CHAR(1)	Order of the first column in index key: A - Ascending D - Descending
COLNO n	SMALLINT	Column number of n th column in index key
ORDERING n	CHAR(1)	Order of n th column in index key A - Ascending D - Descending

KEYTARGET_COUNT	SMALLINT	Number of key-targets for an extended index
UNIQUE_COUNT	SMALLINT	Number of columns or key-targets that make up unique constraint of an index
IX_EXTENSION_TYPE	CHAR(1)	Type of extended index: S - Index on a scalar expression V - XML index Blank - A simple index
DATAREPEAT_FACTORF	FLOAT	Number of data pages expected to be touched when an index key order is followed
SPARSE	CHAR(1)	Whether the index is sparse: N - No Y - Yes X - Index excludes entries for data rows in which the key column contains the NULL value

DSN_VIRTUAL_KEYTARGETS

Contains information about expression-based indexes and XML indexes.

Column name	Data type	Description
IXNAME	VARCHAR(128)	Name of index
IXSCHEMA	VARCHAR(128)	Qualifier of index
KEYSEQ	SMALLINT	Numeric position of key-target in index
COLNO	SMALLINT	Numeric position of column in table if expression is a single column
ORDERING	CHAR(1)	Order of key: A - Ascending order
TYPESCHEMA	VARCHAR(128)	Schema of data type
TYPENAME	VARCHAR(128)	Name of data type
LENGTH	SMALLINT	Length attribute of key-target
LENGTH2	INTEGER	Maximum length of data retrieved from column 0 - Not a ROWID column. 40 - For a ROWID column, length of value
SCALE	SMALLINT	Scale of decimal data
NULLS	CHAR(1)	Whether key can contain null values: N - No Y - Yes
CCSID	INTEGER	CCSID of the key
SUBTYPE	CHAR(1)	Subtype of data, for character keys only B - Bit data M - Mixed data S - SBCS data Blank - Non-character data.
DERIVE_FROM	VARCHAR	Text of scalar expression to generated key-target value
CARDF	FLOAT	Estimated number of distinct values

Db2 SQL Data Insight Input Tables

SYSAIDB.SYSAIOBJECTS

Contains a row for each Db2 table or view you select for an SQL DI AI object.

Column Name	Data Type	Description
OBJECT_ID	BIGINT	Unique identifier for the AI object
OBJECT_NAME	VARCHAR(32)	User-defined name for the AI object
OBJECT_TYPE	CHAR(1)	Identifies a Db2 table or view: T - Specifies a Db2 table V - Specifies a Db2 view
SCHEMA	VARCHAR(128)	Schema of the AI object
NAME	VARCHAR(128)	Name of the AI object
STATUS	VARCHAR(16)	Status of the AI query enabling process: Enabled - AI object is enabled with AI query and that the row for the AI object model is populated Disabled - AI object is not enabled with AI query and that the row for the AI object model is not populated Training - AI object is being enabled with AI query and that the row for the AI object model is being updated Failed - AI query enabling process for the AI object failed
CONFIGURATION_ID	BIGINT	Identifier for the configuration used for the active model. A null value indicates that there is no active configuration
MODEL_ID	BIGINT	Identifier for the active model. A null value indicates that there is no active model table created yet
CREATED_BY	VARCHAR(32)	SQLID of the user to which the object is registered
CREATED_DATE	VARCHAR(32)	Timestamp when the object was registered
LAST_UPDATED_BY	VARCHAR(32)	SQLID of the user who last updated the object
LAST_UPDATED_DATE	TIMESTAMP	Timestamp when the object was last updated
DESCRIPTION	VARCHAR(256)	A user-specified description of the object

SYSAIDB.SYSAICONFIGURATIONS

Contains a row for each column that you select for a column configuration.

Column Name	Data Type	Description
CONFIGURATION_ID	BIGINT	A unique identifier for this configuration
NAME	VARCHAR(32)	A user-defined name for the configuration
OBJECT_ID	BIGINT	An identifier of the object for which this configuration is created
RETRAIN_INTERVAL	INTEGER	Interval at which retraining occurs
KEEP_ROWIDENTIFIER_KEY	CHAR(1) NOT NULL	Indicator for presence of row identifier key in a model: Y Row identifier key is kept in the model N Row identifier key is not kept in the model
NEGLECT_VALUES	VARCHAR(1024)	Semicolon-separated string of values to be treated as null in model
CREATED_BY	VARCHAR(32)	SQLID of the user to which the object is registered
CREATED_DATE	VARCHAR(32)	Timestamp when the object was registered
LAST_UPDATED_BY	VARCHAR(32)	SQLID of the user who last updated the object

Column Name	Data Type	Description
LAST_UPDATED_DATE	TIMESTAMP	Timestamp when the object was last updated

SYSAIDB.SYSAICOLUMNCONFIG

Contains a row for each column and related attributes within a column configuration.

Column Name	Data Type	Description
CONFIGURATION_ID	BIGINT	A unique identifier for the column configuration
COLUMN_NAME	VARCHAR(128)	Name of the column in the column configuration
COLUMN_AISQL_TYPE	CHAR(1)	A SQL DI data type that you assign to a column in the column configuration: K - Column is assigned the key data type C - Column is assigned the categorical data type N - Column is assigned the numeric data type I - Column is not assigned a data type U - Column is assigned an unsupported data type
COLUMN_PRIORITY	CHAR(1)	(Reserved) Processing priority that you assign to a column in the column configuration: H - High M - Medium L - Low
NEGLECT_VALUES	VARCHAR(1024)	A semicolon-separated string of values to be treated as null in the model

SYSAIDB.SYSAIMODELS

Contains a row for each AI object model and related table and state information.

Column Name	Data Type	Description
MODEL_ID	BIGINT	Unique identifier for the model
NAME	VARCHAR(32)	User-defined name for the model
OBJECT_ID	BIGINT	Identifier of the object for which this configuration is created
CONFIGURATION_ID	BIGINT	Unique identifier for the configuration that is used to create this model
VECTOR_TABLE_CREATOR	VARCHAR(128)	Name of the user who created the vector table
VECTOR_TABLE_NAME	VARCHAR(128)	Name of the vector table
VECTOR_TABLE_STATUS	CHAR(2)	Status of the vector table I Initialized for current process L Table is loading A Table is available for use E Table is in error state
VECTOR_TABLE_DBID	SMALLINT	Internal identifier of the vector table database
VECTOR_TABLE_OBID	SMALLINT	Internal identifier of the vector table database
VECTOR_TABLE_IXDBID	SMALLINT	Internal identifier of the vector table index database
VECTOR_TABLE_IXOBID	SMALLINT	Internal identifier of the vector table index
VECTOR_TABLE_V	SMALLINT	Internal format number of the vector table

Column Name	Data Type	Description
ERSION		
METRICS	CLOB(8K)	A JSON object to store metrics about the model for display in the user interface
INTERPRETABILITY_OCCURENCE_STRUCT	BLOB(2G)	Reserved
CREATED_BY	VARCHAR(32)	SQLID of the user who created thee model
CREATED_DATE	TIMESTAMP	Timestamp when the model was created
LAST_UPDATED_BY	VARCHAR(32)	SQLID of the user who last updated the model
LAST_UPDATED_DATE	TIMESTAMP	Timestamp when the model was last updated
MODEL_ROWID	ROWID	A rowid column to support a LOB table

SYSAIDB.SYSAICOLUMNCENTERS

Contains a row for each column centroid for a trained model.

Column Name	Data Type	Description
MODEL_ID	BIGINT	Unique identifier of the model to which the centroid belongs
COLUMN_NAME	VARCHAR(128)	Name of the column to which the centroid belongs
CLUSTER_MIN	FLOAT	Numeric center of a cluster
LABEL	VARCHAR(5)	Label of the vector corresponding to the cluster
MODEL_ID	BIGINT	Unique identifier of the model to which the centroid belongs
COLUMN_NAME	VARCHAR(128)	Name of the column to which the centroid belongs
CLUSTER_MIN	FLOAT	Numeric center of a cluster
LABEL	VARCHAR(5)	Label of the vector corresponding to the cluster

SYSAIDB.SYSAITRAININGJOBS

Contains a row for each training job that you initiate and job status information.

Column Name	Data Type	Description
TRAINING_JOB_ID	BIGINT	A unique identifier for the model training job
OBJECT_ID	BIGINT	Identifier for the object for which the model is being trained
CONFIGURATION_ID	BIGINT	Identifier for configuration that is used for the model training
MODEL_ID	BIGINT	Identifier for the model that is created as a result of training
STATUS	CHAR(2) NOT NULL	Status of the model training for the object: I Training process is being initialized L Data is being loaded for training job P Data is being processed T Training is started C Training process is completed F Training process failed
PROGRESS	SMALLINT	Percentage of the training process completed
RESOURCE	VARCHAR(512)	JSON object describing resources allocated to training job
MESSAGES	CLOB(8K)	Output of the training job
START_TIME	TIMESTAMP	start time of the training job
END_TIME	TIMESTAMP	End time of the training job
CREATED_BY	VARCHAR(32)	The SQLID of the user who initiated the training job

Column Name	Data Type	Description
CREATED_DATE	TIMESTAMP	Timestamp when the training job started
LAST_UPDATED_ BY	VARCHAR(32)	SQLID of the user who last updated the training job
LAST_UPDATED_ DATE	TIMESTAMP	Timestamp when the training job was last updated
END_TIME	TIMESTAMP	End time of the training job. Null value = not yet completed

DSNZPARMs

Parameter	Description	Acceptable values (defaults in bold)	Online
ABEXP	EXPLAIN processing	YES , NO	Yes
ABIND	Auto BIND	YES , NO	Yes
ACCEL	Acceleration Startup	NO , AUTO, COMMAND	No
ACCELMODEL	Enable modeling	NO , YES	Yes
ACCESS_CNTL_MODULE	Db2 access control routine load module	1-8 Char (install), DSNX@XAC (migration)	No
ACCUMACC	DDF/RRSAF accumulation data	NO , 2–65535	Yes
ACCUMUID	Aggregation fields	0 –10	Yes
ADMTPROC	JCL procedure used to start administrative scheduler	1-8, ssnADMT	No
AEXITLIM	Authorization exit limit	0–32676; 10	Yes
AGCCSID	ASCII coded character set (graphic)	0 –65533	—
ALLOW_UPD_DEL_INS_WITH_UR	Allow Update, Insert or Delete with UR	NO , YES	Yes
ALTERNATE_CP	Alternate copy pool	Blank , name of copy pool	Yes
AMCCSID	ASCII coded character set (mixed)	0 –65533	—
APPENSCH	Application encoding	ASCII, EBCDIC , UNICODE, ccsid	—
APPLCOMPAT	Application compatibility	V10R1, V11R1	Yes
ARCPFX1	Copy 1 prefix	1–34 char	Yes
ARCPFX2	Copy 2 prefix	1–34 char	Yes
ARCRETN	Retention period	0– 9999	Yes
ARCWRTC	WTOR route code	1–16; 1,3,4	Yes
ARCWTOR	Write to operator	NO , YES	Yes
ARC2FRST	Read copy 2 archive	NO , YES	Yes
ASCCSID	ASCII coded character set (single-byte)	0 –65533	—
AUDITST	Audit trace	NO , YES, list, *	No
AUTH	Use protection	YES , NO	No
AUTHCACH	Plan auth cache	0–4096; 1024	Yes
AUTH_COMPATIBILITY	Release Authorization rules	Blank , SELECT_FOR_UNLOAD	Yes
AUTHEXIT_CACHEREFRESH	Authorization cache refresh	ALL, NONE	Yes
AUTHEXIT_CHECK	ID for authorization	PRIMARY , DB2	Yes
BACKODUR	Backout duration	0–255; 5	No
BIF_COMPATIBILITY	Built-in function format	CURRENT , V9_DECIMAL_VARCHAR	Yes
BINDNV	Bind new package	BINDADD , BIND	Yes
BLKSIZE	Block size	8192– 28672	Yes
BMPTOUT	IMS BMP timeout	1–254; 4	Yes
CACHEDYN	Cache dynamic SQL	NO , YES	Yes
CACHEDYN_STABILIZATION	Allow dynamic statement stabilization	BOTH , CAPTURE, LOAD, NONE	Yes

CACHEPAC	Package authorization cache	0–2MB; 5M	No
CACHERAC	Routine authorization cache	0–2 MB; 5M	No
CATALOG	Catalog alias	1–8 char; DSNCAT	Yes
CATDDACL	SMS class for catalog and directory table spaces	Valid SMS class, blank	Yes
CATDMGCL	SMS class for catalog and directory table spaces	Valid SMS class, blank	Yes
CATDSTCL	SMS class for catalog and directory table spaces	Valid SMS class, blank	Yes
CATXDACL	SMS class for catalog and directory indexes	Valid SMS class, blank	Yes
CATXMGCL	SMS class for catalog and directory indexes	Valid SMS class, blank	Yes
CATXSTCL	SMS class for catalog and directory indexes	Valid SMS class, blank	Yes
CDESSRDEF	Current degree	1, ANY	Yes
CHECK_FASTREPLICATION	Type of replication used to copy objects	PREFERRED, REQUIRED	Yes
CHECK_SETCHKP	CHECK DATA and CHECK LOB place inconsistent objects in CHECK PENDING	YES, NO	Yes
CHGDC	DROP support	1, 2, 3	Yes
CHKFREQ	Number of log records created between checkpoints	1000-16000000 (CHKTYPE=LOGRECS), NOTUSED, (CHKTYPE= MINUTES), 5 , 99999999 (CHKTYPE=BOTH)	Yes
CHKLOGR	Number of log records created between checkpoints	1000-16000000 (CHKTYPE=LOGRECS), NOTUSED (CHKTYPE=MINUTES), 99999999 (CHKTYPE=BOTH)	Yes
CHKMINS	Number of minutes between log checkpoints	NOTUSED (CHKTYPE=LOGRECS), 1-60, 5 (CHKTYPE= MINUTES), 1-439 (CHKTYPE=BOTH)	Yes
CHKTYPE	Interval between checkpoints	LOGRECS, MINUTES , BOTH	Yes
CMTSTAT	DDF threads	ACTIVE , INACTIVE	No
COMCRIT	Use multilevel security	NO , YES	Yes
COMPACT	Compact data	NO , YES	Yes
COMPRESS_DIRLOB	Compress Db2 Directory LOB	NO , YES	Yes
COMPRESS_SPT01	Compress SPT01 directory table space	YES , NO	Yes
CONDBAT	Max remote connected	0–25000; 64	Yes
COPY_FASTREPLICATION	Copy Fast Replication	PREFERRED , REQUIRED, NONE	Yes
CTHREAD	Max users	1–2000; 70	Yes
DBACRVW	DBADM can create view for other authid	YES, NO	Yes
DATE	Date format	ISO , USA, EUR, JIS, LOCAL	—
DATELEN	Local date length	0 , 10–254	—
DB2SUPLD	Serviceability parameter	—	—
DDF	DDF startup option	NO , AUTO, COMMAND	No
DDF_COMPATIBILITY	DDF connection characteristics	Blank , DISABLE_IMPACT_JV, IDNTFY_V12_PRIOR_VER,	Yes

		IGNORE_TZ, SP_PARMS_NJV	
DDL_MATERIALIZATION	When Db2 materlization occurs	1 (immediate) , 2 (pending)	Yes
DDLTOX	DDL timeout	1-254	Yes
DEALLCT	Deallocate period	0 –1439 min, 0 –59 sec, NOLIMIT	Yes
DECARTH	Decimal arithmetic	DEC15, DEC31, 15, 31	—
DECDIV3	Minimum divide scale	NO , YES	No
DECIMAL	Decimal point	, .	—
DEF_DECFLOAT_ROUND_MODE	Decfloat rounding mode	ROUND_CEILING, ROUND_DOWN, ROUND_FLOOR, ROUND_HALF_DOWN, ROUND_HALF_EVEN , ROUND_HALF_UP, ROUND_HALF_EVEN	—
DEFAULT_INSERT_ALGORITHM	Default insert algorithm	1 (basic), 2 (fast)	Yes
DEFLANG	Language default	ASM, C, CPP, COBOL, COB2, IBMCOB , FORTRAN, PL1	—
DEFLTID	Unknown authid	IBMUSER , authid	No
DELIM	String delimiter	DEFAULT , “, ’	—
DEL_CFSTRUCTS_ON_RESTART	Delete coupling facility structures on restart	NO , YES	No
DESCSTAT	Describe for static	NO , YES	Yes
DISABLE_EDMRTS	Disable EDM RTS	NO , YES	Yes
DISALLOW_SEL_INTO_UNION	Disallow Select into Union	YES , NO	Yes
DISALLOW_SSARAUTH	User address spaces blocked from Db2 address space as secondary	NO , YES	Yes
DLDFREQ	Level ID update frequency	0–32767; ON	Yes
DLITOUT	DL/I batch timeout	1–254; 6	Yes
DPSEGSZ	Default Partition Segsize	0,4,12,...64(multiples of4), 32	Yes
DSHARE	Data sharing	Yes , No, blank	No
DSMAX	Data set maximum	1–32767; 20000	Yes
DSQDELIM	Dist SQL string delimiter	‘, ”	—
DSSTIME	Data set stats time	1–1440; 5	Yes
DSCVI	Vary DS control interval	YES , NO	Yes
DYNRULS	Use for dynamic rules	YES , NO	—
EDM_SKELETON_POOL	Minimum size of EDM skeleton pool in KB	5120-2097152, 10240K	Yes
EDMDBDC	DBD cache	5000K –2097152K	Yes
EDMSTMTC	Statement cache size	0–1048576K; 113386K	Yes
EDPROP	DROP support	1 , 2, 3	Yes
EN_PJSJ	Enable index ANDing	ON, OFF	Yes
ENCRYPTION_KEYLABEL	ICSF key lable for DFSMS for encryption	Blank , 1-64 bytes	Yes
ENSHEME	Default encoding scheme	EBCDIC , ASCII	—
EVALUNC	Predicate evaluation with UR and RS	YES, NO	Yes
EXTRAREQ	Extra blocks requestor	0– 100	Yes
EXTRASRV	Extra blocks server	0– 100	Yes

EXTSEC	Extended security	NO, YES	Yes
FCCOPYDDN	Default for FCCOPYDDN of FLASHCOPY clause for utilities	Valid Db2 utilities template, HLQ.&DB.&SN.N&DS.D&JU.T&TL	Yes
FLASHCOPY	Default setting for FLASHCOPY for utilities	NO, YES, CONSISTENT	Yes
FLASHCOPY_COPY	FLASHCOPY clause default for COPY utility	NO, YES	Yes
FLASHCOPY_LOAD	FLASHCOPY clause default for LOAD utility	NO, YES	Yes
FLASHCOPY_PPRC	FLASHCOPY behavior with PPRC	NO, YES	Yes
FLASHCOPY_REBUILD_INDEX	FLASHCOPY default for REBUILD INDEX utility	NO, YES	Yes
FLASHCOPY_REORG_INDEX	FLASHCOPY default for REORG INDEX utility	NO, YES	Yes
FLASHCOPY_REORG_TS	FLASHCOPY default for REORG TABLESPACE utility	NO, YES	Yes
FLASHCOPY_XRPC	Flashcopy XRPC	YES, NO	Yes
FTB_NON_UNIQUE_INDEX	FTB used for non-unique indexes	YES, NO	Yes
GCCSID	EBCDIC coded character set	0–65533	—
GET_ACCEL_ARCHIVE	Get Accel Archive	NO, YES	Yes
GRPNAME	Group name	1–8 char; DSNCAT	No
HONOR_KEEPPDICTIONARY	Honor KEEPPDICTIONARY on LOAD or REORG	YES, NO	Yes
IDAUTH_MODULE	Db2 connect auth exit	1–8 char; DSN3@ATH	No
IDBACK	Max batch connect	1–2000; 40	Yes
IDFORE	Max TSO connect	1–2000; 40	Yes
IDTHTOIN	Idle thread timeout	0–9999	Yes
IDXBPOOL	Default BP for user indexes	BP0–BPx	Yes
IGNSORTN	Ignore SORTNUM in utilities	YES, NO	Yes
IMMEDWRI	Immediate write	NO, YES, PH1	Yes
IMPDSDEF	Define datasets	YES, NO	Yes
IMPDSIZE	Max DSSIZE for implicit	1,2,4,8,16,32,64	Yes
IMPLICIT_TIMEZONE	Default for time zone	CURRENT, SESSION, 12:59 to +14:00	–
IMPTKMOD	Trackmod for implicit	YES, NO	Yes
IMPTSCMP	Use data compression	YES, NO	Yes
INDEX_CLEANUP_THREADS	Index Cleanup Threads	0-128, 10	Yes
INDEX_MEMORY_CONTROL	Index memory control	AUTO, DISABLE, 10-200000	Yes
INDEX_IO_PARALLELISM	I/O parallelism enable for index insertion I/O	YES, NO	Yes
INLISTP	IN list elements	1–5000; 50	Yes
IRLMAUT	Auto start	YES, NO	No
IRLMPROC	Proc name	IRLMPROC , IRLM procedure name	No
IRLMRWT	Resource timeout	1–3600; 30	Yes
IRLMSID	Subsystem name	IRLM , IRLM name	No
IRLMSWT	Time to autostart	1–3600; 120	Yes

IX_TB_PART_CONV_EXCLUDE	Exclude trailing columns	NO , YES	Yes
IXQTY	Indexspace default size	0 –4194304	Yes
LBACKOUT	Postpone backward log processing	AUTO , YES, NO	No
LC_CTYPE	Locale LC_CTYPE	Valid locale, 0–50 char	—
LIKE_BLANK_INSIGNIFICANT	Blank signficance in LIKE	NO , YES	Yes
LOAD_DEL_IMPLICIT_SCALE	Load format delimited implicit decimal scale	NO , YES	Yes
LOAD_RO_OBJECTS	Load utility disallowed for read-only objects	NO , YES	
LOB_INLINE_LENGTH	Default length for inline LOBs	0 –32680	Yes
LRDRTHLD	Long-running reader threshold	0–1439 minutes, 10	Yes
MAINTYPE	Current maintenance types for MQTs	NONE, SYSTEM , USER, ALL	Yes
MATERIALIZED_NODET_SQLTUDF	Materialize non deterministic table func	NO , YES	Yes
MAXSORT_IN_MEMORY	Max in-memory sort size	1000 to value of SRTPOOL	Yes
MAX_CONCURRENT_PKG_OPS	Max automatic bind requests processed simultaneously	10	Yes
MAXARCH	Recording max	10– 1000	No
MAXCONQN	Max queued connections	OFF , ON, 1–19999	Yes
MAXCONQW	Max queued wait time	OFF , ON, 5–3600	Yes
MAXDBAT	Max remote active	0–1999; 64	Yes
MAX_NUM_CUR	Max open cursors	0–99999; 500	Yes
MAX_ST_PROC	Max number of stored procedures	0–99999; 2000	Yes
MAXKEEPD	Max kept dynamic statements	0–65535; 5000	Yes
MAXOFILR	Max number of data sets concurrently open for LOB file references	0 to value of MAX USERS, 100	Yes
MAXRBLK	RID pool size	0, 16K–1000000K; 400MB	Yes
MAXRTU	Read tape units	1–99; 2	Yes
MAXTEMPS	Max temp/stage agent	0 –214748364	Yes
MAXTEMPS_RID	Max temp storage in work files for RIDs	NONE , NOLIMIT, or 1 to 329166	Yes
MAXTYPE1	Max type 1 inactive	0 –MAX REMOTE CON value	Yes
MAX_UDF	Max number of external UDFs run in a thread	0–99999 2000	Yes
MCCSID	EBCDIC coded character set	0 –65533	—
MEMBNAME	Member name	1–8 char; DSN1	No
MFA_AUTHCACHE_UNUSED_TIME	MFA Auth unused time	0 , 120–7200	Yes
MINDVSCL	Min scale for decimal division	NONE , 3, 6	Yes
MGEXTSZ	Optimize extent sizing	YES, NO	Yes
MINSTOR	Thread management	YES, NO	Yes
MIXED	Mixed data	NO , YES	—

MON	Monitor trace	NO, YES	No
MXDTCACH	Max size of memory for data caching	0-512, 20	Yes
MONSIZE	Monitor size	256K- 1MB	No
MOVE_TO_ARCHIVE_DEFAULT	Default for MOVE_TO_ARCHIVE global variable	N, E, Y	Yes
MXAIDTCACH	Memory allocation for AI queries	0-512	Yes
NPGTHRSH	Use of index after table growth	0, -1, n	Yes
NUMLKTS	Locks per table space	0-50000; 2000	Yes
NUMLKUS	Locks per user	0-100000; 10000	Yes
OBJECT_CREATE_FORMAT	Objects created with basic or extended log	BASIC(migration), EXTENDED(install)	Yes
OPT1ROWBLOCKSORT	Block sort operations for OPT FOR 1 ROW	ENABLE, DISABLE	Yes
OPTHINTS	Optimization hints	NO, YES	Yes
OTC_LICENSE	Accept terms of one-time change license	YES, none	No
OUTBUFF	Output buffer	40K-400MB; 400K	No
PADIX	Pad index by default	YES, NO	Yes
PADNTSTR	Pad null-terminated strings	YES, NO	Yes
PAGESET_PAGENUM	Page set page numbering	ABSOLUTE, RELATIVE	Yes
PARA_EFF	Parallelism efficiency	0-100, 50	Yes
PARAMDEG	Degree of parallelism	0 -no upper limit	Yes
PARAMDEG_DPSI	Deg of parallelism for DPSI	0-254, DISABLE	Yes
PARAMDEG_UTIL	Deg of parallelism for utilities	0-32767	Yes
PCLOSEN	RO switch checkpoints	1-32767; 5	Yes
PCTFREE_UPD	Percent free for update	AUTO, 0-99	Yes
PCLOSET	RO switch time	1-32767; 10	Yes
PEER_RECOVERY	Peer recovery	NONE, RECOVER, ASSIST, BOTH	Yes
PKGREL_COMMIT	Package Release Commit	YES, NO	Yes
PLANMGMT	Default plan management	OFF, ON, BASIC, EXTENDED	Yes
PLANMGMT_SCOPE	Default plan management scope	ALL, STATIC, DYNAMIC	Yes
POOLINAC	Pool thread timeout	0-9999; 120	Yes
PRIQTY	Primary quantity	Blank, 1-9999999	Yes
PREVENT_ALTERTB_LIMITKEY	Prevent Alter Limitkey	NO, YES	Yes
PREVENT_NEW_IXCTRL_PART	Prevent Index Part Create	NO, YES	Yes
PRIVATE_PROTOCOL	Execute authorization behavior from remote	NO, AUTH	Yes
PROFILE_AUTOSTART	Profile autostart	NO, YES	No
PROTECT	Archive logs RACF protected	NO, YES	Yes
PTASKROL	Include accounting traces for parallel tasks	YES, NO	Yes
QUERY_ACCEL_	Acceleration Options	NONE, YES	Yes

OPTIONS			
QUERY_ ACCELERATION	Default for CURRENT QUERY ACCELERATION special register	NONE, ENABLE, ENABLE_WITHFAILBACK	Yes
QUERY_ACCEL_ WAITFORDATA	Wait for data	0.0, 36000.0	Yes
QUIESCE	Quiesce period	0-999; 5	Yes
RANDOMATT	Db2 member can be used for randomized group attach	YES, NO	Yes
REALSTORAGE_ MANAGEMENT	Whether Db2 manages real storage	ON, OFF, AUTO	Yes
REALSTORAGE_ MAX	Maximum GB or real and auxiliary storage Db2 can consume	NOLIMIT, 1-65535	Yes
REC_FAST REPLICATION	Use FLASHCOPY w/recover	NONE, PREFERRED, REQUIRED	Yes
RECALL	Recall database	YES, NO	No
RECALLD	Recall delay	0-32767; 120	Yes
REFSHAGE	Current refresh age	0, ANY	Yes
REMOTE_COPY_ SW_ACCEL	Remote copy sw accel	DISABLE, ENABLE	Yes
RENAMETABLE	Rename table	DISALLOW_DEP_VIEW_SQLTUDF, ALLOW_DEP_VIEW_SQLTUDF	Yes
REORG_DROP_ PBG_PARTS	Remove trailing empty partitions during REORG	DISABLE, ENABLE	Yes
REORG_IC_LIMIT_ DASD	Reorg IC Limit DASD	0, 32767	Yes
REORG_IC_LIMIT_ TAPE	Reorg IC Limit Tape	0, 32767	Yes
REORG_INDEX_NO NOSYSUT1	Reorg Index NOSYSUT1	FL500 YES	No
REORG_LIST_ PROCESSING	Default for PARALLEL option on REORG	PARALLEL, SERIAL	Yes
REORG_MAPPING_ DATABASE	Default database for mapping table	Blank, 8 byte character string	Yes
REORG_PART_ SORT_NPSI	Default for sorting nonpartitioned index during REORG	AUTO, NO, YES	Yes
REORG_TS_ NOPAD_DEFAULT	Default for NOPAD of UNLOAD EXTERNAL	YES, NO	Yes
RESTART	Restart or defer	RESTART, DEFER	—
RESTORE_ RECOVER_ FROMDUMP	Recovery/restore	YES, NO	Yes
RESTORE_ TAPEUNITS	Maximum tape units	NOLIMIT, 1-255	Yes
RESTRICT_ALT_ COL_FOR_DCC	Restrictions during ALTER TABLE ALTER COLUMN - DATA CAPTURE CHANGES	NO, YES	Yes
RESYNC	Resync interval	1-99; 2	Yes
RETLWAIT	Retained lock timeout	0-254	Yes
RETRY_STOPPED_ OBJECT	Retry stopped object	NO, YES	Ni

REVOKE_DEP_PRIVILEGES	Revoked privileges are also revoked from dependents	NO, YES, SQLSTMT	Yes
RGFCOLID	Registration owner	1–8 char; DSNRGCOL	No
RGFDBNAM	Registration database	1–8 char; DSNRGFDB	No
RGFDEDDL	Control all applications	NO, YES	No
RGFDEFLT	Unregistered DDL default	APPL, ACCEPT , REJECT	No
RGFESCP	ART/ORT escape character	Non-alphanumeric char	No
RGFFULLQ	Require full names	YES, NO	No
RGFINSTL	Install DD control support	NO, YES	No
RGFNMORT	OBJT registration table	1–17 char; DSN_REGISTER_OBJT	No
RGFNMPRT	APPL registration table	1–17 char; DSN_REGISTER_APPL	No
RLF	RLF auto start	NO, YES	No
RLFENABLE	RLF scope	DYNAMIC , STATIC, ALL	No
RLFAUTH	Resource authid	SYSIBM , authid	Yes
RLFERR	RLST access error	NOLIMIT , NORUN, 1–500000	Yes
RLFERRD	Remote dynamic SQL	NOLIMIT , NORUN, 1–50000000	Yes
RLFERRSTC	Static SQL	NOLIMIT , NORUN, 1–50000000	Yes
RLFERRDSTC	Remote static SQL	NOLIMIT , NORUN, 1–50000000	Yes
RLFTBL	RLST name suffix	01 , 2 alphanumeric char	Yes
ROUTCDE	WTO route codes	1, 1–14 route codes	No
RRULOCK	U lock for RR/RS	NO, YES	Yes
SCCSID	EBCDIC coded character set	0-65533	—
SECADM1	Security administrator	SECADM , AUTHID 1-8 characters	Yes
SECADM1_TYPE	Type of security administrator	AUTHID , ROLE	Yes
SECADM1_INPUT_STYLE	Setting passed as hex string or character	CHAR , HEX	Yes
SECADM2	Second security administrator	SECADM , AUTHID 1-8 characters	Yes
SECADM2_INPUT_STYLE	Setting passed as hex string or character	CHAR , HEX	Yes
SECADM2_TYPE	Type of security administer	AUTHID , ROLE	Yes
SECQTY	Secondary quantity	Blank (clist calculated) , 1–9999999	Yes
SEPARATE_SECURITY	Separate Db2 and system security administration	NO, YES	Yes
SIGNON_MODULE			No
SIMULATED_CPU_COUNT	Number of CPUs being simulated	OFF , 1-255	Yes
SIMULATED_CPU_SPEED	Microseconds of execution time for CPU being simulated	OFF , 1-2147483647	Yes
SITETYP	Site type	LOCALSITE , RECOVERYSITE	No
SJTABLES	# of tables in star join	1–255; 10	Yes
SKIPUNCI	Skip uncommitted inserts	YES, NO	Yes
SMF89	Measured usage pricing	YES, NO	Yes
SMFACCT	SMF accounting	NO, YES(1) , list (1–5,7,8), *	No
SMFCOMP	Compression SMF	OFF , ON	Yes
SMFSTAT	SMF statistics	YES (1,3,4) , NO, list(1–5), *	No
SPREG_LOCK_TIMEOUT_MAX	Lock timeout max	-1 , 32767	Yes
SPT01_INLINE_LENGTH	Max inline length of LOB in SPT01	NOINLINE , 1-32138	Yes
SQLDELI	SQL string delimiter	Default , ' , "	—
SQLLVEL	Precompiler SQL level	V10R1, V11R1, function-level	Yes
SRTPOOL	Sort pool size	240K–64000K; 10000K	Yes

SSID	Subsystem name	DSN, SSID	—
STARJOIN	Enabling star join	Disable , enable, 1, 2–32768	Yes
STATFDBK_PROFILE	Statistics profile feedback	YES , NO	Yes
STATFDBK_SCOPE	Statistics feedback	ALL , DYNAMIC, NONE, STATIC	Yes
STATHIST	Collect historical statistics	SPACE, NONE , ALL, ACCESSPATH	Yes
STATSINT	Time to write RTS stats	1–1440 min; 30	Yes
STATROLL	Runstats aggregates partition-level statistics	YES , NO	Yes
STATIME	Statistics time interval	1–60 min; 1	Yes
STATIME_MAIN	Statistics time for stats not collected by STATIME	5-60 sec, 10	Yes
STDSQL	Standard SQL language	NO , YES	—
STORMXAB	Max abend count	0 –225	Yes
STORTIME	Timeout value	5–1800 sec; 180	Yes
SUBSTR_COMPATIBILITY	SUBSTR compatibility	PREVIOUS , CURRENT	Yes
SUBQ_MIDX	Multiple index access	ENABLE , DISABLE	Yes
SUPERRS	Suppress logrec recording during soft errors	YES , NO	Yes
SUPPRESS_HINT_SQLCODE_DYN	Suppress SQLCODE for hints	NO , STMT, ALL	Yes
SVOLARC	Single volume	YES, NO	Yes
SYNCVAL	Statistics sync	NO , 0–59	Yes
SYSADM	System admin 1	SYSADM , authid	Yes
SYSADM2	System admin 2	SYSADM , authid	Yes
SYSOPR1	System operator 1	SYSOPR , authid	Yes
SYSOPR2	System operator 2	SYSOPR ; authid	Yes
SYSTEM_LEVEL_BACKUPS	System-level backups	YES , NO	Yes
TABLE_COL_NAME_EXPANSION	If column names > 30 bytes	ON, OFF	Yes
TBSBP8K	Default 8K BP for user data	Any 8K buffer pool; BP8K0	Yes
TBSBP16K	Default 16K BP for user data	Any 16K buffer pool; BP16K0	Yes
TBSBPLOB	Default BP for LOBs	Any 4Kb, 8KB, 16KB or 32KB, BP0	Yes
TBSBP32K	Default 32K BP for user data	Any 32K buffer pool; BP32K0	Yes
TBSBPOOL	Default BP for user data	BP0 –BPx	Yes
TBSBPXML	Default BP for XML	Any 16K bufferpool, BP16K	Yes
TCPALVER	TCP/IP already verified	NO , YES	Yes
TCPKPALV	TCP/IP keep alive	ENABLE , DISABLE, 1–65524	Yes
TEMPLATE_TIME	Template time	UTC , LOCAL	Yes
TIME	Time format	ISO , JIS, USA, EUR, LOCAL	—
TIMELN	Local time length	0, 8–254	—
TRACSTR	Trace auto start	NO , YES (1–3), list (1–9)	No
TRACTBL	Trace size	4K–396K; 64K	No
TRKRSITE	Tracker site usage	NO , YES	No
TS_COMPRESSION_TYPE	Table space compression type	FIXED_LENGTH , HUFFMAN	Yes
TSQTY	Default allocation for table space	0 –4194304	Yes
TSTAMP	Timestamp archives	NO , YES	Yes
TWOACTV	Number of active copies	2 , 1	No

TWOARCH	Number of archive copies	2, 1	No
TWOBSDS	Number of BSDSs	YES, NO	No
UGCCSID	Unicode CCSID (graphic)	1208	—
UIFCIDS	Unicode IFCIDS	YES, NO	Yes
UMCCSID	Unicode CCSID (Mixed)	1208	—
UNION_ COLNAME_7	V7 behavior for union	YES, NO	Yes
UNIT	Device type 1	TAPE , any device	Yes
UNIT2	Device type 2	Device or unit name	Yes
URCHKTH	UR check frequency	0–255, 5	Yes
URLGWTH	UR log write check	0K–1000K	Yes
USCCSID	Unicode CCSID (single-byte)	1208	—
UTIL_DBBSG	DB backup stg grp	Blank , <i>SMS-stogroup-name</i>	Yes
UTIL_LGBSG	Log backup stg grp	Blank , <i>SMS-stogroup-name</i>	Yes
UTIL_HSM_ MSGDS_HLQ	HSM message DS HLQ	Blank , <i>data-set-qualifier</i>	Yes
UTIL_TEMP_ STORCLAS	Storage class name for shadow data sets	Blank , valid SMS management class name	Yes
UTILS_HSM_ MSGDS_HLQ	HSM message DB HLQ	1-6 characters, blank	Yes
UTILS_BLOCK_FOR_ _CDC	Utility block for CDC	NO , YES	Yes
UTILS_DUMP_ CLASS_NAME	Dump class name	Blank , valid DFSMS dump class name	Yes
UTILS_USE_ZSORT	Utility use of ZSORT	NO , YES	Yes
UTILITY_HISTORY	Utility history collected	NONE , UTILITY	Yes
UTILITY_OBJECT_ CONVERSION	Utility object conversion	BASIC, EXTENDED, NOBASIC, NONE	Yes
UTIMOUT	Utility timeout	1–254; 6	Yes
UTSORTAL	RTS used to determine sort work data set sizes	YES , NO	Yes
VOLTDEVT	Temporary unit name	SYSDA , valid name	Yes
Wfdbsep	Declared temporary tables will use work files with non-zero SECQTY	YES, NO	No
WFSTGUSE_ AGENT_ THRESHOLD	Agent level threshold in work file database	0-100	Yes
WFSTGUSE_SYST EM_THRESHOLD	System level threshold in work file database	0-100	Yes
WLMENV	WLM environment	Valid name (1–18 char)	Yes
XLKUPDT	X lock for searched U/D	YES, NO	Yes
XML_RANDOMIZE_ DOCID	Generate XML DOCID values randomly	NO , YES	Yes
XMLVALA	Upper limit for storage for per user for XML values	1-2097152, 204,800	Yes
XMLVALS	Upper limit for system storage for XML values	1-51200, 10240	Yes
ZOSMETRICS	Enables Db2 to gather z/OS metrics	YES, NO	Yes
ZHYPERLINK	Db2 zHyperLink scope	DISABLE , ENABLE, DATABASE, ACTIVELOG	Yes

Bind Parameters

Option	Valid values	P l a n	P c k g	T r g r	Q r y	S v c
ACQUIRE	USE , ALLOCATE	X				
<i>Whether to acquire resources specified in the DBRM at first access or allocation</i>						
ACTION	REPLACE , ADD	X B O	X B O			
	REPLACE(RPLVER)		X B O			
	REPLACE(RETAIN)	X B O				
<i>Whether object (plan or package) replaces an existing object with same name or is new</i>						
ACOMPARE	NO , NONE , WARN, ERROR	X	X	X		
<i>Determines whether new access paths are different from the older access paths</i>						
ACCELERATOR	(accelerator-name)		X			X
<i>Sets the preferred target accelerator server or servers for accelerated static SQL queries</i>						
ACCELERATORWAITFORDATA	nnnn.m		X			X
<i>Specifies the maximum amount of time, if any, that an accelerator will delay a static SQL query</i>						
APPLCOMPAT	V10R1, V11R1		X	X		
<i>Specifies the package compatibility level behavior for statis SQL.</i>						
APRETAINDUP	YES , NO		R O	X		
<i>Whether or not Db2 retains an old package copy when access paths of the old copy are identical to the incoming copy. Applies to PLANMGMT(BASIC) or PLANMGMT(EXTENDED).</i>						
APREUSE	NO , NONE , ERROR, WARN		X	X		
<i>Specifies whether Db2 tries to reuse previous access paths for SQL statements in a package</i>						
APREUSESOURCE	CURRENT , PREVIOUS, ORIGNAL		R O	X		
<i>Specifies whether Db2 tries to reuse previous access paths for SQL statements in a package</i>						
ARCHIVESENSITIVE	YES , NO		X	X		
<i>Whether references to archive-enabled tables are effected by SYSIBMADM.GET_ARCHIVE</i>						
BUSTIMESENSITIVE	YES , NO		X	X		
<i>Whether references to application-period temporal tables are affected by CURRENT TEMPORAL BUSINESS_TIME special register</i>						
CACHESIZE	Value of PLAN AUTH CACHE ; decimal	X				
<i>Size (in bytes) of the authorization cache acquired in the EDM pool for the plan</i>						
COPY	Collection-id, package-id, COPYVER		X B O			
<i>Determines that you are copying an existing package and names the package</i>						
COLLID	(collection-id), (*)	X				
<i>Specifies that any DBRMs in the plan are to be bound to packages.</i>						

Option	Valid values	P l a n	P c k g r	T r g r	Q r y	S v c
CONCENTRATEMTM	NO, YES		X			
<i>Whether to enforce statement concentration at the package level</i>						
CONCURRENTACCESSRESOLUTION	WAITFOROUTCOME, USECURRENTLYCOMMITTED <i>Default depends on SKIPUNCI setting</i>	X	X	X		
<i>Determines which concurrent access resolution option to use for statements in a package.</i>						
CURRENTDATA	YES, NO	X	X	X		
<i>Whether to require data currency for RO and ambiguous cursors when isolation level is CS</i>						
CURRENTSERVER	Location-name	X				
<i>Determines the location to connect to before running the plan</i>						
DBPROTOCOL	DRDA, DRDACBF (package only)	X	X			
<i>Protocol to use when connecting to a remote site that is identified by a three-part name</i>						
DATE	EUR, ISO, JIS, LOCAL, USA					X
<i>Specifies the format of date output that Db2 returns.</i>						
DEC	15, 31					X
<i>Specifies the maximum precision to be used in decimal arithmetic operations</i>						
DECDEL	Comma, Period					X
<i>Designates whether a period (.) or a comma (,) is used as the decimal point indicator in decimal and floating point literals.</i>						
DESCSTAT	NO, YES		X	X		
<i>Whether Db2 builds a DESCRIBE SQL descriptor when binding statis SQL statements</i>						
DEFER	DEFER(PREPARE), NODEFER (PREPARE), DEFER(INHERITFROMPLAN)	X	X			
<i>Whether to defer preparation of dynamic SQL statements that refer to remote objects or to prepare them immediately. DEFER(PREPARE) is assumed for REOPT(AUTO, ALWAYS and ONCE)</i>						
DEGREE	1, ANY	X	X			
<i>Whether to attempt to run a query using parallel processing to maximize performance</i>						
DEPLOY (deprecated)	(collection-id.package-id), COPYVER(version-id)		X			
<i>Deploys a native SQL procedure</i>						
DESCRIPTION	Description-string					X
<i>Describes the Db2 REST service to be bound</i>						
DISCONNECT	EXPLICIT, AUTOMATIC, CONDITIONAL	X				
<i>Determines which remote connections to destroy during commit operations</i>						
DYNAMICRULES	RUN, BIND, DEFINE BIND(PKG ONLY), DEFINERUN (PKG ONLY), INVOKEBIND(PKG ONLY), INVOKERUN(PKG ONLY) DEFINEBIND, DEFINERUN, INVOKEBIND, INVOKERUN	X	X			
<i>Determines which values apply at runtime for dynamic SQL attributes</i>						
ENABLE/ DISABLE	BATCH, CICS, DB2CALL, DLIBATCH, IMS, IMSBMP, IMSMPP, RRSF, *	X	X			

Option	Valid values	P l a n	P c k g r	T r g r	Q r y	S v c
	REMOTE		X			
<i>Determines which connections can use the plan or package</i>						
ENCODING	ASCII, EBCDIC, UNICODE, <i>ccsid</i>	X	X			
<i>Application encoding for all static statements in the plan or package (defaults to installed selection)</i>						
EXPLAIN	NO , YES, ONLY	X	X	X		
<i>Whether to populate the PLAN_TABLE with information about the SQL statements</i>						
EXTENDEDINDICATOR	NO , YES		X			
<i>Determines if Db2 recognizes extended indicator variables when associated package is run</i>						
FILTER	'filter-name'				F Q	
<i>Allows you delete a set of queries in the SYSIBM.SYSQUERY table under a {tag} value specified by the SYSQUERY.USERFILTER column. Also works with FREE QUERY</i>						
FLAG	I , W, E, C	X	X	X		
<i>Determines what messages to display</i>						
GENERIC	'string'	X	X			
<i>Specifies one or more bind options that are supported by the target server, but are not supported by Db2 for z/OS as options for BIND PACKAGE or REBIND PACKAGE.</i>						
GETACCELARCHIVE	NO , YES	X	X			
<i>Whether a static SQL query bound for acceleration retrieves archived data</i>						
IMMEDIATE	NO , YES, INHERITFROMPLAN	X	X			
<i>Whether immediate writes will be done for updates made to GBP-dependent page sets/partitions</i>						
ISOLATION	RR , RS, CS, UR, NC	X	X	X		
<i>Determines how far to isolate an application from the effects of other running applications</i>						
KEEPDYNAMIC	NO , YES	X	X			
<i>Determines whether Db2 keeps dynamic SQL statements after commit points</i>						
LIBRARY	<i>dbrm-pds-name</i>		X B O			
<i>Determines which partitioned data set to search for DBRMs listed in the member option</i>						
LOOKUP	NO , YES				B Q	
<i>Determines whether a query has matching access plan hint information in the SYSQUERYPLAN table.</i>						
MEMBER	<i>dbrm-member-name</i>		X B O			
<i>Determines what DBRMs to include in the package</i>						
NAME	<i>Service-name</i>					X
<i>Specifies the name of the Db2 REST service to be bound or freed</i>						
OPTHINT	<i>Hint-id</i>	X	X			
<i>Controls whether query optimization hints are used for static SQL</i>						
OPTIONS	COMPOSITE , COMMAND		X B C			
<i>Specifies which bind options to use for the new package</i>						
OWNER	<i>Authorization-id</i>	X	X			
<i>Determines the authorization ID or the owner of the object (plan or package)</i>						
PACKAGE	<i>Location-name.collection-</i>		X			

Option	Valid values	P l a n	P c k g	T r g	Q r y	S v c
	<i>id.package-id (version-id)</i>					
	(*) – Rebind Only		X R O			
<i>Determines which package or packages to bind or rebind</i>						
PATH	Schema-name, USER, (schema-name, (USER)...)	X	X			
<i>SQL path that Db2 uses to resolve unqualified UDTs, functions, and stored procedure names</i>						
PATHDEFAULT	Mutually exclusive with PATH	X	X			
<i>Resets PATH for package or plan to “SYSIBM”, “SYSFUN”, “SYSPROC”, or plan/package qualifier</i>						
PKLIST or NOPKLIST	(Location-name.collection-id.package-id...), PKLIST only	X				
<i>Determines which package to include for the package list in the plan</i>						
PLAN	Plan-name	X				
	(*)	X R O				
<i>Determines which plan or plans to bind or rebind</i>						
PROGAUTH	DISABLE , ENABLE	X				
<i>Whether Db2 performs authorization checking to determine whether Db2 can execute a plan.</i>						
PLANMGMT	OFF , BASIC , EXTENDED		X	X		
<i>Retains, during a rebind operation, all relevant package information (metadata, query text, dependencies, authorizations, access paths, and so on) in catalog tables and in the directory.</i>						
QUALIFIER	Qualifier-name	X	X			
<i>Determines the implicit qualifier for unqualified names of objects in the plan or package</i>						
QUERYACCELERATION	NONE , ENABLE , ALL , ENABLEWITHFALLBACK , ELIGIBLE	X	X			
<i>Whether a static SQL query is bound for acceleration</i>						
QUERYID	‘number’ , ALL					F Q
<i>Frees entries from SYSIBM.SYSQUERY with same value (or ALL), and corresponding entries in SYSIBM.SYSQUERYPLAN table or SYSIBM.SYSQUERYOPTS table.</i>						
RECORDTEMPORALHISTORY	YES , NO		X			
<i>Whether changes to data in a system-period temporal table that are made by static or dynamic SQL statements cause changes to corresponding history table of the system-period temporal table.</i>						
RELEASE	COMMIT , DEALLOCATE , INHERITFROMPLAN	X	X	X		
<i>Determines when to release resources that the program uses, either at commit or at termination</i>						
REOPT	ONCE , ALWAYS , AUTO , NONE	X	X			
<i>If access path is determined at runtime (host variables, parameter markers, special registers)</i>						
RESTSERVICEDEFAULT	YES		X			
<i>Whether the specified REST service package version identified by the PACKAGE option will be modified to be the default</i>						
ROUNDING	CEILING , DOWN , FLOOR , HALFDOWN , HALFEVEN , HALFU , P , UP	X	X			
<i>Specifies the rounding mode at bind time</i>						

Option	Valid values	P l a n	P c k g	T r g r	Q r y	S v c
SQLDDNAME	<i>ddname</i>					X
<i>Specifies the name of a JCL DD statement</i>						
SQLENCODING	EBCDIC , ASCII, UNICODE, <i>ccsid</i>					X
<i>Specifies the encoding of the SQL statement coded in different system</i>						
SQLERROR	NOPACKAGE , CONTINUE,CHECK		X			
<i>Whether to create a package if the package contains an SQL error</i>						
SQLRULES	DB2 , STD	X				
<i>Whether a Type 2 connection can be made according to Db2 rules for an existing connection</i>						
STRDEL	APOSTROPHE, QUOTE					X
<i>Whether an apostrophe (') or double quotation(") is used as the string delimiter within SQL statements</i>						
SWITCH	PREVIOUS, ORIGINAL		X	X		
<i>Restores all previous or original package information in the catalog tables and directory to that of the specified package copy</i>						
SYSTIMESENSITIVE	YES,NO		X	X		
<i>Whether references to system-period temporal tables are affected by value of CURRENT TEMPORAL TEMPORAL SYSTEM_TIME.</i>						
TIME	EUR, ISO, JIS, LOCAL, USA					X
<i>Specifies the format of time output that Db2 returns</i>						
VALIDATE		X	X			
<i>Whether to recheck at runtime "not found" and "not authorized" errors found at bind time</i>						
VERSION	<i>version-id</i>					X
<i>Defines the version identifier of the Db2 REST service</i>						

BO = BIND only, BC = BIND COPY, RO = REBIND only, FQ=FREE QUERY, BQ = BIND QUERY

BOLD/UNDERSCORE = default

Db2 Limits

Identifier Length Limits

Item	Limit
External-java-routine-name	1305 bytes
Name of an alias, auxiliary table, collection, clone table, constraint, correlation, cursor (except for DECLARE CURSOR WITH RETURN or the EXEC SQL utility), distinct type (both parts of two-part name), function (both parts of two-part name), host identifier, index, JARs, parameter, procedure, role, schema, sequence, specific, statement, storage group, savepoint, SQL condition, SQL label, SQL parameter, SQL variable, synonym, table, trigger, view, XML attribute name, XML element name	128 bytes
Name of an authID or name of a security label.	8 bytes
Routine version identifier	64 EBCDIC bytes, and UTF-8 representation of the name must not exceed 122 bytes.
Name of a column	128 bytes
Name of cursor that is created with DECLARE CURSOR WITH RETURN	30 bytes
Name of cursor created with EXEC SQL utility	8 bytes
Name of a location	16 bytes
Name of buffer pool name, catalog, database, plan, program, table space	8 bytes
Name of package	8 bytes (Only 8 EBCDIC characters are used for packages that are created with the BIND PACKAGE command. 128 bytes can be used for packages that are created as a result of the CREATE FUNCTION (SQL scalar) statement, the CREATE PROCEDURE (SQL - native) statement, the CREATE TRIGGER statement, or a BIND command that specifies a zFS file as DBRM library.)
Name of a profile created with CREATE/ALTER TRUSTED CONTEXT	127 bytes
Name of an ICF catalog	8 bytes

Numeric Limits

Item	Limit
Smallest SMALLINT value	-32768
Largest SMALLINT value	32767
Smallest INTEGER value	-2147483648
Largest INTEGER value	2147483647
Smallest BIGINT value	-9223372036854775808
Largest BIGINT value	9223372036854775807
Smallest REAL value	About -7.2×10^{75}
Largest REAL value	About 7.2×10^{75}

Item	Limit
Smallest positive REAL value	About 5.4×10^{-79}
Largest negative REAL value	About -5.4×10^{-79}
Smallest FLOAT value	About -7.2×10^{75}
Largest FLOAT value	About 7.2×10^{75}
Smallest positive FLOAT value	About 5.4×10^{-79}
Largest negative FLOAT value	About -5.4×10^{-79}
Smallest DECIMAL value	1 - 10(31)
Largest DECIMAL value	10(31) - 1
Largest DECIMAL precision	31
Smallest DECFLOAT(16) value	$-9.999999999999999 \times 10^{384}$
Largest DECFLOAT(16) value	$9.999999999999999 \times 10^{384}$
Smallest positive DECFLOAT(16) value	$1.000000000000000 \times 10^{-383}$
Largest negative DECFLOAT(16) value	$-1.000000000000000 \times 10^{-383}$
Smallest DECFLOAT(34) value	$-9.999999999999999 \times 10^{6144}$
Largest DECFLOAT(34) value	$9.999999999999999 \times 10^{6144}$
Smallest positive DECFLOAT(34) value	$1.000000000000000 \times 10^{-6143}$
Largest negative DECFLOAT(34) value	$-1.000000000000000 \times 10^{-6143}$
Coefficient length for DECFLOAT values	DECFLOAT(16) 16 digits; DECFLOAT(34) 34 digits
Max Exponent (Emax) for DECFLOAT	DECFLOAT(16) is 384; DECFLOAT(34) is 6144
Min Exponent (Emin) for DECFLOAT	DECFLOAT(16) is -383; DECFLOAT(34) is -6143
Bias for DECFLOAT values	DECFLOAT(16) is 398; DECFLOAT(34) is 6176

String Length Limits

Item	Limit
Max length of CHAR	255 bytes
Max length of GRAPHIC	127 DBCS characters
Max length of BINARY	255 bytes
Max length of VARCHAR	4046 bytes for 4-KB pages 8128 bytes for 8-KB pages 16320 bytes for 16-KB pages 32704 bytes for 32-KB pages
Max length of VARCHAR indexed by an XML index	1000 bytes after conversion to UTF-8
Max length of VARGRAPHIC	2023 DBCS characters for 4-KB pgs 4064 DBCS characters for 8-KB pgs 8160 DBCS characters for 16-KB pgs 16352 DBCS characters for 32-KB pgs
Max length of VARBINARY	32704 bytes
Max length of CLOB	2 147 483 647 bytes (2GB - 1 byte)
Max length of DBCLOB	1 073 741 824 DBCS characters
Max length of BLOB	2 147 483 647 bytes (2GB - 1 byte)
Max length of a character constant	32704 UTF-8 bytes
Max length of a hexadecimal character constant	32704 hexadecimal digits
Max length of a graphic string constant	32704 UTF-8 bytes
Max length of a hexadecimal graphic string constant	32704 hexadecimal digits
Max length of a text string used for a scalar expression	4000 UTF-8 bytes
Max length of a concatenated character string	2 147 483 647 bytes (2GB - 1 byte)
Max length of a concatenated graphic string	1 073 741 824 DBCS characters
Max length of a concatenated binary string	2 147 483 647 bytes (2GB - 1 byte)
Max length of XML pattern text	4000 bytes after conversion to UTF-8

Item	Limit
Max length of an XML element or attribute name in an XML document	1000 bytes
Maximum length of a namespace uri	1000 bytes
Maximum length of a namespace prefix	998 bytes
Largest depth of an internal XML tree	128 levels

Datetime Limits

Item	Limit
Smallest DATE value (shown in ISO format)	0001-01-01
Largest DATE value (shown in ISO format)	9999-12-31
Smallest TIME value (shown in ISO format)	00.00.00
Largest TIME value (shown in ISO format)	24.00.00
Smallest TIMESTAMP WITHOUT TIME ZONE value	0001-01-01-00.00.00.000000000000
Largest TIMESTAMP WITHOUT TIME ZONE value	9999-12-31-24.00.00.000000000000
Smallest TIMESTAMP WITH TIME ZONE value	0001-01-01-00.00.00.000000000000 +00:00
Largest TIMESTAMP WITH TIME ZONE value	9999-12-31-24.00.00.000000000000 +00:00
TIMESTAMP precision range	0 to 12
TIME ZONE hour range	-12 to 14
TIME ZONE minute range	0 to 59

Db2 Limits on SQL Statements

Item	Limit
Max number of columns in a table or view (depending on complexity of the view) or columns returned by a table function.	750 or fewer (including hidden columns) 749 if the table is a dependent
Max number of columns that can be referenced in the target of MERGE statement.	749
Max number of expressions that can be referenced in the source of a MERGE statement.	750
Max number of base tables in a view, SELECT, UPDATE, INSERT, MERGE, or DELETE	1024
Max number of rows that can be inserted with a single INSERT or MERGE statement	32767
Max row and record sizes for a table	Dependent on type of table created
Max number of volume IDs in a storage group	133
Max number of partitions in a partitioned tablespace or partitioned index	64 for tablespaces that are not defined with LARGE or a DSSIZE > 2GB 4096, depending on DSSIZE or LARGE and the page size
Max sum of the lengths of limit key values of a partition boundary	765 UTF-8 bytes

Item	Limit
Max size of a partition (tablespace or index)	For tablespaces that are not defined with LARGE or a DSSIZE greater than 2GB: 4GB, for 1 to 16 partitions 2GB, for 17 to 32 partitions 1GB, for 33 to 64 partitions For tablespaces that are defined with LARGE: 4GB, for 1 to 4096 partitions For tablespaces defined with a DSSIZE > 2GB: 64GB, depending on the page size, (1 to 256 partitions for 4KB, 1 to 512 partitions for 16KB, 1 to 1024 partitions for 32KB, and 1 to 2048 for 32KB) For range-partition table spaces with relative number: 1TB
Maximum size of a non-partitioned index for a partitioned table space	For 5-byte EA table space: 16TB for 4KB pages 32TB for 8KB pages 64TB for 16KB pages 128TB for 32KB pages For LARGE tablespaces: 16TB
Max length of an index key	Partitioning index: 255-n Nonpartitioning index padded 2000-n Nonpartitioning index not padded 2000-n-2m N=number of columns in the key that allow nulls, and m is number of varying length columns in key
Max number of bytes used in the partitioning of a partitioned index	255 (This maximum limit is subject to additional limitations, depending on the number of partitions in the table space. The number of partitions * (106 + limit key size) must be less than 65394.)
Max number of expressions in an index key	64
Max number of columns in an index key	64
Max number of tables in a FROM clause	225 or less, depending on complexity of statement
Max number of subqueries in a statement	224
Max total length of host and indicator variables pointed to in an SQLDA	32767 bytes 2 147 483 647 bytes (2GB - 1 byte) for a LOB, subject to the limitations imposed by the application environment and host language
Longest host variable used for insert or update	32704 bytes for a non-LOB 2 147 483 647 bytes (2GB - 1 byte) for a LOB, subject to the limitations imposed by the application environment and host language
Maximum number of host variables or parameter markers used in a statement	16,000
Longest SQL statement	2097152 bytes
Max number of elements in a select list	750 or fewer, depending on whether the select list is for the result table of a static scrollable cursor
Max num of predicates WHERE or HAVING	Limited by storage
Max total length of columns of a query operation requiring a sort key (SELECT DISTINCT, ORDER BY, GROUP BY, UNION, EXCEPT and INTERSECT, without ALL, and DISTINCT keyword for aggregate functions)	4000 bytes

Item	Limit
Max total length of columns of a query operation requiring a sort and evaluating column functions (DISTINCT and GROUP BY)	32600 bytes
Maxlength of a sort key	16000 bytes
Max length of a table check constraint	3800 bytes
Max number of bytes that can be passed in a single parameter of an SQL CALL statement	32765 bytes for a non-LOB 2 147 483 647 bytes (2GB - 1 byte) for a LOB, subject to the limitations imposed by the application environment and host language
Max number of stored procedures, triggers, and user-defined functions that an SQL statement can implicitly or explicitly reference	64 nesting levels
Max length of the SQL path	2048 bytes
Max length of a WLM environment name in a CREATE/ALTER PROCEDURE/FUNCTION,	32 bytes
Max number of XPath level in XMLPATTERN clause of the CREATE INDEX statement.	50 nesting levels

Db2 System Limits

Item	Limit
Max number of concurrent Db2 or application agents	Limited by EDM pool size, buffer pool size, and amount of storage used by each Db2 or agent
Max number of concurrently active audit policies	32
Largest non-LOB table or tablespace	128 TB
Largest simple or segmented table space	64 GB
Largest log space	6-byte format 2 ⁴⁸ bytes 10-byte format 2 ⁸⁰ bytes
Largest active log data set	768 GB – 1 byte
Largest archive log data set	768 GB – 1 byte
Max number of active log copies	2
Max number of archive log copies	2
Max number of active log data sets (each copy)	93
Max number of archive log volumes (each copy)	10000
Max number of databases accessible to an application or end user	Limited by system storage and EDM pool size
Largest EDM pool	The installation parameter maximum depends on available space
Max number of databases	65217
Max number of implicitly created databases	10000 (SYSIBM.DSNSEQ_IMPLICITDB)
Max number of internal objects for each database	32767
Max number of indexes on declared global temporary tables	10000
Max number of rows per page	255 for all tablespaces except catalog and directory(maximum of 127)
Max size of EDM pool	Depends on available space
Max simple or segmented data set size	2 GB
Max partitioned data set size	See "maximum size of a partition"
Max LOB data set size	256 GB
Max number of rows that can be inserted with a single INSERT statement	32767 rows

Item	Limit
Max number of table spaces that can be defined in a work file database	500
Max number of tables and triggers that can be defined in a work file database	11767

SQL Communication Area (SQLCA)

Assembler, COBOL, or PL/I Name	C Name	Data type	Purpose
SQLCAID	sqlcaid	CHAR(8)	"eye catcher" for storage dumps, containing the text 'SQLCA'. Sixth byte is 'L' if line number information is returned from parsing a dynamic statement or a native SQL procedure. Is not set when processing an external SQL procedure.
SQLCABC	sqlcabc	INTEGER	Contains the length of the SQLCA: 136.
SQLCODE	SQLCODE	INTEGER	Contains the SQL return code. 0 = Successful execution Positive = Successful execution, but with an exception condition. Negative = Error condition.
SQLERRML	sqlerrml	SMALLINT	Length indicator for SQLERRMC, in the range 0 through 70.0 means that the value of SQLERRMC is not pertinent.
SQLERRMC	sqlerrmc	VARCHAR(70)	Contains one or more tokens, separated by 'X'FF', that are substituted for variables in the descriptions of error conditions. It may contain truncated tokens. A message length of 70 bytes indicates a possible truncation.
SQLERRP	sqlerrp	CHAR(8)	Provides a product signature and, in the case of an error, diagnostic information such as the name of the module that detected the error. First three characters are 'DSN'.
SQLERRD(1)	sqlerrd[0]	INTEGER	For a sensitive static cursor, contains the number of rows in a result table when the cursor position is after the last row (that is, when SQLCODE is equal to +100). Can also contain an internal error code.
SQLERRD(2)	sqlerrd[1]	INTEGER	For a sensitive static cursor, contains the number of rows in a result table when the cursor position is after the last row (that is, when SQLCODE is equal to +100). Can also contain an internal error code.

Assembler, COBOL, or PL/I Name	C Name	Data type	Purpose
SQLERRD(3)	sqlerrd[2]	INTEGER	<p>Contains the number of rows that qualified to be deleted, inserted, or updated after an INSERT, MERGE, UPDATE, or DELETE statement. The number excludes rows affected by either triggers or referential integrity constraints. The number excludes rows affected by triggers, referential integrity constraints, or inserted rows that are the result of processing a FOR PORTION OF clause for a BUSINESS_TIME period. For the OPEN of a cursor for a SELECT with a data change statement or for a SELECT INTO, SQLERRD(3) contains the number of rows affected by the embedded data change statement. The value is 0 if the SQL statement fails, indicating that all changes made in executing the statement canceled. For a DELETE statement the value will be -1 if the operation is a mass delete from a table in a segmented table space and the DELETE statement did not include selection criteria. If the delete was against a view, neither the DELETE statement nor the definition of the view included selection criteria. For a TRUNCATE statement, the value will be -1. For a REFRESH TABLE statement, SQLERRD(3) contains the number of rows inserted into the materialized query table. For a rowset-oriented FETCH, contains the number of rows fetched. For SQLCODES -911 and -913, SQLERRD(3) contains the reason code for the timeout or deadlock. When an error is encountered in parsing a dynamic statement, or when parsing, binding, or executing a native SQL procedure, SQLERRD(3) will contain the line number where the error was encountered. The sixth byte of SQLCAID must be 'L' for this to be a valid line number. This value will be meaningful only if the statement source contains new line control characters. This information is not returned for an external SQL procedure.</p>
SQLERRD(4)	sqlerrd[3]	INTEGER	<p>Generally contains timerons, a short floating-point value that indicates a rough relative estimate of resources required. It does not reflect an estimate of the time required. When preparing a dynamically defined SQL statement, you can use this field as an indicator of the relative cost of the prepared SQL statement. For a particular statement, this number can vary with changes to the statistics in the catalog. It is also subject to change between releases of Db2 for z/OS.</p>

Assembler, COBOL, or PL/I Name	C Name	Data type	Purpose
SQLERRD(5)	sqlerrd[4]	INTEGER	Contains the position or column of a syntax error for a PREPARE or EXECUTE IMMEDIATE statement.
SQLERRD(6)	sqlerrd[5]	INTEGER	Internal error code.
SQLWARN0	SQLWARN0	CHAR(1)	W if at least one other indicator also contains a W; otherwise, contains a blank.
SQLWARN1	SQLWARN1	CHAR(1)	W if the value of a string column was truncated when assigned to a host variable. Contains an N for non-scrollable cursors and S for scrollable cursors after the OPEN CURSOR or ALLOCATE CURSOR statement. If subsystem parameter DISABSCCL is set to YES, the field will not be set to N for non-scrollable cursors.
SQLWARN2	SQLWARN2	CHAR(1)	W if null values were eliminated from the argument of a column function; not necessarily set to W for the MIN function because its results are not dependent on elimination of null values.
SQLWARN3	SQLWARN3	CHAR(1)	W if the number of result columns is larger than the number of host variables. Z if fewer locators were provided in the ASSOCIATE LOCATORS statement than the stored procedure returned.
SQLWARN4	SQLWARN4	CHAR(1)	W if a prepared UPDATE or DELETE statement does not include a WHERE clause. For scrollable cursor, D for sensitive dynamic cursors, I for insensitive cursors, and S for sensitive cursors after the OPEN CURSOR or ALLOCATE CURSOR statement; blank if not scrollable. If DSNZPARM DISABSCCL is set to YES, set to N for non-scrollable cursors.
SQLWARN5	SQLWARN5	CHAR(1)	W if the SQL statement was not executed because it is not a valid SQL statement in Db2 for z/OS. Character value of 1 (read only), 2 (read and delete), or 4 (read, delete, and update) to reflect capability of the cursor after the OPEN CURSOR or ALLOCATE CURSOR statement. If DISABSCCL is set to YES, the field will not be set to N for non-scrollable cursors.
SQLWARN6	SQLWARN6	CHAR(1)	W if addition of a month or year duration to a DATE or TIMESTAMP value results in invalid day. Indicates that the value of the day was changed to the last day of the month to make the result valid.
SQLWARN7	SQLWARN7	CHAR(1)	W if one or more nonzero digits were eliminated from the fractional part of a number used as the operand of a decimal multiply or divide operation.
SQLWARN8	SQLWARN8	CHAR(1)	W if a character that could not be converted was replaced with a substitute character.
SQLWARN9	SQLWARN9	CHAR(1)	W if arithmetic exceptions were ignored during COUNT or COUNT_BIG processing. Z if the stored procedure returned multiple result sets.

Assembler, COBOL, or PL/I Name	C Name	Data type	Purpose
SQLWARNA	SQLWARNA	CHAR(1)	W if at least one character field of the SQLCA or the SQLDA names or labels is invalid due to a character conversion error.
SQLSTATE	sqlstate	CHAR(5)	A return code for the outcome of the most recent execution of an SQL statement.

REXX SQLCA

Variable	Contents
SQLCODE	The SQL return code.
SQLERRMC	One or more tokens, separated by 'X'FF', that are substituted for variables in the descriptions of error conditions. It may contain truncated tokens. A message length of 70 bytes indicates a possible truncation.
SQLERRP	A product signature and, in the case of an error, diagnostic information such as the name of the module that detected the error. For Db2 for z/OS, the product signature is "DSN".
SQLERRD.1	For a sensitive static cursor, contains the number of rows in a results table when the cursor position is after the last row (that is, when SQLCODE is equal to +100). Can also contain an internal error code.
SQLERRD.2	For a sensitive static cursor, contains the number of rows in a results table when the cursor position is after the last row (that is, when SQLCODE is equal to +100). Can also contain an internal error code.
SQLERRD.3	Contains the number of rows that qualified for the operation after an SQL data change statement (but not rows deleted as a result of CASCADE delete). For the OPEN of a cursor for a SELECT with an SQL data change statement or for a SELECT INTO, SQLERRD(3) contains the number of rows affected by the embedded data change statement. Set to 0 if the SQL statement fails, indicating that all changes made in executing the statement were canceled. Set to -1 for a mass delete from a table in a segmented table space, for a truncate operation, or a delete from a view when neither the DELETE statement nor the definition of the view included selection criteria. For rowset-oriented FETCH statements, contains the number of rows returned in the rowset. For SQLCODES -911 and -913, SQLERRD(3) contains the reason code for the timeout or deadlock. After successful execution of the REFRESH TABLE statement, SQLERRD(3) contains the number of rows inserted into the materialized query table. When an error is encountered in parsing a dynamic statement, or when parsing, binding, or executing a native SQL procedure, SQLERRD(3) will contain the line number where the error was encountered. The sixth byte of SQLCAID must be 'L' for this to be a valid line number. This value will be meaningful only if the statement source contains new line control characters. Not returned for an external SQL procedure.
SQLERRD.4	Generally contains timerons, a short floating-point value that indicates a rough relative estimate of resources required. This value does not reflect an estimate of the time required to execute the SQL statement. After you prepare an SQL statement, you can use this field as an indicator of the relative cost of the prepared SQL statement. For a particular statement, this number can vary with changes to the statistics in the catalog. Subject to change between releases of Db2 for z/OS.
SQLERRD.5	The position or column of a syntax error for a PREPARE or EXECUTE IMMEDIATE statement.
SQLERRD.6	An internal error code.
SQLWARN.0	Blank if all other indicators are blank; W if at least one indicator also contains a W.

Variable	Contents
SQLWARN.1	W if the value of a string column was truncated when assigned to a host variable.
SQLWARN.2	W if null values were eliminated from the argument of a column function; not necessarily set to W for the MIN function because its results are not dependent on the elimination of null values.
SQLWARN.3	W if the number of result columns is larger than the number of host variables. Z if the ASSOCIATE LOCATORS statement contains fewer locators than the stored procedure returned.
SQLWARN.4	W if a prepared UPDATE or DELETE statement does not include a WHERE clause. For a scrollable cursor, contains a D for sensitive dynamic cursors, I for insensitive cursors, and S for sensitive cursors after the OPEN CURSOR or ALLOCATE CURSOR statement, blank if not scrollable.
SQLWARN.5	W if the SQL statement was not executed because it is not a valid SQL statement in Db2 for z/OS. Character value of 1 (read only), 2 (read and delete), or 4 (read, delete, and update) to reflect capability of the cursor after the OPEN CURSOR or ALLOCATE CURSOR statement.
SQLWARN.6	W if the addition of a month or year duration to a DATE or TIMESTAMP value results in an invalid day (for example, June 31). Indicates that the value of the day was changed to the last day of the month to make the result valid.
SQLWARN.7	W if one or more nonzero digits were eliminated from the fractional part of a number that was used as the operand of a decimal multiply or divide operation.
SQLWARN.8	W if a character that could not be converted was replaced with substitute character.
SQLWARN.9	W if arithmetic exceptions were ignored during COUNT or COUNT_BIG processing. Z if the stored procedure returned multiple result sets.
SQLWARN.10	W if at least one character field of the SQLCA is invalid due to a character conversion error.
SQLSTATE	A return code for the outcome of the most recent execution of an SQL statement.

GET DIAGNOSTICS

Statement Information

Item	Description	Data type
DB2_GET_DIAGNOSTICS_DIAGNOSTICS	After a GET DIAGNOSTICS statement, if any error or warning occurred, this item contains all of the diagnostics as a single string	VARCHAR(32672)
DB2_LAST_ROW	After a multiple-row FETCH statement, contains a value of +100 if the last row in the table is in the rowset that was returned.	INTEGER
DB2_NUMBER_PARAMETER_MARKERS	After a PREPARE statement, contains number of parameter markers in the prepared statement.	INTEGER
DB2_NUMBER_RESULT_SETS	After a CALL statement that invokes a stored procedure, this item contains the number of result sets that are returned by the procedure.	INTEGER
DB2_NUMBER_ROWS	After an OPEN or FETCH statement for which the size of the result table is known, this item contains the number of rows in the result table. After a PREPARE statement, this item contains the estimated number of rows in the result table for the prepared statement. For SENSITIVE DYNAMIC cursors, this item contains the	DECIMAL(31,0)

Item	Description	Data type
	approximate number of rows.	
DB2_RETURN_STATUS	After CALL statement that invokes an SQL procedure, this item contains the return status if the procedure contains a RETURN statement.	INTEGER
DB2_SQL_ATTR_CURSOR_HOLD	After ALLOCATE or OPEN statement, indicates whether the cursor can be held open across multiple units of work (Y or N).	CHAR(1)
DB2_SQL_ATTR_CURSOR_ROWSET	After ALLOCATE or OPEN statement, indicates whether the cursor can use rowset positioning (Y or N).	CHAR(1)
DB2_SQL_ATTR_CURSOR_SCROLLABLE	After ALLOCATE or OPEN statement, indicates whether the cursor is scrollable (Y or N).	CHAR(1)
DB2_SQL_ATTR_CURSOR_SENSITIVITY	After ALLOCATE or OPEN statement, indicates whether the cursor shows updates made by other processes (sensitivity A, I, or S).	CHAR(1)
DB2_SQL_ATTR_CURSOR_TYPE	After ALLOCATE or OPEN statement, indicates whether the cursor is declared static (S for INSENSITIVE or SENSITIVE STATIC) or dynamic (D for SENSITIVE DYNAMIC).	CHAR(1)
DB2_SQL_NESTING_LEVEL	After a CALL statement, this item identifies the current level of nesting or recursion in effect when the GET DIAGNOSTICS statements was executed.	INTEGER
MORE	After any SQL statement, indicates whether some conditions items were discarded because of insufficient storage (Y or N).	CHAR(1)
NUMBER	After any SQL statement, contains the number of condition items. If no warning or error occurred, or if no previous SQL statement has been executed, the number that is returned is 1.	INTEGER
ROW_COUNT	After DELETE, INSERT, UPDATE, or FETCH, contains the number of rows that are deleted, inserted, updated, or fetched. After PREPARE, this item contains the estimated number of result rows in the prepared statement.	DECIMAL(31,0)

Conditional Data Types

Item	Description	Data type
CATALOG_NAME	The server name of the table that owns a constraint that caused an error, or that caused an access rule or check violation.	VARCHAR(128)
CONDITION_NUMBER	Number of the condition.	INTEGER
CURSOR_NAME	Name of a cursor in an invalid cursor state.	VARCHAR(128)
DB2_ERROR_CODE1	This item contains an internal error code	INTEGER
DB2_ERROR_CODE2	This item contains an internal error code	INTEGER
DB2_ERROR_CODE3	This item contains an internal error code.	INTEGER
DB2_ERROR_CODE4	This item contains an internal error code.	INTEGER
DB2_INTERNAL_ERROR_POINTER	Negative value that is an internal error pointer.	INTEGER

Item	Description	Data type
DB2_LINE_NUMBER	Line number where an error is encountered in parsing a dynamic statement.	INTEGER
DB2_MESSAGE_ID	Message ID that corresponds to the message that is contained in the CHAR(10) MESSAGE_TEXT diagnostic item.	CHAR(10)
DB2_MODULE_DETECTING_ERROR	After any SQL statement, indicates which module detected the error	CHAR(8)
DB2_ORDINAL_TOKEN_n	After any SQL statement, contains the nth token, where n is a value from 1 to 100.	VARCHAR(515)
DB2_REASON_CODE	After any SQL statement, reason code for errors with reason code token in message text.	INTEGER
DB2_RETURNED_SQLCODE	After any SQL statement, contains the SQLCODE for the condition.	INTEGER
DB2_ROW_NUMBER	After any SQL statement that involves multiple rows, contains the row number on which Db2 detected the condition.	DECIMAL(31,0)
DB2_TOKEN_COUNT	After any SQL statement, contains the number of tokens available for the condition.	INTEGER
MESSAGE_TEXT	After any SQL statement, contains message text associated with the SQLCODE.	VARCHAR(32672)
RETURNED_SQLSTATE	After any SQL statement, contains the SQLSTATE for the condition.	CHAR(5)
SERVER_NAME	After a CONNECT, DISCONNECT, or SET CONNECTION statement, contains the name of the server specified in statement.	VARCHAR(128)

Connection Information

Item	Description	Data type
DB2_AUTHENTICATION_TYPE	Authentication type (S, C, T or blank).	CHAR(1)
DB2_AUTHORIZATION_ID	Authorization ID used by connected server.	VARCHAR(128)
DB2_CONNECTION_STATE	Indicates whether connection is unconnected (-1), local (0), or remote (1).	INTEGER
DB2_CONNECTION_STATUS	Indicates whether updates can be committed for the current unit of work (1=Yes, 2= No).	INTEGER
DB2_ENCRYPTION_TYPE	Level of encryption for the connection: A = Only Authentication tokens (authid and password) are encrypted D = All data for the connection is encrypted	CHAR(1)
DB2_SERVER_CLASS_NAME	After a CONNECT or SET CONNECTION statement, contains Db2 server class name.	VARCHAR(128)
DB2_PRODUCT_ID	Contains the Db2 product signature.	VARCHAR(8)

Predicates (Stage 1/2/Indexable)

Predicate Type	Indexable	Stage 1
COL = value	Y	Y
COL = noncol expr	Y	Y
COL IS NULL	Y	Y
COL op value	Y	Y
COL op noncol expr	Y	Y
COL BETWEEN value1 AND value2	Y	Y
COL BETWEEN noncol expr1 AND noncol expr2	Y	Y
value BETWEEN COL1 AND COL2	Y	Y
COL BETWEEN COL1 AND COL2	Y	Y
COL BETWEEN expression1 AND expression2	Y	Y
COL LIKE 'pattern'	Y	Y
COL IN (list)	Y	Y
COL <> value	N	Y
COL <> noncol expr	N	Y
COL IS NOT NULL	Y	Y
COL NOT BETWEEN value1 AND value2	N	Y
COL NOT BETWEEN noncol expr1 AND noncol expr2	N	Y
value NOT BETWEEN COL1 AND COL2	N	N
COL NOT IN (list)	N	Y
COL NOT LIKE ' char'	N	Y
COL LIKE '%char'	N	Y
COL LIKE '_char'	N	Y
COL LIKE host variable	Y	Y
COL LIKE UPPER ('pattern')	Y	Y
COL LIKE UPPER (host-variable)	Y	Y
COL LIKE UPPER (global-variable)	Y	Y
COL LIKE UPPER (CAST (host-variable AS data-type))	Y	Y
COL LIKE UPPER (CAST (SQL-variable AS data-type))	Y	Y
COL LIKE UPPER (CAST (global-variable AS data-type))	Y	Y
T1.COL = T2 col expr	Y	Y
T1.COL op T2 col expr	Y	Y
T1.COL <> T2 col expr	N	Y
T1.COL1 = T1.COL2	Y	Y
T1.COL1 op T1.COL2	Y	Y
T1.COL1 <> T1.COL2	N	N
COL=(noncor subq)	Y	Y
COL = ANY (noncor subq)	N	Y
COL = ALL (noncor subq)	N	N
COL op (noncor subq)	Y	Y
COL op ANY (noncor subq)	Y	Y
COL op ALL (noncor subq)	Y	Y
COL <> (noncor subq)	N	Y
COL <> ANY (noncor subq)	N	N
COL <> ALL (noncor subq)	N	N
COL IN (noncor subq)	Y	Y
(COL1,...COLn) IN (noncor subq)	Y	Y
COL NOT IN (noncor subq)	N	N
(COL1,...COLn) NOT IN (noncor subq)	N	N

COL = (cor subq)	N	N
COL = ANY (cor subq)	Y	Y
COL = ALL (cor subq)	N	N
COL op (cor subq)	N	N
COL op ANY (cor subq)	N	N
COL op ALL (cor subq)	N	N
COL <> (cor subq)	N	N
COL <> ANY (cor subq)	N	N
COL <> ALL (cor subq)	N	N
COL IN (cor subq)	Y	Y
(COL1,...COLn) IN (cor subq)	N	N
COL NOT IN (cor subq)	N	N
(COL1,...COLn) NOT IN (cor subq)	N	N
COL IS DISTINCT FROM value	N	Y
COL IS NOT DISTINCT FROM value	Y	Y
COL IS DISTINCT FROM noncol expr	N	Y
COL IS NOT DISTINCT FROM noncol expr	Y	Y
T1.COL1 IS DISTINCT FROM T2.COL2	N	N
T1.COL1 IS NOT DISTINCT FROM T2.COL2	Y	Y
T1.COL1 IS DISTINCT FROM T2 col expr	N	Y
T1.COL1 IS NOT DISTINCT FROM T2 col expr	Y	Y
COL IS DISTINCT FROM (noncor subq)	N	Y
COL IS NOT DISTINCT FROM (noncor subq)	Y	Y
COL IS NOT DISTINCT FROM (cor subq)	N	N
SUBSTR(COL, 1, n) = value	Y	Y
SUBSTR(COL, 1, n) op value	Y	Y
DATE(COL) = value	Y	Y
DATE(COL) op value	Y	Y
YEAR(COL) = value	Y	Y
YEAR(COL) op value	Y	Y
EXISTS (subq)	N	N
NOT EXISTS (subq)	N	N
expression = value	N	N
expression <> value	N	N
expression op value	N	N
expression op (subq)	N	N
XMLEXISTS	Y	N
NOT XMLEXISTS	N	N

IFCIDS

Trace Type	Class	IFCID	Description
ACCOUNTING	1	3	ALL ACCOUNTING
		106	SYSTEM PARAMETERS IN EFFECT
		200	UDF ENTRY/EXIT SIGNAL
		239	OVERFLOW FOR PACKAGE ACCOUNTING
	2	200	UDF ENTRY/EXIT SIGNAL
		232	DB2 THREAD ENTRY/EXIT SIGNAL
	3	6	BEGINNING OF A READ I/O OPERATION
		7	CC AFTER READ I/O OPERATION
		8	BEGINNING OF SYNCHRONOUS WRITE I/O
		9	CC OF SYNC OR ASYNC WRITE I/O
		32	BEGIN OF WAIT FOR LOG MANAGER
		33	END OF WAIT FOR LOG MANAGER
		44	LOCK SUSPEND OR IDENTIFY CALL IRLM
		45	LOCK RESUME
		51	SHARED LATCH RESUME. SERVICEABILITY
		52	SHARED LATCH WAIT. SERVICEABILITY
		56	EXCL. LATCH WAIT. SERVICEABILITY
		57	EXCL. LATCH RESUME. SERVICEABILITY
		117	BEGIN THREAD WAIT TIME FOR LOG I/O
		118	END THREAD WAIT TIME FOR LOG I/O
		127	AGENT READY TO SUSPEND PAGE WAIT
		128	PAGE REQUESTOR RESUMED BY I/O INIT.
		170	SUSPEND FOR SYNC EXEC.N UNIT SWITCH
		171	RESUME AGENT WAITING DB2 SERV. TASK
		174	BEGIN ARCHIVE LOG MODE (QUIESCE)
		175	END ARCHIVE LOG MODE (QUIESCE)
		213	BEGIN OF WAIT FOR CLAIM REQUEST
		214	END OF WAIT FOR CLAIM REQUEST
		215	BEGIN OF WAIT FOR DRAIN REQUEST
		216	END OF WAIT FOR DRAIN REQUEST
	226	BEGIN OF SUSPEND FOR PAGE LATCH	
	227	END OF SUSPEND FOR PAGE LATCH	
	242	BEGIN WAIT FOR SCHED. STORED PROC.	
243	END WAIT FOR SCHED. STORED PROC.		

Trace Type	Class	IFCID	Description
		313	MESSAGES FOR LONG-RUNNING URS.
		382	SUSPEND OPERATIOINS FOR PARALLEL TASK SYNC
		383	RESUME OPERATIOINS AFTER PARALLEL TASK SYNC
	4	151	USER-DEFINED ACCOUNTING TRACE
	5	187	ENTRY TO AND EXIT FROM IFI
	7	200	DB2 THREAD ENTRY/EXIT SIGNAL
		232	FOR PACKAGE/DBRM LEVEL ACCOUNTING
		240	EVENT SIGNAL FOR PACKAGE ACCOUNTING
	8	6	BEGINNING OF A READ I/O OPERATION
		7	CC AFTER READ I/O OPERATION
		8	BEGINNING OF SYNCHRONOUS WRITE I/O
		9	CC OF SYNC OR ASYNC WRITE I/O
		32	BEGIN OF WAIT FOR LOG MANAGER
		33	END OF WAIT FOR LOG MANAGER
		44	LOCK SUSPEND OR IDENTIFY CALL IRLM
		45	LOCK RESUME
		51	SHARED LATCH RESUME. SERVICEABILITY
		52	SHARED LATCH WAIT. SERVICEABILITY
		56	EXCL. LATCH WAIT. SERVICEABILITY
		57	EXCL. LATCH RESUME. SERVICEABILITY
		117	BEGIN THREAD WAIT TIME FOR LOG I/O
		118	END THREAD WAIT TIME FOR LOG I/O
		127	AGENT READY TO SUSPEND PAGE WAIT
		128	PAGE REQUESTOR RESUMED BY I/O INIT.
		170	SUSPEND FOR SYNC EXEC.N UNIT SWITCH
		171	RESUME AGENT WAITING DB2 SERV. TASK
		174	BEGIN ARCHIVE LOG MODE (QUIESCE)
		175	END ARCHIVE LOG MODE (QUIESCE)
		213	BEGIN OF WAIT FOR CLAIM REQUEST
		214	END OF WAIT FOR CLAIM REQUEST
		215	BEGIN OF WAIT FOR DRAIN REQUEST
		216	END OF WAIT FOR DRAIN REQUEST
		226	BEGIN OF SUSPEND FOR PAGE LATCH
		227	END OF SUSPEND FOR PAGE LATCH
		241	BEGIN/END SUSPENSION OF PACK/DBRM
		242	BEGIN WAIT FOR SCHED. STORED PROC.
		243	END WAIT FOR SCHED. STORED PROC.

Trace Type	Class	IFCID	Description	
		382	SUSPEND OPERATIOINS FOR PARALLEL TASK SYNC	
		383	RESUME OPERATIOINS AFTER PARALLEL TASK SYNC	
	10	339	PACKAGE DETAIL	
AUDIT	1	140	AUTHORIZATION FAILURES	
	2	141	EXPLICIT GRANT AND REVOKES	
	3	142	CREATES, ALTERS, DROPS – AUDIT	
	4	143	FIRST ATTEMPTED WRITE AUDITED OBJ.	
	5	144	FIRST ATTEMPTED READ AUDITED OBJ.	
	6	145	AUDIT LOG RECORD OF SOME SQL STMTS	
	7	55	ISSUANCE OF SET CURRENT SQLID	
		83	END IDENTIFY REQUEST	
		87	ENDING OF SIGNON REQUEST	
		169	DISTRIBUTED AUTHID TRANSLATION	
	8	312	DCE SECURITY	
		23	UTILITY START INFORMATION	
		24	UTILITY OBJECT OR PHASE CHANGE	
		25	UTILITY END INFORMATION	
		219	LISTDEF DATA SET INFORMATION	
	9	220	UTILITY OUTPUT DATA SET INFORMATION	
		146	USER-DEFINED AUDIT TRACE	
	11	361	AUDIT ADMINISTRATIVE AUTHORITIES	
	MONITOR	1	1	SYSTEM SERVICES
			2	DATABASE SERVICES
			106	SYSTEM PARAMETERS IN EFFECT
124			CURRENT SQL STATEMENT	
129			VSAM CI'S – DB2 RECOVER LOG	
147			SUMMARY THREAD STATUS RECORD	
148			DETAILED THREAD STATUS RECORD	
149			LOCK INFORMATION FOR A RESOURCE	
150			LOCK INFORMATION FOR AN AGENT IFCID	
202			SYSTEM PARAMETERS	
230			DATA SHARING GLOBAL STATISTICS	
254			GROUP BUFFER POOL USAGE	
306			LOG RECORD RETRIEVAL	
316			PREPARED STMT. CACHE STATISTICS	
317		PREPARED STMT. CACHE STMT. TEXT		
2	232	DB2 THREAD ENTRY EXIT SIGNAL		

Trace Type	Class	IFCID	Description
	3	6	BEGINNING OF A READ I/O OPERATION
		7	CC AFTER READ I/O OPERATION
		8	BEGINNING OF SYNCHRONOUS WRITE I/O
		9	CC OF SYN OR ASYNC WRITE I/O
		32	BEGIN OF WAIT FOR LOG MANAGER
		33	END OF WAIT FOR LOG MANAGER
		44	LOCK SUSPEND OR IDENTIFY CALL IRLM
		45	LOCK RESUME
		51	SHARED LATCH RESUME. SERVICEABILITY
		52	SHARED LATCH WAIT. SERVICEABILITY
		56	EXCL. LATCH WAIT. SERVICEABILITY
		57	EXCL. LATCH RESUME. SERVICEABILITY
		117	BEGIN THREAD WAIT TIME FOR LOG I/O
		118	END THREAD WAIT TIME FOR LOG I/O
		127	AGENT READY TO SUSPEND PAGE WAIT
		128	PAGE REQUESTOR RESUMED BY I/O INIT.
		170	SUSPEND FOR SYNC EXEC. UNIT SWITCH
		171	RESUME AGENT WAITING DB2 SERV. TSK
		174	BEGIN ARCHIVE LOG MODE (QUIESCE)
		175	END ARCHIVE LOG MODE (QUIESCE)
		213	BEGIN OF WAIT FOR CLAIM REQUEST
		214	END OF WAIT FOR CLAIM REQUEST
		215	BEGIN OF WAIT FOR DRAIN REQUEST
		216	END OF WAIT FOR DRAIN REQUEST
		226	BEGIN OF SUSPEND FOR PAGE LATCH
		227	END OF SUSPEND FOR PAGE LATCH
		242	BEGIN WAIT FOR SCHED. STORED PROC.
		243	END WAIT FOR SCHED. STORED PROC.
		382	SUSPEND OPERATIOINS FOR PARALLEL TASK SYNC
		383	RESUME OPERATIOINS AFTER PARALLEL TASK SYNC
	4	155	USER-DEFINED MONITOR TRACE
	5	187	ENTRY OR EXIT TO IFI
	6	185	DATA CAPTURE INFORMATION
	7	232	DB2 THREAD ENTRY/EXIT SIGNAL
		232	FOR PACKAGE/DBRM-LEVEL ACCOUNTING
		240	EVENT SIGNAL FOR PACKAGE ACCOUNTING
	8	6	BEGINNING OF A READ I/O OPERATION

Trace Type	Class	IFCID	Description
		7	CC AFTER READ I/O OPERATION
		8	BEGINNING OF SYNCHRONOUS WRITE I/O
		9	CC OF SYN OR ASYNC WRITE I/O
		32	BEGIN OF WAIT FOR LOG MANAGER
		33	END OF WAIT FOR LOG MANAGER
		44	LOCK SUSPEND OR IDENTIFY CALL IRLM
		45	LOCK RESUME
		51	SHARED LATCH RESUME. SERVICEABILITY
		52	SHARED LATCH WAIT. SERVICEABILITY
		56	EXCL. LATCH WAIT. SERVICEABILITY
		57	EXCL. LATCH RESUME. SERVICEABILITY
		117	BEGIN THREAD WAIT TIME FOR LOG I/O
		118	END THREAD WAIT TIME FOR LOG I/O
		127	AGENT READY TO SUSPEND PAGE WAIT
		128	PAGE REQUESTOR RESUMED BY I/O INIT.
		170	SUSPEND FOR SYNC EXEC. UNIT SWITCH
		171	RESUME AGENT WAITING DB2 SERV. TSK
		174	BEGIN ARCHIVE LOG MODE (QUIESCE)
		175	END ARCHIVE LOG MODE (QUIESCE)
		213	BEGIN OF WAIT FOR CLAIM REQUEST
		214	END OF WAIT FOR CLAIM REQUEST
		215	BEGIN OF WAIT FOR DRAIN REQUEST
		216	END OF WAIT FOR DRAIN REQUEST
		226	BEGIN OF SUSPEND FOR PAGE LATCH
		227	END OF SUSPEND FOR PAGE LATCH
		241	BEGIN/END SUSPENSION OF PACK/DBRM
		242	BEGIN WAIT FOR SCHED. STORED PROC.
		243	END WAIT FOR SCHED. STORED PROC.
		382	SUSPEND OPERATIOINS FOR PARALLEL TASK SYNC
		383	RESUME OPERATIOINS AFTER PARALLEL TASK SYNC
	9	124	ENABLE STATEMENT LEVEL ACCOUNTING
	10	339	PACKAGE DETAIL
	29	316	CACHED STATEMENT STATISTICS
		318	CACHED STATEMENT STATISTICS
		400	STATIC SQL IN EDM POOK STATISTICS
		401	STATIC SQL IN EDM POOK STATISTICS
PERFORMANCE	1	1	SYSTEM SERVICES

Trace Type	Class	IFCID	Description
		2	DATABASE SERVICES
		31	EDM POOL FULL CONDITION
		42	A CHECKPOINT STARTED
		43	A CHECKPOINT ENDED
		76	BEGINNING OF END OF MEMORY REQUEST
		77	ENDING OF AN END OF MEMORY REQUEST
		78	BEGINNING OF AN END OF TASK REQUEST
		79	ENDING OF AN END OF TASK REQUEST
		102	DETECTION OF SHORT ON STORAGE
		103	SETTING OFF OF SHORT ON STORAGE
		105	INTERNAL DBID OBID TO DB/TS
		106	SYSTEM PARAMETERS IN EFFECT
		107	DATA SET OPEN/CLOSE INFORMATION
		153	USER-DEFINED EXCEPT-CONDITION TRACE
	2	3	ALL ACCOUNTING
		68	BEGINNING OF A ROLLBACK REQUEST
		69	ENDING OF A ROLLBACK REQUEST
		70	BEGIN COMMIT PHASE 2 REQUEST
		71	END COMMIT PHASE 2 REQUEST
		72	BEGINNING OF CREATE THREAD REQUEST
		73	ENDING OF A CREATE THREAD REQUEST
		74	BEGINNING OF TERM. THREAD REQUEST
		75	ENDING OF A TERM. THREAD REQUEST
		80	BEGINNING OF AN ESTABLISH EXIT REQ.
		81	ENDING OF AN ESTABLISH EXIT REQUEST
		82	BEGIN IDENTIFY REQUEST
		83	END IDENTIFY REQUEST
		84	BEGIN PHASE 1 COMMIT REQUEST
		85	END PHASE 1 COMMIT REQUEST
		86	BEGINNING OF SIGNON REQUEST
		87	ENDING OF SIGNON REQUEST
		88	BEGINNING OF A SYNC REQUEST
		89	ENDING OF A SYNC REQUEST
		106	SYSTEM PARAMETERS IN EFFECT
		174	BEGIN ARCHIVE LOG MODE (QUIESCE)
		175	END ARCHIVE LOG MODE (QUIESCE)
	3	22	MINIPLANS GENERATED

Trace Type	Class	IFCID	Description
		53	END OF DESCR., COMMIT, RLCK OR ERR
		55	ISSUANCE OF SET CURRENT SQLID
		58	END OF SQL STATEMENT EXECUTION
		59	START OF FETCH SQL STATEMENT EXEC.
		60	START OF SELECT SQL STATEMENT EXEC.
		61	START OF INSERT, UPDATE, DELETE SQL
		62	START OF DDL STATEMENT EXECUTION
		63	SQL STATEMENT TO BE PARSED
		64	START PREPARE SQL STATEMENT EXEC.
		65	START OPEN CURSOR STATIC/DYN SQL
		66	START CLOSE CURSOR STATIC/DYN SQL
		92	START AN ACCESS METHOD SERVICES
		95	SORT STARTED
		96	SORT ENDED
		97	ACCESS METHOD SERVICES CMD COMPL.
		106	SYSTEM PARAMETERS IN EFFECT
		112	ATTRIBUTES PLAN AFTER THREAD ALLOC.
		177	SUCCESSFUL PACKAGE ALLOCATION
		233	START/END CALL TO USER ROUTINE
		237	SET CURRENT DEGREE INFORMATION
		272	ASSOCIATE LOCATORS INFORMATION
		273	ALLOCATE CURSOR INFORMATION
		324	FUNCTION RESOLUTION INFORMATION
		325	START/END TRIGGER ACTIVATION
		350	COMPLETE SQL STATEMENT
	4	6	BEGINNING OF A READ I/O OPERATION
		7	COMPLETION CODE AFTER READ I/O
		8	BEGINNING OF SYNCHRONOUS WRITE I/O
		9	CC OF SYN OR ASYNC WRITE I/O
		10	BEGINNING OF ASYNC WRITE I/O
		29	START EDM I/O REQ. LOAD DBD OR CT
		30	END OF EDM I/O REQUEST
		105	INTERNAL DBID OBID TO DB/TS
		106	SYSTEM PARAMETERS IN EFFECT
		107	DATA SET OPEN/CLOSE INFORMATION
		127	AGENT READY TO SUSPEND PAGE WAIT
		128	PAGE REQUESTOR RESUMED BY I/O INIT.

Trace Type	Class	IFCID	Description
		226	BEGIN OF SUSPEND FOR PAGE LATCH
		227	END OF SUSPEND FOR PAGE LATCH
	5	32	BEGIN OF WAIT FOR LOG MANAGER
		33	END OF WAIT FOR LOG MANAGER
		34	LOG MANAGER WAIT FOR READ I/O BEGIN
		35	LOG MANAGER WAIT FOR READ I/O END
		36	LOG MANAGER WAIT FOR NON-I/O BEGIN
		37	LOG MANAGER WAIT FOR NON-I/O END
		38	LOG MGR WAIT ACT. LOG WRITE BEGIN
		39	LOG MGR WAIT ACT. LOG WRITE I/O END
		40	LOG MANAGER ARCHIVE WRITE I/O BEGIN
		41	LOG MANAGER ARCHIVE WRITE I/O END
		104	LOG DATA SET MAPPING
		106	SYSTEM PARAMETERS IN EFFECT
		114	START ARCHIVE READ I/O WAIT
		115	END READ ARCHIVE I/O WAIT ON DASD
		116	END READ ARCHIVE I/O WAIT ON TAPE
		117	BEGIN ARCHIVE READ
		118	END ARCHIVE READ
		119	BSDS WRITE I/O BEGINNING
		120	BSDS WRITE I/O END
		228	START ARCHIVE ALLOCATION WAIT
		229	END ARCHIVE ALLOCATION WAIT
	6	20	LOCKING SUMMARY
		44	LOCK SUSPEND OR AN ID. CALL TO IRLM
		45	LOCK RESUME
		105	INTERNAL DBID OBID TO DB/TS
		106	SYSTEM PARAMETERS IN EFFECT
		107	DATA SET OPEN/CLOSE INFORMATION
		172	UNITS OF WORK INVOLVED IN DEADLOCK
		196	LOCK TIMEOUT DETAILS
		213	BEGINNING OF WAIT FOR DRAIN LOCK
		214	END OF WAIT FOR DRAIN LOCK
		218	SUMMARY OF LOCK AVOIDANCE TECHNIQUE
		337	LOCK ESCALATION OCCURRED
	7	21	DETAIL LOCK REQ.ON RETURN FROM IRLM
		105	INTERNAL DBID OBID TO DB/TS

Trace Type	Class	IFCID	Description	
		106	SYSTEM PARAMETERS IN EFFECT	
		107	DATA SET OPEN/CLOSE INFORMATION	
		199	BUFFER POOL DATA SET STATISTICS	
		223	DETAIL OF LOCK AVOIDANCE TECHNIQUE	
	8		13	INPUT TO HASH SCAN
			14	END OF HASH SCAN
			15	INPUT MATCH./NON-MATCH.INDEX SCAN
			16	INPUT TO THE FIRST INSERT
			17	INPUT TO SEQUENTIAL SCAN
			18	END INDEX SCAN, INSERT, SEQ. SCAN
			105	INTERNAL DBID OBID TO DB/TS
			106	SYSTEM PARAMETERS IN EFFECT
			107	DATA SET OPEN/CLOSE INFORMATION
			125	RID LIST PROCESSING USAGE
			221	PARALLEL DEGREE FOR PARALLEL GROUP
			222	PARALLEL GROUP ELAPSED TIME
			231	PARALLEL GROUP COMPLETION
			305	TABLE CHECK CONSTRAINTS
			311	TEMPORARY TABLES
	9		26	WORK FILE OBTAINED FOR SORT
			27	NUMBER OF ORDERED RECORDS SORT RUN
			28	DETAILED SORT INFORMATION
			95	SORT STARTED
			96	SORT ENDED
			106	SYSTEM PARAMETERS IN EFFECT
	10		23	UTILITY START INFORMATION
			24	UTILITY OBJECT OR PHASE CHANGE
			25	UTILITY END INFORMATION
			90	COMMAND TEXT OF ENTERED DB2 COMMAND
			91	COMPLETION STATUS OF A DB2 COMMAND
			105	INTERNAL DBID OBID TO DB/TS
			106	SYSTEM PARAMETERS IN EFFECT
			107	DATA SET OPEN/CLOSE INFORMATION
			108	BEGINNING OF BIND/REBIND
			109	END OF BIND/REBIND
			110	BEGINNING OF FREE PLAN
111	END OF FREE PLAN			

Trace Type	Class	IFCID	Description
		201	STATUS BEF/AFT ALTER BUFFERPOOL
		256	ATTRIBUTES BEF/AFT ALTER BUFFERPOOL
	11	46	AGENT BEGIN EXEC. UNIT SWITCH
		47	NEW SRB EXECUTION UNIT STARTED
		48	NEW SRB EXECUTION UNIT COMPLETED
		49	BEGIN NEW TCB
		50	END NEW TCB
		51	SHARED LATCH RESUME
		52	SHARED LATCH WAIT
		56	EXCLUSIVE LATCH WAIT
		57	EXCLUSIVE LATCH RESUME
		93	SUSPEND WAS CALLED
		94	EVENT RESUMED
		106	SYSTEM PARAMETERS IN EFFECT
		113	ATTRIBUTES PLAN AFTER AGENT ALLOC.
	12	98	BEGIN GETMAIN/FREEMAIN (NONPOOL)
		99	END GETMAIN/FREEMAIN (NONPOOL)
		100	BEGIN GETMAIN/FREEMAIN (POOL)
		101	END GETMAIN/FREEMAIN (POOL)
		106	SYSTEM PARAMETERS IN EFFECT
	13	11	RESULTS OF A VALIDATION EXIT CALL
		12	RESULTS EDIT EXIT CALL ENCODE RECRD
		19	RESULTS EDIT EXIT CALL DECODE A ROW
		105	INTERNAL DBID OBID TO DB/TS
		106	SYSTEM PARAMETERS IN EFFECT
		107	DATA SET OPEN/CLOSE INFORMATION
	14	67	START OF ACCOUNTING COLLECTION
		106	SYSTEM PARAMETERS IN EFFECT
		121	ENTRY ALLOCATING DB2 CONNECTION
		122	EXIT ALLOCATING DB2 CONNECTION
	15	154	USER-DEFINED ROUTINE COND. PERF.
	16	157	DRDS INTER. WITH RDS RDI CALL TYPES
		158	DRDS INTER. WITH CONVERSATION MGR
		159	DRDS REQUESTING LOCATION DATA
		160	REQUESTING AGENT DATA
		161	SERVING AGENT DATA
		162	DISTRIB TRANS. MGR REQ. AGENT DATA

Trace Type	Class	IFCID	Description	
		163	DISTRIB TRANS. MGR RESP. AGENT DATA	
		167	CONVERSATION ALLOC. REQUEST QUEUED	
		183	DRDS RDS/SCC INTERFACE DATA	
	17		211	INFORMATION ABOUT CLAIMS
			212	INFORMATION ABOUT DRAINS
			213	BEGINNING OF WAIT FOR DRAIN LOCK
			214	END OF WAIT FOR DRAIN LOCK
			215	BEGIN OF WAIT OF CLAIM COUNT TO 0
			216	END OF CLAIM COUNT TO GO TO 0
			20	
	250	GROUP BUFFER POOL CON/DISCON		
	251	P-LOCK OPERATIONS		
	256	ALTER BUFFERPOOL COMMAND		
	257	DETAILS OF IRLM NOTIFY REQUEST		
	261	GROUP BUFFER POOL CHECKPOINT		
	262	GBPOOLT CASTOUT THRESHOLD PROCESSIN		
	267	BEGIN CF STRUCT REBLD/EXPAND/CONTR		
	268	END CF STRUCTURE REBLD/EXPAND/CONTR		
	21			
			259	P-LOCK REQUEST/NEGOTIATION REQUEST
			263	PAGE SET AND PARTITION CASTOUT DATA
			314	AUTHORIZATION EXIT PARAMETERS
			327	LANGUAGE ENVIRONMENT RUN-TIME INFO
	22		314	AUTHORIZATION EXIT PARAMETERS
	STATISTICS	1	1	SYSTEM SERVICES
			2	DATABASE SERVICES
			105	INTERNAL DBID OBID TO DB/TS
			106	SYSTEM PARAMETERS IN EFFECT
202			BUFFER POOL ATTRIBUTES	
225			SYSTEM STORAGE STATISTICS FOR DBM1	
2			152	USER-DEFINED STATISTICS TRACE
3			172	UNITS OF WORK INVOLVED IN DEADLOCK
			196	LOCK TIMEOUT DETAILS
			250	CONNECT/DISCONNECT FROM GBP
			258	DATA SET EXTEND INFORMATION.
			330	ACTIVE LOG SHORTAGE
			337	LOCK ESCALATION OCCURRED

Trace Type	Class	IFCID	Description
	4	191	DATA CAPTURE FOR DDIS ERRORS
		192	DDM LEVEL 6A HEADER ERRORS
		193	UOW DISPOSITION/SQLCODE MISMATCH
		194	INVALID SNA FMH-5 RECEIVED
		195	FIRST FAILURE DATA CAPTURE FOR DRDS
		203	HEURISTIC DECISION OCCURRED
		204	PARTNER COLD START DETECTED
		205	INCORRECT LOGNAME/SYNC. PARMS
		206	SNA COMPARE STATES PROTOCOL ERROR
		207	HEURISTIC DAMAGE OCCURRED
		208	SNA SYNC POINT PROTOCOL ERROR
		209	SYNC POINT COMMUNICATION FAILURE
		210	LOG NAME CHANGED ON WARM START
		235	CONDITIONAL RESTART DATA LOSS
		236	EXCHANGE LOG NAMES PROTOCOL ERROR
		238	DB2 RESTART ERROR
		267	START OF CF STRUCTURE REBUILD
		268	END OF CF STRUCTURE REBUILD
	5	230	DATA SHARING GLOBAL STATISTICS
	6	225	STORAGE USAGE DETAILS
	7	326	WLM DELAY MONITOR SUPPORT
	8	199	DATA SET I/O STATISTICS

Exceptions

Status code	Status name	Affected objects	Corrective action(s)
ACHKP	Auxiliary CHECK pending	Base table space, LOB table spaces	<ol style="list-style-type: none"> 1. Update or delete invalid LOBs and XML objects using SQL. 2. Run CHECK DATA with appropriate SCOPE option to verify the validity of LOBs and XML objects.
AUXW	Auxiliary warning	Base table space	<ol style="list-style-type: none"> 1. Update or delete invalid LOBs and XML using SQL. 2. If an orphan LOB or a version mismatch exists between the base table and the auxiliary index, use REPAIR to delete the LOB from the LOB table space. 3. Run CHECK DATA to verify the validity of LOBs and XML objects.
		LOB table space	<ol style="list-style-type: none"> 1. Update or delete invalid LOBs and XML using SQL. 2. If an orphan LOB or a version mismatch exists between the base table and the auxiliary index, use REPAIR to delete the LOB from the LOB table space. 3. Run CHECK LOB to verify the validity of the LOBs and XML objects.
CHKP	CHECK pending	Table space, base table space	<p>Check and correct RI constraints using CHECK DATA.</p> <p>If a table space is in both REORG-pending and CHECK-pending (or auxiliary CHECK-pending) status, run REORG first and then use CHECK DATA.</p>
		Partitioning index, non-partitioning index, index on auxiliary table	<ol style="list-style-type: none"> 1. Run CHECK INDEX on the index. 2. If errors, run REBUILD INDEX.
		LOB table space	<p>Run CHECK LOB. If errors:</p> <ol style="list-style-type: none"> 1. Correct defects found in LOB table space with REPAIR. 2. Run CHECK LOB again.
COPY	COPY pending	Table space, table space partition	<p>Take an image copy (best action), use <code>-START DATABASE(db) SPACENAM(ts) ACCESS FORCE</code>, or run REPAIR and reset COPY flag.</p>
DBETE	Database exception table (DBET) error	Table space, partition, index, index partition, logical index partition	<p>Recover or rebuilds affected objects using one of the following:</p> <ul style="list-style-type: none"> - RECOVER - LOAD REPLACE - REBUILD
GRECP	Group buffer pool (GBP)	Table space, index space	<p>RECOVER the object, or use the START DATABASE command.</p>

	recover pending		
ICOPY	Informational COPY pending	Partitioned index, non-partitioned index, index on auxiliary table	Copy the affected index.
		NOT LOGGED table space	Copy the affected table space.
LPL	Logical page list	Table spaces, index space	<ul style="list-style-type: none"> • START DATABASE ACCESS R/W or R/O • Run RECOVER or REBUILD INDEX utility. • Run LOAD REPLACE. • DROP the object.
PRO	Persistent Read Only	Table space partitions	Run REPAIR SET TABLESPACE NOPRO
ARDBP	Advisory REBUILD pending	Index	Run REBUILD on affected index
RBDP	REBUILD pending	Physical or logical index partition	Run REBUILD or RECOVER on the affected index partition.
RBDP*		Logical partitions of non-partitioned secondary indexes	Run REBUILD INDEX PART or RECOVER on the affected logical partitions.
PSRBD		Non-partitioned secondary index, index on auxiliary table	<p>Run REBUILD INDEX ALL, RECOVER, or REBUILD INDEX.</p> <p><i>Note:</i> The following actions also reset the REBUILD status.</p> <ul style="list-style-type: none"> • LOAD REPLACE with table space or partition • REPAIR SET INDEX with NORBDPEND on index part (however, this action doesn't correct inconsistencies) • Start database ACCESS FORCE (however, this action doesn't correct inconsistencies) • REORG INDEX SORTDATA on the index
RECP	RECOVER pending	Table space	Run the RECOVER utility on the affected object.
		Table space partition	Recover the logical partition.
		Index on auxiliary table	Run REBUILD INDEX, RECOVER INDEX, or REORG SORTDATA.
		Index space	<p>Run one of the following utilities on the affected index space:</p> <ul style="list-style-type: none"> • REBUILD INDEX • RECOVER INDEX • REORG INDEX SORTDATA
		Any	<p>The following actions also reset the RECOVER status:</p> <ul style="list-style-type: none"> • LOAD REPLACE with table space or partition • REPAIR SET TABLESPACE or INDEX with

			<p>NORCVRPEND on index part (however, this action doesn't correct inconsistencies)</p> <ul style="list-style-type: none"> Start database ACCESS FORCE (however, this action doesn't correct inconsistencies)
REFP	Refresh pending	Table space, index space	Run a LOAD REPLACE. The object will also be in RECP or RBDP status and will need appropriate action taken.
REORP	REORG pending	Table space	<p>Perform one of the following:</p> <ul style="list-style-type: none"> LOAD REPLACE on entire table space REORG TABLESPACE SHRLEVEL NONE REORG TABLESPACE PART <i>n:m</i> SHRLEVEL NONE REORG TABLESPACE REFERENCE or CHANGE
		Partitioned table space	<p><i>For rows <= 32 K:</i> Run REORG TABLESPACE SHRLEVEL NONE SORTDATA.</p> <p><i>For rows > 32 K:</i> 1. Run REORG TABLESPACE UNLOAD ONLY. 2. Run LOAD TABLESPACE FORMAT UNLOAD.</p>
AREO*	Advisory REORG	Table space	<p>Run one of the following utilities:</p> <ul style="list-style-type: none"> REORG TABLESPACE LOAD REPLACE REPAIR TABLESPACE
		Index space	<p>Run one of the following utilities:</p> <ul style="list-style-type: none"> REORG TABLESPACE LOAD REPLACE REORG INDEX REPAIR INDEX
AREOR	Advisory REORG	Table space	<p>Run one of the following utilities:</p> <ul style="list-style-type: none"> REORG TABLESPACE REPAIR TABLESPACE
		Index space	<p>Run one of the following utilities:</p> <ul style="list-style-type: none"> REORG TABLESPACE LOAD REPLACE REBUILD INDEX REPAIR INDEX
RESTOP	Restart pending	Table space, partition, index space, physical index partition	Objects are unavailable until back-out work is complete or until restart is canceled and a conditional restart or cold start is performed.
STOPE	Stop error	Table space, index space	RECOVER the table space or index space.
WEPR	Write error page range	Page range in error	Run a RECOVER utility on affected data.

Db2 Catalog Tables

SYSIBM.IPLIST

Allows multiple IP addresses to be specified for a given LOCATION.

Column Name	Data Type	Description
LINKNAME	VARCHAR(24)	Associated with value specified in LINKNAME column in LOCATIONS table and IPNAMES table. Values of other columns in IPNAMES table apply to server identified by LINKNAME
IPADDR	VARCHAR(254)	Contains an IPv4 or IPv6 address, or domain name of a remote TCP/IP host of server
IBMREQD	CHAR(1)	A value of Y means row came from MRM tape

SYSIBM.IPNAMES

Defines the remote DRDA servers Db2 can access using TCP/IP.

Column Name	Data Type	Description
LINKNAME	VARCHAR(24)	Value specified must match value specified in LINKNAME column of associated row in LOCATIONS
SECURITY_OUT	CHAR(1)	DRDA security option used when local Db2 applications connect to remote server associated with TCP/IP host: A "already verified" D "userid and security-sensitive data encryption" E "userid, password, and security sensitive data encryption" R "RACF PassTicket" P "password"
USERNAMES	CHAR(1)	Controls outbound auth ID translation. Performed when an auth ID is sent by Db2 to a remote server O An outbound ID is subject to translation. USERNAMES table are used to perform ID Translation. No translation or "come from" checking is performed on inbound IDs S USERNAMES table is used to obtain system AUTHID used to establish a trusted connection Blank No translation occurs
IBMREQD	CHAR(1)	Y indicates row came a MRM tape
IPADDR	VARCHAR(254)	IP address or domain name of a remote TCP/IP host

SYSIBM.LOCATIONS

Contains a row for every accessible remote server.

Column Name	Data Type	Description
LOCATION	VARCHAR(128)	Unique location name for accessible server. Name by which the remote server is known to local Db2 SQL applications
LINKNAME	VARCHAR(128)	Identifies VTAM or TCP/IP attributes associated with this location
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape
PORT	VARCHAR(96)	TCP/IP is used for outbound DRDA connections when row exists in IPNAMES, where LINKNAME column matches value specified in LOCATIONS LINKNAME column
TPN	VARCHAR(192)	Used when local Db2 begins SNA conversation with a server
DBALIAS	VARCHAR(128)	Database alias. Name associated with server and used to access a remote database server
TRUSTED	CHAR(1)	Connection to remote server can be trusted (TCP/IP only) Y Location is trusted

Column Name	Data Type	Description
		N Location is not trusted
SECURE	CHAR(1)	Use Secure Socket Layer (SSL) protocol for outbound DRDA connections when local Db2 applications connects to remote database server using TCP/IP Y Secure connection using SSL required for outbound DRDA N Secure connection is not required for outbound DRDA

SYSIBM.LULIST

Allows multiple LU names to be specified for a given LOCATION.

Column Name	Data Type	Description
LINKNAME	VARCHAR(24)	Value of LINKNAME column LOCATIONS with which this row is associated. Also value of LUNAME column in LUNAMES table. Values of other columns in LUNAMES row apply to LU identified by LUNAME column in this row of LULIST
LUNAME	VARCHAR(24)	VTAM logical unit name (LUNAME) of remote database system. LUNAME must not exist in LUNAME column of LUNAMES
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape

SYSIBM.LUMODES

Provides VTAM w/conversation limits for a specific combination of LUNAME and MODENAME.

Column Name	Data Type	Description
LUNAME	VARCHAR(24)	LU name of the server involved in the CNOS processing
MODENAME	VARCHAR(24)	Name of a logon mode description in the VTAM logon mode table
CONVLIMIT	SMALLINT	Maximum number of active conversations between local Db2 and other system for this mode. Used to override number in the DSESLIM parameter of the VTAMAPPL definition statement for this mode
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape

SYSIBM.LUNAMES

Contains a row for each remote SNA client or server that communicates with Db2.

Column Name	Data Type	Description
LUNAME	VARCHAR(24)	Name of LU for one or more accessible systems
SYSMODENAME	VARCHAR(24)	Mode used to establish inter-system conversations
SECURITY_IN	CHAR(1)	Defines security options when an SNA client connects to Db2: V Verify A Already verified
SECURITY_OUT	CHAR(1)	Defines security option used when local Db2 SQL applications connect to any remote server associated with this LUNAME: A Already verified R RACF PassTicket P Password
ENCRYPTPSWDS	CHAR(1)	Only applies to Db2 for z/OS partners. Provided to support connectivity to prior releases of Db2 unable to support RACF PassTickets N Passwords are not in internal RACF encrypted format(default) Y Outbound requests, encrypted password is extracted from RACF and sent to the server Inbound requests, password is treated as encrypted
MODESELECT	CHAR(1)	Use MODESELECT table: N Use default modes:IBMDB2LM(private protocol) and IBMRDB(DRDA)

Column Name	Data Type	Description
		Y Searches MODESELECT for appropriate mode name
USERNAMES	CHAR(1)	Controls inbound and outbound authorization ID translation, and “come from” checking. Inbound translation and “come from” checking are performed when an authorization ID is received from a remote client. Outbound translation is performed when an authorization ID is sent by Db2 to a remote server I An inbound ID is subject to translation and “come from” checking. No translation is performed on outbound IDs O No translation or “come from” checking is performed on inbound IDs. An outbound ID is subject to translation B An inbound ID is subject to translation and “come from” checking. An outbound ID is subject to translation blank No translation occurs
GENERIC	CHAR(1)	Real LU name or generic LU name to identify itself to partner LU N Real VTAMLU name of this Db2 subsystem Y VTAM generic LU name of this Db2 subsystem
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape

SYSIBM.MODESELECT

Associates a mode name with any conversation created to support an outgoing SQL request.

Column Name	Data Type	Description
AUTHID	VARCHAR(128)	Auth ID of SQL request. Blank (default) = MODENAME specified for row is to apply to all authorization IDs
PLANNAME	VARCHAR(24)	Plan name associated with SQL request. Blank (default) = MODENAME specified is to apply to all plan names
LUNAME	VARCHAR(24)	LU name associated with SQL request
MODENAME	VARCHAR(24)	Name of logon mode in VTAM logon mode table to be used in support of the outgoing SQL request. If blank, IBMDB2LM is used for Db2 private protocol and IBMRDB is used for DRDA
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape

SYSIBM.SYSAUDITPOLICIES

Contains one row for each audit policy.

Column Name	Data Type	Description
AUDITPOLICY NAME	VARCHAR(128)	Name of audit policy
OBJECTSCHEMA	VARCHAR(128)	Schema of audited object. Applies to categories, OBJMAINT and EXECUTE
OBJECTNAME	VARCHAR(128)	Name of object
OBJECTTYPE	CHAR(1)	Type of object for categories OBJMAINT and EXECUTE: A Alias C Clone table P Implicit table created for XML columns T Table blank All of the above object types
CREATEDTS	TIMESTAMP	Time when the row was inserted
ALTEREDTS	TIMESTAMP	Time when the row was last updated
CHECKING	CHAR(1)	Authorization and authentication failures are audited: A Audit all failures (Authorization and authentication) Blank Audit none

Column Name	Data Type	Description
VALIDATE	CHAR(1)	Auditing enabled for a trusted connection is established or used by a different user: A Audit all Blank Audit none
OBJMAINT	CHAR(1)	Auditing enabled for table identified by OBJECTSCHEMA, OBJECTNAME, and OBJECTTYPE columns is altered or dropped: A Audit when specified table is altered or dropped Blank Audit none
EXECUTE	CHAR(1)	Auditing enabled for table identified by OBJECTSCHEMA, OBJECTNAME, and OBJECTTYPE columns is accessed during first operation performed by each unit of work A Audit when specified table is accessed during first operation of any kind performed by each unit of work a utility or application process C Audit when specified table is accessed during first insert, update, or delete operation performed by each unit of work Blank Audit none
CONTEXT	CHAR(1)	Auditing enabled for start of a utility, change to object or phase, and end of utility: A Audit all utilities Blank Audit none
SECMAINT	CHAR(1)	Auditing enabled for when a grant or revoke is made or a trusted context is created or altered: A Audit all utilities Blank Audit none
SYSADMIN	VARCHAR(128)	Auditing enabled for when an operation is performed using an administrative authority to perform system admin tasks: Blank Audit none * Audit all the authorities I Installation SYSADM L SYSCTRL O SYSOPR R Installation SYSOPR S SYSADM Can be a concatenated string of all supported values
DBADMIN	VARCHAR(128)	Auditing enabled for when an operation is performed using an admin authority to perform database admin tasks: Blank Audit none * Audit all the authorities B System DBADM C DBCTRL D DBADM E SECADM G ACCESSCTRL K SQLADM M DBMAINT P PACKADM T DATAACCESS Can be a concatenated string of all supported values
DBNAME	VARCHAR(24)	Database name

Column Name	Data Type	Description
COLLID	VARCHAR(128)	Name of package collection
DB2START	CHAR(1)	Indicates if audit policies are to be started automatically during Db2 start up Y Will be started automatically N Will not be started automatically
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape
SYS_START	TIMESTAMP(12)	Start time associated with most recent transaction
SYS_END	TIMESTAMP(12)	Delete time deleted from system-period temporal table
TRANS_START	TIMESTAMP(12)	Unique timestamp per transaction or null value

SYSIBM.SYSAUTOALERTS

Contains one row for each recommendation from autonomic procedures.

Column Name	Data Type	Description
ALERT_ID	BIGINT	ID of alert
HISTORY_ENTRY_ID	BIGINT	ID of entry in ADMIN_UTLPROCEDURES_HIST procedure that produced this alert
ACTION	VARCHAR(32)	Type of action requested by this alert
TARGET_QUALIFIER	VARCHAR(128)	Qualifier of object (database name) to which alert applies
TARGET_OBJECT	VARCHAR(128)	Name of object (table space name) to which alert applies
TARGET_PARTITION	SMALLINT	Partition number of Db2 object to which alert applies. 0, if alert applies to all partitions or if object is not partitioned
OPTIONS	VARCHAR(4000)	Options specified when corresponding action is run: USE PROFILE Use options specified in profile TABLE Options only apply for this table COLUMNS Options only apply for these columns SAMPLE Sampling is allowed
CREATEDTS	TIMESTAMP	Timestamp when alert was issued
DURATION	INTEGER	Estimate of time, in seconds, to run corresponding action
STATUS	VARCHAR(32)	Status of actual planned task OPEN Alert is not yet resolved INPROGRESS Alert execution is in progress COMPLETED Alert execution is complete
STARTTS	TIMESTAMP	Timestamp for when alert execution started
ENDTS	TIMESTAMP	Timestamp for when alert execution ended
RETURN_CODE	INTEGER	Return code written directly by autonomic stored procedure that resolved alert
ERROR_MESSAGE	VARCHAR(1331)	Indicates why alert was not resolved successfully
OUTPUT	CLOB(2M)	Output written directly by the autonomic stored procedure that executes the planned task
ROWID	ROWID	ROWID value for CLOB column of this table

SYSIBM.SYSAUTOALERTS_OUT

An auxiliary table for the OUTPUT column of the SYSIBM.SYSAUTOALERTS table.

Column Name	Data Type	Description
OUTPUT	CLOB(2M)	Output of the autonomic stored procedure

SYSIBM.SYSAUTORUNS_HIST

Contains one row for each time an autonomic procedure has been run.

Column Name	Data Type	Description
HISTORY_ENTRY_ID	BIGINT	ID of the entry in history table

Column Name	Data Type	Description
PROC_NAME	VARCHAR(128)	Name of autonomic stored procedure that produced entry
STARTTS	TIMESTAMP	Timestamp when autonomic stored procedure started
ENDTS	TIMESTAMP	Timestamp when autonomic stored procedure ended
OUTPUT	CLOB(2M)	Output of autonomic stored procedure
ERROR_MESSAGE	VARCHAR(1331)	Indicates why autonomic stored procedure not successful
RETURN_CODE	INTEGER	Return code written by autonomic stored procedure
ROWID	ROWID	ROWID value for OUTPUT column of this table

SYSIBM.SYSAUTORUNS_HISTOU

An auxiliary table for the OUTPUT column of the SYSIBM.SYSAUTORUNS_HIST table.

Column Name	Data Type	Description
OUTPUT	CLOB(2M)	Output of the autonomic stored procedure

SYSIBM.SYSAUTOTIMEWINDOWS

Contains one row for each time period during which autonomic procedures can be run.

Column Name	Data Type	Description
WINDOW_ID	BIGINT	ID of time window described in this row
DB2_SSID	CHAR(4)	Db2 member name on which planned tasks have to be run
MONTH_WEEK	CHAR(1)	How value of DAY column is interpreted: M Value of DAY column is interpreted as a day of month W Value of DAY column is interpreted as day of week
MONTH	INTEGER	Month in which time window applies
DAY	INTEGER	Day of month or day of week for which the time window applies
FROM_TIME	TIME	Time of day at which time window begins
TO_TIME	TIME	Time of day at which time window ends
ACTION	VARCHAR(256)	Comma-separated list of actions allowed during this time window
MAX_TASKS	INTEGER	Number of concurrent actions allowed during time window

SYSIBM.SYSAUXRELS

Contains one row for each auxiliary table created for a LOB column.

Column Name	Data Type	Description
TBOWNER	VARCHAR(128)	Schema of base table
TBNAME	VARCHAR(128)	Name of base table
COLNAME	VARCHAR(128)	Name of LOB column in base table
PARTITION	SMALLINT	Partition number if base tablespace is partitioned. Else, 0
AUXTBOWNER	VARCHAR(128)	Schema of owner of the auxiliary table
AUXTBNAME	VARCHAR(128)	Name of auxiliary table
AUXRELOBID	INTEGER	Internal identifier of relationship between base and auxiliary table
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape
RELCREATED	CHAR(1)	Release of Db2 is used to create object. Blank if pre-V9

SYSIBM.SYSCHECKDEP

Contains one row for each reference to a column in a table check constraint.

Column Name	Data Type	Description
TBOWNER	VARCHAR(128)	Schema of towner of table on which check constraint is defined
TBNAME	VARCHAR(128)	Name of table on which the check constraint is defined
CHECKNAME	VARCHAR(128)	Name of check constraint
COLNAME	VARCHAR(128)	Name of column that the table check constraint refers to
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape

SYSDIBM.SYSCHECKS

Contains one row for each table check constraint.

Column Name	Data Type	Description
TBOWNER	VARCHAR(128)	Schema of owner of table on which constraint is defined
CREATOR	VARCHAR(128)	Authorization ID of the creator of the table check constraint
DBID	SMALLINT	Internal identifier of the database for table check constraint
OBID	SMALLINT	Internal identifier of the table check constraint
TIMESTAMP	TIMESTAMP	Time table check constraint was created
RBA	CHAR(10)	Log RBA when table check constraint was created
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape
TBNAME	VARCHAR(128)	Name of table on which check constraint is defined
CHECKNAME	VARCHAR(128)	Table check constraint name
CHECKCONDITION	VARCHAR(7400)	Text of table check constraint
RELCREATED	CHAR(1)	Release of Db2 is used to create the object. Blank if pre-V9
ENVID	INTEGER	Internal environment identifier
PERIOD	CHAR(1)	Type of period associated with check constraint: B BUSINESS_TIME check constraint S SYSTEM_TIME check constraint Blank Not applicable

SYSDIBM.SYSCHECKS2

Contains one row for each table check constraint.

Column Name	Data Type	Description
TBOWNER	VARCHAR(128)	Schema of owner of table on which constraint is defined
TBNAME	VARCHAR(128)	Name of the table on which the check constraint is defined
CHECKNAME	VARCHAR(128)	Table check constraint name
PATHSCHEMAS	VARCHAR(2048)	SQL path at time check constraint was created
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape
RELCREATED	CHAR(1)	Release of Db2 is used to create the object. Blank if pre-V9

SYSDIBM.SYSCOLAUTH

UPDATE or REFERENCES privileges held by users on individual columns of table or view.

Column Name	Data Type	Description
GRANTOR	VARCHAR(128)	Auth ID of user who granted privileges.Can be PUBLIC or PUBLIC*
GRANTEE	VARCHAR(128)	Auth ID of us/er who holds privilege or name of plan/package that uses privilege
GRANTEETYPE	CHAR(1)	Type of grantee: Blank Authorization ID L Role P Application plan or a package
CREATOR	VARCHAR(128)	Schema of owner of table or view on which update privilege is held
TNAME	VARCHAR(128)	Name of table or view
COLNAME	VARCHAR(128)	Name of column to which UPDATE privilege applies
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape
COLLID	CHAR(128)	If GRANTEE is a package, its collection name. Else, blank
CONTOKEN	CHAR(8)	If GRANTEE is a package, consistency token of DBRM from which package was derived. Else, blank
PRIVILEGE	CHAR(1)	Privilege row describes: R REFERENCES privilege Blank UPDATE privilege
GRANTEDTS	TIMESTAMP	Time when GRANT was executed

Column Name	Data Type	Description
GRANTORTYPE	CHAR(1)	Type of grantor L Role Blank Authorisation ID that is not a role
SYS_START	TIMESTAMP(12)	Start time associated with most recent transaction
SYS_END	TIMESTAMP(12)	Delete time deleted from system-period temporal table
TRANS_START	TIMESTAMP(12)	Unique timestamp per transaction or null value

SYSIBM.SYSCOLDIST

Rows for cardinality, frequency, and histogram statistics for a single column or a column group.

Column Name	Data Type	Description
STATSTIME	TIMESTAMP	Date and time when RUNSTATS updated statistics
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape
TBOWNER	VARCHAR(128)	Schema of table that contains column
TBNAME	VARCHAR(128)	Name of table that contains column
	VARCHAR(128)	Name of column
COLVALUE	VARCHAR(2000)	Data of a frequently occurring value
TYPE	CHAR(1)	Type of statistics gathered: C Cardinality F Frequent value H Histogram statistics N Nonpadded frequent value
CARDF	FLOAT	TYPE=C, number of distinct values for column group TYPE=H, number of distinct values for column group in a quantile indicated by QUANTILENO
COLGROUPOCOLNO	VARCHAR(254)	Set of columns associated with statistics
NUMCOLUMNS	SMALLINT	Number of columns associated with the statistics
FREQUENCYF	FLOAT	Percentage of rows in table with value specified in COLVALUE when the number is multiplied by 100
QUANTILENO	SMALLINT	Ordinary sequence number of quantile in whole consecutive value range, from low to high. Not updatable
LOWVALUE	VARCHAR(2000)	TYPE=H, lower bound for quantile in QUANTILENO
HIGHVALUE	VARCHAR(2000)	TYPE=H, higher bound for quantile in QUANTILENO

SYSIBM.SYSCOLDISTSTATS

Rows per partition for cardinality, frequency, and histogram statistics.

Column Name	Data Type	Description
	SMALLINT	Not used
STATSTIME	TIMESTAMP	Date and time when RUNSTATS updated statistics
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape
PARTITION	SMALLINT	Partition number for tablespace that contains table in which column is defined
TBOWNER	VARCHAR(128)	Schema of owner of table that contains column
TBNAME	VARCHAR(128)	Name of table that contains column
NAME	VARCHAR(128)	Name of column
COLVALUE	VARCHAR(2000)	Data of a frequently occurring value
TYPE	CHAR(1)	Type of statistics gathered: C Cardinality F Frequent value H Histogram statistics N Non-padded frequent value

Column Name	Data Type	Description
CARDF	FLOAT	TYPE=C, number of distinct values for column group TYPE=N or F, number of rows or keys in partition for which FREQUENCYF value applies TYPE=H, number of distinct values for column group in a quantile in QUANTILENO
COLGROUPOCOLNO	VARCHAR(254)	Set of columns associated with statistics
NUMCOLUMNS	SMALLINT	Number of columns associated with the statistics
FREQUENCYF	FLOAT	Percentage of rows in table with value specified in COLVALUE when number is multiplied by 100
QUANTILENO	SMALLINT	Ordinary sequence number of a quantile in whole consecutive value range, from low to high
LOWVALUE	VARCHAR(2000)	TYPE=H, lower bound for quantile in QUANTILENO
HIGHVALUE	VARCHAR(2000)	TYPE=H higher bound for quantile in QUANTILENO

SYSIBM.SYSCOLDIST_HIST

Contains rows from SYSCOLDIST.

Column Name	Data Type	Description
STATSTIME	TIMESTAMP	Date and time when RUNSTATS updated statistics
TBOWNER	VARCHAR(128)	Schema of table that contains column
TBNAME	VARCHAR(128)	Name of table that contains column
NAME	VARCHAR(128)	Name of column. If NUMCOLUMNS >1, first column name of set of columns associated with statistics
COLVALUE	VARCHAR(2000)	Contains data of a frequently occurring value
TYPE	CHAR(1)	Type of statistics gathered: C Cardinality F Frequent value H Histogram statistics N Nonpadded frequent value
CARDF	FLOAT(8)	TYPE=C, number of distinct values for column group TYPE=H, number of distinct values for column group in quantile in QUANTILENO. -1 if statistics not gathered
COLGROUPOCOLNO	VARCHAR(254)	Set of columns associated with statistics
NUMCOLUMNS	SMALLINT	Number of columns associated with the statistics
FREQUENCYF	FLOAT(8)	Percentage of rows in table, value specified in COLVALUE when number is multiplied by 100
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape
QUANTILENO	SMALLINT	Ordinary sequence number of a quantile in the whole consecutive value range, from low to high
LOWVALUE	VARCHAR(2000)	TYPE=H, lower bound for quantile in QUANTILENO
HIGHVALUE	VARCHAR(2000)	TYPE=H, higher bound for quantile in QUANTILENO

SYSIBM.SYSCOLSTATS

Contains partition statistics for selected columns.

Column Name	Data Type	Description
HIGHKEY	VARCHAR(2000)	Highest value of column within partition
HIGH2KEY	VARCHAR(2000)	Second highest value of column within partition
LOWKEY	VARCHAR(2000)	Lowest value of column within partition
LOW2KEY	VARCHAR(2000)	Second lowest value of the column within the partition
COLCARD	INTEGER	Number of distinct column values in the partition

Column Name	Data Type	Description
STATSTIME	TIMESTAMP	Date and time when RUNSTATS updated statistics
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape
PARTITION	SMALLINT	Partition number for tablespace that contains table in which column is defined
TBOWNER	VARCHAR(128)	Schema or qualifier of the table that contains the column
TBNAME	VARCHAR(128)	Name of the table that contains the column
NAME	VARCHAR(128)	Name of the column
COLCARDATA	VARCHAR(1000)	Internal use only
STATS_FORMAT	CHAR(1)	Type of statistics gathered: Blank Statistics have not been collected or varchar column statistical values are padded N Varchar column statistical values are not padded

SYSIBM.SYSCOLUMNS

Contains one row for every column in a table or view.

Column Name	Data Type	Description
NAME	VARCHAR(128)	Name of the column
TBNAME	VARCHAR(128)	Name of the table or view that contains the column
TBCREATOR	VARCHAR(128)	Schema of the table or view that contains the column
COLNO	SMALLINT	Numeric place of the column in the table or view
COLTYPE	CHAR(8)	Type of the column specified in the definition of the column
LENGTH	SMALLINT	Length of column
SCALE	SMALLINT	If column type is DECIMAL, value represents scale
NULLS	CHAR(1)	Column can contain null values: N No Y Yes
HIGH2KEY	VARCHAR(2000)	Second highest value of column
LOW2KEY	VARCHAR(2000)	Second lowest value of the column
UPDATES	CHAR(1)	Whether the column can be updated: N No Y Yes The value is N if the column is: * Derived from a function or expression * Column defined AS IDENTITY and GENERATED ALWAYS Value can be Y for columns of a read-only view
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape
REMARKS	VARCHAR(762)	A character string provided by user with COMMENT ON
DEFAULT	CHAR(1)	For TYPE column associated SYSTABLES row indicates a table(T) or a created temporary table (G)
KEYSEQ	SMALLINT	Numeric position within primary key. Else, 0
FOREIGNKEY	CHAR(1)	Applies to character or CLOB columns, indicates subtype of data: B BIT data M MIXED data S SBCS data blank
FLDPROC	CHAR(1)	Column has a field procedure: N No Y Yes Blank For a view defined prior to V7
LABEL	VARCHAR(90)	Column label provided by user with a LABEL ON; Else, blank
STATSTIME	TIMESTAMP	Date and time when RUNSTATS updated statistics

Column Name	Data Type	Description
DEFAULTVALUE	VARCHAR(1536)	For column being described is for a table (TYPE column of SYSTABLES row is T for table or G for created temporary table)
COLCARDF	FLOAT	Estimated number of distinct values in column
COLSTATUS	CHAR(1)	Status of definition of a column: I Incomplete – LOB table space, auxiliary table, or Index not created Blank Complete
LENGTH2	INTEGER	Maximum length of the data retrieved from the column 0 Not a LOB or ROWID column 40 For a ROWID column, the length of the returned value 1 to 2 147 483 647 bytes For a LOB column, the maximum length
DATATYPEID	INTEGER	Internal ID of built-in type or distinct type
SOURCETYPEID	INTEGER	Built-in data type = 0 Distinct type = internal ID of built-in data type which it is based
TYPESHEMA	VARCHAR(128)	If COLTYPE is DISTINCT, schema of distinct type. Else, SYSIBM
TYPENAME	VARCHAR(128)	If COLTYPE is DISTINCT, name of the distinct type. Else, value is same as value of COLTYPE column
CREATEDTS	TIMESTAMP	Timestamp when column was created
STATS_FORMAT	CHAR(1)	Type of statistics gathered: Blank Statistics have not been collected or varchar column statistical columns are padded N Varchar column statistical values are padded An updateable column
PARTKEY_ COLSEQ	SMALLINT	Position of column within partitioning key. 0 if it not part of partitioning key. Applicable only for table-controlled partitioning
PARTKEY_ ORDERING	CHAR(1)	Order of column in partitioning key A Ascending D Descending Blank Column is not used as part of a partitioning key
ALTERDTS	TIMESTAMP	Timestamp when the alter occurred
CCSID	INTEGER	CCSID of column
HIDDEN	INTEGER	Column is hidden P Partly hidden N Not hidden
RELCREATED	CHAR(1)	Release of Db2 that is used to create the object
CONTROL_ID	INTEGER	Internal identifier of column access control mask
XML_ TYPEMOD_ID	INTEGER	ID of the XML type modifier
PERIOD	CHAR(1)	Whether column is start or end of the period for a SYSTEM_TIME or BUSINESS_TIME period: B Start of period BUSINESS_TIME C End of period BUSINESS_TIME with exclusive period I End of period BUSINESS_TIME with inclusive period S Start of period SYSTEM_TIME T End of period SYSTEM_TIME blank Not used as start or the end of a period
GENERATED_ ATTR	CHAR(1)	Columns generated attribute: A Defined as GENERATED_ALWAYS D Defined as GENERATED BY DEFAULT

Column Name	Data Type	Description
		blank Not applicable or value of DEFAULT column is A, D, E, F, I, or J or defined from a prior release of Db2
HASHKEY_ COLSEQ	SMALLINT	Columns numeric position within tables hash key
ENCODING_ SCHEME	CHAR(1)	Encoding scheme of column A ASCII E EBCDIC U Unicode

SYSIBM.SYSCOLUMNS_HIST

Contains rows from SYSCOLUMNS.

Column Name	Data Type	Description
NAME	VARCHAR(128)	Name of column
TBNAME	VARCHAR(128)	Name of table or view that contains the column
TBCREATOR	VARCHAR(128)	Schema or qualifier of the table or view that contains the column
COLNO	SMALLINT	Numeric place of the column in the table or view
COLTYPE	CHAR(8)	Type of column specified in definition of column
LENGTH	SMALLINT	Length of column
LENGTH2	INTEGER	Maximum length of the data retrieved from the column 0 Not a LOB or ROWID column 40 For a ROWID column, length of the returned value 2 to 2 147 483 647 bytes For a LOB column, maximum length
NULLS	CHAR(1)	Column can contain null values: N =No, Y =Yes
HIGH2KEY	VARCHAR(2000)	Second highest value of the column
LOW2KEY	VARCHAR(2000)	Second lowest value of the column
STATSTIME	TIMESTAMP	Date and time when RUNSTATS updated statistics
COLCARDF	FLOAT	Estimated number of distinct values in column
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape
STATS_FORMAT	CHAR(1)	Type of statistics gathered

SYSIBM.SYSCONSTDEP

Records dependencies on check constraints or user-defined defaults for a column.

Column Name	Data Type	Description
BNAME	VARCHAR(128)	Name of the object on which the dependency exists
BSHEMA	VARCHAR(128)	Schema of the object on which the dependency exists
BTYPE	CHAR(1)	Type of object with dependency: F =Function instance
DTBNAME	VARCHAR(128)	Name of the table to which the dependency applies
DTBCREATOR	CHAR(8)	Schema of the owner of the table to which dependency applies
DCONSTNAME	VARCHAR(128)	DTYPE = C, unqualified name of check constraint DTYPE = D, a column name
DTYPE	CHAR(1)	Type of object: C Check constraint D User-defined default constant
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape
DTBOWNER	VARCHAR(128)	Auth ID of owner of table or a zero if created prior to V9
OWNERTYPE	CHAR(1)	Type of owner: blank Authorization ID R Role

SYSIBM.SYSCONTEXT

Contains one row for each trusted context.

Column name	Data Type	Description
NAME	VARCHAR(128)	Name of the trusted context
CONTEXTID	INTEGER	Internal context ID
DEFINER	VARCHAR(128)	Authorization ID or role that defined the trusted context
DEFINERTYPE	CHAR(1)	Type of the definer: L Role blank Authorization ID
SYSTEMAUTHID	VARCHAR(128)	Primary authorization ID used to establish connection
DEFAULTROLE	VARCHAR(128)	Name of the trusted context default role
OBJECTOWNERTYPE	CHAR(1)	ROLE AS OBJECT OWNER on the trusted context L ROLE AS OBJECT OWNER is specified blank ROLE AS OBJECT OWNER not specified
CREATEDTS	TIMESTAMP	Time when the trusted context is created
ALTEREDTS	TIMESTAMP	Time when the trusted context is last altered
ENABLED	CHAR(1)	Status of the trusted context: Y Enabled N Disabled
ALLOWPUBLIC	CHAR(1)	Connection is allowed to be reused for PUBLIC: Y Connection reuse is allowed N Connection reuse is not allowed
AUTHENTICATEPUBLIC	CHAR(1)	Authentication required for PUBLIC
RELCREATED	CHAR(1)	Release of Db2 that is used to create the object
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape
REMARKS	VARCHAR(762)	A character string that is provided COMMENT statement
DEFAULTSECURITYLABEL	VARCHAR(24)	Name of the context default RACF security label
SYS_START	TIMESTAMP(12)	Start time associated with most recent transaction
SYS_END	TIMESTAMP(12)	Delete time deleted from system-period temporal table
TRANS_START	TIMESTAMP(12)	Unique timestamp per transaction or null value

SYSIBM.SYSCONTEXTAUTHIDS

Contains one row for each authorization ID with which the trusted context can be used.

Column name	Data type	Description
CONTEXTID	INTEGER	Internal trusted context ID
AUTHID	VARCHAR(128)	Primary auth ID that can reuse a connection
AUTHENTICATE	CHAR(1)	Authentication is required for auth ID in AUTHID column: Y Authentication token is required for auth ID N Authentication is not required
ROLE	VARCHAR(128)	Role for auth ID in AUTHID
CREATEDTS	TIMESTAMP	Time when auth ID is added to the trusted context
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape
SECURITYLABEL	VARCHAR(24)	RACF security label for AUTHID
SYS_START	TIMESTAMP(12)	Start time associated with most recent transaction
SYS_END	TIMESTAMP(12)	Delete time deleted from system-period temporal table
TRANS_START	TIMESTAMP(12)	Unique timestamp per transaction or null value

SYSIBM.SYSCONTROLS

Contains one row for each row permission and column mask.

Column name	Data type	Description
SCHEMA	VARCHAR(128)	Schema of row permission or column mask
NAME	VARCHAR(128)	Name of row permission or column mask
OWNER	VARCHAR(128)	Owner of row permission or column mask
OWNERTYPE	CHAR(1)	Type of the owner: blank An authorization ID L Role
TBSCHEMA	VARCHAR(128)	Schema of table with row permission or column mask
TBNAME	VARCHAR(128)	Name of table with row permission or column mask
TBCORRELATION	VARCHAR(128)	Correlation name of table for which row permission or column mask is defined. Else, blank
COLNAME	VARCHAR(128)	Column name for which the column mask is defined
COLNO	SMALLINT	Column number for which column mask is defined
CONTROL_ID	INTEGER	Internal access control ID
CONTROL_TYPE	CHAR(1)	Type of access control object: R Row permission M Column mask
ENFORCED	CHAR(1)	Type of access enforced by row permission A All access (Mask always)
IMPLICIT	CHAR(1)	Row permission was implicitly created: N Row permission explicitly created or is a mask Y Row permission was implicitly created
ENABLE	CHAR(1)	Row permission or column mask is enabled: N Not enabled Y Enabled
STATUS	CHAR(1)	Status of row permission or column mask definition: blank Definition is complete R Error occurred when an attempt was made to regenerate row permission or column mask
CREATEDTS	TIMESTAMP	Timestamp row permission or column mask was created
RELCREATED	CHAR(1)	Release of Db2 when row permission or column mask was created
ALTEREDTS	TIMESTAMP	Timestamp when row permission or column mask was last changed
REMARKS	VARCHAR(762)	Character string provided by COMMENT ON statement
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape
ENVID	INTEGER	Internal identifier of the environment
ROWID	ROWID	Row identifier to support LOB columns in the table
RULETEXT	CLOB(2MB)	Source text of search condition or expression portion of CREATE PERMISSION or CREATE MASK
DESCRIPTOR	BLOB(2MB)	Internal description of row permission or column mask
SYS_START	TIMESTAMP(12)	Start time associated with most recent transaction
SYS_END	TIMESTAMP(12)	Delete time deleted from system-period temporal table
TRANS_START	TIMESTAMP(12)	Unique timestamp per transaction or null value
REGENERATETS	TIMESTAMP(12)	Time when object was regenerated

SYSDM.SYSCOPY

Contains information needed for recovery.

Column Name	Data Type	Description
DBNAME	CHAR(8)	Name of the database
TSNAME	CHAR(8)	Name of the target tablespace or index space
DSNUM	INTEGER	Data set number within tablespace

Column Name	Data Type	Description
ICTYPE	CHAR(1)	Type of operation: A ALTER B REBUILD INDEX C CREATE D CHECK DATA LOG(NO) E RECOVER (to current point) F COPY FULL YES I COPY FULL NO J REORG TABLESPACE or LOAD REPLACE L SQL (type of operation) M MODIFY RECOVERY utility P RECOVER TOCOPY or RECOVER TORBA Q QUIESCE R LOAD REPLACE LOG(YES) S LOAD REPLACE LOG(NO) V REPAIR VERSIONS utility W REORG LOG(NO) X REORG LOG(YES) Y LOAD LOG(NO) Z LOAD LOG(YES) T TERM UTILITY command (terminated utility)
START_RBA	CHAR(10)	80-bit positive integer for RBA/LRSN of a point in recovery log
FILESEQNO	INTEGER	Tape file sequence number of the copy
DEVTYPE	CHAR(8)	Device type the copy is on
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape
DSNAME	CHAR(44)	For ICTYPE='P' (RECOVER TOCOPY only), 'I', or 'F', contains data set name
SHRLEVEL	CHAR(1)	SHRLEVEL parameter on COPY (for ICTYPE F or I only): C Change R Reference blank Does not describe an image copy or was from V1.1
DSVOLSER	VARCHAR(1784)	Volume serial numbers of the data set
TIMESTAMP	TIMESTAMP	Date and time row was inserted
ICBACKUP	CHAR(2)	Type of image copy contained in data set: Blank LOCALSITE primary copy FC FlashCopy copy LB LOCALSITE backup copy RP RECOVERYSITE primary copy RB RECOVERYSITE backup copy
ICUNIT	CHAR(1)	Media that image copy data set is stored on: D DASD T Tape blank
STYPE	CHAR(1)	ICTYPE=A: A Partition was added to a table B MEMBER CLUSTER was changed C Column was added to a table and an index in different commit scopes, or a column was dropped from a table D DSSIZE attribute of the table space was altered E Data set numbers of a base table and its associated clone table are exchanged F Page size attribute of table space or index was altered G Index was regenerated

Column Name	Data Type	Description
		<p>I Inline attribute of LOB column was altered by REORG.</p> <p>L Logging attribute was altered to LOGGED</p> <p>M MAXPARTITIONS attribute was altered</p> <p>N An index was altered to not padded</p> <p>O Logging attribute was altered to NOT LOGGED</p> <p>P Index was altered to padded</p> <p>R Table was altered to rotate partitions</p> <p>S SEGSIZE attribute of the table space was altered</p> <p>V Column was altered for a numeric data type change and column is in an index</p> <p>X REORG dropped one or more empty partitions from the related table space</p> <p>Z Column in key of an index that was versioned prior to Db2 V8 was altered</p> <p>ICTYPE=C:</p> <p>L Logging attribute was altered to LOGGED</p> <p>O Logging attribute was altered to NOT LOGGED</p> <p>ICTYPE=E:</p> <p>B RECOVER utility with BACKOUT</p> <p>blank RECOVER utility without BACKOUT</p> <p>ICTYPE=F:</p> <p>C DFSMS concurrent copy ("I" instance of table space)</p> <p>J DFSMS concurrent copy ("J" instance of tablespace)</p> <p>N A FlashCopy copy is not consistent</p> <p>Q Sequential copy is consistent</p> <p>S LOAD REPLACE(NO)</p> <p>T FlashCopy is consistent</p> <p>U Sequential copy is not consistent</p> <p>V ALTER INDEX NOT PADDED</p> <p>W REORG LOG(NO)</p> <p>X REORG LOG(YES)</p> <p>blank Db2 image copy</p> <p>ICTYPE=L:</p> <p>M Mass DELETE, TRUNCATE TABLE, or DROP TABLE, LOWDSNUM contains table OBID of affected table</p> <p>B Recover to a point in time with BACKOUT YES option ran</p> <p>C Recover to a point in time without logonly with consistency</p> <p>L Recover to a point in time logonly without consistency</p> <p>M Recover to a point in time using logonly with consistency</p> <p>blank Recover to a point in time without logonly without consistency</p> <p>ICTYPE=R or S:</p> <p>A Resetting REORG pending status</p> <p>T First materializing default value for a row change timestamp column</p> <p>F COPY FULL YES</p> <p>I COPY FULL NO</p> <p>ICTYPE=W or X:</p> <p>A Resetting REORG pending status or REBALANCE</p> <p>H Hash organization attributes of the table were altered</p> <p>T First materializing the default value for a row change timestamp column</p> <p>For other values of ICTYPE, the value is blank</p>

Column Name	Data Type	Description
PIT_RBA	CHAR(10)	ICTYPE=P, contains LRSN for point in Db2 log
GROUP_NAME	CHAR(8)	Member name of Db2 subsystem that performed the operation
OTYPE	CHAR(1)	Type of object that the recovery information is for: I Index space T Table space
LOWDSNUM	INTEGER	Partition number of lowest partition in range for SYSCOPY records created for REORG and LOAD REPLACE for resetting a REORG pending status
HIGHDSNUM	INTEGER	Partition number of highest partition in range
COPYPAGESF	FLOAT(8)	Number of pages written to copy data set
NPAGESF	FLOAT(8)	Number of pages in table space or index at time of COPY
CPAGESF	FLOAT(8)	Total number of changed pages
JOBNAME	CHAR(8)	Job name of the utility
AUTHID	CHAR(8)	Authorization ID of the utility
OLDEST_VERSION	SMALLINT	When ICTYPE= B, F, I, S, W, or X, version number of oldest format of data for an object. Else, value -1
LOGICAL_PART	INTEGER	Logical partition number
LOGGED	CHAR(1)	Logging attribute of table space at time SYSCOPY record is written: Y LOGGED N NOT LOGGED Blank Row was inserted prior to V9
TTYPE	CHAR(8)	ICTYPE=A and STYPE=B : Value of MEMBER CLUSTER used Y Previous member cluster attribute is used N Previous member cluster attribute is not being used ICTYPE=A and STYPE=C : Column added/dropped from table: blank Column was added to a table D Column was dropped from a table CMP=N Index compression activated CMP=Y Index compression deactivated ICTYPE=A and STYPE=I : D REORG decremented the inline length of LOB column I REORG incremented the inline length of LOB column ICTYPE=A and STYPE=M : I Table space was converted from a single-table simple table space to a partition-by-growth UTS n Previous value of MAXPARTITIONS S Table space was converted from single-table segmented table space to a partition-by-growth UTS ICTYPE=A and STYPE=P : ABSOLUTE – table space converted from absolute to relative page numbering ICTYPE=A and STYPE=S : n Previous value of SEGSIZE attribute for table space P Table space was converted from a partitioned table space to a range-partitioned UTS ICTYPE=E : blank Full recovery reset the object N Full recovery did not reset the object ICTYPE=F and STYPE=N, Q, T, or U : A LOAD RESUME LOG NO B REBUILD

Column Name	Data Type	Description
		C COPY D LOAD RESUME LOG YES E LOAD SHRLEVEL CHANGE L LOAD P REPAIR R LOAD REPLACE LOG YES S LOAD REPLACE LOG NO T COPYTOCOPY W REORG TABLESPACE LOG NO X REORG TABLESPACE LOG YES ICTYPE=P, R, S, W, X: B RBA or LRSN format changed to base 6-byte format BRF Basic row format BRF I Basic row format, and FORMAT INTERNAL used E RBA or LRSN format changed to extended 10-byte F REORG utility was run with RRF Reordered row format RRF I Reordered row format and FORMAT INTERNAL used S REORG utility was run with FASTSWITCH NO option ICTYPE=M and STYPE=R: blank MODIFY RECOVERY deleted rows from SYSLGRNX N MODIFY RECOVERY did not delete rows from SYSLGRNX ICTYPE=T, TTYPE of B: ICTYPE=W or X and SYTYPE=H: ICTYPE=Y or Z: Blank FORMAT INTERNAL not specified during LOAD I FORMAT INTERNAL was specified during LOAD ICTYPE=A-A, A-R, B, C, P, R, S, W, or X: B Page format converted to basic page format with 6 byte RBA or LRSN values E Page format converted to extended page format with 10-byte RBA or LRSN values ICTYPE=A and STYPE=A or R: B Page format converted to basic page format with 6 byte RBA or LRSN values E Page format converted to extended page format with 10-byte RBA or LRSN values
INSTANCE	SMALLINT	STYPE = E and ICTYPE = A, is the data set instance number of a base object after EXCHANGE statement completes
RELCREATED	CHAR(1)	Release used to create the object. Blank if created prior to V9
MODECREATED	CHAR(2)	Latest mode to which Db2 subsystem had been migrated when the SYSCOPY record was written: C Conversion mode E Enabling-new-function mode N New-function mode
EVENTID	BIGINT	Event identifier of utility that inserted row (when utility history collection is active)

SYSIBM.SYSCTXTRUSTATTRS

Contains one row for each list of attributes for a given trusted context.

Column Name	Data Type	Description
CONTEXTID	INTEGER	Internal trusted context ID

NAME	VARCHAR(128)	Name of trust attribute
VALUE	VARCHAR(254)	Value of the trust attribute
CREATEDTS	TIMESTAMP	Time when the attribute is created
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape
SYS_START	TIMESTAMP(12)	Start time associated with most recent transaction
SYS_END	TIMESTAMP(12)	Delete time deleted from system-period temporal table
TRANS_START	TIMESTAMP(12)	Unique timestamp per transaction or null value

SYSIBM.SYSDATABASE

Contains one row for each database, except for database DSNDB01.

Column Name	Data Type	Description
NAME	VARCHAR(24)	Database name
CREATOR	VARCHAR(128)	Authorization ID of the owner of the database
STGROUP	VARCHAR(128)	Name of default storage group of database
BPOOL	CHAR(8)	Name of default buffer pool of tablespace
DBID	SMALLINT	Internal identifier of database
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape
CREATEDBY	VARCHAR(128)	Primary authorization ID of user who created database
TYPE	CHAR(1)	Type of database: blank Not a work file database W A work file database
GROUP_MEMBER	VARCHAR(24)	Member name of Db2 subsystem using the work file database
CREATEDTS	TIMESTAMP	Time when CREATE statement was executed
ALTEREDTS	TIMESTAMP	Time when most recent ALTER DATABASE was applied
ENCODING_SCHEME	CHAR(1)	Default encoding scheme for database: E EBCDIC A ASCII U UNICODE blank For DSNDB04 or a work file database
SBCS_CCSID	INTEGER	Default SBCS CCSID for the database
DBCS_CCSID	INTEGER	Default DBCS CCSID for the database
MIXED_CCSID	INTEGER	Default mixed CCSID for the database
INDEXBP	CHAR(8)	Name of default buffer pool for indexes
IMPLICIT	CHAR(1)	Database was implicitly created: Y Implicitly created N Explicitly created
CREATOR TYPE	CHAR(1)	Type of creator: blank Authorization ID L Role
RELCREATED	CHAR(1)	Release of Db2 that is used to create the object

SYSIBM.SYSDATATYPES

Contains one row for each user-defined type defined to the system.

Column Name	Data Type	Description
SCHEMA	VARCHAR(128)	Schema of the data type
OWNER	VARCHAR(128)	Owner of the data type
NAME	VARCHAR(128)	Name of the data type
CREATEDBY	VARCHAR(128)	Primary authid under which the data type was created
SOURCESCHEMA	VARCHAR(128)	Schema of the source data type
SOURCETYPE	VARCHAR(128)	Name of the source type
METATYPE	CHAR(1)	Class of data type: A User-defined ordinary array type

Column Name	Data Type	Description
		L User-defined associative array type T Distinct type
DATATYPEID	INTEGER	Internal identifier of the data type
SOURCETYPEID	INTEGER	Internal ID of the built-in data type upon which the distinct type or array elements are based
LENGTH	INTEGER	Maximum length or precision for a data type based on DECIMAL data type. Can be distinct type or an array type
SCALE	SMALLINT	Scale of decimal data type
SUBTYPE	CHAR(1)	Subtype of data type, if source type is one of the character types. Data type can be distinct type or array type B FOR BIT DATA S FOR SBCS DATA M FOR MIXED DATA Blank Source type is not a character type
CREATEDTS	TIMESTAMP	Time when the data type was created
ENCODING_SCHEME	CHAR(1)	Encoding scheme of the distinct type: A ASCII E EBCDIC U UNICODE
IBMREQD	CHAR(1)	Y indicates that the row came from the MRM tape
REMARKS	VARCHAR(762)	A character string provided by ser with COMMENT ON
OWNERTYPE	CHAR(1)	Type of owner: blank Authorization ID L Role
RELCREATED	CHAR(1)	Release of Db2 that is used to create the object
INLINE_LENGTH	INTEGER	Inline length attribute of type if based on LOB source type: -1 Type does not specify INLINE LENGTH greater than or equal to 0 Inline length attribute (in byte) of the type if it is based on a LOB source type
ARRAYLENGTH	BIGINT	Maximum cardinality, if data type is an array type
ARRAYINDEXTYPEID	INTEGER	Data type of index, if data type is an associative array type
ARRAYINDEXTYPELEN	BIGINT	Max length of array index, if data types is an associative
ARRAYINDEXSUBTYPE	CHAR(1)	Subtype of the array index: B FOR BIT DATA S FOR SBCS DATA M FOR MIXED DATA blank Array index is not a character type

SYSDIBM.SYSDBAUTH

Records the privileges that are held by users over databases.

Column Name	Data Type	Description
GRANTOR	VARCHAR(128)	Auth ID or role of user who granted privileges
GRANTEE	VARCHAR(128)	Application ID of user who holds privilege
NAME	VARCHAR(24)	Database name
GRANTEETYPE	CHAR(1)	Type of owner: blank Authorization ID L Role
AUTHHOWGOT	CHAR(1)	Authorization level of user from whom privileges were received blank Not applicable C DBCTL D DBADM

Column Name	Data Type	Description
		E SECADM G ACCESSCTRL L SYSCTRL M DBMAINT S SYSADM
CREATETABAUTH	CHAR(1)	GRANTEE can create tables within the database: blank Privilege is not held G Privilege held with the GRANT option Y Privilege is held without the GRANT option
CREATETSAUTH	CHAR(1)	GRANTEE can create tablespaces within database: blank Privilege is not held G Privilege held with the GRANT option Y Privilege is held without the GRANT option
DBADMAUTH	CHAR(1)	GRANTEE has DBADM authority over database: blank Privilege is not held G Privilege held with the GRANT option Y Privilege is held without the GRANT option
DBCTRLAUTH	CHAR(1)	GRANTEE has DBCTRL authority over database: blank Privilege is not held G Privilege held with the GRANT option Y Privilege is held without the GRANT option
DBMAINTAUTH	CHAR(1)	GRANTEE has DBMAINT authority over database: blank Privilege is not held G Privilege held with the GRANT option Y Privilege is held without the GRANT option
DISPLAYDBAUTH	CHAR(1)	GRANTEE can issue the DISPLAY command for the database: blank Privilege is not held G Privilege held with the GRANT option Y Privilege is held without the GRANT option
DROPAUTH	CHAR(1)	GRANTEE can issue ALTER and DROP DATABASE statement: blank Privilege is not held G Privilege held with the GRANT option Y Privilege is held without the GRANT option
IMAGCOPYAUTH	CHAR(1)	GRANTEE can use the COPY, MERGECOPY, MODIFY, and QUIESCE utilities on the database: blank Privilege is not held G Privilege held with the GRANT option Y Privilege is held without the GRANT option
LOADAUTH	CHAR(1)	GRANTEE can use LOAD utility to load tables in the database: blank Privilege is not held G Privilege held with the GRANT option Y Privilege is held without the GRANT option
REORGAUTH	CHAR(1)	GRANTEE can use the REORG utility to reorganize table spaces and indexes in the database: blank Privilege is not held G Privilege held with the GRANT option Y Privilege is held without the GRANT option
RECOVERDBAUTH	CHAR(1)	GRANTEE can use the RECOVER and REPORT utilities on table spaces in the database: blank Privilege is not held G Privilege held with the GRANT option Y Privilege is held without the GRANT option

Column Name	Data Type	Description
REPAIRAUTH	CHAR(1)	GRANTEE can use the DIAGNOSE and REPAIR utilities on table spaces and indexes in the database: blank Privilege is not held G Privilege held with the GRANT option Y Privilege is held without the GRANT option
STARTDBAUTH	CHAR(1)	GRANTEE can use START command against the database: blank Privilege is not held G Privilege held with the GRANT option Y Privilege is held without the GRANT option
STATSAUTH	CHAR(1)	GRANTEE can use CHECK and RUNSTATS utilities against the database: blank Privilege is not held G Privilege held with the GRANT option Y Privilege is held without the GRANT option
STOPAUTH	CHAR(1)	GRANTEE can issue the STOP command against the database: blank Privilege is not held G Privilege held with the GRANT option Y Privilege is held without the GRANT option
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape
GRANTEDTS	TIMESTAMP	Time when the GRANT statement was executed
GRANTORTYPE	CHAR(1)	Indicates the type of owner: blank Authorization ID L Role
SYS_START	TIMESTAMP(12)	Start time associated with most recent transaction
SYS_END	TIMESTAMP(12)	Delete time deleted from system-period temporal table
TRANS_START	TIMESTAMP(12)	Unique timestamp per transaction or null value

SYSIBM.SYSDBRM

Contains one row for each DBRM of each application plan.

Column Name	Data Type	Description
NAME	VARCHAR(24)	Name of the DBRM
TIMESTAMP	CHAR(8)	Consistency token
PDSNAME	CHAR(132)	Name of the partitioned data set of which the DBRM is a member
PLNAME	VARCHAR(24)	Name of the application plan of which this DBRM is a part
PLCREATOR	VARCHAR(128)	Authorization ID of the owner of the application plan
QUOTE	CHAR(1)	SQL string delimiter for the SQL statements in the DBRM: N Apostrophe Y Quotation mark
COMMA	CHAR(1)	Decimal point representation for SQL statements in the DBRM: N Period Y Comma
HOSTLANG	CHAR(1)	The host language used B Assembler language C OS/VS COBOL D C F Fortran P PL/I 2 VS COBOL II or IBM COBOL R1 3 IBM COBOL (Release 2 or subsequent releases) 4 C++
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape

Column Name	Data Type	Description
CHARSET	CHAR(1)	System CCSID for SBCS data was 290 (Katakana) when program was precompiled: A No K Yes
MIXED	CHAR(1)	Mixed data was in effect when program was precompiled N No Y Yes
DEC31	CHAR(1)	DEC31 was in effect when program was precompiled Blank No Y Yes
VERSION	VARCHAR(122)	Version identifier for DBRM
PRECOMPTS	TIMESTAMP	Time when DBRM was precompiled
PLCREATOR TYPE	CHAR(1)	Indicates type of creator: blank Authorization ID L Role
RELCREATED	CHAR(1)	Release of Db2 that is used to create the object

SYSIBM.SYSDEPENDENCIES

Records the dependencies between objects.

Column Name	Data Type	Description
BNAME	VARCHAR(128)	Name of the object on which another object is dependent
BSCHEMA	VARCHAR(128)	Schema/qualifier of object on which another object is dependent
BCOLNAME	VARCHAR(128)	Column name of object on which another object is dependent
BCOLNO	SMALLINT	Column number of object on which another object is dependent
BTYPE	CHAR(1)	Type of object identified by BNAME, BSCHEMA, and BCOLNAME: C Column E INSTEAD OF trigger F Function G Global temporary table I Index M Materialized query table O Procedure P Partitioned table space Q Sequence R Table space S Synonym T Table U Distinct type V View W SYSTEM_TIME period Z BUSINESS_TIME period 0 zero
BOWNER	VARCHAR(128)	Auth ID of owner of object on which another object is dependent
BOWNERTYPE	CHAR(1)	Type of creator of object on which another object is dependent: L Role blank Authorization ID that is not a role
DNAME	VARCHAR(128)	Name of the object that has dependencies on another object
DSCHEMA	VARCHAR(128)	Schema or qualifier of object that has dependencies on another
DVERSION	VARCHAR(122)	Version identifier of object identified by DSCHEMA and DNAME
DCOLNAME	VARCHAR(128)	Column name of object that has dependencies on another object
DCOLNO	SMALLINT	Column number of object that has dependencies on another

DTYPE	CHAR(1)	Type of object identified by DNAME, DSCHEMA, DCOLNAME: B Trigger package for basic trigger C Generated column F Function I Index M Materialized query table O Procedure V View X Row permission Y Column mask 1 Trigger package for advanced trigger
DOWNER	VARCHAR(128)	Auth ID of owner of object with dependencies on another object
DOWNERTYPE	CHAR(1)	Type of creator of object with dependencies on another object: L Role blank Authorization ID if not a role
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape
BAUTH	SMALLINT	Privilege held on object on which another object is dependent

SYSIBM.SYSDUMMY1

Contains one row in an EBCDIC table space.

Column Name	Data Type	Description
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape

SYSIBM.SYSDUMMYA

Contains one row in ASCII table space.

Column Name	Data Type	Description
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape

SYSIBM.SYSDUMMYE

Contains one row in an EBCDIC table space.

Column Name	Data Type	Description
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape

SYSIBM.SYSDUMMYU

Contains one row in a UNICODE table space.

Column Name	Data Type	Description
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape

SYSIBM.SYSDYNQRY

Contains information for stabilization of access path for dynamic SQL statement.

Column Name	Data Type	Description
SDQ_STMT_ID	BIGINT	Identifier of stabilized dynamic query
STBLGRP	VARCHAR(128)	Name of stabilization group
COPYID	SMALLINT	Copy type of stabilized runtime structures for query 0 Current copy 4 Invalid copy
CURSQLID	VARCHAR(128)	Current SQLID for stabilized dynamic query
CURSCHEMA	VARCHAR(128)	Current schema for stabilized dynamic query
CURAPPLCOMPAT	VARCHAR(10)	Current application compatibility for stabilized dynamic query
QUERY_HASH	CHAR(16)	Hash key generated for stabilized dynamic query
QUERY_HASH_VERSION	INTEGER	Version of the query hash

Column Name	Data Type	Description
VALID	CHAR(1)	Whether stabilized dynamic query is valid A – ALTER changed table or base table of view H - ALTER of object created prior to Db2 V5 N – Stabilized access path is not valid Y – Stabilized access path for dynamic query is valid
LASTUSED	DATE	Date query that uses stabilized runtime structures was last run
RELBOUND	CHAR(1)	Db2 release when query was stabilized
GROUP_MEMBER	VARCHAR(24)	Data sharing member name that updates row
STBLTIME	TIMESTAMP	Timestamp when statement was stabilized
ROWID	ROWID	Internal use
STMTTEXT	CLOB(2M)	Text of SQL statement and any attribute string
FUNCTION_LVL	VARCHAR(10)	Function level of query when row was inserted

SYSIBM.SYSDYNQRYDEP

Contains information for dependencies for dynamic query packages.

Column Name	Data Type	Description
SDQ_STMT_ID	BIGINT	Identifier of stabilized dynamic query
COPYID	SMALLINT	Copy type of stabilized runtime structures for query 0 Current copy 1 Previous copy 2 Original copy
BQUALIFIER	VARCHAR(128)	Value depends on type of object - BTYPE R Database B or C Table F , O or Q Schema name Blank BNAME is role
BNAME	VARCHAR(128)	Name of object query depends on
BTYPE	CHAR(1)	Type of object B BUSINESS_TIME C SYSTEM_TIME E INSTEAD OF Trigger F UDF or cast function G Global temporary table I Index M Materialized query table O Stored procedure P Partitioned tablespace with LARGE or DSSIZE Q Sequence object R Table space S Synonym T Table U Distinct type V View W SYSTEM_TIME period Z BUSINESS_TIME period 0 Alias
CLASS	CHAR(1)	A Authorization dependency D DDL dependency
BAUTH	SMALLINT	Privilege held on object if CLASS = A 50 SELECTAUTH 51 INSERTAUTH 52 DELETEAUTH

Column Name	Data Type	Description
		53 UPDATEAUTH 64 EXECUTE AUTH 263 USAGEAUTH 291 READAUTH 292 WRITEAUTH 0 not used – CLASS = D
AUTHID_TYPE	CHAR(1)	Type of authorization Blank Value of CLASS = D or CLASS = A (authid) L AUTHID contains name of role
AUTHID	VARCHAR(128)	Owner of privilege on object query is dependent
DBNAME	VARCHAR(128)	Database on which user or role holds DBADM authority
BADMINAUTH	VARCHAR(128)	Authority that allowed access on object. B SDBAMAUTH D DBADMAUTH G ACCESSCTRLAUTH K SQLADMCUTH L SYSCTRLAUTH S SYSADMAUTH T DATAACCESSAUTH Blank authority not held
PUBLICAUTH	CHAR(1)	Y privilege held by public Blank privilege not held by public or CLASS = D
ALLOBJAUTH	CHAR(1)	Y privilege held on all objects within schema Blank privilege not held on all objects or CLASS = D
QUERYHASH	BINARY(16)	Hash key of statement text if CLASS = D

SYSDYNQRY_EXPL

Contains internal information for stabilized dynamic SQL statement.

Column Name	Data Type	Description
DATA2	BLOB(2G)	Internal use only

SYSDYNQRY_OPL

Contains internal information for stabilized dynamic SQL statement.

Column Name	Data Type	Description
DATA4	BLOB(2G)	Internal use only

SYSDYNQRY_SHTL

Contains internal information for stabilized dynamic SQL statement.

Column Name	Data Type	Description
DATA3	BLOB(2G)	Internal use only

SYSDYNQRY_SPAL

Contains internal information for stabilized dynamic SQL statement.

Column Name	Data Type	Description
DATA1	BLOB(2G)	Internal use only

SYSDYNQRY_TXTL

Contains internal information for stabilized dynamic SQL statement.

Column Name	Data Type	Description
STMTTEXT	CLOB(2M)	Text of SQL statement

SYSIBM.SYSENVIRONMENT

Records the environment variables when an object is created.

Column Name	Data Type	Description
ENVID	INTEGER	Internal identifier of the environment
CURRENT_SCHEMA	VARCHAR(128)	Current schema
RELCREATED	CHAR(1)	Release when the environment information is created
PATHSCHEMAS	VARCHAR(2048)	Schema path
APPLICATION_ENCODING_CCSID	INTEGER	CCSID of the application environment
ORIGINAL_ENCODING_CCSID	INTEGER	Original CCSID of the statement text string
DECIMAL_POINT	CHAR(1)	Decimal point indicator: C Comma P Period
MIN_DIVIDE_SCALE	CHAR(1)	Minimum divide scale: N The usual rules apply for decimal division in SQL Y Retain at least three digits to the right of the decimal point after any decimal division
STRING_DELIMITER	CHAR(1)	String delimiter that is used in COBOL string constants: A A Apostrophe (') Q Quote (")
SQL_STRING_DELIMITER	CHAR(1)	SQL string delimiter that is used in string constants: A Apostrophe (') Q Quote (")
MIXED_DATA	CHAR(1)	Uses mixed DBCS data: N No mixed data Y Mixed data
DECIMAL_ARITHMETIC	CHAR(1)	Rules used for CURRENT PRECISION and when both operands in decimal operation have precision of 15 or less: 1 DEC15 specifies that the rules do not allow a precision greater than 15 digits 2 DEC31 specifies that the rules allow a precision of up to 31 digits
DATE_FORMAT	CHAR(1)	Date format: I ISO - yyyy-mm-dd J JIS - yyyy-mm-dd U USA - mm/dd/yyyy E EUR - dd.mm.yyyy L Locally defined by an installation exit routine
TIME_FORMAT	CHAR(1)	Time format: I ISO - hh.mm.ss J JIS - hh.mm.ss U USA - hh:mm AM or hh:mm PM E EUR - hh.mm.ss L Locally defined by an installation exit routine
FLOAT_FORMAT	CHAR(1)	Floating point format: I IEEE floating point format S System/390 floating point format
HOST_LANGUAGE	CHAR(8)	Host language: ASM,C, CPP, IBMCOB, PLI, FORTRAN
CHARSET	CHAR(1)	Character set: A Alphanumeric
FOLD	CHAR(1)	Applicable when HOST_LANGUAGE is C or CPP N Lower case letters in SBCS ordinary identifiers are

		not folded to uppercase Y Lower case letters in SBCS ordinary identifiers are folded to uppercase blank Not applicable
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape
ROUNDING	CHAR(1)	Rounding mode that is used when arithmetic and casting operations are performed on DECFLOAT data: C ROUND_CEILING D ROUND_DOWN F ROUND_FLOOR G ROUND_HALF_DOWN E ROUND_HALF_EVEN H ROUND_HALF_UP U ROUND_UP
CREATEDTS	TIMESTAMP	Time the row was created
APPLCOMPAT	VARCHAR(10)	Application compatibility associated with this environment

SYSIBM.SYSFIELDS

Contains one row for every column that has a field procedure.

Column Name	Data Type	Description
TBCREATOR	VARCHAR(128)	Schema or qualifier of the table that contains the column
TBNAME	VARCHAR(128)	Name of the table that contains the column
COLNO	SMALLINT	Numeric place of this column in the table
NAME	VARCHAR(128)	Name of the column
FLDTYPE	VARCHAR(24)	Data type of the encoded values in the field
LENGTH	SMALLINT	Length attribute of field; or, for a decimal field, its precision
SCALE	SMALLINT	Scale if FLDTYPE is DECIMAL; otherwise, the value is 0
FLDPROC	VARCHAR(24)	For field procedure, name of the procedure
WORKAREA	SMALLINT	For field procedure, the size, in bytes, of the work area
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape
EXITPARML	SMALLINT	Length of the field procedure parameter value block
PARMLIST	VARCHAR(735)	Parameter list following FIELDPROC
EXITPARM	VARCHAR(1530)	Parameter value block of field procedure

SYSIBM.SYSFOREIGNKEYS

Contains one row for every column of every foreign key.

Column Name	Data Type	Description
CREATOR	VARCHAR(128)	Authorization ID of the owner of the table that contains the column
TBNAME	VARCHAR(128)	Name of the table that contains the column
RELNAME	VARCHAR(128)	Constraint name for constraint which column is part of foreign key
COLNAME	VARCHAR(128)	Name of the column
COLNO	SMALLINT	Numeric place of the column in its table
COLSEQ	SMALLINT	Numeric place of the column in the foreign key
IBMREQD	CHAR(1)	Y indicates row came from basic (MRM) tape

SYSIBM.SYSINDEXCONTROL

Contains one row time windows to control the use of memory allocated for an index

Column Name	Data Type	Description
SSID	CHAR(4)	Db2 subsystem. If data shaing value is null and applies to all
PARTITION	SMALLINT	Partition number. Null applies to all
IXNAME	VARCHAR(128)	Name of index
IXCREATOR	VARCHAR(128)	Schema of index

Column Name	Data Type	Description
TYPE	CHAR(1)	Purpose for which memory is used F Fast Index Traversal(FTB)
ACTION	CHAR(1)	Action being performed F Force FTB creation D Disable FTB creation A Automatic FTB creation
MONTH_WEEK	CHAR(1)	Meaning of value of DAY column M Day of month W Day of week
MONTH	SMALLINT	Month during which time window applies. Values 1-12
DAY	SMALLINT	Day of month or day of week for which time window applies
FROM_TIME	TIME	Time of day at which time window begins
TO_TIME	TIME	Time of dat at which time window ends

SYSIBM.SYSINDEXCLEANUP

Specifies the time windows to control index cleanup processing.

Column Name	Data Type	Description
DBNAME	VARCHAR(24)	Name of the database that contains the index space
INDEXSPACE	VARCHAR(24)	Name of the index space
ENABLE_DISABLE	CHAR(1)	Enables or disables cleanup for the specified index space E Enabled D Disabled
MONTH_WEEK	CHAR(1)	Indicates the meaning of the value of the DAY column: M Day of the month W Day of the week
MONTH	SMALLINT	Month in which time window applies:1-12=January-December
DAY	SMALLINT	Day of month or day of week for which time window applies, as specified by value of MONTH_WEEK
START_TIME	TIME	Local time at beginning of the time window specified by row
END_TIME	TIME	Local time at end of the time window specified by the row

SYSIBM.SYSINDEXES

Contains one row for every index.

Column Name	Data Type	Description
NAME	VARCHAR(128)	Name of the index
CREATOR	VARCHAR(128)	Schema of the index
TBNAME	VARCHAR(128)	Name of the table on which the index is defined
TBCREATOR	VARCHAR(128)	Schema of the table
UNIQUERULE	CHAR(1)	Whether the index is unique: C Yes, and it is used to enforce uniqueness of a UNIQUE constraint or hash key columns. D No (duplicates are allowed) U Yes P Yes, and it is a primary index C Yes, and it is an index used to enforce UNIQUE constraint N Yes, and it is defined with UNIQUE WHERE R Yes, and it is an index used to enforce the uniqueness of a non-primary parent key G Yes, and it is an index used to enforce the uniqueness of values in a column defined as ROWID GENERATED BY DEFAULT

Column Name	Data Type	Description
		X Yes, and it is an index used to enforce the uniqueness of values in a column that contains XML data
COLCOUNT	SMALLINT	Number of columns in the key
CLUSTERING	CHAR(1)	Whether CLUSTER was specified when index was created: N No Y Yes
CLUSTERED	CHAR(1)	Whether table is actually clustered by the index: N A significant number of rows are not in clustering order, or statistics have not been gathered Y Most of the rows are in clustering order blank Not applicable
DBID	SMALLINT	Internal identifier of the database
OBID	SMALLINT	Internal identifier of the index fan set descriptor
ISOBID	SMALLINT	Internal identifier of the index page set descriptor
DBNAME	VARCHAR(24)	Name of the database that contains the index
INDEXSPACE	VARCHAR(24)	Name of the index space
NLEAF	INTEGER	Number of active leaf pages in the index
NLEVELS	SMALLINT	Number of levels in the index tree
BPOOL	CHAR(8)	Name of the buffer pool used for the index
PGSIZE	SMALLINT	Size, in KB, of the leaf pages in the index. 4, 8, 16, or 32
ERASERULE	CHAR(1)	Data sets are erased when dropped: N No, Y Yes
CLOSERULE	CHAR(1)	Data sets are candidates for closure when limit on number of open data sets is reached: N No, Y Yes
SPACE	INTEGER	Number of kilobytes of DASD storage allocated to the index, as determined by the last execution of the STOSPACE utility
IBMREQD	CHAR(1)	Y indicates row came MRM tape
CLUSTERRATIO	SMALLINT	Percentage of rows in clustering order
CREATEDBY	VARCHAR(128)	Primary authorization ID of the user who created the index
STATSTIME	TIMESTAMP	Date and time when last invocation of RUNSTATS
INDEXTYPE	CHAR(1)	2 Type 2 index or hash overflow index on non-partitioned tables. blank Type 1 index D Data partitioned secondary index P Both partitioned and is a partitioning index
FIRSTKEYCARDF	FLOAT	Number of distinct values of first key column
FULLKEYCARDF	FLOAT	Number of distinct values of key
CREATEDTS	TIMESTAMP	Time when CREATE was executed for index
ALTEREDTS	TIMESTAMP	Time when most recent ALTER INDEX was executed
PIECESIZE	INTEGER	Maximum size of a data set in kilobytes for NPIs
COPY	CHAR(1)	COPY YES was specified for index. Index can be copied and SYSLGRNX recording is enabled for the index. N No Y Yes
COPYLRSN	CHAR(10)	Value can be either an RBA or LRSN
CLUSTERRATIOF	FLOAT	Percentage of rows that are in clustering order (x100)
SPACEF	FLOAT(8)	Kilobytes of DASD storage
REMARKS	VARCHAR(762)	A character field string provided by user with COMMENT ON
PADDED	CHAR(1)	Whether keys within index will be padded for varying-length column data Y Index is padded N Index is not padded

Column Name	Data Type	Description
		Blank Index does not contain varying length or graphic data
VERSION	SMALLINT	Version of data row format for this index
OLDEST_VERSION	SMALLINT	Version number describing the oldest format of the data in the index space and any image copies of the index
CURRENT_VERSION	SMALLINT	Version number describing the newest format of data in the index space
RELCREATED	CHAR(1)	Release of Db2 use to the object. Blank if before V8
AVGKEYLEN	INTEGER	Average key length within the index
KEYTARGET_COUNT	SMALLINT	Number of key-targets for an extended index
UNIQUE_COUNT	SMALLINT	Number of columns or key-targets that make up the unique constraint of an index, when other non-constraint enforcing columns or key-targets exist. Else, 0
IX_EXTENSION_TYPE	CHAR(1)	Type of extended index: blank Simple index S Index on a scalar expression N Node ID index T Spatial index V XML index
COMPRESS	CHAR(1)	Indicates whether index compression is active: N Index compression is not active Y Index compression is active
OWNER	VARCHAR(128)	Authorization ID of the owner of the index
OWNERTYPE	CHAR(1)	Indicates the type of owner: blank Authorization ID L Role
DATAREPEAT_FACTORF	FLOAT	Anticipated number of data pages touched following an index key order
ENVID	INTEGER	Internal environment identifier
HASH	CHAR(1)	Hash overflow index for a hash table N No (default) Y Yes
SPARSE	CHAR(1)	Index is sparse or not N No (default). Every data row has an index entry Y Yes. Index might not have an entry for each data row in the table X Excluded. Index will not have an index entry when every data row for a key column contains the NULL value
ROWID	ROWID	ROWID column, created for the lob columns in this table
DSSIZE	INTEGER	Maximum size in KB of partitioned index data set. 0 for NPI
PAGENUM	CHAR(1)	Format of page numbers for index. A Absolute R Relative
PARTKEYCOLUMN	SMALLINT	Not used
STATUS	CHAR(1)	Not used
INDEXSTATUS	SMALLINT	Not used
PARTITIONS	VARCHAR(765)	Not used
PQTY	INTEGER	For user managed data sets. Value is primary space allocation
STORTYPE	CHAR(1)	Type of storage allocation E Explicit(storage group not used) I Implicit (storage group used)
STORNAME	VARCHAR(128)	Name of storage group used for space allocation
VCATNAME	VARCHAR(24)	Name of ICF catalog used for space allocation

Column Name	Data Type	Description
FREEPAGE	SMALLINT	Number of pages loaded before a page is left free
PCTFREE	SMALLINT	Percentage of each page left as free space
GBPCACHE	CHAR(1)	Group bufferpool cache option Blank Only changed pages A Changed and unchanged pages N No data is cached
SECQTY1	INTEGER	Secondary space allocation for user managed data sets
ENFORCED_CONS	CHAR(1)	Whether index enforces a non-unique constraint Blank Does not enforce a non-unique constraint F Enforces a foreign key for a temporal referential constraint
IMPLICIT	CHAR(1)	Whether index was implicitly created Blank n/a N Explicitly created Y Implicitly created
REGENERATETS	TIMESTAMP(12)	Time when the object was regenerated

SYSIBM.SYSINDEXES_HIST

Contains rows from SYSINDEXES.

Column Name	Data Type	Description
NAME	VARCHAR(128)	Name of the index
CREATOR	VARCHAR(128)	Schema of the index
TBNAME	VARCHAR(128)	Name of the table on which the index is defined
TBCREATOR	VARCHAR(128)	Schema of the table
CLUSTERING	CHAR(1)	CLUSTER was specified when the index was created: N No Y Yes
NLEAF	INTEGER	Number of active leaf pages in the index
NLEVELS	SMALLINT	Number of levels in the index tree
STATSTIME	TIMESTAMP	Date and time when the last invocation of RUNSTATS
FIRSTKEYCARDF	FLOAT(8)	Number of distinct values of the first key column
FULLKEYCARDF	FLOAT(8)	Number of distinct values of the key
CLUSTERRATIOF	FLOAT(8)	Percentage of rows that are in clustering order
SPACEF	FLOAT(8)	Number of kilobytes of DASD storage allocated
IBMREQD	CHAR(1)	Y indicates row came MRM tape
AVGKEYLEN	INTEGER	Average key length within the index
DATAREPEAT FACTORF	FLOAT	Anticipated number of data pages touched for an index key order

SYSIBM.SYSINDEXES_RTSECT

An auxiliary table for the RTSECTION column of the SYSIBM.SYSINDEXES table.

Column Name	Data Type	Description
	BLOB(1G)	Internal use only

SYSIBM.SYSINDEXES_TREE

An auxiliary table for the PARSETREE column of the SYSIBM.SYSINDEXES table.

Column Name	Data Type	Description
	BLOB(1G)	Internal use only

SYSIBM.SYSINDEXPART

One row for each non-partitioning index and one for each partition of a partitioned index.

Column Name	Data Type	Description
PARTITION	SMALLINT	Partition number; 0 if index is not partitioned
IXNAME	VARCHAR(128)	Name of the index
IXCREATOR	VARCHAR(128)	Schema of the index
PQTY	INTEGER	For user-managed data sets, the value is the primary space allocation in units of 4KB storage blocks or -1
SQTY	SMALLINT	For user-managed data sets, value is the secondary space allocation in units of 4KB storage blocks or -1
STORATYPE	CHAR(1)	Type of storage allocation: E Explicit, and STORNAME names an ICF catalog I Implicit, and STORNAME names a storage group
STORNAME	VARCHAR(128)	Name of storage group or integrated catalog facility catalog used for space allocation
VCATNAME	VARCHAR(24)	Name of ICF catalog used for space allocation
LEAFDIST	INTEGER	Average number of leaf pages between successive active leaf pages of the index. (x100)
IBMREQD	CHAR(1)	Y indicates row came MRM tape
LIMITKEY	VARCHAR(512)	High value of limit key of the partition in an internal format
FREEPAGE	SMALLINT	Number of pages loaded before a page is left free
PCTFREE	SMALLINT	Percentage of each leaf or non-leaf page left as free
SPACE	INTEGER	KBs of storage allocated to index space partition
STATSTIME	TIMESTAMP	Date and time of the last invocation of RUNSTATS
GBPCACHE	CHAR(1)	Group buffer pool cache option for index or index partition blank Only changed pages are cached A Changed and unchanged pages are cached N No data is cached
FAROFFPOSF	FLOAT	Number of referred to rows far from optimal position because of an insert into a full page
NEAROFFPOSF	FLOAT	Number of referred to rows near, but not at optimal position, due to insert into full page
CARDF	FLOAT	Number of RIDs in index that refer to data rows or LOBs
SECQTYI	INTEGER	Secondary space allocation in units of 4KB storage
IPREFIX	CHAR(1)	First character of instance qualifier for index's data set name. 'I' or 'J' are the only valid values. Default is 'I'
ALTEREDTS	TIMESTAMP	Time when the most recent ALTER INDEX statement
SPACEF	FLOAT(8)	Kilobytes of DASD storage
DSNUM	INTEGER	Number of data sets
EXTENTS	INTEGER	Number of data set extents
PSEUDO_DEL_ENTRIES	INTEGER	Number of pseudo deleted entries
LEAFNEAR	INTEGER	Number of leaf pages physically near previous leaf page for successive active leaf pages
LEAFFAR	INTEGER	Number of leaf pages located physically far away from previous leaf pages for successive (active leaf) pages accessed in an index scan
OLDEST_VERSION	SMALLINT	Version numbers describing oldest form of data in the index part and any image copies of the index part
CREATEDTS	TIMESTAMP	Time when the partition was created
AVGKEYLEN	INTEGER	Average length of keys in the index

Column Name	Data Type	Description
RBA_FORMAT	CHAR(1)	Indicates the format of the RBA/LRSN B Basic, 6-byte RBA/LRSN format E Extended, 10-byte RBA/LRSN format U Undefined blank For migrated objects
DSSIZE	INTEGER	Maximum size in KB of partitioned index data set
PAGENUM	CHAR(1)	Format of page numbers for index A Absolute R Relative
LIMITKEY_EXTERNAL	VARCHAR(765)	Not used

SYSIBM.SYSINDEXPART_HIST

Contains rows from SYSINDEXPART.

Column Name	Data Type	Description
PARTITION	SMALLINT	Partition number; zero if index is not partitioned
IXNAME	VARCHAR(128)	Name of the index
IXCREATOR	VARCHAR(128)	Schema of the index
PQTY	INTEGER	For user-managed data sets, value is primary space allocation in units of 4KB storage blocks or -1
SECQTYI	INTEGER	For user-managed data sets, value is the secondary space allocation in units of 4KB storage blocks or -1
LEAFDIST	INTEGER	Average number of leaf pages between successive active leaf pages of the index (x100)
SPACEF	INTEGER	KBs of DASD storage allocated to index space partition
STATSTIME	TIMESTAMP	Date and time of last invocation of RUNSTATS
FAROFFPOSF	FLOAT(8)	Number of referred to rows far from optimal position because of an insert into a full page
NEAROFFPOSF	FLOAT(8)	Number of referred to rows near, but not at optimal position, because of an insert into a full page
CARDF	FLOAT(8)	Number of RIDs in index referring to data rows or LOBs
EXTENTS	INTEGER	Number of data set extents
PSEUDO_DEL_ENTRIES	INTEGER	Number of pseudo deleted entries
DSNUM	INTEGER	Data set number within the tablespace
IBMREQD	CHAR(1)	Y indicates row came MRM tape
LEAFNEAR	INTEGER	Number of leaf pages physically near previous leaf page for successive active leaf pages
LEAFFAR	INTEGER	Number of leaf pages located physically far away from previous leaf pages for successive (active leaf) pages accessed in an index scan
AVGKEYLEN	INTEGER	Average length of keys within the index

SYSIBM.SYSINDEXSPACESTATS

Contains real time statistics for index spaces.

Column name	Data type	Description
UPDATESTATSTIME	TIMESTAMP	Timestamp when row was inserted or last updated
NLEVELS	SMALLINT	Number of levels in the index tree
NPAGES	INTEGER	Number of pages in the index tree that contain only pseudo-deleted index entries
NLEAF	INTEGER	Number of leaf pages in the index
NACTIVE	INTEGER	Number of active pages in the index space or partition
SPACE	BIGINT	Space, in KB, allocated to the index space or partition

EXTENTS	INTEGER	Number of extents in index space or partition
LOADRLASTTIME	TIMESTAMP	Timestamp of last LOAD REPLACE on index or partition
REBUILDLASTTIME	TIMESTAMP	Timestamp of last REBUILD INDEX on index or partition
REORGLASTTIME	TIMESTAMP	Timestamp when REORG INDEX utility was last run on index or partition, or if REORG INDEX utility has not been run, the time of creation
REORGINSERTS	BIGINT	Number of index entries inserted into the index space or partition since the last time REORG, REBUILD INDEX, or LOAD REPLACE utilities were run, or since creation
REORGDELETES	BIGINT	Number of index entries deleted from the index space or partition since the last time REORG, REBUILD INDEX, or LOAD REPLACE utilities were run, or since creation
REORGAPPENDINSERT	BIGINT	Number of index entries that have a key value that is greater than the maximum key value in the index or partition inserted into the index space or partition since the last REORG, REBUILD INDEX, or LOAD REPLACE, or since the object was created
REORG PSEUDODELETES	BIGINT	Number of index entries pseudo-deleted since last REORG, REBUILD INDEX, or LOAD REPLACE on the index space or partition, or since the object was created
REORGMASDELETE	INTEGER	Number of mass deletes from a segmented or LOB table space, or number of dropped tables from a segmented table space since last time REORG or LOAD REPLACE utilities were run, or since object was created
REORGLAFFNEAR	INTEGER	Net number of leaf pages located physically near previous pages for successive active leaf pages that occurred since last REORG, REBUILD INDEX, or LOAD REPLACE, or since object was created
REORGLAFFFAR	INTEGER	Net number of leaf pages located physically far away from previous leaf pages for successive active leaf pages that occurred since the last REORG, REBUILD INDEX, or LOAD REPLACE, or since the object was created
REORGNUMLEVELS	INTEGER	Number of levels in the index tree that were added or removed since last REORG, REBUILD INDEX, or LOAD REPLACE, or object was created
STATSLASTTIME	TIMESTAMP	Timestamp of last RUNSTATS on index or partition
STATSINSERTS	INTEGER	Number of records or LOBs inserted into table space or partition since last time RUNSTATS utility was run, or since object was created
STATSDELETES	INTEGER	Number of index entries deleted since last RUNSTATS on index space or partition, or since object was created
STATSMASDELETE	INTEGER	Number of times index or index space partition was mass deleted since last RUNSTATS, or object was created
COPYLASTTIME	TIMESTAMP	Timestamp of last full copy on index or partition
COPYUPDATEDPAGES	INTEGER	Number of distinct types that have been updated since last time COPY utility was run, or since object created
COPYCHANGES	BIGINT	Number of insert, update, and delete operations since last time COPY utility was run, or since object was created
COPYUPDATELRSN	CHAR(10)	LRSN or RBA of first update after last COPY
COPYUPDATETIME	TIMESTAMP	Timestamp of first update after last COPY
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
DBID	SMALLINT	Internal identifier of database
ISOBID	SMALLINT	Internal identifier of index space page set descriptor

PSID	SMALLINT	Internal identifier of table space page set descriptor for table space associated with index
PARTITION	SMALLINT	Data set number within index
INSTANCE	SMALLINT	Indicates if the object is associated with data set 1 or 2
TOTALENTRIES	BIGINT	Number of entries, including duplicate entries, in the index space or partition
DBNAME	VARCHAR(24)	Name of database
NAME	VARCHAR(128)	Name of index
CREATOR	VARCHAR(128)	Schema of index
INDEXSPACE	VARCHAR(24)	Name of index space
LASTUSED	DATE	Date when index is used for SELECT, FETCH, searched UPDATE/DELETE, or used to enforce RI constraints
REORGINDEXACCESS	BIGINT	Number of times index was used for SELECT, FETCH, searched UPDATE/DELETE, or used to enforce RI constraints, or since the object was created
DRIVETYPE	CHAR(3)	Drive type on which index or partition data set is defined HDD Hard Disk Drive SSD Solid State Drive
	BIGINT	Reserved for future IBM use
GETPAGES	BIGINT	Number of getpages since last reorg or creation
SYS_START	TIMESTAMP(12)	Start time of most recent transaction
SYS_END	TIMESTAMP(12)	Time row is deleted from system-period temporal table
REORG_TRANS_START	TIMESTAMP(12)	Timestamp value per transaction or null
REORGTOTALSPLITS	INTEGER	Number of index splits since last reorg or rebuild
REORGSPLITTIME	BIGINT	Aggregated elapsed time for all index splits since last reorg or rebuild
REORGEXCSPLOTS	INTEGER	Number of abnormal index splits since last reorg or rebuild

SYSIBM.SYSINDEXSTATS

Contains one row for each partition of a partitioning index or a data partitioned secondary index.

Column Name	Data Type	Description
FIRSTKEYCARD	INTEGER	For index partition, number of distinct values of first key column For a sparse index, statistic is based on actual contents of index
FULLKEYCARD	INTEGER	For index partition, number of distinct values of key For a sparse index, statistic is based on actual contents of index
NLEAF	INTEGER	Number of active leaf pages in index partition
NLEVELS	SMALLINT	Number of levels in partition index tree
CLUSTERRATIO	SMALLINT	For index partition, percentage of rows in clustering order
STATSTIME	TIMESTAMP	Date/time of last invocation of RUNSTATS
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
PARTITION	SMALLINT	Partition number of index
OWNER	VARCHAR(128)	Schema of the owner of index
NAME	VARCHAR(128)	Name of index
KEYCOUNT	INTEGER	Total number of RIDs in index partition
FIRSTKEYCARDF	FLOAT	For index partition, number of distinct values of first key column
FULLKEYCARDF	FLOAT	For index partition, number of distinct values of the key
KEYCOUNTF	FLOAT	Total number of RIDs in the index partition
CLUSTERRATIOF	FLOAT	For index partition, percentage of rows in clustering order (x100)
DATAREPEAT FACTORF	FLOAT	Anticipated number of data pages touched following an index key order

SYSIBM.SYSINDEXSTATS_HIST

Contains rows from SYSINDEXSTATS.

Column Name	Data Type	Description
NLEAF	INTEGER	Number of active leaf pages in index partition
NLEVELS	SMALLINT	Number of levels in partition index tree
STATSTIME	TIMESTAMP	If RUNSTATS updated statistics, date/time when last invocation of RUNSTATS updated statistics
PARTITION	SMALLINT	Partition number of index
OWNER	VARCHAR(128)	Schema of index
NAME	VARCHAR(128)	Name of index
FIRSTKEYCARDF	FLOAT	For index partition, number of distinct values of first key column
FULLKEYCARDF	FLOAT	For index partition, number of distinct values of key
KEYCOUNTF	FLOAT	Total number of rows in partition
CLUSTERRATIOF	FLOAT	For index partition, percentage of rows in clustering order
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
DATAREPEAT FACTORF	FLOAT	Anticipated number of data pages touched following an index key order

SYSIBM.SYSJARCLASS_SOURCE

Auxiliary table for SYSIBM.SYSCONTENTS.

Column Name	Data Type	Description
CLASS_SOURCE	CLOB(10M)	Contents of the class in the jar file

SYSIBM.SYSJARCONTENTS

Contains Java class source for installed jar.

Column Name	Data Type	Description
JARSHEMA	VARCHAR(128)	Schema of the jar file
JAR_ID	VARCHAR(128)	Name of the jar file
CLASS	VARCHAR(384)	Class name contained in the jar file
CLASS_SOURCE _ROWID	ROWID	ID used to support CLOB data type
CLASS_SOURCE	CLOB(10M)	Contents of the class in the jar file
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape

SYSIBM.SYSJARDATA

Auxiliary table for SYSIBM.SYSJAROBJECTS.

Column Name	Data Type	Description
JAR_DATA	BLOB(100M)	Contents of the jar file

SYSIBM.SYSJAROBJECTS

Contains binary large object representing the installed jar.

Column Name	Data Type	Description
JARSHEMA	VARCHAR(128)	Schema of the jar file
JAR_ID	VARCHAR(128)	Name of the jar file
OWNER	VARCHAR(128)	Authorization ID of the owner of the jar object
JAR_DATA_ROWID	ROWID	ID used to support BLOB data type
JAR_DATA	BLOB(100M)	Contents of the jar file. This is an updatable column
PATH	VARCHAR(2048)	URL path of the source jar file. This is an updatable column
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
CREATEDTS	TIMESTAMP	Time when the JAR object was created

Column Name	Data Type	Description
ALTEREDTS	TIMESTAMP	Time when the JAR object was altered
OWNERTYPE	CHAR(1)	Indicates the type of owner: blank Authorization ID L Role

SYSIBM.SYSJAVA_OPTS

Contains build options used during INSTALL_JAR.

Column Name	Data Type	Description
JARSCHEMA	VARCHAR(128)	Schema of the jar file
JAR_ID	VARCHAR(128)	Name of the jar file
BUILDSHEMA	VARCHAR(128)	Schema name for BUILDNAME
BUILDNAME	VARCHAR(128)	Procedure used to create the routine
BUILDOWNER	VARCHAR(128)	Authorization ID used to create the routine
DBMLIB	VARCHAR(256)	PDS name where DBRM is located
HPJCOMPILE_OPTS	VARCHAR(512)	HPJ compile options used to install the routine
BIND_OPTS	VARCHAR(2048)	Bind options used to install the routine
POBJECT_LIB	VARCHAR(256)	PDSE name where program object is located
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape

SYSIBM.SYSJAVAPATHS

Contains the complete JAR class resolution path,

Column Name	Data Type	Description
JARSCHEMA	VARCHAR(128)	Schema of the JAR file
JAR_ID	VARCHAR(128)	Name of the JAR file
OWNER	VARCHAR(128)	Authorization ID of the owner of the JAR object
ORDINAL	SMALLINT	Ordinal number of path element within the JAR's Java path
PE_CLASS_PATTERN	VARCHAR(2048)	Pattern for names of classes that are to be searched for in this path element's JAR file
PE_JARSCHEMA	VARCHAR(128)	Schema of this path element's JAR file
PE_JAR_ID	VARCHAR(128)	Name of this path element's JAR file
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape

SYSIBM.SYSKEYCOLUSE

Row for every column in a unique constraint (primary key or unique key).

Column Name	Data Type	Description
CONSTNAME	VARCHAR(128)	Name of the constraint
TBCREATOR	VARCHAR(128)	Schema or qualifier of table on which constraint is defined
TBNAME	VARCHAR(128)	Name of the table on which the constraint is defined
COLNAME	VARCHAR(128)	Name of the column
COLSEQ	SMALLINT	Position of the column in the key
COLNO	SMALLINT	Position of column in table which constraint is defined
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
PERIOD	CHAR(1)	Column is start or end column for BUSINESS_TIME period: B Start of the period BUSINESS_TIME C End of the period BUSINESS_TIME I End of period BUSINESS_TIME w/inclusive end blank Not used as either start or end of BUSINESS_TIME

SYSIBM.SYSKEYS

Contains one row for each column of an index key.

Column Name	Data Type	Description
IXNAME	VARCHAR(128)	Name of the index
IXCREATOR	VARCHAR(128)	Schema or qualifier of the index
COLNAME	VARCHAR(128)	Name of the column of the key
COLNO	SMALLINT	Numeric position of the column in the table
COLSEQ	SMALLINT	Numeric position of the column in the key (not for extended index)
ORDERING	CHAR(1)	Order of the column in the key: Blank Index is based on an expression or column is specified for the index using the INCLUDE clause A Ascending D Descending R Random
IBMREQD	CHAR(1)	Y indicates row came MRM tape
PERIOD	CHAR(1)	Column is start or end column for BUSINESS_TIME period: B Start of the period BUSINESS_TIME C End of the period BUSINESS_TIME I End of period BUSINESS_TIME w/inclusive end blank Not used as start or end of a BUSINESS_TIME period

SYSIBM.SYSKEYTARGETS

Contains one row for each key-target that is participating in an extended index definition.

Column Name	Data Type	Description
IXNAME	VARCHAR(128)	Qualifier of the index
IXSCHEMA	VARCHAR(128)	Position of the key-target in the index
KEYSEQ	SMALLINT	Position of the key-target in the index
COLNO	SMALLINT	Position of column in table if expression is single column
ORDERING	CHAR(1)	Order of the key: A Ascending
TYPESCHEMA	VARCHAR(128)	Schema of the data type
TYPENAME	VARCHAR(128)	Name of the data type
DATATYPEID	INTEGER	Internal ID of the data type
SOURCETYPEID	INTEGER	Built-in data type= 0 Distinct type=internal ID of built-in type that distinct type based
LENGTH	SMALLINT	Length attribute of key-target or its precision for a decimal key-target
LENGTH2	INTEGER	Maximum length of data retrieved from the column 0 Not a ROWID column 40 For a ROWID
SCALE	SMALLINT	Scale of decimal data or number of fractional second digits of timestamp or timestamp with time zone data
NULLS	CHAR(1)	Whether the key can contain null values: N No Y Yes. Also indicates index is an XML index
CCSID	INTEGER	CCSID of the key. 0 if key is a non-character type key
SUBTYPE	CHAR(1)	Applies to character keys only and indicates subtype of data: B BIT data M MIXED data S SBCS data blank non-character data
CREATEDTS	TIMESTAMP	Timestamp for when the key-target is created
RELCREATED	CHAR(1)	Release of Db2 in which the key-target is created
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
DERIVED_FROM	VARCHAR(4000)	For an index on a scalar expression, DERIVED_FROM contains

		the text of the scalar expression that is used to generated the key-target value. For XML index, is XML pattern that is used to generate the key-target value. Else, blank
STATSTIME	TIMESTAMP	Timestamp of the most recent RUNSTATS
CARDF	FLOAT	The number of distinct values for the key-target
HIGH2KEY	VARCHAR(2000)	Second highest key-value
LOW2KEY	VARCHAR(2000)	Second lowest key-value
STATS_FORMAT	CHAR(1)	The type of statistics that are gathered: N VARCHAR column statistical values are not padded blank Statistics have not been collects or VARCHAR column statistical values are padded

SYSIBM.SYSKEYTARGETSTATS

Contains partition statistics for selected key-targets.

Column Name	Data Type	Description
IXSCHEMA	VARCHAR(128)	Qualifier of the index
IXNAME	VARCHAR(128)	Name of the index
KEYSEQ	SMALLINT	Numeric position of the key-target in the index
HIGHKEY	VARCHAR(2000)	Highest key value
HIGH2KEY	VARCHAR(2000)	Second highest key-value
LOWKEY	VARCHAR(2000)	Lowest key value
LOW2KEY	VARCHAR(2000)	Second lowest key-value
PARTITION	SMALLINT	Partition number of the table space
STATSTIME	TIMESTAMP	Timestamp of the most recent RUNSTATS
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
STATS_FORMAT	FLOAT	The type of statistics that are gathered: N VARCHAR column statistical values are not padded blank Statistics have not been collected or VARCHAR column statistical values are padded
CARDF	FLOAT	Number of distinct values for the key target

SYSIBM.SYSKEYTARGETS_HIST

Contains rows from the SYSKEYTARGETS table.

Column Name	Data Type	Description
IXNAME	VARCHAR(128)	Name of the index
IXSCHEMA	VARCHAR(128)	Qualifier of the index
KEYSEQ	SMALLINT	Numeric position of the key-target in the index
TYPESCHEMA	VARCHAR(128)	Schema of the data type
TYPENAME	VARCHAR(128)	Name of the data type
DATATYPEID	INTEGER	The internal ID of the data type
SOURCETYPEID	INTEGER	Built-in data type= 0 Distinct type=internal ID of built-in type that distinct type based
LENGTH	SMALLINT	Length attribute of column or, if decimal column, its precision
LENGTH2	INTEGER	Maximum length of data that is retrieved from the column 0 Not a ROWID column 40 For a ROWID
SCALE	SMALLINT	Scale of decimal data or number of fractional second digits of timestamp or timestamp with time zone data. Else, 0
NULLS	CHAR(1)	Whether key can contain null values: N No Y Yes
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape

STATSTIME	TIMESTAMP	Timestamp of the most recent RUNSTATS
CARDF	FLOAT	Number of distinct values for the key-target
HIGH2KEY	VARCHAR(2000)	Second highest key-value
LOW2KEY	VARCHAR(2000)	Second lowest key-value
STATS_FORMAT	CHAR(1)	Type of statistics that are gathered: N VARCHAR column statistical values are not padded blank Statistics have not been collected or VARCHAR column statistical values are padded

SYSIBM.SYSKEYTGTDIST

Contains one or more rows for the first key-target of an extended index key.

Column Name	Data Type	Description
STATSTIME	TIMESTAMP	Date and time of the last invocation of RUNSTATS
IBMREQD	CHAR(1)	Qualifier of the index
IXSCHEMA	VARCHAR(128)	Name of the index
IXNAME	VARCHAR(128)	Numeric position of the key-target in the index
KEYSEQ	SMALLINT	Numeric position of the key-target in the index
KEYVALUE	VARCHAR(2000)	KEYVALUE contains data of a frequently occurring value
TYPE	CHAR(1)	Type of statistics that are gathered: C Cardinality F Frequent value N Non-padded frequent value H Histogram statistics
CARDF	FLOAT	TYPE=C - number of distinct values for key group. TYPE=H - number of distinct values for key group in a quantile indicated by QUANTILENO
KEYGROUPKEYNO	VARCHAR(254)	Set of keys associated with statistics. 0 if statistics are only associated with a single key
NUMKEYS	SMALLINT	Number of keys associated with statistics
FREQUENCYF	FLOAT	TYPE=F or N - percentage of entries in index that have the value that is contained in KEYVALUE TYPE=H - percentage of entries in index that have a value that is in the range of the quantile in QUANTILENO column
QUANTILENO	SMALLINT	QUANTILENO contains an ordinary sequence number of a quantile in whole consecutive value range, from low to high
LOWVALUE	VARCHAR(2000)	TYPE=H - lower bound for the quantile in QUANTILENO
HIGHVALUE	VARCHAR(2000)	TYPE=H - upper bound for the quantile in QUANTILENO

SYSIBM.SYSKEYTGTDISTSTATS

Contains rows per partition for first key-target of a data-partitioned secondary index.

Column Name	Data Type	Description
STATSTIME	TIMESTAMP	Timestamp of the most recent RUNSTATS
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
PARTITION	SMALLINT	Part number of that contains index in which key is defined
IXSCHEMA	VARCHAR(128)	Qualifier of the index
IXNAME	VARCHAR(128)	Name of the index
KEYSEQ	SMALLINT	Numeric position of the key-target in the index
KEYVALUE	VARCHAR(2000)	Data of a frequently occurring value
TYPE	CHAR(1)	Type of statistics that are gathered: C Cardinality F Frequent value N Non-padded frequent value

		H Histogram statistics
CARDF	FLOAT	TYPE=C - number of distinct values for key group TYPE=H - number of distinct values for key group in quantile in QUANTILENO
KEYGROUPKEYNO	VARCHAR(254)	Identifies set of keys associated with statistics
NUMKEYS	SMALLINT	Identifies the number of keys associated with the statistics
FREQUENCYF	FLOAT	TYPE=F or N - percentage of entries in index that have value that is specified in KEYVALUE when number of entries is multiplied by 100 TYPE=H - percentage of entries in the index that have a value that is in the range of the quantile in QUANTILENO
QUANTILENO	SMALLINT	QUANTILENO contains an ordinary sequence number of a quantile in consecutive value range, from low to high
LOWVALUE	VARCHAR(2000)	TYPE=H- lower bound for quantile in QUANTILENO
HIGHVALUE	VARCHAR(2000)	TYPE=H- upper bound for the quantile in QUANTILENO
	VARCHAR(1000)	Internal use only

SYSIBM.SYSKEYTGTDIST_HIST

Contains rows from the SYSKEYTGTDIST table.

Column Name	Data Type	Description
STATSTIME	TIMESTAMP	Date and time of last invocation of RUNSTATS
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
IXSCHEMA	VARCHAR(128)	Qualifier of the index
IXNAME	VARCHAR(128)	Name of the index
KEYSEQ	SMALLINT	Numeric position of the key-target in the index
KEYVALUE	VARCHAR(2000)	Contains data of a frequently occurring value
TYPE	CHAR(1)	Type of statistics that are gathered: C Cardinality F Frequent value N Non-padded frequent value H Histogram statistics
CARDF	FLOAT	TYPE=C- distinct values for key group TYPE=H- distinct values for key group in QUANTILENO
KEYGROUPKEYNO	VARCHAR(254)	Value identifies set of keys associated with the statistics
NUMKEYS	SMALLINT	Number of keys that are associated with the statistics
FREQUENCYF	FLOAT	TYPE=F or N - percentage of entries in index that have value that is specified in KEYVALUE when number of entries x100 TYPE=H- percentage of entries in index that have a value in range of quantile in QUANTILENO
QUANTILENO	SMALLINT	QUANTILENO contains an ordinary sequence number of a quantile in whole consecutive value range, from low to high
LOWVALUE	VARCHAR(2000)	TYPE=H- lower bound for the quantile in QUANTILENO
HIGHVALUE	VARCHAR(2000)	TYPE=H - upper bound for the quantile in QUANTILENO

SYSIBM.SYSLEVELUPDATES

Contains information about function levels, catalog levels and code levels of Db2 subsystem.

Column Name	Data Type	Description
FUNCTION_LVL	VARCHAR(10)	Function level
PREV_FUNCTION_LVL	VARCHAR(10)	Previous function level
HIGH_FUNCTION_LVL	VARCHAR(10)	Highest activated function level
CATALOG_LVL	VARCHAR(10)	Type of operation C Catalog level change

Column Name	Data Type	Description
		F Fnction level change M Code level change
EFFECTIVE_TIME	TIMESTAMP(12)	Time when operation completed
EFFECTIVE_LRSN	VARCHAR(12)	RBA or LRSN when operation completed
OPERATION_TEXT	VARCHAR(256)	Text of operation
GROUP_MEMBER	VARCHAR(24)	Name of group member on which operation was run

SYSIBM.SYSLOBSTATS

Contains one row for each LOB tablespace.

Column Name	Data Type	Description
STATSTIME	TIMESTAMP	Timestamp of RUNSTATS statistics update
AVGSIZE	INTEGER	Average size of a LOB, measured in bytes, in the LOB tablespace
FREESPACE	INTEGER	Number of kilobytes of available space in the LOB tablespace
ORGRATIO	DECIMAL(5,2)	Percentage of organization in LOB table space. 100 = perfect organization. 1 = disorganized. 0 = totally disorganized
DBNAME	VARCHAR(24)	Name of database that contains LOB tablespace
NAME	VARCHAR(24)	Name of the LOB tablespace
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape

SYSIBM.SYSLOBSTATS_HIST

Contains rows from SYSLOBSTATS. Can be inserted, updated, and deleted.

Column Name	Data Type	Description
STATSTIME	TIMESTAMP	Timestamp of RUNSTATS statistics update
FREESPACE	INTEGER	Number of kilobytes of available space in the LOB tablespace
ORGRATIO	DECIMAL(5,2)	Percentage of organization in LOB table space. 100 = perfect organization. 1 = disorganized. 0 = totally disorganized
DBNAME	VARCHAR(24)	Name of the database that contains the LOB tablespace
NAME	VARCHAR(24)	Name of the LOB tablespace
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape

SYSIBM.SYSOBJROLEDEP

Contains the dependent objects for each role.

Column Name	Data Type	Description
DEFINER	VARCHAR(128)	Authorization ID or role that created the object
DEFINERTYPE	CHAR(1)	Type of definer: L Role blank Authorization ID
ROLENAME	VARCHAR(128)	Name of the role on which there is a dependency
DSHEMA	VARCHAR(128)	Name of the schema of the dependent object
DNAME	VARCHAR(762)	Name of the dependent object
DTYPE	CHAR(1)	The type of the dependent object in DNAME: A Alias B Trigger D Database E Distinct type F User-defined function I Index J Jar L Role M Materialized query table N Trusted context

		O Stored procedure Q Sequence R Table space S Storage group T Table V View X Row permission Y Column mask o Alias
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape

SYIBM.SYSPACKAGE

Contains a row for every package.

Column Name	Data Type	Description
LOCATION	VARCHAR(128)	Always contains blanks
COLLID	VARCHAR(128)	Name of package collection
NAME	VARCHAR(128)	Name of the package
CONTOKEN	CHAR(8)	Consistency token for package
OWNER	VARCHAR(128)	Authorization ID of the package owner
CREATOR	VARCHAR(128)	Auth ID of owner of creator of package version
TIMESTAMP	TIMESTAMP	Timestamp indicating when the package was created
BINDTIME	TIMESTAMP	Timestamp indicating when the package was last bound
QUALIFIER	VARCHAR(128)	Implicit qualifier for the unqualified table, view, index, and alias names in the static SQL statements of the package
PKSIZE	INTEGER	Size of the base section of the package, in bytes
AVGSIZE	INTEGER	Average size, in bytes, of those sections of the plan that contain SQL statements processed at bind time
SYSENTRIES	SMALLINT	Number of enabled or disabled entries for this package in SYSPKSYSTEM. 0 if all types of connections are enabled
VALID	CHAR(1)	Whether the package is valid: A ALTER statement changed the description of the table of base table of a view referred to by the package. For a CREATE INDEX involving data sharing, VALID is also marked as "A". Changes do not invalidate the package H ALTER TABLE statement changed description of the table or base table of a view referred to by the package N No Y Yes S One or more statements are invalid
OPERATIVE	CHAR(1)	Whether the package can be allocated: N No Y Yes
VALIDATE	CHAR(1)	Whether validity checking can be deferred until run time: B All checking must be performed at bind time R Validation is done at run time for tables, views, and privileges that do not exist at bind time
ISOLATION	CHAR(1)	Isolation level when package was last bound or rebound I Local package is inheriting the value from the plan R RR (repeatable read) S CS (cursor stability) T RS (read stability) U UR (uncommitted read) blank Not specified, and therefore at the level specified for

Column Name	Data Type	Description
		the plan executing the package
RELEASE	CHAR(1)	Value for RELEASE when package was last bound/rebound: C Value used was COMMIT D Value used was DEALLOCATE I Local package is inheriting value from plan blank Not specified, and therefore the value specified for the plan executing the package
EXPLAIN	CHAR(1)	EXPLAIN option specified for package N No Y Yes
QUOTE	CHAR(1)	SQL string delimiter for SQL statements in the package N Apostrophe Y Quotation mark
COMMA	CHAR(1)	Decimal point representation for SQL statements in package N Period Y Comma
HOSTLANG	CHAR(1)	Host language for the package's DBRM B Assembler language C OS/VS COBOL D C F Fortran P PL/I 2 VS COBOL II or IBM COBOL Release 1 3 IBM COBOL (Release 2 or subsequent releases) 4 C++ blank For remotely bound packages, trigger packages (TYPE=T), SQL procedure packages (TYPE=N), or non-inline SQL scalar function packages (TYPE=F)
CHARSET	CHAR(1)	CCSID for SBCS data was 290 (Katakana) when program was precompiled K Yes A No
MIXED	CHAR(1)	Mixed data was in effect when program was precompiled N No Y Yes
DEC31	CHAR(1)	DEC31 was in effect when program was precompiled N No Y Yes
DEFERPREP	CHAR(1)	CURRENTDATA option when package was bound or rebound: A Data currency is required for all cursors. Inhibit blocking for all cursors B Data currency is not required for ambiguous cursors C Data currency is required for ambiguous cursors blank Package was created before CURRENTDATA option was available
SQLERROR	CHAR(1)	SQLERROR option on most recent subcommand that bound or rebound the package: C CONTINUE N NOPACKAGE
REMOTE	CHAR(1)	Source of the package: C Created by BIND COPY D Created by BIND COPY with OPTIONS(COMMAND) K Copied from a package originally bound on behalf of

Column Name	Data Type	Description
		remote requester L Copied with OPTIONS(COMMAND) from a package that was originally bound on behalf of a remote requester N Locally bound from a DBRM Y Bound on behalf of a remote requester
PCTIMESTAMP	TIMESTAMP	Date and time the application program was precompiled
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
VERSION	VARCHAR(122)	Version identifier for package Empty for SQL procedure package (TYPE=N), SQL scalar function package(TYPE=F), or trigger package(TYPE=T or 1)
PDSNAME	VARCHAR(132)	Name of PDS (library) in which package's DBRM is a member
DEGREE	CHAR(3)	DEGREE option used when the package was last bound: ANY DEGREE(ANY) 1 or blank DEGREE(1) Blank if the package was migrated
GROUP_MEMBER	VARCHAR(24)	Member name of subsystem that performed most recent bind
DYNAMICRULES	CHAR(1)	DYNAMICRULES option used when package was last bound: B BIND D DEFINEBIND E DEFINERUN H INVOKEBIND I INVOKERUN R RUN blank DYNAMICRULES not specified for package
REOPTVAR	CHAR(1)	If access path is determined again at execution time: A REOPT(AUTO) N REOPT(NONE) Y REOPT(ALWAYS) 1 REOPT(ONCE)
DEFERPREPARE	CHAR(1)	If PREPARE processing is deferred until OPEN is executed: N NODEFER(PREPARE) Y DEFER(PREPARE) I Local package is inheriting the value from the plan blank Bind option not specified. Inherited from plan
KEEPDYNAMIC	CHAR(1)	Whether prepared dynamic statements are purged at commit: N KEEPDYNAMIC(NO) Y KEEPDYNAMIC(YES)
PATHSCHEMAS	VARCHAR(2048)	SQL path on BIND or REBIND that bound the package
TYPE	CHAR(1)	Type of package. Identifies how the package was created: F CREATE FUNCTION or ALTER FUNCTION statement, or a BIND PACKAGE DEPLOY command created package, and this package is a non-inline SQL scalar function package N CREATE PROCEDURE or ALTER PROCEDURE statement, or BIND PACKAGE DEPLOY command created the package, and this package is a native SQL routine package R Reserved for IBM use T CREATE TRIGGER statement created the package, and the package is a trigger package blank BIND PACKAGE command created the package
DBPROTOCOL	CHAR(1)	Whether remote access for SQL is implemented with DRDA

Column Name	Data Type	Description
		access or DRDA access with capability for package-based continuous block fetch: D DRDA C DRDA access with package-based continuous block fetch
FUNCTIONTS	TIMESTAMP	Timestamp when function was resolved
OPTHINT	VARCHAR(128)	Identifies rows in authid.PLAN_TABLE to be used as input to the optimizer
ENCODING_CCSID	INTEGER	Encoding scheme specified on the bind command: CCSID Specified or derived CCSID 0 EBCDIC default CCSID as specified on panel DSNTIPF
IMMEDWRITE	CHAR(1)	When writes of updated group bufferpool dependent pages are to be done. Only applicable for data-sharing. I Local package is inheriting the value from the plan N IMMEDIATEWRITE(NO) - normal write activity Y IMMEDIATEWRITE(YES) - immediate writes 1 IMMEDIATEWRITE(PH1) - written at or before phase 1 commit Blank if the package was migrated
RELBOUND	CHAR(1)	Release when the package was bound or rebound blank Bound prior to V7
REMARKS	VARCHAR(762)	Character string provided by user with COMMENT statement
OWNERTYPE	CHAR(1)	Type of owner blank Authorization ID L Role
ROUNDING	CHAR(1)	ROUNDING option used when the package was last bound: C ROUND_CEILING D ROUND_DOWN F ROUND_FLOOR G ROUND_HALF_DOWN E ROUND_HALF_EVEN H ROUND_HALF_UP U ROUND_UP blank Blank The package created in a Db2 release prior to V9
DISTRIBUTE	CHAR(1)	Determines if Db2 should gather location names for SQL statements, and create remote packages for the user A Db2 will collect remote location names from SQL statements during local bind, and automatically create remote packages at those sites L Db2 will automatically create remote packages at sites specified in the list of location-names
LASTUSED	DATE	Last date that the corresponding objects are used
CONCUR_ACC_RES	CHAR(1)	CONCURRENTACCESSRESOLUTION option when package was bound or rebound: blank Not specified N WAITFOROUTCOME Y USECURRENTLYCOMMITTED
EXTENDED INDICATOR	CHAR(1)	Value of the EXTENDEDINDICATOR bind option: N EXTENDEDINDICATOR NO Y EXTENDEDINDICATOR YES
PLANMGMT	CHAR(1)	Value of the PLANMGMT bind option: B PLANMGMT BASIC E PLANMGMT EXTENDED blank PLANMGMT OFF

Column Name	Data Type	Description
PLANMGMTSCOPE	CHAR(1)	Value of the PLANMGMTSCOPE bind option: S PLANMGMTSCOPE STATIC
APREUSE	CHAR(1)	Value of the APREUSE bind option: N NO or NONE: Access paths are not reused W WARN: Db2 tries to reuse access paths. Processing continues when an access path cannot be reused E ERROR: Db2 tries to reuse access paths. Processing ends when an access path cannot be reused
APRETAINDUP	CHAR(1)	Value of APRETAINDUP bind option: Y YES specified. All copies were retained 0 NO specified; however, previous or original package copy is still retained due to access path differences 1 NO specified, and previous package copy is not retained as access paths are identical to current copy 2 NO specified, and previous and original package copies are not retained as access paths are identical to current
SYSTIMESENSITIVE	CHAR(1)	Value of the SYSTIMESENSITIVE bind option: Y References to system-period temporal tables are affected by value of CURRENT TEMPORAL SYSTEM_TIME N References to system-period temporal tables are not affected by CURRENT TEMPORAL SYSTEM_TIME
BUSTIMESENSITIVE	CHAR(1)	Value of the BUSTIMESENSITIVE bind option: Y References to application-period temporal tables are affected by CURRENT TEMPORAL BUSINESS_TIME N References to application-period temporal tables are not affected by CURRENT TEMPORAL BUSINESS_TIME
APPLCOMPAT	VARCHAR(10)	Value of the APPLCOMPAT bind option: V10R1 SQL statements in the package have V10R1 compatibility behavior V11R1 SQL statements in the package have V11R1 compatibility behavior <i>Function-level</i> - SQL statements in package have compatibility behavior with the specified function level
ARCHIVESENSITIVE	CHAR(1)	Value of the ARCHIVESENSITIVE bind option Y (default) references to archive-enabled tables are affected SYSIBMADM.GET_ARCHIVE built-in global variable N References to archive-enabled tables are not affected by SYSIBMADM.GET_ARCHIVE built-in global variable
EXTSEQNO	INTEGER	For internal use
DESCSTAT	CHAR(1)	Value of the DESCSTAT bind option Y Db2 database manager generates a DESCRIBE SQLDA at bind time so DESCRIBE requests for static SQL can be satisfied during execution N Db2 database manager does not generate a DESCRIBE SQLDA at bind time for static SQL statements
ORIGIN	CHAR(1)	Origin of EXPLAIN records A Automatic bind B BIND command G Explicit ALTER REGENERATE I Implicit automatic regeneration R REBIND command Blank existed before 12
APREUSE_NO_FL	VARCHAR(10)	Function level when package bound APREUSE(NO)

Column Name	Data Type	Description
APREUSE_NO_TS	TIMESTAMP	Bind time when package bound APREUSE(NO)
CONC_STMT	CHAR(1)	Whether statement concentration is enabled N No Y Yes
FUNCTION_LVL	VARCHAR(10)	Function level of package when row was inserted
DEPLEVEL	CHAR(1)	Indicates if the package contains statement-level dependencies in addition to package-level dependency S - package has both statement-level and package-level dependencies P - package has package-level dependencies only

SYIBM.SYSPACKCOPY

Contains a row for every previous and original package.

Column Name	Data Type	Description
LOCATION	VARCHAR(128)	Always contains blanks
COLLID	VARCHAR(128)	Name of package collection
NAME	VARCHAR(128)	Name of the package
CONTOKEN	CHAR(8)	Consistency token for package
OWNER	VARCHAR(128)	Authorization ID of package owner
CREATOR	VARCHAR(128)	Authorization ID of owner or creator of package version
TIMESTAMP	TIMESTAMP	Timestamp indicating when the package was created
BINDTIME	TIMESTAMP	Timestamp indicating when the package was last bound
QUALIFIER	VARCHAR(128)	Implicit qualifier for unqualified table, view, index, and alias names in the static SQL statements of the package
PKSIZE	INTEGER	Size of the base section of the package, in bytes
AVGSIZE	INTEGER	Average size(bytes) of sections of plan containing SQL
SYSENTRIES	SMALLINT	Number of enabled or disabled entries for package in SYSPKSYSTEM. 0 if all types of connections are enabled
VALID	CHAR(1)	Whether the package is valid: A ALTER statement changed description of table or base table of a view referred to by the package H ALTER TABLE statement changed description of table or base table of a view referred to by package N No Y Yes
OPERATIVE	CHAR(1)	Whether the package can be allocated: N An explicit BIND or REBIND is required before package can be allocated Y Yes
VALIDATE	CHAR(1)	Whether validity checking can be deferred until run time: B All checking must be performed at bind time R Validation is done at run time for tables, views, and privileges that do not exist at bind time
ISOLATION	CHAR(1)	Isolation level when package was last bound or rebound R RR (repeatable read) S CS (cursor stability) T RS (read stability) U UR (uncommitted read) blank Not specified, level specified for plan
RELEASE	CHAR(1)	Value for RELEASE when package was last bound/rebound: C Value used was COMMIT D Value used was DEALLOCATE

Column Name	Data Type	Description
		I Local package is inheriting the value from the plan blank Not specified, value for plan executing the package
EXPLAIN	CHAR(1)	EXPLAIN option specified for the package N No Y Yes
QUOTE	CHAR(1)	SQL string delimiter for SQL statements in the package: N Apostrophe Y Quotation mark
COMMA	CHAR(1)	Decimal point representation for SQL statements in package: N Period Y Comma
HOSTLANG	CHAR(1)	Host language for the package's DBRM: B Assembler language C OS/VS COBOL D C F Fortran P PL/I 2 VS COBOL II or IBM COBOL Release 1 3 IBM COBOL (Release 2 or subsequent releases) 4 C++ blank For remotely bound packages, trigger packages (TYPE=T), SQL procedure packages (TYPE=N), or non-inline SQL scalar function packages (TYPE=F)
CHARSET	CHAR(1)	CCSID for SBCS data was 290 (Katakana) when program was precompiled: K Yes A No
MIXED	CHAR(1)	Mixed data in effect when program was precompiled N No Y Yes
DEC31	CHAR(1)	DEC31 in effect when program was precompiled N No Y Yes
DEFERPREP	CHAR(1)	CURRENTDATA option when package bound/rebound: A Data currency is required for all cursors. Inhibit blocking for all cursors B Data currency is not required for ambiguous cursors C Data currency is required for ambiguous cursors blank Package created before CURRENTDATA available
SQLERROR	CHAR(1)	SQLERROR option on most recent subcommand that bound or rebound the package: C CONTINUE N NOPACKAGE
REMOTE	CHAR(1)	Source of the package: C Created by BIND COPY D Created with OPTIONS(COMMAND) K Copied from a package that was originally bound on behalf of a remote requester L Copied with OPTIONS(COMMAND) from a package originally bound on behalf of remote requester N Locally bound from a DBRM Y Bound on behalf of a remote requester
PCTIMESTAMP	TIMESTAMP	Date and time program was precompiled, or

Column Name	Data Type	Description
		0001-01-01-00.00.00.000000 if the LEVEL precompiler option was used, or if the package came from a non-Db2 location
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
VERSION	VARCHAR(122)	Version identifier for the package. Blank (TYPE=T)
PDSNAME	VARCHAR(132)	PDS (library) in which package's DBRM is a member
DEGREE	CHAR(3)	DEGREE option used when the package was last bound: ANY DEGREE(ANY) 1 or blank DEGREE(1) Blank if the package was migrated
GROUP_MEMBER	VARCHAR(24)	Member name of subsystem that performed most recent bind
DYNAMICRULES	CHAR(1)	DYNAMICRULES option used when package was last bound: B BIND. Dynamic SQL statements are executed with DYNAMICRULES bind behavior D DEFINEBIND E DEFINERUN H INVOKEBIND I INVOKERUN R RUN blank DYNAMICRULES not specified for package
REOPTVAR	CHAR(1)	If access path is determined again at execution time using input variable values: A REOPT(AUTO) N REOPT(NONE) Y REOPT(ALWAYS) 1 REOPT(ONCE)
DEFERPREPARE	CHAR(1)	If PREPARE processing is deferred until OPEN is executed: N NODEFER(PREPARE) Y DEFER(PREPARE) I Local package is inheriting the value from the plan blank Bind option not specified. Inherited from plan
KEEPDYNAMIC	CHAR(1)	Whether prepared dynamic statements are purged at commit: N KEEPDYNAMIC(NO) Y KEEPDYNAMIC(YES)
PATHSCHEMAS	VARCHAR(2048)	SQL path specified on BIND or REBIND that bound package
TYPE	CHAR(1)	Type of package. Identifies how the package was created: F CREATE FUNCTION or ALTER FUNCTION statement, or a BIND PACKAGE DEPLOY command created the package, and this package is a non-inline SQL scalar function package N CREATE PROCEDURE or ALTER PROCEDURE statement, or BIND PACKAGE DEPLOY command created the package, and this package is a native SQL routine package R Reserved for IBM use T CREATE TRIGGER statement created the package, and the package is a trigger package blank BIND PACKAGE command created the package
DBPROTOCOL	CHAR(1)	Whether remote access for SQL is implemented with DRDA access or DRDA access with the capability for package-based continuous block fetch: D DRDA C DRDA access with the capability for package-based

Column Name	Data Type	Description
		continuous block fetch
FUNCTIONTS	TIMESTAMP	Timestamp when function was resolved. Set by BIND and REBIND commands, but not by AUTOBIND
OPTHINT	VARCHAR(128)	Value of OPTHINT bind option. Identifies rows in the authid.PLAN_TABLE to be used as input to optimizer
ENCODING_CCSID	INTEGER	CCSID corresponding to encoding scheme or CCSID as specified for bind option ENCODING CCSID Specified or derived CCSID 0 EBCDIC default CCSID as specified on panel DSNTIPF at installation time
IMMEDWRITE	CHAR(1)	Indicates when writes of updated group bufferpool dependent pages are to be done. Only applicable for data-sharing N IMMEDIATEWRITE(NO) - normal write activity is done Y IMMEDIATEWRITE(YES) - immediate writes are done 1 IMMEDIATEWRITE(PH1) - written at or before phase 1 commit Blank if package was migrated
RELBOUND	CHAR(1)	Release when the package was bound or rebound blank Bound prior to V7
REMARKS	VARCHAR(762)	Character string provided by user with COMMENT statement
OWNERTYPE	CHAR(1)	Type of owner blank Authorization ID L Role
ROUNDING	CHAR(1)	ROUNDING option used when the package was last bound: C ROUND_CEILING D ROUND_DOWN F ROUND_FLOOR G ROUND_HALF_DOWN E ROUND_HALF_EVEN H ROUND_HALF_UP U ROUND_UP blank Blank Package created prior to V9
DISTRIBUTE	CHAR(1)	Determines if Db2 should gather location names from SQL statements, and create remote packages for the user (Only has effect during local bind): A Db2 will collect remote location names from SQL statements during local bind, and automatically create remote packages at those sites L Db2 will automatically create remote packages at sites specified in the list of location-names
LASTUSED	DATE	Last date that the corresponding objects are used
CONCUR_ACC_RES	CHAR(1)	CONCURRENTACCESSRESOLUTION option when package was bound or rebound: blank Not specified N WAITFOROUTCOME Y USECURRENTLYCOMMITTED
EXTENDED INDICATOR	CHAR(1)	EXTENDEDINDICATOR bind option: N EXTENDEDINDICATOR NO Y EXTENDEDINDICATOR YES
COPYID	INTEGER	Copy of package that this row explains: 1 Previous copy of package 2 Original copy of package
PLANMGMT	CHAR(1)	Value of the PLANMGMT bind option:

Column Name	Data Type	Description
		B PLANMGMT BASIC E PLANMGMT EXTENDED F PLANMGMT OFF O PLANMGMT ON
PLANMGMTSCOPE	CHAR(1)	Value of the PLANMGMTSCOPE bind option: S PLANMGMTSCOPE STATIC
APREUSE	CHAR(1)	Value of the APREUSE bind option: N NO or NONE: Access paths are not reused E ERROR: Db2 tries to reuse access paths Ends when an access path cannot be reused
APRETAINDUP	CHAR(1)	Value of the APRETAINDUP bind option: Y APRETAINDUP YES - All copies were retained 0 APRETAINDUP NO - however, previous or original package copy is still retained due to access path differences 1 APRETAINDUP NO - previous package copy is not retained as access paths are identical to current copy 2 APRETAINDUP NO - previous and original package copies are not retained as access paths are identical to current copy
SYSTIMESENSITIVE	CHAR(1)	Value of SYSTIMESENSITIVE bind option: Y References to system-period temporal tables are affected by value of CURRENT TEMPORAL SYSTEM_TIME N References to system-period temporal tables are not affected by CURRENT TEMPORAL SYSTEM_TIME
BUSTIMESENSITIVE	CHAR(1)	Value of BUSTIMESENSITIVE bind option: Y References to application-period temporal tables are affected by CURRENT TEMPORAL BUSINESS_TIME N References to application-period temporal tables are not affected by CURRENT TEMPORAL BUSINESS_TIME
APPLCOMPAT	VARCHAR(10)	Value of APPLCOMPAT bind option: V10R1 SQL in package have V10R1 compatibility behavior V11R1 SQL in package have V11R1 compatibility behavior
ARCHIVESENSITIVE	CHAR(1)	Value of ARCHIVESENSITIVE bind option. Y (default) references to archive-enabled tables are affected by SYSIBMADM.GET_ARCHIVE built-in global variable N References to archive-enabled tables are not affected by SYSIBMADM.GET_ARCHIVE built-in global variable
EXTSEQNO	INTEGER	For internal use
DESCSTAT	CHAR(1)	Value of the DESCSTAT bind option Y Db2 database manager generates a DESCRIBE SQLDA at bind time so DESCRIBE requests for static SQL can be satisfied during execution N Db2 database manager does not generate a DESCRIBE SQLDA at bind time for static SQL statements
ORIGIN	CHAR(1)	Origin of EXPLAIN records A Automatic bind B BIND command G Explicit ALTER REGENERATE I Implicit automatic regeneration R REBIND command Blank existed before 12
APREUSE_NO_FL	VARCHAR(10)	Function level when package bound APREUSE(NO)

Column Name	Data Type	Description
APREUSE_NO_TS	TIMESTAMP	Bind time when package bound APREUSE(NO)
CONC_STMT	CHAR(1)	Whether statement concentration is enabled N No Y Yes
FUNCTION_LVL	VARCHAR(10)	Function level of package when row was inserted
DEPLEVEL	CHAR(1)	Indicates if the package contains statement-level dependencies in addition to package-level dependency S - package has both statement-level and package-level dependencies P - package has package-level dependencies only

SYSDIBM.SYSPACKAUTH

Records the privileges that are held by users over packages.

Column Name	Data Type	Description
GRANTOR	VARCHAR(128)	Auth ID of user who granted privilege. Could be PUBLIC
GRANTEE	VARCHAR(128)	Auth ID of user who holds the privileges, name of a plan that uses privileges or PUBLIC for a grant to PUBLIC
LOCATION	VARCHAR(128)	Always contains blanks
COLLID	VARCHAR(128)	Collection name for package(s) which privilege was granted
NAME	VARCHAR(128)	Name of package on which privileges are held
TIMESTAMP	TIMESTAMP	Timestamp indicating when the privilege was granted
GRANTEEType	CHAR(1)	Type of grantee: blank Authorization ID L Role P Application plan
AUTHHOWGOT	CHAR(1)	Authorization level of user from whom privileges were received. Not necessarily highest authorization level of grantor blank Not applicable A PACKADM (on collection *) C DBCTL D DBADM E SECADM G ACCESSCTRL L SYSCTRL M DBMAINT P PACKADM (on a specific collection) S SYSADM T DATAACCESS
BINDAUTH	CHAR(1)	GRANTEE can use BIND and REBIND against package: blank Privilege is not held G Privilege is held with the GRANT option Y Privilege is held without the GRANT option
COPYAUTH	CHAR(1)	GRANTEE can COPY the package: blank Privilege is not held G Privilege is held with the GRANT option Y Privilege is held without the GRANT option
EXECUTEAUTH	CHAR(1)	GRANTEE can execute the package: blank Privilege is not held G Privilege is held with the GRANT option Y Privilege is held without the GRANT option
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
GRANTORTYPE	CHAR(1)	Indicates the type of grantor:

Column Name	Data Type	Description
		blank Authorization ID L Role
SYS_START	TIMESTAMP(12)	Start time associated with most recent transaction
SYS_END	TIMESTAMP(12)	Time row is deleted from system-period temporal table
TRANS_START	TIMESTAMP(12)	Timestamp value per transaction or null

SYSDIBM.SYSPACKDEP

Dependencies of packages on tables, views, synonyms, tablespaces, indexes, aliases, functions, and stored procedures.

Column Name	Data Type	Description
BNAME	VARCHAR(128)	Name of an object a package depends on
BQUALIFIER	VARCHAR(128)	Qualifier of object
BTYPE	CHAR(1)	Type of object identified by BNAME and BQUALIFIER: A Alias B BUSINESS_TIME C SYSTEM_TIME E INSTEAD OF trigger F User-defined function or cast function G Global temporary table I Index M Materialized query table O Stored procedure P Partitioned tablespace if defined as LARGE or DSSIZE Q Sequence object R Tablespace S Synonym T Table V View 0 Alias
DLOCATION	VARCHAR(128)	Always contains blanks
DCOLLID	VARCHAR(128)	Name of the package collection
DNAME	VARCHAR(128)	Name of the package
DCONTOKEN	CHAR(8)	Consistency token for the package
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
DOWNER	VARCHAR(128)	Owner of the package
DTYPE	CHAR(1)	Type of package: F Non-inline SQL scalar function N Native SQL routine package O Original copy of a package P Previous copy of a package R Reserved for IBM use T Trigger package for basic trigger blank Not a trigger package or a native SQL routine package 1 Trigger package for an advanced trigger
DOWNERTYPE	CHAR(1)	Indicates the type of owner of the package: blank Authorization ID L Role

SYSDIBM.SYSPACKLIST

Contains one or more rows for every local application plan bound with a package list.

Column Name	Data Type	Description
PLANNAME	VARCHAR(24)	Name of the application plan

Column Name	Data Type	Description
SEQNO	SMALLINT	Sequence number of the entry in the package list
LOCATION	VARCHAR(128)	Location of package. Blank if local. (*) - determined at run time
COLLID	VARCHAR(128)	Collection name for package. (*) - determined at run time
NAME	VARCHAR(128)	Name of the package. (*) - an entire collection
TIMESTAMP	TIMESTAMP	Timestamp indicating when the row was created
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape

SYSIBM.SYSPACKSTMT

Contains one or more rows for each statement in a package.

Column Name	Data Type	Description
LOCATION	VARCHAR(128)	Always contains blanks
COLLID	VARCHAR(128)	Name of the package collection
NAME	VARCHAR(128)	Name of the package
CONTOKEN	CHAR(8)	Consistency token for the package
SEQNO	INTEGER	Not used
STMTNO	SMALLINT	Statement number of statement in source program
SECTNO	SMALLINT	The section number of the statement
BINDERROR	CHAR(1)	Whether an SQL error was detected at bind time: N No Y Yes
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
VERSION	VARCHAR(122)	Version identifier for the package
	VARCHAR(3500)	Internal use only
ISOLATION	CHAR(1)	Isolation level for the SQL statement: R RR (repeatable read) T RS (read stability) S CS (cursor stability) U UR (uncommitted read) L KEEP UPDATE LOCKS for an RS isolation X KEEP UPDATE LOCKS for an RR isolation blank WITH clause was not specified on statement. Isolation level is recorded in SYSPACKAGE.ISOLATION and SYSPLAN.ISOLATION
STATUS	CHAR(1)	Status of binding the statement: A Distributed - statement uses Db2 private protocol access B Distributed - statement uses Db2 private protocol access C Compiled - statement was bound successfully using defaults for input variables during access path selection E Explain - statement is an SQL EXPLAIN statement F Parsed - statement did not bind successfully and VALIDATE(RUN) was used G Compiled - statement bound successfully, but used REOPT H Parsed - statement is either a data definition statement that did not bind successfully and VALIDATE(RUN) used I Indefinite - statement is dynamic J Indefinite - statement is dynamic K Control - CALL statement L Bad - statement has some allowable error M Parsed - statement references a table qualified with SESSION and was not bound because table reference could be for a declared temporary table that will not be defined until package or plan is run

Column Name	Data Type	Description
		blank Statement is non-executable, or was bound prior to V5
ACCESSPATH	CHAR(1)	For static statements, indicates if access path for statement is based on user-specified optimization hints. 'H' indicates that optimization hints were used
STMTNOI	INTEGER	If value of STMTNO is zero, column contains the statement number of the statement in the source program
SECTNOI	INTEGER	The section number of the statement
EXPLAINABLE	CHAR(1)	Contains one of the following values: Y Indicates that the SQL statement can be used with EXPLAIN function and may have rows describing its access path in the userid.PLAN_TABLE N Indicates that the SQL statement does not have any rows describing its access path in the userid.PLAN_TABLE Blank Indicates that the SQL statement was bound prior to V7
QUERYNO	INTEGER	Query number of SQL statement in source program
ROWID	ROWID	ROWID column, created for the lob columns in this table
STATEMENT	CLOB(2M)	The complete text for the SQL statement that the row represents
	BLOB(2M)	Internal use only
STMT_ID	BIGINT	A unique statement identifier
EXPANSION_REASON	CHAR(2)	Applies to only static statements that reference archive tables or temporal tables A Statement was bound with implicit query transformation as a result of SYSIBMADM.GET_ARCHIVE built-in global variable B Statement was bound with implicit query transformation as a result of the CURRENT TEMPORAL BUSINESS_TIME S Statement was bound with implicit query transformation as a result of the CURRENT TEMPORAL SYSTEM_TIME SB Statement was bound with implicit query transformation as a result of CURRENT TEMPORAL SYSTEM_TIME register and CURRENT TEMPORAL BUSINESS_TIME blank
QUERYID	BIGINT	Identifier for record in SYSQUERY
QUERY_HASH	CHAR(6)	Hash key for records in SYSQUERY
QUERY_HASH_VERSION	INTEGER	Hash version for records in SYSQUERY
COPYID	INTEGER	Copy ID of package
VALID	CHAR(1)	Whether the statement is valid: A - An ALTER statement changed the description of the table or base table of a view referred to by the statement. The changes do not invalidate the statement N - No Y - Yes NULL - VALID status unknown at the statement level

SYSIBM.SYSPACKSTMTCOPY

Records statement-level information for non-current package copies (previous, original, and phased-out).

Column Name	Data Type	Description
LOCATION	VARCHAR(128)	Always contains blanks
COLLID	VARCHAR(128)	Name of the package collection
NAME	VARCHAR(128)	Name of the package
CONTOKEN	CHAR(8)	Consistency token for the package
SEQNO	INTEGER	Not used

Column Name	Data Type	Description
BINDERROR	CHAR(1)	Whether an SQL error was detected at bind time: N No Y Yes
STATUS	CHAR(1)	Status of binding the statement: A Distributed - statement uses Db2 private protocol access B Distributed - statement uses Db2 private protocol access C Compiled - statement was bound successfully using defaults for input variables during access path selection E Explain - statement is an SQL EXPLAIN statement F Parsed - statement did not bind successfully and VALIDATE(RUN) was used G Compiled - statement bound successfully, but REOPT is specified H Parsed - statement is either a data definition statement or a statement that did not bind successfully and VALIDATE(RUN) was used I Indefinite - statement is dynamic J Indefinite - statement is dynamic K Control - CALL statement L Bad - statement has some allowable error M Parsed - statement references a table qualified with SESSION and was not bound because table reference could be for a declared temporary table that will not be defined until package or plan is run O Compiled for acceleration Blank Statement is non-executable, or was bound prior to V5
ACCESSPATH	CHAR(1)	For static statements, indicates if the access path for the statement is based on user-specified optimization hints H - optimization hints were used A - Access path was reused due to APREUSE
SECTNOI	INTEGER	Section number of the statement
EXPLAINABLE	CHAR(1)	Contains one of the following values: Y SQL statement can be used with EXPLAIN and may have rows describing its access path in the PLAN_TABLE N SQL statement does not have any rows describing its access path in the PLAN_TABLE Blank Indicates that the SQL statement was bound prior to V7
STMT_ID	BIGINT	A unique statement identifier
EXPANSION_REASON	CHAR(2)	Applies to only static statements that reference archive tables or temporal tables A Statement was bound with implicit query transformation as a result of SYSIBMADM.GET_ARCHIVE built-in global variable B Statement was bound with implicit query transformation as a result of the CURRENT TEMPORAL BUSINESS_TIME S Statement was bound with implicit query transformation as a result of the CURRENT TEMPORAL SYSTEM_TIME SB Statement was bound with implicit query transformation as a result of CURRENT TEMPORAL SYSTEM_TIME register and CURRENT TEMPORAL BUSINESS_TIME blank
QUERY_HASH	CHAR(6)	Hash key for records in SYSQUERY
QUERY_HASH_VERSION	INTEGER	Hash version for records in SYSQUERY

Column Name	Data Type	Description
COPYID	INTEGER	Copy ID of package
VALID	CHAR(1)	Whether the statement is valid: A - An ALTER statement changed the description of the table or base table of a view referred to by the statement. The changes do not invalidate the statement N - No Y - Yes NULL - VALID status unknown at the statement level

SYSIBM.SYSPACKSTMTDEP

Records dependencies between application statements and objects.

Column Name	Data Type	Description
BSHEMA	VARCHAR(128)	Value is schema of object identified in BNAME column, except in following cases: <ul style="list-style-type: none"> - If BNAME identifies a table space (BTYPE is R), the value is the name of the database for the table space - If BNAME identifies a table on which a period is defined (BTYPE is W or Z), the value is the qualifier of that table - If BNAME identifies a user-defined function, a cast function, a stored procedure, or a sequence (BTYPE is F, O, or Q), the value is the schema name - If BNAME identifies a role, the value is blank
BNAME	VARCHAR(128)	Name of an object the statement depends on. If BTYPE is W or Z, the value is the name of the table on which the period is defined
BTYPE	CHAR(1)	Type of object identified by BNAME and BQUALIFIER: A Alias E INSTEAD OF trigger F User-defined function or cast function H Global variable G Global temporary table I Index M Materialized query table O Stored procedure P Partitioned table space defined as LARGE or with DSSIZE Q Sequence object R Table space S Synonym T Table V View W SYSTEM_TIME period Z BUSINESS_TIME period 0 (zero) Sequence alias
DLOCATION	VARCHAR(128)	Always contains blanks
DCOLLID	VARCHAR (128)	Name of the package collection
DNAME	VARCHAR (128)	Name of the package
DCONTOKEN	CHAR(8)	Consistency token for the package. This is either: <ul style="list-style-type: none"> - "Level" as specified by LEVEL option when program for package was precompiled - Timestamp indicating when program for package was precompiled, in an internal format
DTYPE	CHAR(1)	Type of package:

Column Name	Data Type	Description
		R - Reserved for IBM use Blank - Not a trigger package or a native SQL routine package
DSTMT_ID	BIGINT	A unique statement identifier
DSEQNO	INTEGER	Sequence number of the statement
DCOPYID	INTEGER	Copy ID of the package that contains the statement
DOWNER	VARCHAR(128)	Owner of the package that contains the statement
DOWNER_TYPE	CHAR(1)	Type of the owner of the package that contains the statement: L - Role Blank - Authorization ID

SYSIBM.SYSPACKSTMT_STMB

An auxiliary table for the STMTBLOB column of SYSIBM.SYSPACKSTMT.

Column Name	Data Type	Description
	BLOB(2M)	Internal use only

SYSIBM.SYSPACKSTMT_STMT

An auxiliary table for the STMTBLOB column of SYSIBM.SYSPACKSTMT.

Column Name	Data Type	Description
STATEMENT	CLOB(2M)	Complete text for SQL statement that the row represents

SYSIBM.SYSPARMS

Contains a row for each parameter of a routine or multiple rows for table parameters.

Column Name	Data Type	Description
SCHEMA	VARCHAR(128)	Schema
OWNER	VARCHAR(128)	Owner
NAME	VARCHAR(128)	Name
SPECIFICNAME	VARCHAR(128)	Specific
ROUTINETYPE	CHAR(1)	Type of routine: F User-defined function or cast function P Stored procedure
CAST_FUNCTION	CHAR(1)	Whether the routine is a cast function: N Not a cast function Y A cast function
PARMNAME	VARCHAR(128)	Name of parameter
ROUTINEID	INTEGER	Internal identifier of the routine
ROWTYPE	CHAR(1)	Values indicate type of parameter described by this row: P Input parameter O Output parameter; not applicable for functions B Both an input and and output; N/A for functions R Result before casting; N/A for stored procedures C Result after casting; not applicable for stored procedures S Input parameter of the underlying built-in source function
ORDINAL	SMALLINT	If ROWTYPE is B, O, P, or S, value is ordinal number of parameter within routine signature If ROWTYPE is C or R, value depends on type of function - Scalar function = 0 - Table function = ordinal number of column of output table If ROWTYPE is X, value is 0
TYPESHEMA	CHAR(8)	Schema of data type of parameter
TYPENAME	CHAR(18)	Name of data type of parameter
DATATYPEID	INTEGER	Built-in data type = ID of built-in type

Column Name	Data Type	Description
		Distinct type = ID of distinct type
SOURCETYPEID	INTEGER	Built-in data type = 0 Distinct type = ID built-in ID of sourced distinct type
LOCATOR	CHAR(1)	Indicates whether a locator to a value, instead of actual value, is to be passed as input value when routine is called: N Actual value is to be passed Y A locator to a value is to be passed
TABLE	CHAR(1)	Data type of a column for a table parameter: N Not a table parameter Y Is a table parameter
TABLE_COLNO	SMALLINT	For table parameters, column number of the table. Else, 0
LENGTH	INTEGER	Length attribute of parameter or result
SCALE	SMALLINT	Scale of data type of parameter or number of fractional second digits of timestamp or timestamp with time zone parameter
SUBTYPE	CHAR(1)	If data type is a distinct type, subtype of the distinct type, which is based on the subtype of its source type: B FOR BIT DATA S FOR SBCS DATA M FOR MIXED DATA blank Source type is not a character type, or if parameter is an array type
CCSID	INTEGER	CCSID of data type for a character, date, time, timestamp or graphic data type
CAST_FUNCTION_ID	INTEGER	Internal function ID of function used to cast argument, if this function is sourced on another function, or result. Else, 0
ENCODING_SCHEME	CHAR(1)	Encoding scheme of the parameter: A ASCII E EBCDIC U UNICODE blank Not a character type or parameter is an array type
IBMREQD	CHAR(1)	Y - row came from basic MRM tape
VERSION	VARCHAR(122)	Version identifier for routine
OWNERTYPE	CHAR(1)	Type of owner: blank Authorization ID L Role

SYSIBM.SYSPENDINGDDL

Contains information about which objects have pending definition changes.

Column Name	Data Type	Description
DBNAME	VARCHAR(24)	Name of database for the pending option
TSNAME	VARCHAR(24)	Name of table space for the pending option
DBID	SMALLINT	Internal identifier of the database
PSID	SMALLINT	Internal identifier of the table space page set descriptor
OBJSHEMA	VARCHAR(128)	Qualifier of object that contains pending option
OBJNAME	VARCHAR(128)	Name of object that contains pending option
OBJJOBID	SMALLINT	Internal identifier of object
OBJTYPE	CHAR(1)	Type of object identified by OBJSHEMA and OBJNAME I Index S Table space T Table
STATEMENT_TYPE	CHAR(1)	Type of statement for pending option

Column Name	Data Type	Description
		A ALTER statement R RECOVER statement
OPTION_ENVID	INTEGER	Internal identifier of the environment for the pending option
OPTION_KEYWORD	VARCHAR(128)	If row is inserted into this table during execution of a data definition statement, this value is name of pending option
OPTION_VALUE	VARCHAR(4000)	If row is inserted into this table during execution of a data definition statement, this value is value of pending option
OPTION_SEQNO	SMALLINT	Sequence of pending option within the statement
CREATEDTS	TIMESTAMP(12)	Timestamp when pending option was created
RELCREATED	CHAR(1)	Release of Db2 that is used to create object
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
ROWID	ROWID	ID to support LOB columns for source text
STATEMENT_TEXT	CLOB(2M)	Source text of the original statement for pending option
COLNAME	VARCHAR(128)	Name of the column with a pending definition change
PARTITION	SMALLINT	Partition number for partition with pending definition change 0 if pending change is for entire table space or index space
PARTITION_KEYWORD	VARCHAR(18)	Column is populated if PARTITION column has a non-zero value. The keyword that is associated with the PARTITION clause of the ALTER TABLE statement
COLUMN_KEYWORD	VARCHAR(18)	Contains the keyword that corresponds to the column that is listed in COLNAME
REORG_SCOPE_LOWPART	SMALLINT	Logical partition number for lowest partition in range for REORG to materialize change
REORG_SCOPE_HIGHPART	SMALLINT	Logical partition number for highest partition in range for REORG to materialize change

SYSIBM.SYSPENDINGOBJECT

Name of and OBID information about objects that are the pending creation.

Column Name	Data Type	Description
DBNAME	VARCHAR(24)	Database name
TSNAME	VARCHAR(24)	Table space name
DBID	SMALLINT	ID of database
PSID	SMALLINT	Internal identifier of the base table space page set descriptor
PARTITION	SMALLINT	Partition number with which the object is associated
COLNAME	VARCHAR(128)	Column in base table
OBJSHEMA	VARCHAR(128)	Qualifier of object
OBJNAME	VARCHAR(128)	Name of object
OBJTYPE	CHAR(1)	Type of object identified by OBJSHEMA and OBJNAME I Index S Table space T Table
INDEXSPACE	VARCHAR(24)	Name of index space
OBJJOBID	SMALLINT	Internal identifier of the object
OBJPSID	SMALLINT	Internal identifier of the object page set descriptor, or 0 if the object does not have a page set descriptor

SYSIBM.SYSPKSYSTEM

Zero or more rows for every package.

Column Name	Data Type	Description
LOCATION	VARCHAR(128)	Always contains blanks
COLLID	VARCHAR(128)	Name of the package collection

Column Name	Data Type	Description
NAME	VARCHAR(128)	Name of the package
CONTOKEN	CHAR(8)	Consistency token for the package
SYSTEM	VARCHAR(24)	Environment: BATCH TSO batch CICS Customer Information Control System DB2CALL Db2 call attachment facility DLIBATCH DLI batch support facility IMSBMP IMS BMP region IMSMP IMS MPP and IFP region REMOTE Remote application server
ENABLE	CHAR(1)	Connections represented by the row are enabled or disabled: N Disabled Y Enabled
CNAME	VARCHAR(60)	Identifies connection or connections to which row applies
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape

SYSIBM.SYSPLAN

One row for each application plan.

Column Name	Data Type	Description
NAME	VARCHAR(24)	Name of the application plan
CREATOR	VARCHAR(128)	Authorization ID of the owner of the application plan
	CHAR(6)	Not used
VALIDATE	CHAR(1)	Whether validity checking can be deferred until run time: B All checking must be performed during BIND R Validation is done at run time for tables, views, and privileges that do not exist at bind time
ISOLATION	CHAR(1)	Isolation level for the plan: R RR (repeatable read) T RS (read stability) S CS (cursor stability) U UR (uncommitted read)
VALID	CHAR(1)	Whether the application plan is valid: A ALTER TABLE changed description of table or base table of a view that is referred to by the plan H ALTER TABLE changed description of table or base table of a view that is referred to by the plan N No Y Yes
OPERATIVE	CHAR(1)	Whether the application plan can be allocated: N No; an explicit BIND or REBIND is required before the plan can be allocated Y Yes
	CHAR(8)	Not used
PLSIZE	INTEGER	Size of the base section of the plan, in bytes
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
AVGSIZE	INTEGER	Average size, in bytes, of those sections of the plan that contain SQL statements processed at bind time
ACQUIRE	CHAR(1)	When resources are acquired: A At allocation U At first use

Column Name	Data Type	Description
RELEASE	CHAR(1)	When resources are released: C At commit D At deallocation
EXPLAIN	CHAR(1)	EXPLAIN option specified for the plan: N No Y Yes
EXPREDICATE	CHAR(1)	CURRENTDATA option when the plan was bound or rebound: B Data currency is not required for ambiguous cursors. Allow blocking for ambiguous cursors C Data currency is required for ambiguous cursors. Inhibit blocking for ambiguous cursors N Blocking is inhibited for ambiguous cursors, but plan was created before the CURRENTDATA option was available
BOUNDBY	VARCHAR(128)	Primary authorization ID of the binder of the plan
QUALIFIER	VARCHAR(128)	Implicit qualifier for the unqualified table, view, index, and alias names in the static SQL statements of the plan
CACHESIZE	SMALLINT	Size, in bytes, of cache to be acquired for the plan. 0 indicates that no cache is used
PLENTRIES	SMALLINT	Number of package list entries for the plan
DEFERPREP	CHAR(1)	Package was last bound with the DEFER(PREPARE) option: N No Y Yes
CURRENTSERVER	VARCHAR(128)	Location name specified with the CURRENTSERVER option when the plan was last bound
SYSENTRIES	SMALLINT	Number of rows associated with the plan in SYSPLSYSTEM
DEGREE	CHAR(3)	DEGREE option used when the plan was last bound: ANY DEGREE(ANY) 1 or blank DEGREE(1). Blank if plan was migrated
SQLRULES	CHAR(1)	SQLRULES option used when the plan was last bound: D or blank SQLRULES(DB2) S SQLRULES(STD) blank A migrated plan
DISCONNECT	CHAR(1)	DISCONNECT option used when the plan was last bound: E or blank DISCONNECT (EXPLICIT) A DISCONNECT (AUTOMATIC) C DISCONNECT (CONDITIONAL) blank A migrated plan
GROUP_MEMBER	VARCHAR(24)	Member name of subsystem that performed most recent bind
DYNAMICRULES	CHAR(1)	DYNAMICRULES option used when the plan was last bound: B BIND blank RUN
BOUNDTS	TIMESTAMP	Time when the plan was bound
REOPTVAR	CHAR(1)	If access path is determined again at execution time A REOPT(AUTO) N REOPT(NONE) Y REOPT(ALWAYS) 1 REOPT(ONCE)
KEEPDYNAMIC	CHAR(1)	Prepared dynamic statements are to be purged at each commit N KEEPDYNAMIC(NO) Y KEEPDYNAMIC(YES)
PATHSCHEMAS	VARCHAR(254)	SQL path specified on BIND/REBIND that bound the plan

Column Name	Data Type	Description
DBPROTOCOL	CHAR(1)	Whether remote access for SQL with three-part names is implemented with DRDA or Db2 private protocol access: D DRDA P Db2 private protocol
FUNCTIONTS	TIMESTAMP	Timestamp when function was resolved. Set by BIND and REBIND commands, but not by AUTOBIND
OPTHINT	CHAR(8)	Value of the OPTHINT bind option. Identifies rows in the authid.PLAN_TABLE to be used as input to the optimizer. Blank if no rows in the authid.PLAN_TABLE are to be used as input
ENCODING_CCSID	INTEGER	CCSID corresponding to encoding scheme or CCSID as specified for bind option ENCODING CCSID Specified or derived CCSID 0 EBCDIC default CCSID as specified on panel DSNTIPF at installation time
IMMEDWRITE	CHAR(1)	When writes of updated group bufferpool dependent pages are to be done. Applicable only for data-sharing environments N IMMEDIATEWRITE(NO) - normal write activity is done Y IMMEDIATEWRITE(YES) - immediate writes are done 1 IMMEDIATEWRITE(PH1) - written at or before phase 1 commit Blank A migrated package
RELBOUND	CHAR(1)	Release when the package was bound or rebound blank Bound prior to V7 K Bound on V7 L Bound on V8
REMARKS	VARCHAR(128)	A character string provided by the user with COMMENT
CREATORTYPE	CHAR(1)	Type of creator: blank Authorization ID L Role
ROUNDING	CHAR(1)	ROUNDING option used when the plan was last bound: C ROUND_CEILING D ROUND_DOWN F ROUND_FLOOR G ROUND_HALF_DOWN E ROUND_HALF_EVEN H ROUND_HALF_UP U ROUND_UP blank Plan was created prior to V9
	DATE	Not used
CONCUR_ACC_RES	CHAR(1)	CONCURRENTACCESSRESOLUTION option when package was bound or rebound: blank Not specified N WAITFOROUTCOME Y USECURRENTLYCOMMITTED
PROGAUTH	CHAR(1)	Db2 checks if a program is authorized to run a plan: D DISABLE E ENABLE

SYSIBM.SYSPLANAUTH

Records the privileges that are held by users over application plans.

Column Name	Data Type	Description
GRANTOR	VARCHAR(128)	Authorization ID of user who granted privileges
GRANTEE	VARCHAR(128)	Authorization ID of user who holds privileges. Could be PUBLIC

Column Name	Data Type	Description
NAME	VARCHAR(24)	Name of the application plan on which the privileges are held
AUTHHOWGOT	CHAR(1)	Authorization level of user from whom privileges received blank Not applicable C DBCTL D DBADM E SECADM G ACCESSCTRL L SYSCTRL M DBMAINT S SYSADM
BINDAUTH	CHAR(1)	GRANTEE can use BIND, REBIND, or FREE subcommands blank Privilege is not held G Privilege is held with the GRANT option Y Privilege is held without the GRANT option
EXECUTEAUTH	CHAR(1)	GRANTEE can run application programs that use the plan: blank Privilege is not held G Privilege is held with the GRANT option Y Privilege is held without the GRANT option
IBMREQD	CHAR(1)	Y row came from basic MRM tape
GRANTEDTS	TIMESTAMP	Time when the GRANT statement was executed
GRANTEETYPE	CHAR(1)	Type of grantee: blank Authorization ID L Role
GRANTORTYPE	CHAR(1)	Type of grantor: blank Authorization ID L Role
SYS_START	TIMESTAMP(12)	Start time associated with most recent transaction
SYS_END	TIMESTAMP(12)	Time row is deleted from system-period temporal table
TRANS_START	TIMESTAMP(12)	Timestamp value per transaction or null

SYSIBM.SYSPLANDEP

Dependencies of plans on tables, views, tablespaces, indexes, functions, and procedures.

Column Name	Data Type	Description
BNAME	VARCHAR(128)	Name of an object the plan depends on
BCREATOR	VARCHAR(128)	If BNAME is a table space, its database
BTYPE	CHAR(1)	Type of object identified by BNAME: A Alias E INSTEAD OF trigger F User-defined function or cast function I Index L Role M Materialized query table O Stored procedure P Partitioned table space is defined as LARGE or DSSIZE Q Sequence object R Tablespace S Synonym T Table V View
DNAME	VARCHAR(24)	Name of plan
IBMREQD	CHAR(1)	Y indicates row came MRM tape

SYSIBM.SYSPLSYSTEM

Each row represents one or more connections to an environment in which plan could be used.

Column Name	Data Type	Description
NAME	VARCHAR(24)	Name of the plan
SYSTEM	VARCHAR(24)	Environment BATCH TSO batch DB2CALL Db2 call attachment facility CICS Customer Information Control System DLIBATCH DLI batch support facility IMSBMP IMS BMP region IMSMPP IMS MPP or IFF region
ENABLE	CHAR(1)	Connections represented by the row are enabled or disabled: N Disabled Y Enabled
CNAME	VARCHAR(60)	Connection or connections to which the row applies
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape

SYSIBM.SYSQUERY

Contains one row for each query in a set of queries.

Column Name	Data Type	Description
QUERYID	BIGINT	Unique identifier for the query
QUERY_HASH	CHAR(16)	Hash key generated by statement text
SCHEMA	VARCHAR(128)	Default schema name for unqualified objects in query or blank
QUERY_SEC_HASH	CHAR(16)	Hash key generated by the modified statement text
QUERY_HASH_VERSION	INTEGER	Version of the query hash
SOURCE	SMALLINT	Source of query: 0 Instance-level plan hint 1 Plan stability static 2 Plan stability dynamic
USERFILTER	CHAR(8)	Filter name that is used to group a set of queries or blank
	CHAR(128)	Internal use only
PLAN_VALID	CHAR(1)	Whether plan hints are valid: blank No plan hint exists for statement, but optimization parameters exist in SYSQUERYOPTS Y Plan hint exists in SYSQUERYPLAN for the statement N Plan hint exists in SYSQUERYPLAN, but is invalid and not used
INVALID_REASON	INTEGER	When PLAN_VALID is N, contains reason code. -1, if PLAN_VALID is Y or blank
	VARCHAR(128)	Not used
COLLECTION	VARCHAR(128)	Name of the collection of the originating query or blank
PACKAGE	VARCHAR(128)	Name of the package of the originating query or blank
VERSION	VARCHAR(128)	Version of the package or blank
AUTHID	VARCHAR(128)	Authorization ID in effect when the query was captured or blank
BINDTIME	TIMESTAMP	Timestamp when package was bound or BIND QUERY was run
STMTNO	INTEGER	When SOURCE is 1, the statement number in the package. When SOURCE is 0 or 2, is -1
SECTNO	INTEGER	When SOURCE is 1, section number in the package. When SOURCE is 0 or 2, is -1
STMTTEXT	CLOB(2M)	Text of SQL statement optimization hint or parameter applies to

Column Name	Data Type	Description
QUERYNO	INTEGER	Query number
CLIENT_USERID	VARCHAR(255)	User ID of the client
CLIENT_WRKSTNNAME	VARCHAR(255)	Name of the client workstation
CLIENT_APPLNAME	VARCHAR(255)	Name of the client application
SELECTVTY_OVERRIDE	CHAR(1)	Selectivity overrides are in effect for the query: Y In effect N Not in effect
ACCESSPATH_HINT	CHAR(1)	Access paths are specified for matching statements: Y Is specified and in effect N Is not specified and in effect blank Might be specified. Must query SYSQUERYPLAN to determine whether an access path is specified
OPTION_OVERRIDE	CHAR(1)	Optimization parameters are in effect for matching statements: Y Are in effect N Not in effect blank Might be in effect. Must query SYSQUERYOPTS catalog table to determine whether option overrides are in effect
SELECTIVITY_VALID	CHAR(1)	Selectivity overrides are valid: blank None exist for the statement Y Overrides exist for query. Are valid if statement has already been executed and overrides were used N Overrides exist but are invalid and not used
FUNCTION_LVL	VARCHAR(10)	Function level of the query when row was inserted

SYSIBM.SYSQUERYPRDICATE

Information about predicates for queries in SYSQUERY identified for extended optimization.

Column Name	Data Type	Description
QUERYID	BIGINT	Unique identifier for the query
QUERYNO	INTEGER	A number identifying statement being explained
QBLOCKNO	SMALLINT	A number that identifies each query block within a query. Not in any particular order, nor are they necessarily consecutive
APPLNAME	VARCHAR(24)	Name of plan
POGNAME	VARCHAR(128)	Name of program or package containing the statement being explained
PREDNO	INTEGER	Predicate number - used to identify a predicate within a query
TYPE	CHAR(8)	Predicate type. The possible values are: AND, OR, EQUAL, RANGE, BETWEEN, IN, LIKE, NOT LIKE, EXISTS, NOTEXISTS, SUBQUERY, HAVING, OTHERS
LEFT_HAND_SIDE	VARCHAR(128)	If LHS of predicate is a table column (LHS_TABNO > 0), indicates the column name. Other possible values are: VALUE, COLEXP, NONCOLEXP, CORSUB, NONCORSUB, SUBQUERY, EXPRESSION, Blank
LEFT_HAND_PHO	INTEGER	If LHS of predicate is a table column (LHS_TABNO > 0), indicates the column name. Other possible values are: VALUE, COLEXP, NONCOLEXP, CORSUB, NONCORSUB, SUBQUERY, EXPRESSION, Blank
LHS_TABNO	SMALLINT	If LHS of predicate is a table column, indicates a number which uniquely identifies corresponding table reference within a query
LHS_QBNO	SMALLINT	If LHS of predicate is a table column, indicates a number which uniquely identifies corresponding table reference within a query

Column Name	Data Type	Description
RIGHT_HAND_SIDE	VARCHAR(128)	If RHS of predicate is a table column (RHS_TABNO > 0), then indicates column name. Other values are: VALUE, COLEXP, NONCOLEXP, CORSUB, NONCORSUB, SUBQUERY, blank
RIGHT_HAND_PNO	INTEGER	If predicate is a compound predicate (AND/OR), then indicates the second child predicate
PHS_TABNO	SMALLINT	If RHS of predicate is a table column, indicates a number which uniquely identifies corresponding table reference within a query
RHS_QBNO	SMALLINT	If RHS of predicate is a subquery, indicates a number which uniquely identifies the corresponding query block within a query
FILTER_FACTOR	FLOAT	Estimated filter factor
BOOLEAN_TERM	CHAR(1)	Whether predicate can be used to determine truth value of the whole WHERE clause
SEARCHARG	CHAR(1)	Whether this predicate can be processed by data manager (DM)
JOIN	CHAR(1)	If predicate can be used as join predicate between two tables
AFTER_JOIN	CHAR(1)	Indicates the predicate evaluation phase: A After join D During join blank Not applicable
ADDED_PRED	CHAR(1)	Whether it is generated by transitive closure
REDUNDANT_PRED	CHAR(1)	Whether it is a redundant predicate
DIRECT_ACCESS	CHAR(1)	Whether the predicate is direct access, which means one can navigate directly to the row through ROWID
KEYFIELD	CHAR(1)	Whether the predicate includes the index key column of the involved table for all applicable indexes considered by Db2
EXPLAIN_TIME	TIMESTAMP	Time when EXPLAIN information was captured: All cached statements - When statement entered the cache Non-cached static statements - When statement was bound Non-cached dynamic statements - When EXPLAIN executed
CATEGORY	SMALLINT	Internal use
CATEGORY_B	SMALLINT	Internal use
TEXT	VARCHAR(2000)	Transformed predicate text; truncated if exceeds 2000 characters
PRED_ENCODE	CHAR(1)	Internal use
PRED_CCSID	SMALLINT	Internal use
PRED_MCCSID	SMALLINT	Internal use
MARKER	CHAR(1)	Whether predicate includes host variables, parameter markers, or special registers
PARENT_PNO	INTEGER	Parent predicate number. If predicate is a root predicate within a query block, then this column is 0
NEGATION	CHAR(1)	Whether this predicate is negated via NOT
LITERALS	VARCHAR(128)	Indicates literal value or literal values separated by colon symbols
CLAUSE	CHAR(8)	The clause where the predicate exists: HAVING HAVING clause ON ON clause WHERE WHERE clause SELECT SELECT clause
GROUP_MEMBER	VARCHAR(24)	Member name of Db2 that executed EXPLAIN
ORIGIN	CHAR(1)	Indicates the origin of the predicate Blank Generated by Db2 C Column mask R Row permission U Specified by the user

Column Name	Data Type	Description
UNCERTAINTY	FLOAT(4)	Describes uncertainty factor of a predicate's estimated filter factor
SECTNOI	INTEGER	Section number of statement
COLLID	VARCHAR(128)	Collection ID
VERSION	VARCHAR(122)	Version identifier for package

SYSIBM.SYSQUERYSEL

Selectivity of predicates for queries in SYSQUERY table identified for extended optimization.

Column Name	Data Type	Description
QUERYID	BIGINT	Unique identifier for the query
QUERYNO	INTEGER	A number that identifies the statement that is being explained
QBLOCKNO	SMALLINT	A number that identifies each query block within a query
APPLNAME	VARCHAR(24)	Name of plan for row
PRGNAME	VARCHAR(128)	Program or package containing statement being explained
PREDNO	INTEGER	Identifies predicate
INSTANCE	SMALLINT	Selectivity instance, which is used to group related selectivities
SELECTIVITY	FLOAT	Selectivity of the predicate
WEIGHT	FLOAT	Weight of selectivity instance
ASSUMPTION	VARCHAR(128)	Indicates how the selectivity was estimated, or will be used NORMAL - Estimated using the normal selectivity assumptions OVERRIDE - To be used as input to Optimizer and override its selectivity estimation
INSERT_TIME	TIMESTAMP	Time when the row was inserted
EXPLAIN_TIME	TIMESTAMP	Time when the EXPLAIN information was captured All cached statements - When statement entered cache Non-cached static statements - When the statement was bound Non-cached dynamic statements - When EXPLAIN executed

SYSIBM.SYSQUERY_AUX

An auxiliary table for the STMTTEXT column of the SYSIBM.SYSQUERY table.

Column Name	Data Type	Description
STMTTEXT	CLOB(2M)	Full text of the query

SYSIBM.SYSQUERYOPTS

Contains optimization parameters for the queries that are in SYSIBM.SYSQUERY.

Column Name	Data Type	Description
QUERYID	BIGINT	Unique identifier for the query. Corresponds to QUERYID column in SYSQUERY table
COPYID	SMALLINT	Version of the plan hints for the query in this row 0 Current version of plan hints 1 Previous version of plan hints used by PLAN STABILITY 2 Original version of plan hints used by PLAN STABILITY
REOPT	CHAR(1)	Value of the REOPT bind option that is in effect for the plan: 1 REOPT(ONCE) A REOPT(AUTO) N REOPT(NONE) Y REOPT(ALWAYS) blank REOPT is not specified
STARJOIN	CHAR(1)	Whether star join is enabled: Y Star join is enabled N Star join is disabled blank Star join is not specified

Column Name	Data Type	Description
MAX_PAR_DEGREE	INTEGER	Maximum parallel degree. Value between 0 and 254. If value of column is -1, maximum parallel degree is not specified
DEF_CURR_DEGREE	CHAR(3)	Whether query parallelism is enabled: ONE Disabled ANY Enabled blank Disabled
SJTABLES	INTEGER	Number of tables specified to qualify for star join processing
	VARCHAR(128)	Internal use only
GROUP_MEMBER	VARCHAR(24)	Group member name to which parameters are to be applied
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape

SYSIBM.SYSQUERYPLAN

Plan hint information for queries in SYSIBM.SYSQUERY table.

Column Name	Data Type	Description
QUERYID	BIGINT	Unique identifier for query. Corresponds to the QUERYID column in SYSQUERY table
COPYID	SMALLINT	Version of the plan hints for the query in this row 0 Current version of plan hints 1 Previous version of plan hints used by PLAN STABILITY 2 Original version of plan hints used by PLAN STABILITY
PLAN_VALID	CHAR(1)	Whether the plan hints are valid: N Invalid Y Valid
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
QBLOCKNO	SMALLINT	A number that identifies each query block within a query. Value of numbers are not in any particular order, or consecutive
PLANNO	SMALLINT	Number of step in which query that is indicated in QBLOCKNO was processed. Indicates order in which steps were executed
METHOD	SMALLINT	Indicates the join method used for the step: 0 First table accessed, continuation of previous table accessed, or not used 1 Nested loop join 2 Merge scan join 3 Sorts needed by ORDER BY, GROUP BY, SELECT DISTINCT, UNION, a quantified predicate, or an IN predicate 4 Hybrid join
CREATOR	VARCHAR(128)	Creator of new table accessed in this step;blank if METHOD is 3
TNAME	VARCHAR(128)	Name of table, MQT, created or declared temporary table, materialized view, or materialized table expression
	SMALLINT	IBM use only
ACCESSTYPE	CHAR(2)	Method of accessing new table: DI Intersection of multiple DOCID lists to return final DOCID list DU Union of multiple DOCID lists to return the final DOCID list DX XML index scan of index in ACCESSNAME to return a DOCID list E Direct row using a row change timestamp column H Hash access HN Hash access using an IN predicate IN Index scan when matching predicate contains an IN and IN-list is accessed through an in-memory table I Index (in ACCESSCREATOR and ACCESSNAME) I1 One-fetch index scan

Column Name	Data Type	Description
		M Multiple index scan (followed by MX, MI, MH, or MU) MH Hash overflow index named in ACCESSNAME MX Index scan on index in ACCESSNAME MI Intersection of multiple indexes MU Union of multiple indexes N Index scan when matching predicate contains IN keyword or by index scan when Db2 rewrites query NR Range list access O Work file scan, as a result of a subquery P Dynamic pair-wise index scan R Table space scan RW Work file scan of a materialized user-defined table function V Buffers for an INSERT statement within a SELECT Blank = Not applicable to current row
MATCHCOLS	SMALLINT	For ACCESTTYPE I, I1, N, NR, MX, or DX, number of index keys used in an index scan; otherwise, 0
ACCESSCREATOR	VARCHAR(128)	For ACCESTTYPE I, I1, N, NR, MX, or DX, the creator of the index; otherwise, blank
ACCESSNAME	VARCHAR(128)	For ACCESTTYPE I, I1, H, MH, N, NR, MX, or DX, the name of the index; for ACCESTTYPE P, DSNPJW(<i>mixopseqno</i>) is the starting pair-wise join leg in MIXOPSEQNO; otherwise, blank
INDEXONLY	CHAR(1)	Whether access to an index alone is enough to carry out the step, or whether data, too, must be accessed Y/N
SORTN_UNIQ	CHAR(1)	If new table is sorted to remove duplicate rows Y/N
SORTN_JOIN	CHAR(1)	If new table is sorted for join method 2 or 4 Y/N
SORTN_ORDERBY	CHAR(1)	If new table is sorted for ORDER BY Y/N
SORTN_GROUPBY	CHAR(1)	If new table is sorted for GROUP BY Y/N
SORTC_UNIQ	CHAR(1)	If composite table is sorted to remove duplicate Y/N
SORTC_JOIN	CHAR(1)	If composite table is sorted for join method 1, 2, or 4 Y/N
SORTC_ORDERBY	CHAR(1)	If composite table is sorted for an ORDER BY or a quantified predicate Y/N
SORTC_GROUPBY	CHAR(1)	If composite table is sorted for a GROUP BY Y/N
TSLOCKMODE	CHAR(3)	An indication of the mode of lock to be acquired on the new table or its table space or table space partitions. If the isolation can be determined at bind time, the values are: IS Intent share lock IX Intent exclusive lock S Share lock U Update lock X Exclusive lock SIX Share with intent exclusive lock N UR isolation; no lock If isolation cannot be determined at bind time, lock mode determined by isolation at runtime is shown by following values: NS For UR isolation, no lock; for CS, RS, or RR, an S lock NIS For UR isolation, no lock; for CS, RS, or RR, an IS lock NSS For UR isolation, no lock; for CS or RS, an IS lock; for RR, an S lock SS For UR, CS, or RS isolation, an IS lock; for RR, an S lock
PREFETCH	CHAR(1)	Whether data pages are to be read in advance by prefetch: D Optimizer expects dynamic prefetch S Pure sequential prefetch

Column Name	Data Type	Description
		L Prefetch through a page list U List prefetch with an unsorted RID list Blank Unknown at bind time or no prefetch
COLUMN_FN_EVAL	CHAR(1)	When a SQL aggregate function is evaluated: R While the data is being read from the table or index S While performing a sort to satisfy a GROUP BY clause Blank After data retrieval after any sorts
MIXOPSEQ	SMALLINT	Sequence number of a step in a multiple index operation: 1, 2, . . . n = steps of multiple index procedure (ACCESSTYPE is MX, MI, MU, DX, DI, or DU), sequence number of OR predicate in SQL statement (ACCESSTYPE is NR) 0 = For any other rows
ACCESS_DEGREE	SMALLINT	Number of parallel tasks or operations activated by a query
ACCESS_PGROUP_ID	SMALLINT	Identifier of the parallel group for accessing the new table
JOIN_DEGREE	SMALLINT	Number of parallel operations or tasks used in joining the composite table with new table
JOIN_PGROUP_ID	SMALLINT	ID of parallel group for joining composite table with new table
SORTC_PGROUP_ID	SMALLINT	Parallel group identifier for parallel sort of the composite table
SORTN_PGROUP_ID	SMALLINT	Parallel group identifier for parallel sort of the new table
PARALLELISM_MODE	CHAR(1)	The kind of parallelism, if any, that is used at bind time: C = Query CP parallelism
MERGE_JOIN_COLS	SMALLINT	Number of columns joined during merge scan join (Method = 2)
CORRELATION_NAME	VARCHAR(128)	Correlation name of a table or view specified in the statement
PAGE_RANGE	CHAR(1)	If table qualifies for page range screening, so that plans scan only the partitions that are needed. Y = Yes; blank = No
JOIN_TYPE	CHAR(1)	Type of outer join: F Full outer join L Left outer join P Pair-wise join S Star join Blank = Inner join or no join RIGHT OUTER JOIN converts to a LEFT OUTER JOIN when you use it, so that JOIN_TYPE contains L
QBLOCK_TYPE	CHAR(6)	For each query block, type of SQL operation performed. For the outermost query, identifies the statement type SELECT SELECT INSERT INSERT UPDATE UPDATE MERGE MERGE DELETE DELETE SELUPD SELECT with FOR UPDATE OF DELCUR DELETE WHERE CURRENT OF CURSOR UPDCUR UPDATE WHERE CURRENT OF CURSOR CORSUB Correlated subquery TRUNCA TRUNCATE NCOSUB Noncorrelated subquery TABLEX Table expression

Column Name	Data Type	Description
		TRIGGR WHEN clause on CREATE TRIGGER UNION UNION UNIONA UNION ALL INTERS INTERSECT INTERA INTERSECT ALL EXCEPT EXCEPT EXCEPTA EXCEPT ALL
PRIMARY_ACCESTYPE	CHAR(1)	Indicates whether direct row access will be attempted first: D Db2 will try to use direct row access T Base table or result file is materialized into a work file, and work file is accessed via sparse index access
PARENT_QBLOCK	SMALLINT	Number that indicates QBLOCKNO of the parent query block
TABLE_TYPE	CHAR(1)	Type of new table: B Buffers for SELECT from INSERT, SELECT from UPDATE, SELECT from MERGE, or SELECT from DELETE statement C Common table expression F Table function I New table is generated from an IN-LIST predicate M Materialized query table Q Temporary intermediate result table (not materialized) R Recursive common table expression S Subquery (correlated or non-correlated) T Table W Work file Value of column is null if query uses GROUP BY, ORDER BY, or DISTINCT, which requires an implicit sort
TABLE_ENCODE	CHAR(1)	Encoding scheme of table. If table has a single CCSID set, possible values are: A ASCII E EBCDIC U Unicode M Table contains multiple CCSID sets
TABLE_SCCSID	SMALLINT	SBCS CCSID value of table. If TABLE_ENCODE is M, value 0
TABLE_MCCSID	SMALLINT	Mixed CCSID value of table. If TABLE_ENCODE is M, value is 0. If MIXED=NO in application defaults module, value is -2
TABLE_DCCSID	SMALLINT	DBCS CCSID value of table. If TABLE_ENCODE is M, value is 0. If MIXED=NO in application defaults module, value is -2
CTREF	SMALLINT	If referenced table is a common table expression, value is top-level query block number
PARENT_PLANNO	SMALLINT	Corresponds to the plan number in parent query block where a correlated subquery is involved
EXPANSION_REASON	SMALLINT	Applies to only static statements that reference archive tables or temporal tables For dynamic statements, blank. For static statements: A Bound with implicit query transformation as a result of SYSIBMADM.GET_ARCHIVE built-in global variable B Bound with implicit query transformation as a result of the CURRENT TEMPORAL BUSINESS_TIME S Bound with implicit query transformation as a result of the CURRENT TEMPORAL SYSTEM_TIME SB Bound with implicit query transformation as a result of CURRENT TEMPORAL SYSTEM_TIME register and CURRENT TEMPORAL BUSINESS_TIME

Column Name	Data Type	Description
		blank Statement does not contain implicit query transformation

SYSIBM.SYSRELS

Contains one row for every referential constraint.

Column Name	Data Type	Description
CREATOR	VARCHAR(128)	Schema of owner of dependent table of the referential constraint
TBNAME	VARCHAR(128)	Name of the dependent table of the referential constraint
RELNAME	VARCHAR(128)	Constraint name
REFTBNAME	VARCHAR(128)	Name of the parent table of the referential constraint
REFTBCREATOR	VARCHAR(128)	Schema of the owner of the parent table
COLCOUNT	SMALLINT	Number of columns in the foreign key
DELETERULE	CHAR(1)	Type of delete rule for the referential constraint: A NO ACTION C CASCADE N SET NULL R RESTRICT
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
RELOBID1	SMALLINT	Internal identifier of constraint with respect to database containing parent table
RELOBID2	SMALLINT	Internal identifier of constraint with respect to database that contains dependent table
TIMESTAMP	TIMESTAMP	Date and time constraint was defined
IXOWNER	VARCHAR(128)	Schema of unique non-primary index used for parent key
IXNAME	VARCHAR(128)	Name of unique non-primary index used for a parent key
ENFORCED	CHAR(1)	Enforced by the system or not: Y Enforced by the system N Not enforced by the system(trusted)
CHECKEXISTING DATA	CHAR(1)	Option for checking existing data I Immediately check existing data N Never check existing data T Immediately check existing data for a temporal referential constraint
RELCREATED	CHAR(1)	Release of Db2 that is used to create the object

SYSIBM.SYSRESAUTH

Records CREATE IN and PACKADM ON privileges for collections; USAGE privileges for distinct types; and USE privileges for buffer pools, storage groups, and tablespaces.

Column Name	Data Type	Description
GRANTOR	VARCHAR(128)	Authorization ID of the user who granted the privilege
GRANTEE	VARCHAR(128)	Authorization ID of user who holds the privilege. Could be PUBLIC
QUALIFIER	VARCHAR(128)	Qualifier of object
NAME	VARCHAR(128)	Name of buffer pool, collection, Db2 storage group, distinct type, or tablespace. ALL if USE OF ALL BUFFERPOOLS is granted

Column Name	Data Type	Description
AUTHHOWGOT	CHAR(1)	Authorization level of user from whom privileges were received blank Not applicable A PACKADM (on collection *) C DBCTL D DBADM E SECADM G ACCESSCTRL L SYSCTRL M DBMAINT S SYSADM P PACKADM (on a specific collection) T DATAACCESS
OBTYPE	CHAR(1)	Type of object: B Buffer pool C Collection D Distinct type R Tablespace S Storage group J JAR (Java Archive file)
USEAUTH	CHAR(1)	Whether the privilege is held with the GRANT option: G Privilege is held with the GRANT option Y Privilege is held without the GRANT option Authority held is PACKADM when OBTYPE is C (a collection) and QUALIFIER is PACKADM. Authority held is CREATE IN when the OBTYPE is C and QUALIFIER is blank
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
GRANTEDTS	TIMESTAMP	Time when the GRANT statement was executed
GRANTEETYPE	CHAR(1)	Indicates the type of grantee: blank Authorization ID L Role
GRANTORTYPE	CHAR(1)	Indicates the type of grantor: blank Authorization ID L Role
SYS_START	TIMESTAMP(12)	Start time associated with most recent transaction
SYS_END	TIMESTAMP(12)	Time row is deleted from system-period temporal table
TRANS_START	TIMESTAMP(12)	Timestamp value per transaction or null

SYSIBM.SYSROLES

Contains one row for each role.

Column Name	Data Type	Description
NAME	VARCHAR(128)	Name of the role
DEFINER	VARCHAR(128)	Auth ID or role that defined this role listed in the NAME column
DEFINERTYPE	CHAR(1)	The type of definer: L Role blank Authorization ID
CREATEDTS	TIMESTAMP	Time when the role is created
RELCREATED	CHAR(1)	Release of Db2 that is used to create the role
REMARKS	VARCHAR(762)	A character string that is provided using COMMENT statement
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape

SYSIBM.SYSROUTINEAUTH

Privileges held by users on routines. (UDF, cast function, or stored procedure)

Column Name	Data Type	Description
GRANTOR	VARCHAR(128)	Authorization ID of the user who granted the privilege
GRANTEE	VARCHAR(128)	Authorization ID of the user who holds the privilege or the name of a plan or package that uses the privilege. Can also be PUBLIC
SCHEMA	VARCHAR(128)	Schema of the routine
SPECIFICNAME	VARCHAR(128)	Specific name of routine. * if privilege held on all routines in schema.
GRANTEDTS	TIMESTAMP	Time when the GRANT statement was executed
ROUTINETYPE	CHAR(1)	Type of routine: F User-defined function or cast function P Stored procedure
GRANTEETYPE	CHAR(1)	Type of grantee: blank An authorization ID L Role P Plan or package. Package if COLLID is not blank R Internal use only
AUTHHOWGOT	CHAR(1)	Authorization level of user from whom privileges were received. Not necessarily highest authorization level of grantor. Also used to indicate that the privilege was held on all schemas by grantor blank Not applicable 1 Grantor had privilege on schema.* at time of grant E SECADM G ACCESSCTRL L SYSCTRL S SYSADM T DATAACCESS
EXECUTEAUTH	CHAR(1)	GRANTEE can execute the routine: Y Privilege is held without GRANT option G Privilege is held with GRANT option
COLLID	VARCHAR(128)	If GRANTEE is a package, its collection name. Else, blank
CONTOKEN	CHAR(8)	If GRANTEE is a package, consistency token of DBRM from which package was derived. Else, blank
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
GRANTORTYPE	CHAR(1)	Indicates the type of grantor: blank Authorization ID L Role
SYS_START	TIMESTAMP(12)	Start time associated with most recent transaction
SYS_END	TIMESTAMP(12)	Time row is deleted from system-period temporal table
TRANS_START	TIMESTAMP(12)	Timestamp value per transaction or null

SYSIBM.SYSROUTINES

Contains a row for every routine. (User-defined function, cast function, or stored procedure)

Column Name	Data Type	Description
SCHEMA	VARCHAR(128)	Schema of the routine
OWNER	VARCHAR(128)	Owner of the routine
NAME	VARCHAR(128)	Name of the routine
ROUTINETYPE	CHAR(1)	Type of routine: F User-defined function or cast function P Stored procedure
CREATEDBY	VARCHAR(128)	Primary auth ID under which routine was created
SPECIFICNAME	VARCHAR(128)	Specific name of the routine
ROUTINEID	INTEGER	Internal identifier of the routine

Column Name	Data Type	Description
RETURN_TYPE	INTEGER	Internal identifier of result data type of function. -2 if function is a table function
ORIGIN	CHAR(1)	Origin of the routine: E External user-defined function or stored procedure N Native SQL Procedure Q SQL Function U Sourced on user-defined function or built-in function S System-generated function
FUNCTION_TYPE	CHAR(1)	Type of function: C Column function S Scalar function T Table function blank a stored procedure (ROUTINETYPE = 'P')
PARAM_COUNT	SMALLINT	Number of parameters for the routine
LANGUAGE	VARCHAR(24)	Implementation language of the routine: ASSEMBLE C COBOL COMPJAVA JAVA PLI REXX SQL Blank if ROUTINETYPE = 'F' and ORIGIN is not 'E' or not 'Q'
COLLID	VARCHAR(128)	Name of package collection to be used when routine is executed
SOURCESCHEMA	VARCHAR(128)	If ORIGIN is 'U' and ROUTINETYPE is 'F', schema of source user-defined function ('SYSIBM' for a source built-in function). Else, blank
SOURCESPECIFIC	VARCHAR(128)	If ORIGIN is 'U' and ROUTINETYPE is 'F', specific name of source user-defined function or source built-in function name. Else, blank
DETERMINISTIC	CHAR(1)	Option of an external function or a stored procedure: N Indeterminate (results may differ with a given set of input values) Y Deterministic (results are consistent). blank ROUTINETYPE='F' and ORIGIN is not 'E' (routine is a function, but not an external function)
EXTERNAL_ACTION	CHAR(1)	External action option of an external function: N Function has no side effects E Function has external side effects so that number of invocations is important blank ORIGIN not 'E' for function (ROUTINETYPE='F'), or it is a stored procedure (ROUTINETYPE='P')

Column Name	Data Type	Description
NULL_CALL	CHAR(1)	<p>CALLED ON INPUT option of an external function or stored procedure:</p> <p>N Routine is not called if any parameter has a NULL value</p> <p>Y Routine is called if any parameter has a NULL value</p> <p>blank ROUTINETYPE='F' and ORIGIN is not 'E' (routine is a function, but not an external function)</p>
CAST_FUNCTION	CHAR(1)	<p>Whether routine is a cast function:</p> <p>N Not a cast function</p> <p>Y Is a cast function</p> <p>A cast function is generated by Db2 for a CREATE DISTINCT TYPE statement</p>
SCRATCHPAD	CHAR(1)	<p>SCRATCHPAD option of an external function:</p> <p>N Does not have a SCRATCHPAD</p> <p>Y Has a SCRATCHPAD</p> <p>blank ORIGIN is not 'E' for function (ROUTINETYPE='F'), or it is a stored procedure (ROUTINETYPE='P')</p>
SCRATCHPAD_LENGTH	INTEGER	<p>Length of scratchpad if ORIGIN is 'E' for function (ROUTINETYPE='F') and NO SCRATCHPAD is not specified. Else, 0</p>
FINAL_CALL	CHAR(1)	<p>FINAL CALL option of an external function:</p> <p>N Final call will not be made to function</p> <p>Y Final call will be made to function</p> <p>blank ORIGIN is not 'E' for function (ROUTINETYPE='F'), or is a stored procedure (ROUTINETYPE='P')</p>
PARALLEL	CHAR(1)	<p>PARALLEL option of an external function:</p> <p>A Function can be invoked by parallel tasks</p> <p>D Function cannot be invoked by parallel tasks</p> <p>blank ORIGIN is not 'E' for function (ROUTINETYPE='F'), or it is a stored procedure (ROUTINETYPE='P')</p>
PARAMETER_STYLE	CHAR(1)	<p>PARAMETER STYLE option of an external function or stored procedure:</p> <p>D DB2SQL</p> <p>G GENERAL</p> <p>N GENERAL CALL WITH NULLS</p> <p>J JAVA</p> <p>blank If ORIGIN is not 'E' or if LANGUAGE is SQL</p>
FENCED	CHAR(1)	<p>Y Routine runs separately from Db2 address space in a WLM managed Db2 address space</p> <p>blank ORIGIN is 'Q' or ORIGIN is 'N'</p>

Column Name	Data Type	Description
SQL_DATA_ACCESS	CHAR(1)	SQL statements are allowed in an external function or stored procedure: C CONTAINS SQL: Only SQL that does not read or modify data is allowed. M MODIFIES SQL DATA: All SQL is allowed, including SQL that reads or modifies data N NO SQL: SQL is not allowed R READS SQL DATA: Only SQL that reads data is allowed blank Not applicable
DBINFO	CHAR(1)	Option of an external function or stored procedure: N Parameter will not be passed to external function or stored procedure Y Parameter will be passed to external function or stored procedure blank ORIGIN is not 'E'
STAYRESIDENT	CHAR(1)	Determines whether routine is deleted from memory when routine ends N Load module is to be deleted from memory after routine terminates Y Load module is to remain resident in memory after routine terminates blank ORIGIN is not 'E'
ASUTIME	INTEGER	Number of CPU service units permitted for any single invocation of this routine
WLM_ENVIRONMENT	VARCHAR(54)	Name of WLM environment used to run this routine
WLM_ENV_FOR_NESTED	CHAR(1)	For nested routine calls, indicates whether address space of calling store procedure or user-defined function is used to run nested stored procedure or UDF: N Nested stored procedure or UDF runs in an address space other than specified WLM environment if calling stored procedure or UDF is not running in specified WLM environment. 'WLM ENVIRONMENT name' was specified Y Nested stored procedure or UDF runs in the environment used by calling stored procedure or UDF. 'WLM ENVIRONMENT(name,*)' was specified blank WLM_ENVIRONMENT is blank
PROGRAM_TYPE	CHAR(1)	Routine runs as a Language Environment main routine or a subroutine: M Main routine S Subroutine blank ORIGIN is not 'E'

Column Name	Data Type	Description
EXTERNAL_SECURITY	CHAR(1)	Specifies auth ID to be used if routine accesses resources protected by an external security product: D Db2 - Auth ID associated with WLM stored procedure address space U SESSSION_USER - Auth ID of SQL user that invoked routine C DEFINER - Aut ID of owner of routine blank ORIGIN is not 'E'
COMMIT_ON_RETURN	CHAR(1)	If ROUTINETYPE = 'P', whether transaction is always to be committed immediately on successful return (non-negative SQLCODE) from stored procedure: N Unit of work is to continue Y Unit of work is to be committed immediately If ROUTINETYPE = 'F', value is blank
RESULT_SETS	SMALLINT	If ROUTINETYPE = 'P', maximum number of ad hoc result sets that this stored procedure can return. If no ad hoc result exists or ROUTINETYPE = 'F', 0
LOBCOLUMNS	SMALLINT	If ORIGIN = 'E', number of LOB columns found in parameter list for this UDF. If no LOB columns are found in parameter list or ORIGIN is not 'E', 0
CREATEDTS	TIMESTAMP	Time CREATE statement was executed for routine
ALTEREDTS	TIMESTAMP	Time last ALTER statement was executed for routine
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
PARM1 - 30	SMALLINT	Internal use only
IOS_PER_INVOC	FLOAT	Estimated number of I/Os required to execute routine
INSTS_PER_INVOC	FLOAT	Estimated number of machine instructions required to execute routine
INITIAL_IOS	FLOAT	Estimated number of I/Os performed first time or last time routine is invoked
INITIAL_INSTS	FLOAT	Estimated number of machine instructions performed first time or last time routine is invoked
CARDINALITY	FLOAT	Predicted cardinality of routine
RESULT_COLS	SMALLINT	For a table function, number of columns in result table
EXTERNAL_NAME	VARCHAR(762)	Path/module/function loaded to execute routine. Blank if ROUTINETYPE = 'F' and ORIGIN is not 'E'
PARM_SIGNATURE	VARCHAR(150)	Internal use only
RUNOPTS	VARCHAR(762)	Language Environment run-time options for routine. Blank - installation default Language Environment run-time options are to be used, if ROUTINETYPE = 'F' and ORIGIN is not 'E'
REMARKS	VARCHAR(762)	String provided by user with COMMENT ON
JAVA_SIGNATURE	VARCHAR(3072)	Signature of the jar file: Blank When PARAMETER STYLE is not JAVA, or if ROUTINETYPE = 'F' and ORIGIN not 'E'
CLASS	VARCHAR(384)	Class name contained in the jar file: Blank When PARAMETER STYLE is not JAVA or if ROUTINETYPE = 'F' and ORIGIN not 'E'
JARSCHEMA	VARCHAR(128)	Schema of the jar file: Blank When PARAMETER STYLE is not JAVA or if ROUTINETYPE = 'F' and ORIGIN not 'E'

Column Name	Data Type	Description
JAR_ID	VARCHAR(128)	Name of the jar file: Blank When PARAMETER STYLE is not JAVA or if ROUTINETYPE = 'F' and ORIGIN not 'E'
SPECIAL_REGS	CHAR(1)	SPECIAL REGISTER option for a routine: I INHERIT SPECIAL REGISTER D DEFAULT SPECIAL REGISTER blank ROUTINETYPE = 'F' and ORIGIN is not 'E' or not 'Q'
NUM_DEP_MQTS	SMALLINT	Number of dependent MQTs
MAX_FAILURES	SMALLINT	Allowable failures for this routine (0-32767)
PARAMETER_CCSDID	INTEGER	A CCSID that specifies how character, graphic, date, time, and timestamp data types for system generated parameters to the routine such as message tokens and DBINFO should be passed. ASCII EBCDIC UNICODE
VERSION	VARCHAR(122)	Version identifier for a native SQL procedure
CONTOKEN	CHAR(8)	Consistency token for routine. X'20' if ORIGIN not = 'N'
ACTIVE	CHAR(1)	Identifies the active version of the routine: Y Active version N Not the active version blank ORIGIN not 'N' or row was created prior to V9
DEBUG_MODE	CHAR(1)	Whether or not routine is enabled for debugging: 1 Enabled for debugging and can be debugged in a client debug session using Unified Debugger 0 Not enabled for debugging N Can never be enabled for debugging blank LANGUAGE is not specified as JAVA, value of ORIGIN not 'N', or row was created prior to V9
TEXT_ENVID	INTEGER	Internal identifier of environment
TEXT_ROWID	ROWID	ID to support LOB columns for source text
TEXT	CLOB(2M)	Source text of CREATE or ALTER with body for routine
OWNERTYPE	CHAR(1)	Indicates the type of owner: blank Authorization ID L Role
PARAMETER_VARCHARFORM	INTEGER	Non-zero value indicates actual representation, to a LANGUAGE C routine, of any varying length string parameter that appears in parameter list or RETURNS
RELCREATED	CHAR(1)	Release used to create object. Blank if prior to V9
PACKAGEPATH	VARCHAR(4096)	Value of PACKAGE PATH option of CREATE FUNCTION, CREATE PROCEDURE, ALTER FUNCTION, or ALTER PROCEDURE statement that created or last changed the routine
SECURE	CHAR(1)	Indicates if the routine is secured: N Routine is not secured Y Routine is secured

Column Name	Data Type	Description
INLINE	CHAR(1)	Specifies if the SQL function is inline: Y Is inline when referenced. No package is associated with this type of routine N Has an associated package blank Not an SQL function (ORIGIN not 'Q')
	BLOB(1G)	
SYSTEM_DEFINED	CHAR(1)	Identifies whether this routine is system defined: blank Not system defined S System defined
WRAPPED	CHAR(1)	Y Routine text is obfuscated Blank Routine text is not obfuscated
REGENERATETS	TIMESTAMP(12)	Timestamp when object was regenerated

SYSIBM.SYSROUTINESTEXT

An auxiliary table for the TEXT column of SYSIBM.SYSROUTINES.

Column Name	Data Type	Description
TEXT	CLOB(2M)	Source text of CREATE PROCEDURE for routine

SYSIBM.SYSROUTINES_OPTS

Contains a row for each generated routine. Can be inserted, updated, and deleted.

Column Name	Data Type	Description
SCHEMA	VARCHAR(128)	Schema of the routine
ROUTINENAME	VARCHAR(128)	Name of the routine
BUILDDATE	DATE	Date the routine was built
BUILDTIME	TIME	Time the routine was built
BUILDSTATUS	CHAR(1)	Whether version of the routine's source is current version
BUILDSCHEMA	VARCHAR(128)	Schema name for BUILDNAME
BUILDNAME	VARCHAR(128)	Procedure used to create the routine
BUILDOWNER	VARCHAR(128)	Authorization ID used to create the routine
IBMREQD	CHAR(1)	Y indicates row came from the (MRM) tape
PRECOMPILE_OPTS	VARCHAR(765)	Precompiler options used to build the routine
COMPILE_OPTS	VARCHAR(765)	Compiler options used to build the routine
PRELINK_OPTS	VARCHAR(765)	Prelink-edit options used to build the routine
LINK_OPTS	VARCHAR(765)	Link-edit options used to build the routine
BIND_OPTS	VARCHAR(3072)	Bind options used to build the routine
SOURCEDSN	VARCHAR(765)	Name of the source data set
DEBUG_MODE	CHAR(1)	Debugging is on or off for this objects 0 Debugging is off 1 Debugging is on

SYSIBM.SYSROUTINES_PTREE

An auxiliary table for the PTREE column of the SYSIBM.SYSROUTINES table.

Column Name	Data Type	Description
PTREE	CLOB(2M)	Internal use only

SYSIBM.SYSROUTINES_SRC

Contains source for generated routines. Can be inserted, updated, and deleted.

Column Name	Data Type	Description
SCHEMA	VARCHAR(128)	Schema of the routine
ROUTINENAME	VARCHAR(128)	Name of the routine

Column Name	Data Type	Description
BUILDDATE	DATE	Date the routine was built
BUILDTIME	TIME	Time the routine was built
BUILDSTATUS	CHAR(1)	Whether this version of routine's source is current version
SEQNO	INTEGER	Number of the source statement piece in CREATESTMT
IBMREQD	CHAR(1)	Y indicates row came from the (MRM) tape
CREATESTMT	VARCHAR(7500)	Routine source statement

SYSIBM.SYSSCHEMAAUTH

One or more rows for each user granted a privilege on a particular schema in a database.

Column Name	Data Type	Description
GRANTOR	VARCHAR(128)	Auth ID of user who granted privileges or SYSADM
GRANTEE	VARCHAR(128)	Auth ID of user or group that holds privileges. Can be PUBLIC
SCHEMANAME	VARCHAR(128)	Name of the schema or '*' for all schemas
AUTHHOWGOT	CHAR(1)	Auth level of user from whom privileges were received. 1 Grantor had privilege on all schemas at time of grant E SECADM G ACCESSCTRL L SYSCTRL S SYSADM
CREATEINAUTH	CHAR(1)	Grantee holds CREATEIN privilege on schema: blank Privilege is not held G Privilege is held with the GRANT option Y Privilege is held without the GRANT option
ALTERINAUTH	CHAR(1)	Grantee holds ALTERIN privilege on schema: blank Privilege is not held G Privilege is held with the GRANT option Y Privilege is held without the GRANT option
DROPINAUTH	CHAR(1)	Grantee holds DROPIN privilege on schema: blank Privilege is not held G Privilege is held with the GRANT option Y Privilege is held without the GRANT option
GRANTEDTS	TIMESTAMP	Time when the GRANT statement was executed
IBMREQD	CHAR(1)	Y indicates row came from the (MRM) tape
GRANTEETYPE	CHAR(1)	Type of grantee: blank Authorization ID L Role
GRANTORTYPE	CHAR(1)	Type of grantor: blank Authorization ID L Role
SYS_START	TIMESTAMP(12)	Start time associated with most recent transaction
SYS_END	TIMESTAMP(12)	Time row is deleted from system-period temporal table
TRANS_START	TIMESTAMP(12)	Timestamp value per transaction or null

SYSIBM.SYSSEQUENCEAUTH

Records the privileges that are held by users over sequences.

Column Name	Data Type	Description
GRANTOR	VARCHAR(128)	Auth ID of user who granted the privileges
GRANTEE	VARCHAR(128)	Auth ID of user or group that holds privileges or the name of an application plan or package that uses privileges
SCHEMA	VARCHAR(128)	Schema of the sequence
NAME	VARCHAR(128)	Name of the sequence

Column Name	Data Type	Description
GRANTEETYPE	CHAR(1)	Type of grantee: blank An authorization ID L Role P An application plan or package R Internal use only
AUTHHOWGOT	CHAR(1)	Auth level of user from whom the privileges were received. Not necessarily highest authorization level of the grantor: E SECADM G ACCESSCTRL L SYSCTRL S SYSADM T DATAACCESS
ALTERAUTH	CHAR(1)	Grantee holds ALTER privilege on sequence: blank Privilege is not held G Privilege is held with GRANT option Y Privilege is held without GRANT option
USEAUTH	CHAR(1)	Grantee holds USAGE privilege on sequence: blank Privilege is not held G Privilege is held with GRANT option Y Privilege is held without GRANT option
COLLID	VARCHAR(128)	If GRANTEE is a package, its collection name. Else, 0
CONTOKEN	CHAR(8)	If GRANTEE is a package, consistency token of the DBRM from which the package was derived. Else, blank
GRANTEDTS	TIMESTAMP	Time when the GRANT statement was executed
IBMREQD	CHAR(1)	Y indicates row came from the (MRM) tape
GRANTORTYPE	CHAR(1)	Type of grantor: blank Authorization ID L Role
SYS_START	TIMESTAMP(12)	Start time associated with most recent transaction
SYS_END	TIMESTAMP(12)	Time row is deleted from system-period temporal table
TRANS_START	TIMESTAMP(12)	Timestamp value per transaction or null

SYSIBM.SYSSEQUENCES

Contains one row for each identity column or user-defined sequence.

Column Name	Data Type	Description
SCHEMA	VARCHAR(128)	Schema of alias or sequence. For an identity column, value of TBCREATOR from SYSCOLUMNS entry for column
OWNER	VARCHAR(128)	Owner of alias or sequence. For an identity column, value of TBCREATOR from SYSCOLUMNS entry for column
NAME	VARCHAR(128)	Name of the identity column, alias or sequence. (Name for an identity is generated by Db2.)
SEQTYPE	CHAR(1)	Type of sequence object: A Alias I Identity column S User-defined sequence X Implicitly created DOCID for a base table with XML
SEQUENCEID	INTEGER	Internal identifier of the identity column, alias or sequence
CREATEDBY	VARCHAR(128)	Primary auth ID of user who created sequence, alias or identity column
INCREMENT	DECIMAL(31,0)	Increment value (positive or negative, within INTEGER scope), 0 if alias
START	DECIMAL(31,0)	Start value, 0 if alias

Column Name	Data Type	Description
MAXVALUE	DECIMAL(31,0)	Maximum value allowed for the data type, 0 if alias
MINVALUE	DECIMAL(31,0)	Minimum value allowed for the data type, 0 if alias
CYCLE	CHAR(1)	Whether cycling will occur when a boundary is reached: N No Y Yes Blank if alias
CACHE	INTEGER	Number of sequence values to preallocate in memory for faster access
ORDER	CHAR(1)	Whether the values must be generated in order Y Yes N No Blank if alias
DATATYPEID	INTEGER	For a built-in data type, the internal ID of built-in type For a distinct type, the internal ID of distinct type
SOURCETYPEID	INTEGER	For a built-in data type, 0 For a distinct type, internal ID of built-in data type upon which distinct type is sourced
CREATEDTS	TIMESTAMP	When identity column, alias, or sequence was created
ALTEREDTS	TIMESTAMP	When identity column, alias or sequence was ALTERed
MAXASSIGNEDVAL	DECIMAL(31,0)	Last possible assigned value. Updated each time next chunk of <i>n</i> values is cached, where <i>n</i> is value for CACHE
IBMREQD	CHAR(1)	Y row came from (MRM) tape
REMARKS	VARCHAR(254)	Character string provided by user with COMMENT statement. Blank for an identity column
PRECISION	SMALLINT	Precision defined for a sequence with a decimal or numeric type. 5 for SMALLINT, 10 for INTEGER, or actual precision specified by user for decimal data type. 0 for rows created prior to V8, or alias
RESTARTWITH	DECIMAL(31,0)	RESTART WITH value specified for a sequence during ALTER or NULL. RESTART WITH value is reset to NULL during first value generation after ALTER. NULL if no ALTER with RESTART WITH has happened or if an alias
OWNERTYPE	CHAR(1)	Type of owner: blank Authorization ID L Role
RELCREATED	CHAR(1)	Release used to create object. Blank if created prior to V9
SEQSCHEMA	VARCHAR(128)	Schema of target sequence
SEQNAME	VARCHAR(128)	Name of target sequence

SYSIBM.SYSSEQUENCESDEP

Records the dependencies of identity columns on tables.

Column Name	Data Type	Description
BSEQUENCEID	INTEGER	Internal identifier of the identity column or sequence
DCREATOR	VARCHAR(128)	Owner of object dependent on this identity column or sequence
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
DNAME	VARCHAR(128)	Name of object dependent on this identity column or sequence
DCOLNAME	VARCHAR(128)	Name of the identity column. Blank for SQL function rows
DTYPE	CHAR(1)	Type of object that is dependent on this sequence: F SQL function I Identity column X Implicit DOCID column created on base table with XML blank

Column Name	Data Type	Description
BSCHEMA	VARCHAR(129)	Schema name of sequence
BNAME	VARCHAR(128)	Sequence name (generated by Db2 for an identity column)
DSCHEMA	VARCHAR(128)	Qualifier of object dependent on sequence
DOWNER	VARCHAR(128)	Owner of object dependent on sequence
DOWNERTYPE	CHAR(1)	The type of owner: B lank An authorization ID L A role

SYSIBM.SYSSESSION

Stores the session token that was generated by the server and associated session data.

Column Name	Data Type	Description
TOKEN	CHAR(40)	Session token for the session
CORRTKN	VARCHAR(256)	Extended client correlation token in use
GV_FLAGS	CHAR(2)	Flags for internal classification of global variable
TOTAL	CHAR(4)	Number of entries in SYSSESSION_EX that correspond to session token
SPECIAL_REGISTERS	VARCHAR(16000)	Special register values
GLOBAL_VARIABLES	BLOB(2G)	Global variable values
ROWID	ROWID	Generated ROWID

SYSIBM.SYSSESSION_EX

Contains global variable data of LOB or array type that corresponds to the locator.

Column Name	Data Type	Description
TOKEN	CHAR(40)	Session token for the session
LOCATOR	CHAR(8)	Locator value corresponding to one of the global variables with DATATYPE as array of lobs
HEADER	CHAR(89)	Array static descriptor header when locator value corresponds to array type
GVID	CHAR(8)	Global variable identifier
DATATYPE	CHAR(2)	Datatype of the global variable
CSSID	CHAR(2)	CCSID of the global variable
GVSCHEMA	VARCHAR(130)	Schema name of the global variable
GVNAME	VARCHAR(130)	Name of the global variable
DATA	BLOB(2G)	Data value stored in the global variable

SYSIBM.SYSSTATFEEDBACK

Contains information about missing or conflicting catalog statistics for SQL statements.

Column Name	Data Type	Description
TBCREATOR	VARCHAR(128)	Creator of table
TBNAME	VARCHAR(128)	Name of table
COLNAME	VARCHAR(128)	Creator of the index
IXNAME	VARCHAR(128)	Name of the index
COLNAME	VARCHAR(128)	Name of the column
NUMCOLUMN	SMALLINT	Number of columns in the column group
COLGROUP COLNO	VARCHAR(254)	Identifies set of columns associated with statistics (HEX)

Column Name	Data Type	Description
TYPE	CHAR(1)	The type of statistic to collect: C - Cardinality F - Frequency H - Histogram I - Index T - Table
DBNAME	VARCHAR(24)	Name of database
TSNAME	VARCHAR(24)	Name of tablespace
REASON	CHAR(8)	Reason that statistic was recommend: BASIC - Basic statistical value for a column table or index is missing KEYCARD - Cardinalities of index key columns are missing LOWCARD - Cardinality of the column is a low value, which indicates that data skew is likely NULLABLE - Distribution statistics are not available for a nullable column DEFAULT - Predicate references a value that is probably a default value RANGEPRD - Histogram statistics are not available for a range predicate PARALLEL - Parallelism could be improved by uniform partitioning of key ranges CONFLICT - Another statistic conflicts with this statistic COMPFFIX - Multi-column cardinality statistics are needed for an index compound filter factor STALE - Out of sync with other statistics based on comparison of time of statistics collection of related objects
BLOCK_ RUNSTATS	CHAR(1)	If row is used when optimization tools collect statistics based on recommendations. Db2 inserts a blank for all new rows
REMARKS	VARCHAR(254)	Free form text for extensibility
LASTDATE	DATE	Last date statistics recommendation was updated by Db2

SYSIBM.SYSSESSION_STATUS

Contains session token/timestamp value when session data last referenced.

Column Name	Data Type	Description
TOKEN	CHAR(40)	Session token for the session
TOKEN_TS	CHAR(16)	Timestamp when row was last referenced
TOKEN_ MEMEBER	CHAR(16)	Flags for internal classification of global variable
STATUS	CHAR(2)	Status of session corresponding to the token

SYSIBM.SYSSTMT

Contains one or more rows for each SQL statement of each DBRM.

Column Name	Data Type	Description
NAME	VARCHAR(24)	Name of the DBRM
PLNAME	VARCHAR(24)	Name of the application plan
PLCREATOR	VARCHAR(128)	Authorization ID of owner of application plan
SEQNO	SMALLINT	Sequence number of row with respect to a statement of plan
STMTNO	SMALLINT	Statement number of statement in source program
SECTNO	SMALLINT	Section number of statement
IBMREQD	CHAR(1)	Y indicates row came from (MRM) tape

Column Name	Data Type	Description
TEXT	VARCHAR(3800)	Text or portion of the text of the SQL statement
ISOLATION	CHAR(1)	Isolation level for the SQL statement: R RR (repeatable read) T RS (read stability) S CS (cursor stability) U UR (uncommitted read) L KEEP UPDATE LOCKS for an RS isolation X KEEP UPDATE LOCKS for an RR isolation blank WITH clause was not specified
STATUS	CHAR(1)	Status of binding the statement
ACCESSPATH	CHAR(1)	For static statements, access path for statement is based on user-specified optimization hints. A value of 'H' indicates that optimization hints were used.
STMTNOI	INTEGER	If value of STMTNOI is not zero, contains statement number of statement in source program
SECTNOI	INTEGER	The section number of the statement
EXPLAINABLE	CHAR(1)	Contains one of the following values: Y Statement can be used with EXPLAIN and may have rows describing its access path the PLAN_TABLE N Statement does not have any rows describing its access path in PLAN_TABLE Blank Statement was bound prior to V7
QUERYNO	INTEGER	Query number of statement in source program
PLCREATOR	CHAR(1)	Indicates the type of creator: blank Authorization ID L Role

SYSIBM.SYSSTOGROUP

Contains one row for each storage group.

Column Name	Data Type	Description
NAME	VARCHAR(128)	Name of the storage group
CREATOR	VARCHAR(128)	Authorization ID of the owner of the storage group
VCATNAME	VARCHAR(128)	Name of the integrated catalog facility catalog
SPACE	INTEGER	Number of kilobytes of DASD storage allocated to storage group as determined by the last execution of the STOSPACE utility
IBMREQD	CHAR(1)	Y indicates row came from (MRM) tape
CREATEDBY	VARCHAR(128)	Primary authorization ID of user who created storage group
STATSTIME	TIMESTAMP	If STOSPACE utility was executed for storage group, date and time when STOSPACE was last executed
CREATEDTS	TIMESTAMP	Time when CREATE was executed for the storage group
ALTEREDTS	TIMESTAMP	Time when most recent ALTER STOGROUP statement was executed for storage group. If no ALTER STOGROUP statement has been applied, ALTEREDTS has value of CREATEDTS
SPACEF	FLOAT	Kilobytes of DASD storage for storage group
DATACLAS	VARCHAR(24)	Name of SMS data class. Blank if not used
MGMTCLAS	VARCHAR(24)	Name of SMS management class. Blank if not used
STORCLAS	VARCHAR(24)	Name of the SMS storage class. Blank if not used
CREATOR TYPE	CHAR(1)	Indicates the type of creator: Blank Authorization ID L Role
RELCREATED	CHAR(1)	Release of Db2 used to create object. Blank if created prior to V9

SYSIBM.SYSSTRINGS

Contains information about character conversion.

Column Name	Data Type	Description
INCCSID	INTEGER	Source CCSID for character conversion represented by this row
OUTCCSID	INTEGER	Target CCSID for character conversion represented by this row
TRANSTYPE	CHAR(2)	Indicates the nature of the conversion. Values can be: GG GRAPHIC to GRAPHIC MM EBCDIC MIXED to EBCDIC MIXED MS EBCDIC MIXED to SBCS PM ASCII MIXED to EBCDIC MIXED PS ASCII MIXED to SBCS SM SBCS to EBCDIC MIXED SS SBCS to SBCS MP EBCDIC MIXED to ASCII MIXED PP ASCII MIXED to ASCII MIXED SP SBCS to ASCII MIXED
ERRORBYTE	CHAR(1)	Byte used in conversion table as an error byte
SUBBYTE	CHAR(1)	Byte used in the conversion table as a substitution character
TRANSPROC	VARCHAR(24)	Name of a module or blanks
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
TRANSTAB	VARCHAR(256)	Either a conversion table or an empty string

SYSIBM.SYSSYNONYMS

Contains one row for each synonym of a table or view.

Column Name	Data Type	Description
NAME	VARCHAR(128)	Synonym for the table or view
CREATOR	VARCHAR(128)	Authorization ID of the owner of the synonym
TBNAME	VARCHAR(128)	Name of the table or view
TBCREATOR	VARCHAR(128)	Schema of the owner of the table or view
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
CREATEDBY	VARCHAR(128)	Primary authorization ID of the user who created the synonym
CREATEDTS	TIMESTAMP	Time when CREATE was executed for synonym
CREATORTYPE	CHAR(1)	Type of creator: blank Authorization ID L Role
RELCREATED	CHAR(1)	Release of Db2 used to create the object. Blank if prior to V9

SYSIBM.SYSTABAUTH

Records the privileges that users hold on tables and views.

Column Name	Data Type	Description
GRANTOR	VARCHAR(128)	Auth ID of user who granted privileges. Could be PUBLIC
GRANTEE	VARCHAR(128)	Auth ID of user who holds privileges or name of a plan or package that uses the privileges
GRANTEETYPE	CHAR(1)	Type of grantee: blank An authorization ID L Role P Plan or a package. Package if COLLID is not blank
DBNAME	VARCHAR(24)	If privileges were received from a user with DBADM, DBCTRL, or DBMAINT authority, DBNAME is the name of the database on which the GRANTOR has that authority. Else, blank
SCREATOR	VARCHAR(128)	If row of SYSTABAUTH was created as a result of a CREATE VIEW statement, SCREATOR is schema of owner of a table or

Column Name	Data Type	Description
		view referred to in CREATE VIEW. Else, same as TCREATOR.
STNAME	VARCHAR(128)	If row of SYSIBM.SYSTABAUTH was created as a result of a CREATE TABLE or a MQT, STNAME is name of a table or view referred to in the fullselect of CREATE TABLE
TCREATOR	VARCHAR(128)	Schema of owner of table or view
TTNAME	VARCHAR(128)	Name of table or view
AUTHHOWGOT	CHAR(1)	Authorization level of user from whom privileges were received blank Not applicable C DBCTL D DBADM E SECADM G ACCESSCTRL L SYSCTRL M DBMAINT S SYSADM T DATAACCESS
UPDATECOLS	CHAR(1)	Blank if value of UPDATEAUTH applies uniformly to all columns of table or view. (*) if value of UPDATEAUTH applies to some columns but not to others
ALTERAUTH	CHAR(1)	GRANTEE can alter the table: blank Privilege is not held G Privilege is held with the GRANT option Y Privilege is held without the GRANT option
DELETEAUTH	CHAR(1)	GRANTEE can delete rows from the table or view: blank Privilege is not held G Privilege is held with the GRANT option Y Privilege is held without the GRANT option
INDEXAUTH	CHAR(1)	GRANTEE can create indexes on the table: blank Privilege is not held G Privilege is held with the GRANT option Y Privilege is held without the GRANT option
INSERTAUTH	CHAR(1)	GRANTEE can insert rows into the table or view: blank Privilege is not held G Privilege is held with the GRANT option Y Privilege is held without the GRANT option
SELECTAUTH	CHAR(1)	GRANTEE can select rows from the table or view: blank Privilege is not held G Privilege is held with the GRANT option Y Privilege is held without the GRANT option
UPDATEAUTH	CHAR(1)	GRANTEE can update rows of the table or view: blank Privilege is not held G Privilege is held with the GRANT option Y Privilege is held without the GRANT option
IBMREQD	CHAR(1)	Y indicates row came from (MRM) tape
COLLID	VARCHAR(128)	If GRANTEE is a package, its collection name. Else, blank
CONTOKEN	CHAR(8)	If GRANTEE is a package, consistency token of the DBRM from which the package was derived. Else, blank
REFERENCESAUTH	CHAR(1)	GRANTEE can create or drop referential constraints in which table is a parent blank Privilege is not held G Privilege is held with the GRANT option Y Privilege is held without the GRANT option

Column Name	Data Type	Description
REFCOLS	CHAR(1)	Blank if value of REFERENCESAUTH applies uniformly to all columns of table. (*) if value of REFERENCESAUTH applies to some columns but not others
GRANTEDTS	TIMESTAMP	Time when the GRANT statement was executed
TRIGGERAUTH	CHAR(1)	GRANTEE can create triggers in which table is named as the triggering table: blank Privilege is not held G Privilege is held with the GRANT option Y Privilege is held without the GRANT option
GRANTORTYPE	CHAR(1)	Type of grantor: blank Authorization ID L Role
UNLOADAUTH	CHAR(1)	Whether GRANTEE can use the UNLOAD utility to unload data Blank Privilege not held G Privilege held with the GRANT option Y Privilege held without GRANT option
SYS_START	TIMESTAMP(12)	Start time associated with most recent transaction
SYS_END	TIMESTAMP(12)	Time row is deleted from system-period temporal table
TRANS_START	TIMESTAMP(12)	Timestamp value per transaction or null

SYSIBM.SYSTABCONST

Contains one row for each unique constraint (primary or unique key).

Column Name	Data Type	Description
CONSTNAME	VARCHAR(128)	Name of the constraint
TBCREATOR	VARCHAR(128)	Schema of the table on which the constraint is defined
TBNAME	VARCHAR(128)	Name of the table on which the constraint is defined
CREATOR	CHAR(8)	Authorization ID under which the constraint was created
TYPE	CHAR(1)	Type of constraint: F Foreign key P Primary key U Unique key
IXOWNER	VARCHAR(128)	Schema of index enforcing constraint
IXNAME	VARCHAR(128)	Name of index enforcing constraint
CREATEDTS	TIMESTAMP	Time when statement to create the constraint was executed
IBMREQD	CHAR(1)	Y indicates row came from (MRM) tape
COLCOUNT	SMALLINT	Number of columns in the constraint
RELCREATED	CHAR(1)	Release of Db2 used to create object. Blank if prior to V9

SYSIBM.SYSTABLEPART

One row for each non-partitioned tablespace and each partition of a partitioned table space.

Column Name	Data Type	Description
PARTITION	SMALLINT	Partition number; 0 if tablespace is not partitioned
TSNAME	VARCHAR(24)	Name of the tablespace
DBNAME	VARCHAR(24)	Name of the database that contains the tablespace
IXNAME	VARCHAR(128)	Name of the partitioning index. Blank if not partitioned
IXCREATOR	VARCHAR(128)	Schema of partitioning index. Blank if not partitioned
PQTY	INTEGER	For user-managed data sets, primary space allocation in units of 4 KB storage blocks or -1
SQTY	SMALLINT	For user-managed data sets, value is the secondary space allocation in units of 4 KB storage blocks or -1

Column Name	Data Type	Description
STORTYPE	CHAR(1)	Storage allocation: E Explicit (storage group not used) I Implicit (storage group used)
STORNAME	VARCHAR(128)	Name of storage group used for space allocation. Blank if storage group not used or for the catalog table spaces
VCATNAME	VARCHAR(24)	Name of ICF catalog used for space allocation
CARD	INTEGER	Number of rows in tablespace or partition or, if tablespace is a LOB tablespace, number of LOBs in tablespace
FARINDREF	INTEGER	Number of rows relocated far from their original page
NEARINDREF	INTEGER	Number of rows relocated near their original page
PERCACTIVE	SMALLINT	Percentage of space occupied by rows of in active tables
PERCDROP	SMALLINT	Percentage of space occupied by rows of dropped tables
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
LIMITKEY	VARCHAR(765)	High value of partition in external format
FREEPAGE	SMALLINT	Number of pages loaded before a page is left as free space
PCTFREE	SMALLINT	Percentage of each page left as free space
CHECKFLAG	CHAR(1)	C Tablespace partition is in a check pending status and there are rows in table that can violate referential constraints, table check constraints, or both D Inline length of LOB column associated with LOB table space was decremented when inline length was altered I Inline length of LOB column that is associated with this LOB table space was incremented when inline length was altered blank Tablespace is not a partition, or does not contain rows that may violate referential constraints, table check constraints, or both
SPACE	INTEGER	Number of kilobytes of DASD storage allocated to the table space partition, as determined by the last execution of the STOSPACE utility or RUNSTATS utility 0 STOSPACE or RUNSTATS utility has not been run -1 Table space defined with DEFINE NO, which defers physical creation of data sets until data is inserted into one partition, and data has yet to be inserted non-zero or non-negative value An auxiliary table in the LOB table space
COMPRESS	CHAR(1)	For a tablespace partition, whether the COMPRESS attribute for the partition is YES. For a non-partitioned tablespace, whether COMPRESS attribute is YES for tablespace Y Compression is defined blank No compression
PAGESAVE	SMALLINT	Percentage of pages saved in tablespace or partition defined with COMPRESS YES or other compression routines
STATSTIME	TIMESTAMP	Date and time when RUNSTATS was executed
GBPCACHE	CHAR(1)	Group buffer pool cache option for tablespace or partition A Changed and unchanged pages are cached N No data is cached in the group buffer pool S Only changed system pages blank Only changed pages are cached
CHECKRID5B	CHAR(5)	Blank if table or partition is not in a check pending status (CHECKFLAG blank), or if tablespace not partitioned. Else,

Column Name	Data Type	Description
		RID of first row of partition that can violate referential constraints, table check constraints, or both; or value is X'0000000000', indicating any row can violate referential constraints
TRACKMOD	CHAR(1)	Track page modifications in space map pages: N No blank Yes
EPOCH	INTEGER	A number that is incremented whenever an operation that changes the location of rows in a table occurs
SECQTYI	INTEGER	Secondary space allocation in units of 4KB storage
CARDF	FLOAT	Number of rows in tablespace or partition, or if tablespace is a LOB tablespace, number of LOBS in tablespace
IPREFIX	CHAR(1)	First character of instance qualifier for data set name for table space or partition. Only 'I' or 'J' are valid. Default = 'I'
ALTEREDTS	TIMESTAMP	Time most recent ALTER INDEX was executed for index
SPACEF	FLOAT(8)	Kilobytes of DASD storage
DSNUM	FLOAT(8)	Number of data sets
EXTENTS	INTEGER	Number of data set extents
LOGICAL_PART	SMALLINT	Logical partition (logical ascending or descending order) for table spaces created with either table-controlled partitioning or index-controlled partitioning
LIMITKEY_INTERNAL	VARCHAR(512)	Highest value of limit key of partition in an internal format
OLDEST_VERSION	SMALLINT	Version number of oldest format of data in table past and any image copies at the part level
CREATDTS	TIMESTAMP	Time when the partition was created
AVGWLEN	INTEGER	Average length of rows for tables in table space or part. If table space or part is compressed, value is compressed row length. If not compressed, value is uncompressed row length
FORMAT	CHAR(1)	Format of the rows in the table space or partition: R Reordered row format blank Basic row format or a LOB tablespace
RELCREATED	CHAR(1)	Release of Db2 used to create object. Blank if prior to V9
REORG_LR_TS	TIMESTAMP	Time when REORG or LOAD REPLACE utility last occurred
HASHSPACE	BIGINT	0 for PBG table spaces. For PBR, amount of space, in KB, specified at partition level to override space specification at the table level. If no override is provided it will be same as value of HASHSPACE in SYSTABLESPACE
HASHDATAPAGES	BIGINT	0 for PBG table spaces. For PBR, number of hash data pages that correspond to value of HASHSPACE column for each partition. 0 for table spaces which have been changed to use hash access but have not been reorganized
RBA_FORMAT	CHAR(1)	Format of the RBA/LRSN B Basic, 6-byte RBA/LRSN format E Extended, 10-byte RBA/LRSN format U Undefined. DEFINE NO was specified when creating table space, and the table space is not an XML table space with XML versions blank For migrated objects
PCTFREE_UPD	SMALLINT	Percentage of free space reserved for updates to variable length records, as defined when object as created or altered
PCTFREE_UPD_CALC	SMALLINT	Percentage of free space reserved for updates to variable length records, calculated by Db2 or utilities

Column Name	Data Type	Description
TYPE	CHAR(1)	Type of partition Blank Without LOB or MEMBER CLUSTER G Defined with MAXPARTITIONS L Can be greater than 64 gigabytes O Defined with LOB P Implicit table space for XML R Range partitioned UTS
PAGENUM	CHAR(1)	Format of table space or index page numbering A Absolute R Relative
BPOOL	CHAR(8)	Bufferpool used for the partition
PGSIZE	SMALLINT	Size of pages in the table space in KB
DSSIZE	INTEGER	Maximum size on partition
MEMBER_CLUSTER	CHAR(1)	Whether or not MEMBER CLUSTER is specified Y MEMBER CLUSTER is specified Blank MEMBER CLUSTER is not specified
COMPRESSRATIO	SMALLINT	Average percentage of bytes saved by compression -1 Value not been collected 0 No compression exists or average compressed record length is same or longer than uncompressed record
COMPRESS_USED	CHAR(1)	Compression algorithm used F Fixed Length H Huffman Blank If LOB and COMPRESS=Y zEDC hardware compression used. Else, not compressed NULL Object created prior to catalog level V12R1M509

SYSIBM.SYSTABLEPART_HIST

Contains rows from SYSTABLEPART. Can be inserted, updated, and deleted.

Column Name	Data Type	Description
PARTITION	SMALLINT	Partition number; 0 if tablespace is not partitioned
TSNAME	VARCHAR(24)	Name of the tablespace
DBNAME	VARCHAR(24)	Name of the database that contains the tablespace
PQTY	INTEGER	For user-managed data sets, value is primary space allocation in units of 4 KB storage blocks or -1
SECQTYI	SMALLINT	Secondary space allocation in units of 4KB blocks. For user-managed data sets, the value is the secondary space allocation in units of 4 KB storage blocks or -1
FARINDREF	INTEGER	Number of rows relocated far from their original page
NEARINDREF	INTEGER	Number of rows relocated near their original page
PERCACTIVE	SMALLINT	Percentage of space occupied by rows of data from active tables
PERCDROP	SMALLINT	Percentage of space occupied by rows of dropped tables
SPACEF	FLOAT(8)	Number of kilobytes of DASD storage allocated to tablespace partition
PAGESAVE	SMALLINT	Percentage of pages saved in tablespace or partition as a result of using COMPRESS YES or other compression routines
STATSTIME	TIMESTAMP	If RUNSTATS updated statistics, date and time when last invocation of RUNSTATS updated statistics
CARDF	FLOAT(8)	Number of rows in tablespace or partition, or if tablespace is a LOB tablespace, number of LOBS in tablespace
EXTENTS	INTEGER	Number of data set extents. Value is only for last DSNUM for object.
DSNUM	INTEGER	Data set number within the tablespace
IBMREQD	CHAR(1)	Y indicates row came from (MRM) tape

Column Name	Data Type	Description
AVGROWLEN	INTEGER	Average length of rows for tables in table space or part. If table space or part is compressed, value is compressed row length. If table space or part is not compressed, value is uncompressed row length

SYSIBM.SYSTABLES

Contains one row for each table, view, or alias.

Column Name	Data Type	Description
NAME	VARCHAR(128)	Name of the table, view, or alias
CREATOR	VARCHAR(128)	Schema of the table, view, or alias
TYPE	CHAR(1)	Type of object: A Alias C Clone table H History table G Created global temporary table M Materialized query table P Implicit table created for XML columns R Archive table T Table V View X Auxiliary table
DBNAME	VARCHAR(24)	For a table, or a view of tables, name of database that contains tablespace named in TSNAME
TSNAME	VARCHAR(24)	For a table, or a view of one table, name of table space that contains the table
DBID	SMALLINT	Internal identifier of database
OBID	SMALLINT	Internal identifier of table
COLCOUNT	SMALLINT	Number of columns in table or view
EDPROC	VARCHAR(24)	Name of the edit procedure; blank if the row describes a view or alias or a table without an edit procedure
VALPROC	VARCHAR(24)	Name of the validation procedure; blank if the row describes a view or alias or a table without a validation procedure
CLUSTERTYPE	CHAR(1)	Whether RESTRICT ON DROP applies: blank No Y Yes. Neither table nor any tablespace or database that contains table can be dropped
NPAGES	INTEGER	Total number of pages on which rows of table appear
PCTPAGES	SMALLINT	Percentage of active tablespace pages that contain rows of table
IBMREQD	CHAR(1)	A value of Y indicates row came from (MRM) tape
REMARKS	VARCHAR(254)	A character string provided by user with COMMENT ON
PARENTS	SMALLINT	Number of relationships in which table is a dependent. 0 if row describes a view, alias, created temporary table or MQT
CHILDREN	SMALLINT	Number of relationships in which table is a parent. 0 if row describes a view, an alias, created temporary table or MQT
KEYCOLUMNS	SMALLINT	Number of columns in table's primary key. 0 if row describes a view, an alias, or a created temporary table
RECLENGTH	SMALLINT	For user tables, maximum length of any record in table
STATUS	CHAR(1)	Status of table definition: I Definition of table is incomplete. TABLESTATUS column indicates reason R An error occurred when an attempt was made to regenerate the internal representation of view

Column Name	Data Type	Description
		X Table has a parent index and definition complete blank Table has no parent index, or is a catalog table, or row describes a view or alias. Definition of table, view, or alias is complete
KEYOBID	SMALLINT	Internal Db2 identifier of index that enforces uniqueness of table's primary key; 0 if not applicable
LABEL	VARCHAR(90)	Label as given by a LABEL ON; otherwise an empty string
CHECKFLAG	CHAR(1)	C Tablespace that contains table is in a check pending status and there are rows in the table that can violate referential constraints, table check constraints, or both. Table is an MQT that may contain inconsistent data blank Table contains no rows that violate referential constraints, table check constraints, or both; or the row describes a view, alias, or created temporary table
CHECKRID	CHAR(4)	'FFFFFF00' indicates edit procedure on this table is defined without row attribute sensitivity. Any other value indicates edit procedure is defined with row attribute sensitivity
AUDITING	CHAR(1)	Audit option: A AUDIT ALL C AUDIT CHANGE blank AUDIT NONE, or is a view, alias, or created temp
CREATEDBY	VARCHAR(128)	Primary auth ID of user who created the table, view, or alias
LOCATION	VARCHAR(128)	Location name of object of an alias. Blank for a table, a view, or for an alias not defined with a three-part name
TBCREATOR	VARCHAR(128)	<ul style="list-style-type: none"> For an alias, schema of the referred to table or view For a base table involved in a clone relationship, name of creator of clone table For a clone table involved in a clone relationship, name of creator of base table Otherwise, TBCREATOR is blank
TBNAME	VARCHAR(128)	<ul style="list-style-type: none"> For an alias, name for referred to table or view For a base table involved in a clone relationship, name of clone table For a clone table involved in a clone relationship, name of the base table Otherwise, blank
CREATEDTS	TIMESTAMP	Time when CREATE was executed for table, view, or alias
ALTEREDTS	TIMESTAMP	For a table, time when latest ALTER TABLE was applied. If no ALTER TABLE statement has been applied, or if row is for an alias, ALTEREDTS has value of CREATEDTS. For a view, time when last ALTER VIEW REGENERATE applied
DATA_CAPTURE	CHAR(1)	Records the value of the DATA_CAPTURE option for a table: blank No Y Yes For a created temporary table, is blank
RBA1	CHAR(10)	Log RBA(LRSN) when table was created
RBA2	CHAR(10)	Log RBA(LRSN) when table was last altered
PCTROWCOMP	SMALLINT	Percentage of rows compressed within total number of active rows in table. Includes any row in a table space that is defined with COMPRESS YES

Column Name	Data Type	Description
STATSTIME	TIMESTAMP	If RUNSTATS updated statistics, date and time when last invocation of RUNSTATS updated the statistics
CHECKS	SMALLINT	Number of check constraints defined on the table
CARDF	FLOAT	Total number of rows in the table or total number of LOBs in an auxiliary table
CHECKRID5B	CHAR(5)	Blank if table or partition is not in a check pending status (CHECKFLAG is blank), if not partitioned, or if table is a created temporary table. Otherwise, RID of first row of partition that can violate referential constraints, table check constraints, or both; or value is 'X'0000000000', indicating that any row can violate referential constraints
ENCODING_SCHEME	CHAR(1)	Default encoding scheme for tables, views, and aliases: E EBCDIC A ASCII M Multiple CCSID set or multiple encoding schemes U UNICODE blank For remote aliases 'E' for tables in non-work-file databases and blank for tables in work-file databases created prior to V5 or DSNDB04
TABLESTATUS	VARCHAR(30)	Reason for an incomplete table definition: F Lacks required BUSINESS_TIME WITHOUT OVERLAPS index on foreign key L Auxiliary table or index not defined for LOB column P Lacks a parent index R Lacks a required index on a row ID U Lacks a required index on a unique key V An error occurred during a regeneration of the view blank Definition is complete
NPAGESF	FLOAT(8)	Number of pages used by table
SPACEF	FLOAT(8)	Kilobytes of DASD storage
AVGROWLEN	INTEGER	Average length of rows for tables. If compressed, value is compressed row length. If not compressed, value is uncompressed row
RELCREATED	CHAR(1)	Release of Db2 used to create the object
NUM_DEPT_MQTS	SMALLINT	Number of dependent materialized query tables. 0 if is an alias or a created temporary table, or if no materialized query tables are defined on the table
VERSION	SMALLINT	Version of data row format for this table 0 A version-creating alter operation has never occurred against this table -1 View has been regenerated because a column of base table has been altered 800 Successful CREATE VIEW or ALTER VIEW occurred against table in V8 or later 900 Successful ALTER TABLE with DROP COLUMN clause occurred against view
PARTKEYCOLNUM	SMALLINT	Number of columns in partitioning key, zero if tables do not have partitioning or use index-controlled partitioning
SPLIT_ROWS	CHAR(16)	Blank except for VOLATILE tables, else Y to indicate to Db2 to use index access on table whenever possible
SECURITY_LABEL	CHAR(1)	If TYPE column is T or M. Table has multi-level security: Blank No multi-level security

Column Name	Data Type	Description
		R Table has multi-level security with row granularity
OWNER	VARCHAR(128)	Auth ID of owner of table, view, or alias, blank for tables, views or aliases created prior to V9
APPEND	CHAR(1)	APPEND option is specified for the table Y Yes N No
OWNERTYPE	CHAR(1)	Type of owner: blank Authorization ID L Role
CONTROL	CHAR(1)	Access tenforced using row or column access control: blank No access control enforcement B Row and column access control C Column access control R Row access control
VERSIONING_SCHEMA	VARCHAR(128)	Schema name of history table if table is a system-maintained temporal table with versioning or schema name of system-maintained temporal table if table is a history table
VERSIONING_TABLE	VARCHAR(128)	Either table name of history table if table is a system-maintained temporal table with versioning or table name of system-maintained temporal table if table is a history table
HASHKEYCOLUMNS	SMALLINT	Number of columns in hash key of table. 0 if row describes a view, an alias, or a created temporary table
ARCHIVING_SCHEMA	VARCHAR(128)	Contains a schema name as follows: <ul style="list-style-type: none"> • If table is an archive-enabled table, contains schema name of the archive table • If table is an archive table, this column contains the schema name of the archive-enabled table • If table is not an archive-enabled table or an archive table, value is blank
ARCHIVING_TABLE	VARCHAR(128)	Contains a table name as follows: <ul style="list-style-type: none"> • If table is an archive-enabled table, contains table name of the archive table • If table is an archive table, contains the table name of the archive-enabled table • If table is not an archive-enabled table or an archive table, value is blank
STATS_FEEDBACK	CHAR(1)	Based on DSNZPARM STATFDBK_SCOPE, controls whether statistics recommendations for this table are placed in SYSSTATFEEDBACK. Can update 'Y' or 'N' to enable or disable collection for the table
REGENERATETS	TIMESTAMP(12)	Time when object was regenerated

SYSIBM.SYSTABLESPACE

Contains one row for each tablespace.

Column Name	Data Type	Description
NAME	VARCHAR(24)	Name of tablespace
CREATOR	VARCHAR(128)	Authorization ID of the owner of the tablespace
DBNAME	VARCHAR(24)	Name of the database that contains the tablespace
DBID	SMALLINT	Internal identifier of database that contains the tablespace
OBID	SMALLINT	Internal identifier of the tablespace file descriptor
PSID	SMALLINT	Internal identifier of the tablespace page set descriptor

Column Name	Data Type	Description
BPOOL	CHAR(8)	Name of the buffer pool used for the tablespace
PARTITIONS	SMALLINT	Number of partitions of tablespace; 0 if not partitioned
LOCKRULE	CHAR(1)	Lock size of the tablespace: A Any L Large object (LOB) P Page R Row S Tablespace T Table X Implicitly created XML table space
PGSIZE	SMALLINT	Size of pages in the tablespace in kilobytes
ERASERULE	CHAR(1)	Data sets are to be erased when dropped N No erase Y Erase
STATUS	CHAR(1)	Availability status of the tablespace: A Available C Definition is incomplete because a partitioning index has not been created P Tablespace is in a check pending status S Tablespace is in a check pending status with scope less than the entire tablespace T Definition is incomplete because table not created
IMPLICIT	CHAR(1)	Tablespace was created implicitly: N No Y Yes
NTABLES	SMALLINT	Number of tables defined in the tablespace
NACTIVE	INTEGER	Number of active pages in tablespace. A page is termed active if it is formatted for rows, even if it currently contains none. 0 if statistics not gathered
CLOSERULE	CHAR(1)	Data sets are candidates for closure when limit on number of open data sets is reached N No Y Yes
SPACE	INTEGER	Number of kilobytes of storage allocated to tablespace, as determined by last execution of STOSPACE utility
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
SEGSIZE	SMALLINT	Number of pages in each segment. 0 if not segmented
CREATEDBY	VARCHAR(128)	Primary authorization ID of user who created tablespace
STATSTIME	TIMESTAMP	If RUNSTATS updated statistics, date and time when last invocation of RUNSTATS updated statistics
LOCKMAX	INTEGER	Maximum number of locks per user to acquire for table or tablespace before escalating to next locking level 0 Lock escalation does not occur n n, where n > 0, is maximum number of locks (row, page, or LOB locks for the table or tablespace) an application process can acquire before lock escalation -1 Represents LOCKMAX SYSTEM. Value of field LOCKS PER TABLE(SPACE) on installation panel DSN TIPJ determines lock escalation. If 0, lock escalation does not occur. If value is n, where n > 0, lock escalation occurs as it does for LOCKMAX n
TYPE	CHAR(1)	Type of tablespace:

Column Name	Data Type	Description
		blank Tablespace was created without: DSSIZE, LARGE, LOB, and MEMBER CLUSTER I Defined with MEMBER CLUSTER and is not greater than 64 GB G Defined with MAXPARTITIONS option (a PBG table space) K Defined with MEMBER CLUSTER and can be greater than 64 GB L Table space can be greater than 64 gigabytes O Table space was defined with the LOB option P Implicit table space created for XML columns R Range-partitioned universal table space
CREATEDTS	TIMESTAMP	Time CREATE was executed for tablespace. If tablespace created prior to V5, value is '0001-01 01.00.00.00.000000'
ALTEREDTS	TIMESTAMP	Time when most recent ALTER TABLESPACE was executed. If no ALTER TABLESPACE has been applied, ALTEREDTS has value of CREATEDTS. If index was created prior to V5, value is '0001-01-01.00.00.00.000000'.
ENCODING_SCHEME	CHAR(1)	Default encoding scheme for tablespace: E EBCDIC A ASCII U UNICODE blank For tablespaces in a work file database or a TEMP database 'E' for tables in non-workfile databases and blank for tables in work-file databases created prior to V5 or DSNDB04
SBCS_CCSID	INTEGER	Default SBCS CCSID for tablespace
DBCS_CCSID	INTEGER	Default DBCS CCSID for tablespace
MIXED_CCSID	INTEGER	Default mixed CCSID for the tablespace
MAXROWS	SMALLINT	Maximum number of rows on a data page. Default is 255
LOCKPART	CHAR(1)	Y LOCKPART YES is specified for the tablespace blank LOCKPART NO is specified, or LOCKPART is not specified or not a partitioned tablespace
LOG	CHAR(1)	Changes to a tablespace are to be logged. N Table space has NOT LOGGED attribute Y Table space has LOGGED attribute X LOB or XML table space has NOT LOGGED attribute
NACTIVEF	FLOAT	Number of active pages in tablespace
DSSIZE	INTEGER	Maximum size of a data set in kilobyte. 0 if table space was created prior to V10, but will contain actual value after table space is converted to a PBG
OLDEST_VERSION	SMALLINT	Version number of oldest format of data in table space and any image copies
CURRENT_VERSION	SMALLINT	Version number describing newest format of data in table space. 0 indicates table space has never had versioning
AVGROWLEN	INTEGER	Average length of rows for tables in table space or part. If table space or part is compressed, value is compressed row length. If table space or part is not compressed, value is the uncompressed row length
SPACEF	FLOAT	Kilobytes of DASD storage for the storage group
CREATORATYPE	CHAR(1)	Type of creator:

Column Name	Data Type	Description
		blank Authorization ID L Role
RELCREATED	CHAR(1)	Release of used to create object. Blank if prior to V9
INSTANCE	SMALLINT	Column value of data set instance number of current base object (table and index)
CLONE	CHAR(1)	Tablespace contains objects involved in a clone relationship Y Yes N No
MAXPARTITIONS	SMALLINT	Maximum number of partitions table space can grow to. 0 if table space is not partitioned or is range partitioned but not a UTS
MEMBER_CLUSTER	CHAR(1)	If MEMBER CLUSTER is specified for the table space: Y Yes blank No
ORGANIZATIONTYPE	CHAR(1)	Table space organization: blank Not known. Blank is the default H Hash organization
HASHSPACE	BIGINT	Amount of space, in KB, allocated to table space or partition as hash space. For PBG table spaces, space applies to the whole table space. For PBR table spaces, space is applicable for each partition.
HASHDATAPAGES	BIGINT	Total number of hash data pages to preallocate for hash space. For PGB table spaces, includes all pages in fixed part of the table space. For PBR table spaces, number of pages in fixed hash space in each partition unless it is overridden by providing hash space at the partition level. Calculated by Db2 from value specified with HASH SPACE option or when REORG utility is run with automatic estimation of space. Calculated value is used in hash algorithm. 0 for non-hash table spaces. 0 for table spaces which have been changed to use hash access but have not been reorganized.
PAGENUM	CHAR(1)	Format of page numbers for index A Absolute R Relative
PQTY	INTEGER	For user managed data sets. Primary space allocation
STORATYPE	CHAR(1)	Type of storage allocation E Explicit(storage group not used) I Implicit (storage group used)
STORNAME	VARCHAR(128)	Name of storage group used for space allocation
VCATNAME	VARCHAR(24)	Name of ICF catalog used for space allocation
FREEPAGE	SMALLINT	Number of pages loaded before a page is left free
PCTFREE	SMALLINT	Percentage of each page left as free space
COMPRESS	CHAR(1)	Whether or not the table space partition was defined with COMPRESS YES Y Compression is defined Blank No compression
GBPCACHE	CHAR(1)	Group bufferpool cache option Blank Only changed pages A Changed and unchanged pages N No data is cached S Only system pages are cached

Column Name	Data Type	Description
TRACKMOD	CHAR(1)	Whether to track the page modification in the space map N No Blank Yes
SECQTY1	INTEGER	Secondary space allocation for user managed data sets
PCTFREE_UPD	SMALLINT	Percentage of free space reserved for updates to variable length records defined on object
PCTFREE_UPD_CALC	SMALLINT	Percentage of free space reserved for updates to variable length records calculated by Db2 or utilities
COMPRESSRATIO	SMALLINT	Average percentage of bytes saved by compression -1 Value not been collected 0 No compression exists or average compressed record length is same or longer than uncompressed record
INSERTALG	SMALLINT	Insert algorithm level for tables in table space 0 Determined by DEFAULT_INSERT_ALGORITHM 1 Basic 2 Fast (if MEMBER_CLUSTER used)

SYSIBM.SYSTABLESPACESTATS

Contains real time statistics for table spaces. Can be inserted, updated, and deleted.

Column name	Data type	Description
UPDATESTATSTIME	TIMESTAMP	Timestamp when the row was inserted or last updated
NACTIVE	INTEGER	Number of active pages in the table space or partition
NPAGES	INTEGER	Number of distinct pages with active rows in partition of the table space
EXTENTS	INTEGER	Number of extents in table space or partition. For multi-piece table spaces, number of extents for last data set
LOADRLASTTIME	TIMESTAMP	Timestamp of last LOAD REPLACE on table space or partition
REORGLASTTIME	TIMESTAMP	Timestamp REORG utility was last run on table space or partition, or if REORG utility has not been run, time when table space or partition was created
REORGINSERTS	BIGINT	Number of records or LOBs inserted into table space or partition or loaded into table space or partition using LOAD utility specified without REPLACE option since last time REORG or LOAD REPLACE utilities were run, or since object was created
REORGDELETES	BIGINT	Number of records or LOBs that have been deleted from table space or partition since last time the REORG or LOAD REPLACE utilities were run, or since object was created
REORGUPDATES	BIGINT	Number of rows updated in table space or partition since the last REORG or LOAD REPLACE, or since the object was created
REORGUNCLUSTINS	INTEGER	Number of records inserted that are not well-clustered with respect to clustering index since last REORG or LOAD REPLACE, or since object was created. A record is well-clustered if record is inserted into a page that is within 16 pages of ideal candidate page. Clustering index determines ideal candidate page
REORGDISORGLOB	INTEGER	Number of LOBs inserted that are not perfectly chunked since last REORG or LOAD REPLACE, or since object was created. A LOB is perfectly chunked if allocated pages are in minimum number of chunks

REORGMASDELETE	INTEGER	Number of mass deletes from a segmented or LOB table space, or number of dropped tables from a segmented table space since last REORG or LOAD REPLACE, or since object was created
REORGNEARINDREF	INTEGER	Number of overflow records created and relocated near pointer record since last time REORG and LOAD REPLACE utilities were run, or since the object was created
REORGFARINDEF	INTEGER	Number of overflow records created and relocated far from pointer record since last time REORG and LOAD REPLACE utilities were run, or since object was created
STATSLASTTIME	TIMESTAMP	Timestamp of last RUNSTATS on table space or partition
STATSINSERTS	BIGINT	Number of records or LOBs inserted into table space or partition or loaded into table space or partition using LOAD utility without REPLACE option since last time RUNSTATS was run, or since object was created
STATSDELETES	BIGINT	Number of records or LOBs deleted from table space or partition since last time RUNSTATS was run, or since object was created
STATSUPDATES	BIGINT	Number of rows updated in the table space or partition since the last time that the RUNSTATS utility was run, or since the object was created
STATSMASDELETE	INTEGER	Number of mass deletes from a segmented or LOB table space, or number of tables dropped from a segmented table space, since last time RUNSTATS utility was run, or since object was created
COPYLASTTIME	TIMESTAMP	Timestamp of last full or incremental image copy of table space or partition, or since object was created. A null indicates COPY utility has never been run or unknown
COPYUPDATED PAGES	INTEGER	Number of distinct types updated since last time COPY utility was run, or since object was created
COPYCHANGES	BIGINT	Number of insert, update, and delete operations, or number of records loaded, since last time COPY utility was run, or since object was created
COPYUPDATELRSN	CHAR(10)	LRSN or RBA of first update after last COPY
COPYUPDATETIME	TIMESTAMP	Timestamp of first update after last COPY
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
DBID	SMALLINT	Internal identifier of database. Used to map DBID to its statistics
PSID	SMALLINT	Internal identifier of the table space page set descriptor. Used to map a PSID to its statistics
PARTITION	SMALLINT	Data set number within table space. Used to map a data set number in a table space to its statistics. For partitioned table spaces, value corresponds to the partition number for a single partition. For non-partitioned table spaces, value is 0
INSTANCE SPACE	SMALLINT	Indicates if object is associated with data set instance 1 or 2
SPACE	INTEGER	Amount of space, in KB, allocated to table space or partition. For multi-piece linear page sets, value is amount of space in all data sets
TOTALROWS	BIGINT	Number of rows or LOBs in the table space or partition
DATASIZE	BIGINT	Total number of bytes of data occupying data or LOB rows
UNCOMPRESSED-DATASIZE	BIGINT	Not used - value is always set to 0
DBNAME	CHAR(8)	Name of database. Used to map database to its statistics

NAME	CHAR(8)	Name of tablespace. Used to map tablespace to its statistics
REORGSCANACCESS	BIGINT	Number of times data is accessed for SELECT, FETCH, searched UPDATE, or searched DELETE since last CREATE, LOAD REPLACE or REORG, or since object was created.
REORGHASHACCESS	BIGINT	Number of times data is accessed using hash access for SELECT, FETCH, searched UPDATE, searched DELETE, or used to enforce referential integrity constraints since the last CREATE, LOAD REPLACE or REORG, or since the object was created
HASHLASTUSED	TIMESTAMP	Date when hash access was last used for SELECT, FETCH, searched UPDATE/DELETE, or used to enforce RI
REORG CLUSTERSENS	BIGINT	Number of times data has been read by SQL statements that are sensitive to clustering sequence of data since last REORG or LOAD REPLACE, or since object was created
DRIVETYPE	CHAR(3)	Drive type on which table space or partition data set is defined HDD Hard Disk Drive SSD Solid State Drive
LPFACILITY	CHAR(1)	Whether disk control unit has high performance list prefetch N No Y Yes NULL Indicates unknown
UPDATESIZE	BIGINT	Number of bytes added or removed by UPDATE since object was created, or last REORG or LOAD REPLACE
LASTDATACHANGE	TIMESTAMP	Last time row was updated because data was modified in the table space or partition. Reflects the time at which real-time statistics table was updated, and not time at which data in table space or partition was modified
GETPAGES	BIGINT	Number of getpages since last REORG or creation
SYS_START	TIMESTAMP(12)	Start time associated with most recent transaction
SYS_END	TIMESTAMP(12)	Time row is deleted from system-period temporal table
TRANS_START	TIMESTAMP(12)	Timestamp value per transaction or null

SYIBM.SYSTABLES_HIST

Contains rows from SYSTABLES. Can be inserted, updated, and deleted.

Column Name	Data Type	Description
NAME	VARCHAR(128)	Name of the table, view, or alias
CREATOR	VARCHAR(128)	Schema of the owner of the table, view, or alias
DBNAME	VARCHAR(24)	For a table, or a view of tables, name of database that contains the tablespace named in TSNAME
TSNAME	VARCHAR(24)	For a table, or a view of one table, name of table space that contains the table. For a view of more than one table, the name of a tablespace that contains one of the tables
COLCOUNT	SMALLINT	Number of columns in the table or view. 0 if is an alias
PCTPAGES	SMALLINT	Percentage of active tablespace pages that contain rows of table. A page is termed active if it is formatted for rows, regardless of whether it contains any. If tablespace is segmented, percentage is based on the number of active pages in the set of segments assigned to the table
PCTROWCOMP	SMALLINT	Percentage of rows compressed within the total number of active rows in the table. Includes any row in a tablespace defined with COMPRESS YES

Column Name	Data Type	Description
STATSTIME	TIMESTAMP	Date and time of last invocation of RUNSTATS
CARDF	FLOAT(8)	Total number of rows in table or total number of LOBs in an auxiliary table
NPAGESF	FLOAT(8)	Total number of pages on which rows of the partition appear
AVGROWLEN	INTEGER	Average row length of the table specified in the tablespace
SPACEF	FLOAT(8)	Kilobytes of DASD storage
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape

SYSIBM.SYSTABLES_PROFILES

Contains one row for each profile that is associated with a table in SYSIBM.SYSTABLES.

Column Name	Data Type	Description
SCHEMA	VARCHAR(128)	Schema (qualifier) for the table
TBNAME	VARCHAR(128)	Table name
PROFILE_TYPE	VARCHAR(32)	Type of profile. Allowed values are 'RUNSTATS'
	VARCHAR(32)	Internal use only
PROFILE_TEXT	CLOB(1M)	Text of the profile
ROWID	ROWID	ROWID value for the LOB column of this table
PROFILE_UPDATE	TIMESTAMP	Last time the profile was updated, or timestamp when profile was inserted into the table
PROFILE_USED	TIMESTAMP	Last time the profile was used

SYSIBM.SYSTABLES_PROFILE_TEXT

Auxiliary table for the PROFILE_TEXT column of the SYSIBM.SYSTABLE_PROFILE table.

Column Name	Data Type	Description
PROFILE_TEXT	CLOB(2M)	Complete text for the profile that the row represents

SYSIBM.SYSTABSTATS

Contains one row for each partition of a tablespace. Can be inserted, updated, and deleted.

Column Name	Data Type	Description
CARD	INTEGER	Total number of rows in the partition
NPAGES	INTEGER	Total number of pages on which rows of the partition appear
PCTPAGES	SMALLINT	Percentage of total active pages in partition containing rows
NACTIVE	INTEGER	Number of active pages in the partition
PCTROWCOMP	SMALLINT	Percentage of rows compressed within the total number of active rows in the partition. Includes any row in a table space that is defined with COMPRESS YES
STATSTIME	TIMESTAMP	If RUNSTATS updated the statistics, the date and time when the last invocation of RUNSTATS updated the statistics
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
DBNAME	VARCHAR(24)	Database that contains the tablespace named in TSNAME
TSNAME	VARCHAR(24)	Tablespace that contains the table
PARTITION	SMALLINT	Partition number of the tablespace that contains the table
OWNER	VARCHAR(128)	Schema of the table
NAME	VARCHAR(128)	Name of the table
CARDF	FLOAT	Total number of rows in the partition

SYSIBM.SYSTABSTATS_HIST

Contains rows from SYSTABLES. Can be inserted, updated, and deleted.

Column Name	Data Type	Description
NPAGES	INTEGER	Total number of pages on which rows of the partitions appear

Column Name	Data Type	Description
STATSTIME	TIMESTAMP	If RUNSTATS updated statistics, date and time of last invocation
DBNAME	VARCHAR(24)	Database that contains the table space in TSNAME
TSNAME	VARCHAR(24)	Table space that contains the table
PARTITION	SMALLINT	Partition number of the table space that contains the table
OWNER	VARCHAR(128)	Schema of the table
NAME	VARCHAR(128)	Name of the table
CARDF	FLOAT(8)	Total number of rows in the partition
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape

SYSDIBM.SYSTTRIGGERS

Contains one row for each trigger.

Column Name	Data Type	Description
NAME	VARCHAR(128)	Name of the trigger and trigger package
SCHEMA	VARCHAR(128)	Schema of the trigger
DBID	SMALLINT	Internal identifier of the database for the trigger
OBID	SMALLINT	Internal identifier of the trigger
OWNER	VARCHAR(128)	Owner of the trigger
CREATEDBY	VARCHAR(128)	Primary authorization ID of the creator of the trigger
TBNAME	VARCHAR(128)	Name of the table or view
TBOWNER	VARCHAR(128)	Qualifier of the name of the table to which this trigger applies
TRIGTIME	CHAR(1)	Time when triggered actions are applied to the base table, relative to the event that activated the trigger: B Trigger is applied before the event A Trigger is applied after the event I Trigger is applied instead of the event
TRIGEVENT	CHAR(1)	Operation that activates the trigger: I Insert D Delete U Update
GRANULARITY	CHAR(1)	Trigger is executed once per: S Statement R Row
CREATEDTS	TIMESTAMP	Time when the CREATE statement was executed for this trigger
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
	VARCHAR(6000)	Not used
REMARKS	VARCHAR(762)	A character string provided by user with COMMENT ON
TRIGNAME	VARCHAR(18)	Unused
OWNERTYPE	CHAR(1)	Indicates the type of creator: blank Authorization ID L Role
ENVID	INTEGER	Internal environment identifier
RELCREATED	CHAR(1)	Release of Db2 used to create object. Blank if prior to V9
	CHAR(1)	Reserved for IBM use
	CHAR(1)	Reserved for IBM use
	INTEGER	Reserved for IBM use
	VARCHAR(96)	Reserved for IBM use
SECURE	CHAR(1)	Trigger is secured: N No Y Yes
ALTEREDTS	TIMESTAMP	Time when trigger was last changed
ROWID	ROWID	ROWID column, created for the lob columns in this table

Column Name	Data Type	Description
SQLPL	CHAR(1)	Indicates whether trigger supports SQL PL Y Advanced trigger that supports SQL PL Blank Basic trigger does not support SQL PL
ALTEREDTS	TIMESTAMP	Time when trigger was last changed
DEBUG_MODE	CHAR(1)	Whether trigger is enabled for debugging 1 Enabled for debugging 0 Not enabled for debugging N Can never be enabled for debugging Blank Basic trigger that cannot be debugged
ASUTIME	INTEGER	Number of service units allowed for a single invocation of this trigger
WLM_ENVIRONMENT	VARCHAR(96)	Name of WLM environment used when a trigger is debugged
STATEMENT	CLOB(2M)	Text of entire CREATE TRIGGER used to create the object
REGENERATES	TIMESTAMP	Time when this version of trigger was last regenerated
VERSION	VARCHAR(122)	Version identifier of the trigger. Zero if basic trigger
ORIGINAL_CONTOK	CHAR(8)	Consistency token for trigger
ACTIVE	CHAR(1)	Active version of trigger Y Active version N Not the active version Blank value of VERSION is zero length
WRAPPED	CHAR(1)	Y Trigger text is obfuscated Blank Trigger text is not obfuscated

SYSIBM.SYSTRIGGERS_STMT

An auxiliary table for the STATEMENT column of the SYSIBM.SYSTRIGGERS.

Column Name	Data Type	Description
STATEMENT	CLOB(2M)	Text of CREATE TRIGGER statement used to create the object

SYSIBM.SYSUSERAUTH

Records the system privileges that are held by users.

Column Name	Data Type	Description
GRANTOR	VARCHAR(128)	Authorization ID of user who granted the privileges
GRANTEE	VARCHAR(128)	Auth ID of user that holds privilege. Could also be PUBLIC
AUTHHOWGOT	CHAR(1)	Authorization level of user from whom privileges were received blank Not applicable C DBCTL D DBADM E SECADM G ACCESSCTRL L SYSCtrl M DBMAINT O SYSOPR S SYSADM
BINDADDAUTH	CHAR(1)	GRANTEE can use BIND with ADD option: blank Privilege is not held G Privilege is held with GRANT option Y Privilege is held without GRANT option
BSDSAUTH	CHAR(1)	GRANTEE can issue RECOVER BSDS command: blank Privilege is not held

Column Name	Data Type	Description
		G Privilege is held with GRANT option Y Privilege is held without GRANT option
CREATEDBAAUTH	CHAR(1)	GRANTEE can create databases and automatically receive DBADM authority over the new databases: blank Privilege is not held G Privilege is held with GRANT option Y Privilege is held without GRANT option
CREATEDBCAUTH	CHAR(1)	GRANTEE can execute the CREATE DATABASE statement to create new databases and automatically receive DBCTRL authority over the new databases: blank Privilege is not held G Privilege is held with GRANT option Y Privilege is held without GRANT option
CREATESGAUTH	CHAR(1)	GRANTEE can execute CREATE STOGROUP statement to create new storage groups: blank Privilege is not held G Privilege is held with GRANT option Y Privilege is held without GRANT option
DISPLAYAUTH	CHAR(1)	GRANTEE can use DISPLAY commands: blank Privilege is not held G Privilege is held with GRANT option Y Privilege is held without GRANT option
RECOVERAUTH	CHAR(1)	GRANTEE can use RECOVER INDOUBT command: blank Privilege is not held G Privilege is held with GRANT option Y Privilege is held without GRANT option
STOPALLAUTH	CHAR(1)	GRANTEE can use STOP command: blank Privilege is not held G Privilege is held with GRANT option Y Privilege is held without GRANT option
STOSPACEAUTH	CHAR(1)	GRANTEE can use STOSPACE utility: blank Privilege is not held G Privilege is held with GRANT option Y Privilege is held without GRANT option
SYSADMAUTH	CHAR(1)	GRANTEE has system administration authority: blank Privilege is not held G Privilege is held with GRANT option Y Privilege is held without GRANT option
SYSOPRAUTH	CHAR(1)	GRANTEE has system operator authority: blank Privilege is not held G Privilege is held with GRANT option Y Privilege is held without GRANT option
TRACEAUTH	CHAR(1)	GRANTEE can issue START TRACE and STOP TRACE commands: blank Privilege is not held G Privilege is held with GRANT option Y Privilege is held without GRANT option
IBMREQD	CHAR(1)	Y indicates row came from (MRM) tape
MON1AUTH	CHAR(1)	GRANTEE can obtain IFC serviceability data: blank Privilege is not held G Privilege is held with GRANT option Y Privilege is held without GRANT option

Column Name	Data Type	Description
MON2AUTH	CHAR(1)	GRANTEE can obtain IFC data: blank Privilege is not held G Privilege is held with GRANT option Y Privilege is held without GRANT option
CREATEALIASAUTH	CHAR(1)	GRANTEE can execute CREATE ALIAS statement blank Privilege is not held G Privilege is held with GRANT option Y Privilege is held without GRANT option
SYSCTRLAUTH	CHAR(1)	GRANTEE has SYSCTRL authority: blank Privilege is not held G Privilege is held with GRANT option Y Privilege is held without GRANT option
BINDAGENTAUTH	CHAR(1)	GRANTEE has BINDAGENT privilege: blank Privilege is not held G Privilege is held with GRANT option Y Privilege is held without GRANT option
ARCHIVEAUTH	CHAR(1)	GRANTEE can use ARCHIVE LOG command: blank Privilege is not held G Privilege is held with GRANT option Y Privilege is held without GRANT option
GRANTEDTS	TIMESTAMP	Time when GRANT statement was executed. The value is '1985-04-01.00.00.00.000000' for the one installation row
CREATETMTABAUTH	CHAR(1)	GRANTEE has CREATETMTABAUTH privilege: blank Privilege is not held G Privilege is held with GRANT option Y Privilege is held without GRANT option
GRANTEETYPE	CHAR(1)	Type of grantee: blank Authorization ID L Role
GRANTORTYPE	CHAR(1)	Indicates the type of grantor: blank Authorization ID L Role
DEBUGSESSIONAUTH	CHAR(1)	GRANTEE has DEBUGSESSION privilege: blank Privilege is not held G Privilege is held with GRANT option Y Privilege is held without GRANT option
EXPLAINAUTH	CHAR(1)	GRANTEE can explain and prepare statements: blank Privilege is not held G Privilege is held with GRANT option Y Privilege is held without GRANT option
SQLADMAUTH	CHAR(1)	GRANTEE has SQLADM authority: Blank Privilege is not held G Privilege is held with GRANT option Y Privilege is held without GRANT option
SDBADMAUTH	CHAR(1)	GRANTEE has system DBADM authority: blank Privilege is not held Y Privilege is held without GRANT option
DATAACCESSAUTH	CHAR(1)	GRANTEE has DATAACCESS authority: blank Privilege is not held Y Privilege is held without GRANT option
ACCESSCTRLAUTH	CHAR(1)	GRANTEE has ACCESSCTRL authority: blank Privilege is not held

Column Name	Data Type	Description
		Y Privilege is held without GRANT option
CREATESECURE AUTH	CHAR(1)	GRANTEE can create secured objects (triggers and user-defined functions): blank Privilege is not held Y Privilege is held without GRANT option
SYS_START	TIMESTAMP(12)	Start time associated with most recent transaction
SYS_END	TIMESTAMP(12)	Time row is deleted from system-period temporal table
TRANS_START	TIMESTAMP(12)	Timestamp value per transaction or null

SYSDIBM.SYSUTILITIES

Contains one row for each utility executed if collection of utility history information is active.

Column Name	Data Type	Description
EVENTID	BIGINT	Unique identifier for the utility execution
NAME	VARCHAR(60)	Utility name
INSERTEDBY	VARCHAR(9)	Identifies how the row was added: Db2 - Row was inserted by IBM Db2 Utilities blank or identifiable value - row was inserted by a user or utility other than IBM Db2 Utilities
JOBNAME	VARCHAR(24)	Job name of the utility
UTLID	VARCHAR(48)	Utility ID
USERID	VARCHAR(24)	User ID of the utility invoker
STARTTS	TIMESTAMP	A local timestamp that indicates the start of utility execution
ENDTS	TIMESTAMP	A local timestamp that indicates the end of utility execution
ELAPSEDTIME	BIGINT	Elapsed time in microseconds
CPUTIME	BIGINT	Total CPU time in microseconds. Does not include zIIP time
ZIIPTIME	BIGINT	Total zIIP time in microseconds. When applicable and accounting class 1 trace is active
RETURNCODE	INTEGER	Final return code from utility execution
CONDITION	CHAR(1)	Condition of the utility execution: Blank - Default value. Indicates an active or stopped utility E - Indicates utility execution ended F - Indicates utility execution was terminated by the -START DATABASE SPACENAM ACCESS(FORCE) command T - Indicates utility execution was terminated by the -TERM UTILITY command
RESTART	CHAR(1)	Indicates whether utility execution was restarted: N - Default value. Utility execution was not restarted Y - Utility execution was restarted
NUMOBJECTS	INTEGER	The number of objects processed during utility execution (utility specific). For partitioned objects, each partition is counted For the following utilities, each data set is counted when the utility is run at the data set level on non-partitioned table spaces: - COPY - COPYTOCOPY - MERGECOPY - MODIFY - RECOVERY REPORT RECOVERY
LISTNAME	VARCHAR(18)	Name of the LISTDEF list, if applicable
STARTLOGPOINT	CHAR(10)	Current log point at the start of the utility execution

Column Name	Data Type	Description
GROUP_MEMBER	VARCHAR(24)	Name of data sharing subsystem where utility started
SORTNAME	VARCHAR(24)	DFSORT or DB2SORT, if applicable
SORTCPU TIME	BIGINT	Sort CPU time in microseconds
SORTZIIP TIME	BIGINT	Sort zIIP time in microseconds

SYSIBM.SYSVARIABLES

Contains one row for each global variable that is created.

Column Name	Data Type	Description
VARID	BIGINT	Identifier of the global variable
SCHEMA	VARCHAR(128)	Schema name of the global variable
NAME	VARCHAR(128)	Unqualified name of the global variable
OWNER	VARCHAR(128)	Authorization ID of the owner of the global variable
OWNERTYPE	CHAR(1)	Type of owner of the global variable: L The owner is a role blank The owner is an authorization ID
RELCREATED	CHAR(1)	Release of Db2 used to create the object
CREATEDTS	TIMESTAMP	Time at which the global variable was created
TYPESHEMA	VARCHAR(128)	Schema name of data type. For built-in data types, is SYSIBM
TYPENAME	VARCHAR(128)	Unqualified name of the data type
DATATYPEID	INTEGER	For a built-in data type, the internal ID of the built-in type For a distinct type, the internal ID of the distinct type
SOURCETYPEID	INTEGER	For a built-in data type, 0. For a distinct type, the internal ID of the built-in data type on which the distinct type is based.
LENGTH	INTEGER	Maximum length of the global variable. Zero if array data type
SCALE	SMALLINT	The scale of the global variable
CCSID	INTEGER	The CCSID of the global variable. 0 if array type
DEFAULT	CHAR(3)	The default value of the global variable. Can contain one of the following values: N - no default value S - SQL authorization ID of the process 1 - String constant 2 - Floating-point constant 3 - Decimal constant 4 - Integer constant 5 - Hexadecimal character string 6 - UX string 7 - Graphic data type with default character string constant 8 - Character data type with default value a character string constant 9 - DECFLOAT constant If this column is on of the following values, the default value of the global variable is the value of the indicated special register at the time that a default value is used: AES CURRENT APPLICATION ENCODING SCHEME ACT CURRENT CLIENT_ACCTNG APN CURRENT CLIENT_APPLNAME CID CURRENT CLIENT_USERID WSN CURRENT CLIENT_WRKSTNNAME DAT CURRENT DATE DBG CURRENT DEBUG MODE DEC CURRENT DECFLOAT ROUNDING MODE DEG CURRENT DEGREE

		EXP CURRENT EXPLAIN MODE LCT CURRENT LOCALE LC_CTYPE MTT CURRENT MAINTAINED TABLE TYPES FOR OPTIMIZATION MEM CURRENT MEMBER HNT CURRENT OPTIMIZATION HINT CPP CURRENT PACKAGE PATH CPS CURRENT PACKAGESET PTH CURRENT PATH PRC CURRENT PRECISION RFA CURRENT REFRESH AGE RVS CURRENT ROUTINE VERSION RUL CURRENT RULES SCH CURRENT SCHEMA SVR CURRENT SERVER TIM CURRENT TIME TST CURRENT TIMESTAMP STZ SESSION TIME ZONE U SESSION USER
ROWID	ROWID	ROWID value for the lob columns in this table
DEFAULTTEXT	CLOB(2M)	Text of the default value of the global variable
	BLOB(2M)	Reserved for IBM use
ENVID	INTEGER	Internal environment identifier
REMARKS	VARCHAR(762)	A character string about global variable provided by COMMENT
IBMREQD	CHAR(1)	Y indicates that the row came from (MRM) tape

SYSIBM.SYSVARIABLEAUTH

One row for each privilege of each authorization ID that has privileges on a global variable.

Column Name	Data Type	Description
GRANTOR	VARCHAR(128)	Grantor of the privilege
GRANTORTYPE	CHAR(1)	Type of grantor: blank Grantor is an authorization ID L Grantor is a role
GRANTEE	VARCHAR(128)	Holder of the privilege
GRANTEEType	CHAR(1)	Type of grantee: blank Grantee is an authorization ID L Grantee is a role P Grantee is a package
SCHEMA	VARCHAR(128)	Schema name of the global variable
NAME	VARCHAR(128)	Unqualified name of the global variable
COLLID	VARCHAR(128)	If grantee is a package, value is the COLLID of package
CONTOKEN	CHAR(8)	If grantee is a package, value is consistency token of DBRM from which package is derived. Else, blank.
READAUTH	CHAR(1)	Privilege to read the global variable: blank READ privilege is not held G READ privilege is held with GRANT option Y READ privilege is held without GRANT option
WRITEAUTH	CHAR(1)	Privilege to write to the global variable: blank not held G held with GRANT option Y held without GRANT option
AUTHHOWGOT	CHAR(1)	The authorization level of the user who granted the privileges: blank Not applicable

Column Name	Data Type	Description
		E SECADM G ACCESSCTRL S SYSADM T DATAACCESS
GRANTEDTS	TIMESTAMP	The time when the GRANT statement was executed
IBMREQD	CHAR(1)	Indicates that the row came from the (MRM) tape
SYS_START	TIMESTAMP(12)	Start time associated with most recent transaction
SYS_END	TIMESTAMP(12)	Time row is deleted from system-period temporal table
TRANS_START	TIMESTAMP(12)	Timestamp value per transaction or null

SYSIBM.SYSVARIABLES_DESC

Table is an auxiliary table for the SYSIBM.SYSVARIABLES table.

Column Name	Data Type	Description
	BLOB(2M)	IBM-internal use only

SYSIBM.SYSVARIABLES_TEXT

Table is an auxiliary table for the DEFAULTTEXT column SYSIBM.SYSVARIABLES table.

Column Name	Data Type	Description
DEFAULTTEXT	CLOB(2M)	Text of the default value of the global variable

SYSIBM.SYSVIEWDEP

Records the dependencies of views on tables, functions, and other views.

Column Name	Data Type	Description
BNAME	VARCHAR(128)	Name of object on which view is dependent. If object type is a function (BTYP= 'F'), name is the specific name of the function
BCREATOR	VARCHAR(128)	Authorization ID of owner of BNAME. For functions, schema name of BNAME
BTYP	CHAR(1)	Type of object: F Function M Materialized query table T Table V View
DNAME	VARCHAR(128)	Name of the view
DCREATOR	VARCHAR(128)	Schema of the view
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
BSHEMA	VARCHAR(128)	Schema of BNAME
DTYP	CHAR(1)	Type of table F SQL Function M Materialized V View
DOWNER	VARCHAR(128)	Auth ID of owner of view, blank for views created prior to V9
OWNERTYPE	CHAR(1)	Indicates the type of owner: blank Authorization ID L Role
SYS_START	TIMESTAMP(12)	Start time associated with most recent transaction
SYS_END	TIMESTAMP(12)	Time row is deleted from system-period temporal table
TRANS_START	TIMESTAMP(12)	Timestamp value per transaction or null

SYSIBM.SYSVIEWS

Contains one or more rows for each view.

Column Name	Data Type	Description
NAME	VARCHAR(128)	Name of the view
CREATOR	VARCHAR(128)	Schema of the view
	SMALLINT	Not used
CHECK	CHAR(1)	Whether WITH CHECK OPTION clause was specified in the CREATE VIEW statement: N No C Yes with the <i>cascaded</i> semantic Y Yes with the <i>local</i> semantic The value is N if the view has no WHERE clause
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
	VARCHAR(1500)	Not used
PATHSCHEMAS	VARCHAR(2048)	SQL path at time view was defined. Path is used to resolve unqualified data type and function names used in view definition
RELCREATED	CHAR(1)	Release of Db2 used to create the object. Blank if prior to V9
TYPE	CHAR(1)	Type of table F SQL Function M Materialized Query Table V View
REFRESH	CHAR(1)	Refresh mode D An MQT with a deferred refresh mode Blank Not an MQT
ENABLE	CHAR(1)	MQT is enabled or disabled for query optimization: Y Enabled N Disabled Blank Row describes a view
MAINTENANCE	CHAR(1)	Maintenance Mode S Maintained by system U Maintained by user Blank Row describes a view
REFRESH_TIME	TIMESTAMP	For REFRESH = 'D' and MAINTENANCE = 'S', timestamp of REFRESH TABLE statement that last refreshed data
ISOLATION	CHAR(1)	Isolation level when MQT is created or altered from base table: R RR (repeatable read) S CS (cursor stability) T RS (read stability) U UR (uncommitted read) blank Not a materialized query table
SIGNATURE	VARCHAR(1024)	Contains the internal description. Used for MQT tables
APP_ENCODING_CCSID	INTEGER	CCSID of the current application encoding scheme at the time object was created. For objects created prior to V8, value is 0
OWNER	VARCHAR(128)	Authorization ID of the owner of the view
OWNERTYPE	CHAR(1)	Type of owner: blank Authorization ID L Role
ENVID	INTEGER	Internal environment identifier
ROWID	ROWID	ROWID column, created for the lob columns in this table
STATEMENT	CLOB(2M)	Text of entire CREATE VIEW statement used to create object
	BLOB(1G)	Internal use only

SYSIBM.SYSVIEWS_STMT

Auxiliary table for the STATEMENT column of the SYSIBM.SYSVIEWS table.

Column Name	Data Type	Description
-------------	-----------	-------------

STATEMENT	CLOB(2M)	The text of the statement that was used to create the object
-----------	----------	--

SYSIBM.SYSVIEWS_TREE

An auxiliary table for the PARSETREE column of the SYSIBM.SYSVIEWS table.

Column Name	Data Type	Description
	BLOB(2M)	Internal use only

SYSIBM.SYSVOLUMES

Contains one row for each volume of each storage group.

Column Name	Data Type	Description
SGNAME	VARCHAR(128)	Name of the storage group
SGCREATOR	VARCHAR(128)	Authorization ID of the owner of the storage group
VOLID	VARCHAR(18)	Serial number of the volume or * if SMS-managed
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
RELCREATED	CHAR(1)	Release of Db2 used to create object. Blank if created prior to V9

SYSIBM.SYSXMLRELS

Contains one row for each XML table that is created for an XML column.

Column Name	Data Type	Description
TBOWNER	VARCHAR(128)	Schema or qualifier of the base table
TBNAME	VARCHAR(128)	Name of the base table
COLNAME	VARCHAR(128)	Name of the XML column in the base table
XMLTBOWNER	VARCHAR(128)	Schema or qualifier of the XML table
XMLTBNAME	VARCHAR(128)	Name of the XML table
XMLRELOBID	INTEGER	Internal identifier of relationship between base table and XML table
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
CREATEDTS	TIMESTAMP	Time when the XML table was created
RELCREATED	CHAR(1)	The release of Db2 that is used to create the object

SYSIBM.SYSXMLSTRINGS

Each row contains a single string and its unique ID that are used to condense XML data. The string can be an element name, attribute name, name space prefix, or a namespace URI.

Column Name	Data Type	Description
STRINGID	INTEGER	Unique ID for the string
STRING	VARCHAR(1000)	The string data
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape

SYSIBM.USERNAMES

Each row is used to carry out one of the following operations: Outbound ID translation or Inbound ID translation and "come from" checking.

Column Name	Data Type	Description
TYPE	CHAR(1)	How the row is to be used: O For outbound translation I For inbound translation and "come from" checking S For outbound system AUTHID to establish a trusted connection
AUTHID	VARCHAR(128)	Authorization ID to be translated. Applies to any auth ID if blank
LINKNAME	VARCHAR(24)	Identifies VTAM or TCP/IP network locations associated with this row
NEWAUTHID	VARCHAR(128)	Translated value of AUTHID. Blank specifies no translation
PASSWORD	VARCHAR(24)	Password to accompany an outbound request, if passwords are not encrypted by RACF
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape

SYSIBM.SYSXMLTYPMOD

Contains rows for XML type modifiers of XML columns. Can be inserted, updated and deleted

Column Name	Data Type	Description
XML_TYPMOD_ID	INTEGER	ID generated for XML type modifier, it is an identity column and primary key
TYPE_ANNOTATION	CHAR(1)	Indicate whether there is type annotation. Y WITH type annotation N with no type annotation
CREATEDTS	TIMESTAMP	Timestamp when this type modifier is created
ALTEREDTS	TIMESTAMP	Timestamp when this type modifier is altered
RELCREATED	CHAR(1)	Release of Db2 that is used to create the object
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape
CREATEDBY	VARCHAR(128)	Primary authorization ID of the user who created the database

SYSIBM.SYSXMLTYPMSHEMA

Contains the XML schema information for an XML type modifier.

Column Name	Data Type	Description
XML_TYPMOD_ID	INTEGER	ID for the XML type modifier
XSROBJECTID	INTEGER	ID for an XML schema registered in XSR
ELEMENT_NAMESPACE	INTEGER	String id for namespace name of root element node. By default, it is TARGETNAMESPACE of XML schema. 0 if it is NO NAMESPACE
ELEMENT_NAME	INTEGER	String id for local name of the root element node. 0 if not specified
CREATEDTS	TIMESTAMP	Timestamp when this type modifier is created
ALTEREDTS	TIMESTAMP	Timestamp when this type modifier is altered
RELCREATED	CHAR(1)	Release of Db2 that is used to create the object
IBMREQD	CHAR(1)	Y indicates row came from basic MRM tape

XML Schema Repository Tables

SYSIBM.XSRCOMPONENT

Auxiliary table for BLOB column COMPONENT in SYSIBM.SYSXSROBJECTCOMPONENTS.

Column Name	Data Type	Description
COMPONENT	BLOB(30M)	Contents of the XML schema document

SYSIBM.XSROBJECTS

Contains one row for each registered XML schema.

Column Name	Data Type	Description
XSROBJECTID	INTEGER	Internal identifier of the XML schema. XSROBJECTID is generated as an identity column
XSROBJECT SCHEMA	VARCHAR(128)	Qualifier of XML schema name. Always set to 'SYSXSR'
XSROBJECT NAME	VARCHAR(128)	Name of the XML schema
TARGET NAMESPACE	INTEGER	Value of STRINGID column in SYSXMLSTRINGS when target namespace URI of primary XML schema document is stored in SYSXMLSTRINGS
SCHEMA LOCATION	INTEGER	Value of STRINGID column in SYSXMLSTRINGS when schema location URI of primary XML schema document is stored in SYSXMLSTRINGS
ROWID	ROWID	ID that is used to support BLOB data type values
GRAMMAR	BLOB(250M)	The internal binary representation of the XML schema
PROPERTIES	BLOB(5M)	Additional property information of the entire XML schema
CREATEDBY	VARCHAR(128)	Authorization ID under which the XML schema was created
CREATEDTS	TIMESTAMP	Time that Db2-supplied stored procedure XSR_REGISTER was executed for XML schema
STATUS	CHAR(1)	Registration status of the XML schema: C Complete I Incomplete T Temporary
RELCREATED	CHAR(1)	The release of Db2 that is used to create the object
	CHAR(1)	Not used
	VARCHAR(128)	Not used
REMARKS	VARCHAR(762)	Character string that contains comments about XML schema

SYSIBM.XSROBJECTCOMPONENTS

Contains one row for each component (document) in an XML schema.

Column Name	Data Type	Description
XSRCOMPONENTID	INTEGER	Identifier of XML schema document. XSRCOMPONENTID is generated as an identity column
TARGETNAMESPACE	INTEGER	Value of STRINGID column in SYSXMLSTRINGS when target namespace URI of primary XML schema document is stored in SYSXMLSTRINGS
SCHEMALOCATION	INTEGER	Value of STRINGID column in SYSXMLSTRINGS when schema location URI of the primary XML schema document is stored in SYSXMLSTRINGS
ROWID	ROWID	ID that is used to support BLOB data type values
COMPONENT	BLOB(30M)	Contents of the XML schema document

PROPERTIES	BLOB(5M)	Additional property information of the XML schema document
CREATEDTS	TIMESTAMP	Time XML schema document was registered
STATUS	CHAR(1)	Registration status of the XML schema: C Complete I Incomplete
RELCREATED	CHAR(1)	Release of Db2 that is used to create the object

SYSIBM.XSROBJECTGRAMMER

An auxiliary table for the BLOB column GRAMMAR in SYSIBM.SYSXSROBJECTS.

Column Name	Data Type	Description
GRAMMAR	BLOB(250M)	Internal binary representation of the XML schema

SYSIBM.XSROBJECTHIERARCHIES

SYSIBM.XSROBJECTHIERARCHIES contains one row for each component (document) in an XML schema to record the XML schema document hierarchy relationship.

Column Name	Data Type	Description
XSROBJECTID	INTEGER	Internal identifier of the XML schema
XSRCOMPONENTID	INTEGER	Internal identifier of the XML schema document
HTYPE	CHAR(1)	Hierarchy type: D Document P Primary document
TARGETNAMESPACE	INTEGER	Value of STRINGID column in SYSXMLSTRINGS when target namespace URI of primary XML schema document is stored in SYSXMLSTRINGS
SCHEMALOCATION	INTEGER	Value of STRINGID column in SYSXMLSTRINGS when schema location URI of primary XML schema document is stored in SYSXMLSTRINGS
RELCREATED	CHAR(1)	Release of Db2 that is used to create the object

SYSIBM.XSROBJECTPROPERTY

An auxiliary table for the BLOB column PROPERTIES in SYSIBM.SYSXSROBJECTS.

Column Name	Data Type	Description
PROPERTIES	BLOB(5M)	Contents of the additional property information of the entire XML schema

SYSIBM.XSRPROPERTY

Auxiliary table for BLOB column PROPERTIES in SYSIBM.SYSXSROBJECTCOMPONENTS.

Column Name	Data Type	Description
PROPERTIES	BLOB(5M)	Contents of additional property information of the XML schema document

Updateable Catalog Statistics

Catalog statistics that are updateable and used for access path selection.

SYSCOLDIST

Column	Accesspath Selection	Updateable
CARDF	Yes	Yes
COLGROUPCOLNO	Yes	Yes
COLVALUE	Yes	Yes
FREQUENCYF	Yes	Yes
HIGHVALUE	Yes	No
LOWVALUE	Yes	No
NUMCOLUMNS	Yes	Yes
QUANTILENO	Yes	No
TYPE	Yes	Yes

SYSCOLDISTSTATS

Column	Accesspath Selection	Updateable
CARDF	No	Yes
COLGROUPCOLNO	No	Yes
COLVALUE	No	Yes
FREQUENCYF	No	Yes
HIGHVALUE	No	No
KEYCARDDATA	No	Yes
LOWVALUE	No	No
NUMCOLUMNS	No	Yes
QUANTILENO	No	No
TYPE	No	Yes

SYSCOLSTATS

Column	Accesspath Selection	Updateable
COLCARD	Yes	Yes
COLCARDDATA	No	Yes
HIGHKEY	Yes	Yes
HIGH2KEY	Yes	Yes
LOWKEY	Yes	Yes
LOW2KEY	Yes	Yes
PARTITION	Yes	Yes

SYSCOLUMNS

Column	Accesspath Selection	Updateable
COLCARDF	Yes	Yes
HIGH2KEY	Yes	Yes
LOW2KEY	Yes	Yes

SYSINDEXES

Column	Accesspath Selection	Updateable
AVGKEYLEN	No	No
CLUSTERED	No	Yes
CLUSTERING	Yes	No
CLUSTERRATIOF	Yes	Yes
FIRSTKEYCARDF	Yes	Yes
FULLKEYCARDF	Yes	Yes
NLEAF	Yes	Yes
NLEVELS	Yes	Yes
SPACEF	No	Yes
DATAREPEATFACTOR	Yes	Yes

SYSINDEXPART

Column	Accesspath Selection	Updateable
AVGKEYLEN	No	No
CARDF	No	No
DSNUM	No	Yes
EXTENTS	No	Yes
FAROFFPOS	No	No
LEAFDIST	No	No
LEAFFAR	No	Yes
LEAFNEAR	No	Yes
LIMITKEY	Yes	No
NEAROFFPOS	No	No
PQTY	No	No
PSEUDO_DEL_ENTRIES	No	Yes
SECQTYI	No	No
SPACE	No	No
SQTY	No	No
SPACEF	No	Yes

SYSINDEXSPACESTATS

Column	Accesspath Selection	Updateable
NLEVELS	Yes	Yes
NLEAF	Yes	Yes

SYSINDEXESTATS

Column	Accesspath Selection	Updateable
CLUSTERRATIOF	No	Yes
FIRSTKEYCARDF	No	Yes
FULLKEYCARDDATA	No	Yes
FULLKEYCARDF	No	Yes
KEYCOUNTF	No	Yes
NLEAF	No	Yes
NLEVELS	No	Yes

DATA REPEAT FACT OFF	No	Yes
----------------------	----	-----

SYSKEYTARGETS

Column	Accesspath Selection	Updateable
CARDF	Yes	No
HIGH2KEY	Yes	Yes
LOW2KEY	Yes	Yes
STATS_FORMAT	Yes	Yes

SYSKEYTARGETSTATS

Column	Accesspath Selection	Updateable
HIGHKEY	No	Yes
HIGH2KEY	No	Yes
LOWKEY	No	Yes
LOW2KEY	No	Yes
STATS_FORMAT	No	Yes

SYSKEYTGTDIST

Column	Accesspath Selection	Updateable
CARDF	Yes	Yes
KEYGROUPKEYNO	Yes	Yes
KEYVALUE	Yes	Yes
FREQUENCYF	Yes	Yes
HIGHVALUE	Yes	Yes
LOWVALUE	Yes	Yes
NUMKEYS	Yes	Yes
TYPE	Yes	Yes
QUANTILENO	Yes	Yes

SYSKEYTGTDISTSTATS

Column	Accesspath Selection	Updateable
CARDF	No	Yes
KEYVALUE	No	Yes
KEYGROUPKEYNO	No	Yes
FREQUENCYF	No	Yes
HIGHVALUE	No	Yes
LOWVALUE	No	Yes
QUANTILENO	No	Yes

SYSLOBSTATS

Column	Accesspath Selection	Updateable
AVGSIZE	No	Yes
FREESPACE	No	Yes
ORGRATIO	No	Yes

SYSROUTINES

Column	Accesspath Selection	Updateable
CARDINALITY	Yes	Yes
INITIAL_INSTS	Yes	Yes
INITIAL_IOS	Yes	Yes
INSTAT_PER_INVOC	Yes	Yes
IOS_PER_INVOC	Yes	Yes

SYSTABLEPART

Column	Accesspath Selection	Updateable
AVGROWLEN	No	No
CARDF	No	No
DSNUM	No	Yes
EXTENTS	No	Yes
FARINDREF	No	No
NEARINDREF	No	No
PAGESAVE	No	No
PERACTIVE	No	No
PERCDROP	No	No
PQTY	No	No
SECQTYI	No	No
SPACE	No	No
SPACEF	No	Yes
SQTY	No	No

SYSTABLES

Column	Accesspath Selection	Updateable
AVGROWLEN	No	Yes
CARDF	Yes	Yes
EDPROC	Yes	No
NPAGES	Yes	Yes
NpAGESF	Yes	Yes
PCTPAGES	No	Yes
PCTROWCOMP	Yes	Yes
SPACEF	No	Yes

SYSTABLESPACE

Column	Accesspath Selection	Updateable
AVGROWLEN	No	No
NACTIVEF	Yes	Yes
SPACE	No	No
SPACEF	No	Yes

SYSTABLESPACESTATS

Column	Accesspath Selection	Updateable
TOTALROWS	Yes	Yes
NPAGES	Yes	Yes

SYSTABSTATS

Column	Accesspath Selection	Updateable
CARDF	Yes	Yes
NACTIVE	No	Yes
NPAGES	Yes	Yes
PCTPAGES	No	Yes
PCTROWCOMP	No	Yes

IBM Utilities

BACKUP SYSTEM

```

    .-FULL-----.
>>-BACKUP SYSTEM-----+-----+-----+----->
    '-DATA ONLY-' '+-ESTABLISH FCINCREMENTAL+
                          '-END FCINCREMENTAL-----'

>-----+-----+-----+----->
+-ALTERNATE_CP (copy-pool)-----+-----+-----+-----+
                          '-DBBSG(stogroup)-' '-LGBSG(stogroup)-'
>-----+-----+-----+-----><
+-FORCE-----+-----+-----+-----+
+-DUMP-----+-----+-----+-----+
| '- dumpclass-spec---' '-FORCE-' |
+-DUMPONLY-----+-----+-----+-----+
    '- TOKEN- (X'byte-string')' '- dumpclass-spec -'

```

dumpclass-spec:

```

>--DUMPCLASS(--dc1---)-----><
    |-dc2-|
    |-dc3-|
    |-dc4-|
    |-dc5-|

```

CATMAINT

```

>>-CATMAINT--UPDATE--+-+----->
    |
    | \--LEVEL--(--catalog-level)-- \
>-----+-----+-----+----->
|
|          .----- . |
|          v          | |
+-SCHEMA---SWITCH(schema_name,new_schema_name)---+
|          .----- . |
|          v          | |
'-OWNER---FROM--(----owner_name+--)--TO ROLE-----'
>-----+-----+-----+-----><
|          .----- . | | UTILIX BASIC_____ |
|          v          | | | _EXTENDED_|
'-VCAT---SWITCH(vcat_name,new_vcat_name)---+-' | _RESET_____|

```

CHECK DATA

```

    .----- .
    v          |
>>-CHECK--DATA---table-space-spec-----+----->
    '-PART--integer-' .
    .--SHRLEVEL-REFERENCE-.

```

```
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
| -INCLUDE-XML-TABLESPACES+---ALL---| ' -CLONE- ' ' -SHRLEVEL--CHANGE--- '
          | -xml-spec-|
      .-SCOPE--PENDING-----.
>--drain-spec-----+-----+-----+-----+-----+-----+----->
      ' -SCOPE--+ -AUXONLY--+ '
          +-ALL-----+
          ' -REFONLY-'
      .-AUXERROR--REPORT-----.
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
      ' -AUXERROR--INVALIDATE--- '
      .-LOBERROR--REPORT----- . -XMLERROR--REPORT-----.
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
      ' -LOBERROR--INVALIDATE-' ' -XMLERROR--INVALIDATE-'
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
      | .-----|
      |          V          |
      ' -FOR--EXCEPTION---IN--table-name1--USE--table-name2--+ '
      .-DELETE--NO----- . -EXCEPTIONS--0-----.
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
      |          .-LOG--YES- | ' -EXCEPTIONS--integer-'
      ' -DELETE--YES--+-----+ '
          ' -LOG--NO-- '
      .-ERRDDN--SYSERR-.
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
      ' -ERRDDN--ddname-'
      .-WORKDDN--SYSUT1--,--SYSUT2-----.
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
      ' -WORKDDN--+ -ddname1--,--ddname2---+ '
          |          .-,--SYSUT2-. |
          +-ddname1--+-----+
          | .-SYSUT1-. |
          ' +-----+--,--ddname2-'
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
      |          .-SYSPUNCH-. | ' -SORTDEVT--device-type-'
      ' -PUNCHDDN--+ -ddname---+ '
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----><
      ' -SORTNUM--integer-'
```

CHECK INDEX

```
>>-CHECK--INDEX-----+-----+-----+-----+-----+----->
>+--LIST--listdef-name-----+-----+-----+-----+----->
+- (-index-name+-----+-----+-----+-----)-----+-----+
|          ' -PART-integer-' |
' - (ALL) -TABLESPACE+-----+-----+-----+-----+ table-space-name+-----+
          ' -database-name.- '          ' -PART-integer'
      .-SHRLEVEL--REFERENCE-.
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
      ' -CLONE-' ' -SHRLEVEL--CHANGE--- '
      .-DRAIN_WAIT--IRLMRWT value-. -RETRY--UTIMOUT value-.
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
      ' -DRAIN_WAIT--integer----- ' -RETRY--integer----- '
          .-WORKDDN--SYSUT1-.
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
```



```

'-RETRY_DELAY--integer-' '-WORKDDN--ddname-'
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
'-SORTDEVT--device-type-' '-SORTNUM--integer-'
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----><
'-PARALLEL--num-subtasks-'

```

CHECK LOB

```

. -SHRLEVEL--REFERENCE-.
>>-CHECK--LOB--lob-table-space-spec-+-----+-----+-----+-----+-----+----->
. -EXCEPTIONS--0-----' '-SHRLEVEL--CHANGE----'
>--drain-spec-+-----+-----+-----+-----+-----+-----+-----+----->
'-EXCEPTIONS--integer-'
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
| .-SYSPUNCH-. | '-SORTDEVT--device-type-'
'-PUNCHDDN--++ddname---+'
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
'-SORTNUM--integer-'

lob-table-space-spec:
>-TABLESPACE+-----+-----+-----+-----+-----+-----+-----+----->
'-database-name-' '-CLONE-'

drain-spec:
.-DRAIN_WAIT--IRLMRWT value-. .-RETRY--UTIMOUT value-.
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
'-DRAIN_WAIT--integer-----' '-RETRY--integer-----' '-RETRY_DELAY-int-'

```

COPY

```

. -FULL--YES-----,
>>+--LIST--listdef-name--| data-set-spec |-----+-----+-----+-----+-----+----->
| .-FULL--NO-----+-----+-----+-----+-----+-----+-----+-----+-----|
| '+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----|
| '| changelimit-spec |-|
| V .-FULL--YES----- .-DSNUM--ALL-----|
| '+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----|
| '+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----|
| '-index-name-spec-' '+FULL--NO-----+-----+-----+-----+-----+-----+-----|
| '| changelimit-spec |-| '-DSNUM--integer-----|
|
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
'-PARALLEL+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
'- (num-objects) -' '-TAPEUNITS-- (--num-tape-units--) -'

(2) .-SYSTEMPAGES--YES-.
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
'-CHECKPAGE-' '-SYSTEMPAGES--NO--'

>+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----><
| .-NO----- . |
| '-FLASHCOPY--++YES-----+-----+-----+-----+-----+-----+-----|
| '-CONSISTENT-' '-FCCOPYDDN (ddname) -'

Concurrent-spec:
>>+--LIST--listdef-name--data-set-spec-----+-----+-----+-----+-----+----->

```

```

| .-----|
| V                .-DSNUM--ALL-----|
|'---+table-space-spec+-----+data-set-spec+-'
|   '-index-name-spec-'   '-DSNUM--integer-----'
>--CONCURRENT-----><

Filterddn-spec:
>>+--LIST--listdef-name----->
| .-----|
| V                .-DSNUM--ALL-----|
|'---+table-space-spec+-----+-'
|   '-index-name-spec-'   '-DSNUM--integer-----'
>--data-set spec--FILTERDDN--(ddname)--CONCURRENT-----><

data-set spec:
>>+--COPYDDN(+--ddname1-----+--)-><
|   '-, ddname2-' |   '-RECOVERYDDN(+--ddname3-----+--)-'
|   '-, ddname2-----' |   '-, ddname4-' |
|'-RECOVERYDDN(+--ddname3-----+--)-'
|   '-, ddname4-' |
|   '-, ddname4-----' |
Change-limit spec:
>>--CHANGELIMIT-----+--+><
|   '-(percent_value1+-----+)-' | '-REPORTONLY-'
|   '-, percent_value2-'
Tablespace spec:
>>--TABLESPACE-----+--+table-space-name-----><
|   '-database-name.-'
Indexspace spec:
>>+--INDEXSPACE-----+--+index-space-name-----><
|   '-database-name.-' |
|'-INDEX-----+--+index-name-----'
|   '-creator-id.-'

COPYTOCOPY
>>--COPYTOCOPY----->
>--+--LIST--listdef-name--from-copy-spec--data-set-spec-----+--+><
| .-----|   '-CLONE-'
| V                |
|'---+ts-num-spec-----+--+from-copy-spec--data-set-spec+-'
|   '-index-name-spec-'
ts-num-spec:
|   .-DSNUM--ALL-----.
>>--TABLESPACE-----+--+table-space-name-----+--+><
|   '-database-name.-' |   '-DSNUM--integer-'

index-name-spec:
|   .-DSNUM--ALL-----.
>>+--INDEXSPACE-----+--+index-space-name-----+--+><
|   '-database-name.-' |   '-DSNUM--integer-'

```

```

'-INDEX--+-----+-----index-name-----'
      '-creator-id.-'

from-copy-spec:
  .-FROMLASTCOPY-----
>>+-----+----->>
+-FROMLASTFULLCOPY-----
+-FROMLASTINRCOPY-----
+-FROMLASTFLASHCOPY-----
'-FROMCOPY-----dsn--+-----+-----'
      '-FROMVOLUME--+CATALOG-----+-'
                          '-volser--+-----+-'
                                  '-FROMSEQNO--n-'

data-set-spec:
>>+COPYDDN(+ddname1--+-----+-----)----->>
      | .,----- |
      | V          | '-RECOVERYDDN(+ddname3--+-----+-----)-'
      | -,ddname2--+-----+----- |        | '-',ddname4-' |
      |                     |        |                     |
'-RECOVERYDDN(+ddname3--+-----+-----)-----'
      |                     |
      | '-',ddname4-' |
      | -,ddname4--+-----+----- |

DIAGNOSE

>>-DIAGNOSE--+diagnose statement+----->>
      '-END-----'

diagnose-statement:
>>+-----+----->
      | .,----- |
      | V          |
      | '-TYPE(---integer+)-' |
>+-----+----->
      '-ALLDUMPS+-----+-----'
      | .,----- |
      | V          |
      | '-(---X'abend-code'+)-' |
>+-----+----->
      '-NODUMPS+-----+-----'
      | .,----- |
      | V          |
      | '-(---X'abend-code'+)-' |
>+-----+----->>
      '-display statement-' '-wait statement-' '-abend statement-'

display-statement:
>>-DISPLAY----->>
>+OBD+-----+table-space-name+-----+----->>
      |           '-database-name--.' |           '+-ALL-----+ '-CLONE-' |
      |                               |           '+-TABLES--+ |
      |                               |           '-INDEXES-' |
+-SYSUTIL-----+-----+-----+-----+-----+-----+-----+
+-MEPL-----+-----+-----+-----+-----+-----+-----+
+-AVAILABLE-----+-----+-----+-----+-----+-----+-----+
'-DBET++DATABASE--database-name-----+-----+-----+'

```

```

+-TABLESPACE+-----+table-space-name+ '-CLONE-'
|           '-database-name.-'         |
'-INDEX--index-name-----'

```

wait-statement:

```

.-----
V
>>-WAIT---+MESSAGE--message-id--+-----+----->><
|                                     |
'-TRACEID--X'trace-id'+-----+-----'
'-integer-----' '-INSTANCE--integer-'

```

abend-statement:

```

>>-ABEND--+MESSAGE--message-id--+-----+----->><
|                                     | '-NODUMP-'
'-TRACEID--X'trace-id'+-----+-----'
'-integer-----' '-INSTANCE--integer-'

```

EXEC SQL

```

>>-EXEC--SQL--+declare-cursor-spec-----+ENDEXEC-----><
'-non-select dynamic SQL statement-'

```

declare-cursor-spec:

```

>>-DECLARE--cursor-name--CURSOR--FOR--select-statement-----><

```

LISTDEF

```

.-----
V
>>-LISTDEF--list-name-----list-options----->

```

list-options:

```

>+INCLUDE+-----+LIST-ref-list+-----+-----+-----+----->
'EXCLUDE' | '-init-obj-spec-' 'CLONED++YES++' '-RI-' '+ALL+'
'-type-spec-' '+NO--' '+BASE+'
'+LOB+'
'+XML-'

```

```

.-DEFINED YES-.
>+-----+-----+-----+----->
'+DEFINED NO--+ +-HISTORY+'
'-DEFINED ALL-' '-ARCHIVE-'
>+-----+-----+-----+-----><
'-BASIC--+NO--+-' '-EXTENDED--+NO--+-'
'-YES-' '-YES-'

```

type-spec:

```

>>+TABLESPACES-----+-----><
'-INDEXSPACES--+-----+-----'
'-COPY--+NO--+-'
'-YES-'

```

```

init-obj-spec:
>>-+DATABASE--database-name-+-+-----+----->>
  +-table-space-spec-----+ '-PARTLEVEL-+-----+-'
  +-index-space-spec-----+ '-(n)-'
  +-table-spec-----+
  '-index-spec-----'

table-space-spec:
TABLESPACE--+-----+-----table-space-name----->>
  '-database-name.-'

index-space-spec
>>-INDEXSPACE--+-----+-----index-space-name----->>
  '-database-name.-'

table-spec
>>-TABLE-+-+-----+-----table-name----->>
  '-creator-id.-'

index-spec
>>-INDEX-+-+-----+-----index-name----->>
  '-creator-id.-'

```

LOAD

```

      .-DATA-.  .-INDDN--SYSREC-----
>>-LOAD-+-+-----+-----+-----+----->
      +-INDDN--ddname-----+ '-PREFORMAT-'
      '-INCURSOR--cursor-name-'

      .-KEEP_EMPTY_PAGES YES--.
>-+-----+-----+-----+----->
  '-KEEP_EMPTY_PAGES NO----'

      .-PRESORTED--NO--.
>-+-----+-----+-----+----->
  | .-1-----| '-PRESORTED--YES-'
  '-COPYDICTIONARY--+-integer+-'

>-+-----+-----+-----+----->
  '-PARALLEL-+-+-----+-----+-----+-----'
      '-(num-subtasks)-'          '-RRF-'

>-+-----+-----+-----+-----| resume-spec |----->
  '-RBALRSN_CONVERSION--+-NONE-----+-'
      +-BASIC-----+
      '-EXTENDED-'

>-+-----+-----+-----+-----| flashcopy-spec |----->
      '-KEEPDICTIONARY-' '-REUSE-'

      .-LOG--YES-----
>-+-----+-----+-----+-----| workddn-spec |----->
  '-LOG--NO-+-+-----+-----'
      '-NOCOPYPEND-'

```

```

      (1)
      .-SORTKEYS--0-----, .-FLOAT(S390)-.
>+-----+-----+-----| format-spec |-----+----->
      +-SORTKEYS--NO-----+ .-FLOAT(IEEE)-'
      '-SORTKEYS--integer-'

      .-EBCDIC--.
>+-----+-----+-----+-----+-----+----->
      +ASCII---+ | .-,-----, | '-NOSUBS-'
      '-UNICODE-' | | V | |
      '-CCSID(---integer+-)-'

      .-ENFORCE--CONSTRAINTS-. .-ERRDDN--SYSERR-.
>+-----+-----+-----+-----+----->
      '-ENFORCE--NO-----' '-ERRDDN--ddname-'

      .-MAPDDN--SYSMAP-. .-DISCARDN--SYSDISC-.
>+-----+-----+-----+-----+----->
      '-MAPDDN--ddname-' '-DISCARDN--ddname--'

      .-DISCARDS--0-----,
>+-----+-----+-----+-----+----->
      '-DISCARDS--integer-' '-SORTDEVT--device-type-'

>+-----+-----+-----+-----+----->
      '-SORTNUM--integer-'

>+-----+-----+-----+-----+----->
      '-CONTINUEIF(start+-----+)=+X'byte-string'-----+'
      ':-end-' '-character-string'-'

>+-----+-----+-----+-----+----->
      '-IGNORE(WHEN)-' '-| decfloat-spec |-'

>+-----+-----+-----+-----+----->
      '-| override-spec |-'

      .-INDEXDEFER--NONE-----,
>+-----+-----+-----+-----+----->
      '-INDEXDEFER--+NPI+-----+'
      '-ALL-' '-NONUNIQUE-'

>+-----+-----+-----+-----+----->
      '-IMPLICIT_TZ--'timezone-string'-'

      .-----,
      V |
>----| INTO-TABLE-spec |-----><

```

resume-spec:

```

      .-RESUME--NO--, .-SHRLEVEL-NONE-.
>+-----+-----+-----+-----+-----+-----+-----+-----><
      | .-REPLACE-' 'copy-spec' '-stats-' |
      | .-BACKOUT--NO-----, .-SHRLEVEL--NONE---, |

```

```
'-RESUME--YES--+-----+-----+-----+-----+-----+'
|               |                 |                 |                 |
|               |          .-YES-.   | '-SHRLEVEL--CHANGE-'
|               |                 |                 |                 |
'-'-BACKOUT--++-----+'
```

labeled-duration-expression

```
>>+-----+-----+-----+-----+-----+-----+----->
|               |                 |                 |                 |
|               |'-CURRENT_TIMESTAMP--+'
|               |                 |                 |                 |
|               |                 |                 |                 |
|               |                 |                 |                 |
|               |                 |                 |                 |
V               |                 |                 |                 |
>-----+ +--+constant--+YEAR-----+-----+-----><
|'_ - - '|               |+-----+-----+
|               |         +-YEARS-----+
|               |         +-MONTH-----+
|               |         +-MONTHS-----+
|               |         +-DAY-----+
|               |         +-DAYS-----+
|               |         +-HOUR-----+
|               |         +-HOURS-----+
|               |         +-MINUTE-----+
|               |         +-MINUTES-----+
|               |         +-SECOND-----+
|               |         +-SECONDS-----+
|               |         +-MICROSECOND--+
|               |         |'-MICROSECONDS-'
```

workkddn-spec:

```
.-WORKKDDN(SYSUT1, SORTOUT) -----
>>+-----+-----+-----+-----+-----+-----><
|               |                 |                 |                 |
|               |'-WORKKDDN--+(ddname1, ddname2)-----+'
|               |               |                 |                 |
|               |               |          .-, SORTOUT-.   |
|               |               |+- (ddname1+-----+)-+  |
|               |               |               |                 |
|               |               |          .-SYSUT1-.     |
|               |               |'- (+-----+, ddname2) --'
```

copy-spec:

```
>>+-----+-----+-----+-----+-----+-----+----->
|               |                 |                 |                 |
|               |          .-(SYSCOPY) -----   . |
|               |'-COPYDDN--+-----+-----+-----+'
|               |               |+- (ddname1+-----+)-+  | |
|               |               |               |                 |
|               |               |          '-, ddname2-'   |
|               |               |'- (, ddname2) -----'
```

```
>-----+-----+-----+-----+-----+-----+-----><
|               |                 |                 |                 |
|               |'-RECOVERYDDN(ddname3+-----+)-+'
|               |               |                 |                 |
|               |               |          '-, ddname4-'   |
```

flashcopy-spec:

```
.-FLASHCOPY--NO-----.
```

```
>>+-----+><
'-FLASHCOPY--++YES-----+-----+-'
      '-CONSISTENT-' '-FCCOPYDDN--(--template-name--)-'
```

stats-spec:

```
>>STATISTICS--+-----+-----+-----+>
      '-| stat-table-spec |-| stat-index-spec |-|
      .-REPORT--NO--. .-UPDATE--ALL-----
>+-----+-----+-----+>
'-REPORT--YES-' '-UPDATE--++ACCESSPATH++'
      +-SPACE-----+
      '-NONE-----'

.-INVALIDATECACHE NO--.
>+-----+-----+-----+>
'-INVALIDATECACHE YES-' '-HISTORY--++ALL-----+-'
      +-ACCESSPATH++
      +-SPACE-----+
      '-NONE-----'

>+-----+-----+-----+><
'-FORCEROLLUP--++YES++-'
      '-NO--'
```

stat-table-spec

```
.-TABLE--(--ALL--)-.
>>+-----+-----+-----+-----+><
|                                     '-SAMPLE--integer-' '-USE PROFILE-' |
| .-----+-----+-----+-----+ |
| V                                     | |
|'---TABLE--(--table-name--)-+-----+-----+-----+ |
|                                     '-| table-stats-spec |-|'
```

sample-spec

```
>>+-----+-----+-----+-----+><
|                                     '-----25---' |
|-----SAMPLE+-----+-----+-----+ |
|                                     '-integer-' |
|                                     '-----AUTO-----' |
|TABLESAMPLE SYSTEM --+ numeric literal+-----+ |
|                                     '-----NONE-----' |
```

table-stats-spec:

```
.-COLUMN--ALL-----+-----+-----+-----+>
>>+-----+-----+-----+-----+>
'-SAMPLE--integer-' | .-,-----+-----+ |
|                                     V |
|                                     '-COLUMN--(----column-name+---)-'
```



```

>>+-----+<<
| .-,'-----'. |
| V          V          |
+---COLGROUP--(---column-name---)--| colgroup-stats-spec |---+
'-USE PROFILE-----'

```

colgroup-stats-spec:

```

>>+-----+<<
'-FREQVAL--+'
|                (1)  .-MOST--. |
|'-COUNT--integer-----+'
|                      +-BOTH--+
|                      '-LEAST-'
>+-----+<<
|                .-NUMQUANTILES--100----. |
'-HISTOGRAM--+'
|                '-NUMQUANTILES--integer-'

```

stat-index-spec:

```

                .-INDEX--(--ALL--)-.
>>+-----+<< | correlation-stats-spec |-----+<<
| .-,'-----'. |
| V          V          |
|'-INDEX--(---index-name--| correlation-stats-spec |---+)-'

```

correlation-stats-spec:

```

.-KEYCARD-----.
>>+-----+<<
.-FREQVAL--NUMCOLS--1--COUNT--10-----
>+-----+<<
| .-,'-----'. |
| V          V          |
|'---FREQVAL--NUMCOLS--integer-----+'
|                                               |
|                                               | (2)  .-MOST--. |
|'---COUNT--integer-----+'
|                                               |
|                                               | +-BOTH--+
|                                               | '-LEAST-'
.-NUMCOLS--1--NUMQUANTILES--100-----
>+-----+<<
| .-,'-----'. |
| V          V          |
|'---HISTOGRAM--+'
|               .-NUMQUANTILES--100----. |
|'-NUMCOLS--integer-----+'
|               '-NUMQUANTILES--integer-'

```

format-spec:

```

>>+-----+<<
'-FORMAT--UNLOAD-----+'
|         +-SQL/DS-----+
|         +-INTERNAL-----+

```

```

|          .-COLDEL--', '----.  .-CHARDEL--'"-----.  .-DECPT--'. '----. |
+-DELIMITED-----+-----+-----+-----+-----+-----+-----+-----+
|          .-COLDEL--coldel-'  '-CHARDEL--chardel-'  '-DECPT--decpt-' |
'-SPANNED--YES-----+-----+-----+-----+-----+-----+-----+
|          '-NO--'

```

decfloat-spec:

```

>+-----+-----+-----+-----+-----+-----+-----+-----+-----+
|          '-DECFLOAT_ROUNDMODE--+-ROUND_CEILING----+'
|          +-ROUND_DOWN-----+
|          +-ROUND_FLOOR-----+
|          +-ROUND_HALF_DOWN--+
|          +-ROUND_HALF_EVEN--+
|          +-ROUND_HALF_UP----+
|          '-ROUND_UP-----+'

```

override-spec:

```

V-----,
>>-OVERRIDE--(---+-SYSTEMPERIOD-----+---)-----<<
|          +-IDENTITY-----+
|          +-TRANSID-----+
|          '-NONDETERMINISTIC-'

```

INTO-TABLE-spec:

```

>>-INTO--TABLE--table-name--+-----+-----+-----+-----+-----+
|          '-PERIODOVERRRIDE-'  '-TRANSIDOVERRRIDE-'
|          .-IGNOREFIELDS--NO--.
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+
|          '-IGNOREFIELDS--YES-'
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+
|          |          .-INDDN -SYSREC-----+-----+-----+-----+-----+
|          '-PART--integer--+-----+-----+-----+-----+-----+-----+
|          |          '-PREFORMAT-'          +-INDDN-ddname+-----+-----+
|          |          |          '-DISCARDN--ddname-' |
|          |          |          '-INCURSOR--cursor-name-----+' |
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+
|          '-NUMRECS--integer-'  '-WHEN+-SQL/DS=table-name'-----+---'
|          |          |          '-field selection criterion-'
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+
|          |          .-,-----+-----+-----+-----+-----+
|          |          V          |          |
|          |          '-(---field specification+-)-'
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+
|          |          .-,-----+-----+-----+-----+-----+
|          |          V          |          |
|          |          '-(---field specification+-)-'

```

resume-spec:

```

.-RESUME--NO-----,
>>+-----+-----+-----+-----+-----+-----+-----+-----+-----+
|          |          |          '-REPLACE--+-+-----+-----+-----+-----+
|          |          |          |          '-REUSE-'  '-copy-spec-' |
|          |          |          |          '-RESUME--YES-----+'

```

```

>--+-+-----+-----+-----><
  '-KEEPDICTIONARY-'

field selection criterion:
>>+-field-name-----+---+X'byte-string'-----+-----><
  '-(start+-----+)-'      +- 'character-string'+-
      '-:end-'              +-G'graphic-string'+-
                           +-N'graphic-string'+-

field specification:
>>-field-name-spec----->

>--+-+-----+-----+----->
+-CHAR--+-----+-----+-----strip-spec+
|
| +-BIT-(length)-strip-spec-----+
| +-CCSID 1208--strip-spec-----+
| +-MIXED--strip-spec-----+
| +-BLOBF+-----+-----+-----+
| | '-PRESERVE WHITESPACE-' '-BINARYXML-' |
| +-CLOBF+-----+-----+-----+
| | '-MIXED-' '-PRESERVE WHITESPACE-' '-CCSID 1208-' |
| +-DBCLOBF+-----+-----+-----+
| | '-PRESERVE WHITESPACE-' '-CCSID 1200-' |
+-VARCHAR--+-----+-----+-----strip-spec+
|
| +-BIT-----+-----+-----+
| +-CCSID 1208-----+-----+-----+
| +-MIXED-----+-----+-----+
| +-BLOBF+-----+-----+-----+
| | '-PRESERVE WHITESPACE-' '-BINARYXML-' |
| +-CLOBF+-----+-----+-----+
| | '-MIXED-' '-PRESERVE WHITESPACE-' '-CCSID 1208-' |
| +-DBCLOBF+-----+-----+-----+
| | '-PRESERVE WHITESPACE-' '-CCSID 1200-' |
+-GRAPHIC+-----+-----+-----strip-spec+
| '-EXTERNAL-' '-(length)-' '-CCSID 1200-'
+-VARGRAPHIC--strip-spec-----+
| '-CCSID 1200-'
+-SMALLINT-----+-----+-----+
+-INTEGER+-----+-----+-----+
| '-EXTERNAL'+-----+-----+
| '-(length)-'
+-BIGINT-----+-----+-----+
+-BINARY+-----+-----+-----strip-spec+
| '-(length)-'
+-+VARBINARY-----+-----+-----strip-spec+
| '-BINARY VARYING-'
+-decimal-spec-----+-----+-----+
+-FLOAT+-----+-----+-----+
| '-EXTERNAL-' '-(length)-'
+-DATE--EXTERNAL--+-----+-----+
| '-(+length-----+)-'
| '-date-format-'
+-TIME--EXTERNAL--+-----+-----+
| '-(+length-----+)-'
| '-time-format-'
+-TIMESTAMP--EXTERNAL--+-----+-----+
| '-(+length-----+)-'
| '-timestamp-format-'
+-TIMESTAMP-WITH-TIME-ZONE--EXTERNAL--+-----+-----+
| '-(length)-'

```

```

+-ROWID-----+
+-BLOB-----+
+-CLOB-----+
|      '-MIXED-----+'
|              '-CCSID 1208-'
+-DBCLOB-----+
|              '-CCSID 1200-'
|              '.-(34)-----.'
+-DECFLOAT-----+
|              '+-(16)-----+'
|              '-EXTERNAL-----+'
|              '-(length)-'
+-XML-----+
|              '-PRESERVE WHITESPACE-' '-BINARYXML-'

>>-----<<
+-NULLIF--field selection criterion----+
+-DEFAULTIF--field selection criterion-'

field name spec:
>>-field-name--+-+-----+-----<<
|              +-POSITION(start-+-+-----+)-+-----+
|              |              '-:end-' |
|              '-CONSTANT(+-+'string'-----+)-'
|              +-X'hex-string'-----+
|              +-integer-----+
|              +-CURRENT DATE-----+
|              +-CURRENT TIME-----+
|              +-CURRENT TIMESTAMP-+
|              '-NULL-----+'

strip spec:
>>----->
|              .-BOTH ----. |
+-STRIP-----+-----+
|              +-TRAILING-+ |              (1) |
|              '-LEADING--' +- 'strip-char'-----+
|              '-X'strip-char'-----'

>>-----<<
+-TRUNCATE-'

decimal spec:
>>-DECIMAL-----+-----<<
|              .-PACKED-----.
|              +-ZONED-----+
|              '-EXTERNAL-----+'
|              |              .-,0-----. |
|              '-(length-+-+-----+)-'
|              |              '-,scale-'

MERGECOPY
>>-MERGECOPY----->
>>----->
+-LIST--listdef-name-----+----->
|              |              .-DSNUM--ALL-----. |
+-TABLESPACE-----+-----+table-space-name-----+-----+
|              |              '-database-name.-' |              '-DSNUM--integer-'

```

```

      .-WORKDDN--SYSUT1-.
>--+-----+-----+-----+-----+-----+-----+-----+-----+----->
  '-CLONE-'  '-WORKDDN--ddname-'
      .-NEWCOPY--NO-.  .-COPYYDDN--SYSCOPY-----.
>--+-----+-----+-----+-----+-----+-----+-----+-----+-----<
|           +-COPYYDDN (ddname1+-----+)------+           |
|           |           '-, ddname2-'           |           |
|           +-COPYYDDN (, ddname2)-----+           |           |
|           '-RECOVERYDDN (ddname3+-----+)-' |           |
|           |           ', ddname4'           |           |
|           .-COPYYDDN--SYSCOPY-----.           |           |
| '-NEWCOPY--YES+-----+-----+-----+-----+-----+-----+-----+-----+-----'
|           +-COPYYDDN (ddname1+-----+)-+ '-RECOVERYDDN (ddname3)'
|           |           ', ddname2-' |           ', ddname4'
|           '-COPYYDDN (, ddname2)-----+'

```

MODIFY RECOVERY

```

>>-MODIFY--RECOVERY----->
>--+LIST-- listdef-name----->
  '-TABLESPACE--+-----+-----+-----+-----+-----+-----+-----+-----+-----'
      '-database-name.-'
      .-DSNUM--ALL-----.
>--+-----+-----+-----+-----+-----+-----+-----+-----+----->
  '-DSNUM--integer-'  '-CLONE-'
>--+-----+-----+-----+-----+-----+-----+-----+-----+----->
  '-DELEtDS-'  '-NOCOPYPEND-'
>--+DELETE+-----+-----+-----+-----+-----+-----+-----+-----+-----<
|           +-AGE+-integer+--+
|           |           '-(*)-----' |
|           '-DATE+-integer+-'
|           |           '-(*)-----' |
| '-RETAIN+--+LAST--(--integer--)+-----+-----+-----+-----+-----+-----+-----+-----+-----'
|           +-LOGLIMIT-----+
|           '-GDGLIMIT+-----+-----+-----+-----+-----+-----+-----+-----+-----'
|           +-LAST--(--integer--)+
|           '-LOGLIMIT-----+'

```

MODIFY STATISTICS

```

>>-MODIFY--STATISTICS----->
>--+LIST-- listdef-name----->
  +-TABLESPACE--+-----+-----+-----+-----+-----+-----+-----+-----+----->
  |           '-database-name.-' |
  +-INDEXSPACE--+-----+-----+-----+-----+-----+-----+-----+-----+----->
  |           '-database-name.-' |
  '-INDEX--+-----+-----+-----+-----+-----+-----+-----+-----+-----'
  '-creator-id.-'
>--DELETE+--+ALL+-----+--+AGE+- (integer) +--+-----+-----+-----+-----+-----+-----+-----+-----+-----<
  +-ACCESSPATH+ |           '-(*)-----' |
  '-SPACE-----'  '-DATE+- (integer) +-'
  |           '-(*)-----'

```

OPTIONS

```

>>-OPTIONS----->
>+--+-----+--+-----+--+-----+--+-----+--+<
| '-PREVIEW-' '-LISTDEFDD-ddname-' '-TEMPLATEDDD-ddname-' '-event-spec-' |
+--OFF-----+
|'-KEY--key-value-----|
event-spec
      .-ITEMERROR,HALT-.          .-WARNING,RC4-.
>>-EVENT--(-+--+-----+--+-----+--+-----+--+-----+--+<
          '-ITEMERROR,SKIP-' '-,-' '+-WARNING,RC0+
                               '-WARNING,RC8-'

```

QUIESCE

```

>>-QUIESCE----->
>--+-LIST--listdef-name-----+>
| .-----|
| v-----|
|-----+TABLESPACE+-----+table-space-name+-----+>
|           '-database-name.-'           '-PART-integer-' ||
|-----+TABLESPACESET+-----+-----+table-space-name-|
|                   '-TABLESPACE-' '-database-name.-'
|                   .-WRITE--YES-.
>+-----+-----+-----+-----+----->
|'-CLONE-' '-WRITE--NO--'

```

REBUILD INDEX

```

>>-REBUILD----->
          .,-----
          v-----|
>--+--INDEX--+-(---creatorid.index-name-----+--+-----+--+>
|          |           '-PART--integer-' |
|          +- (ALL) --table-space-spec-----+
|          '-LIST--listdef-name-----|
|          |           .,-----
|          v-----|
|'-INDEXSPACE--+-(---index-space-name-----+--+-----+--+>
|          |           '-database-name.-'           '-PART--integer-' |
|          +- (ALL) --table-space-spec-----+
|          '-LIST--listdef-name-----|
          .-SHRLEVEL--REFERENCE-----
>+-----+-----+-----+-----+----->
|'-SHRLEVEL--CHANGE--change-spec-'           '-CLONE-'
          .-SCOPE--ALL-----
>+-----+-----+-----+-----+----->
|'-SCOPE--PENDING-' '-REUSE-' '-SORTDEVT--device-type-'
>+-----+-----+-----+-----+----->
|'-SORTNUM--integer-' '-stats-spec-'
          .-FLASHCOPY--NO-----
>+-----+-----+-----+-----+----->

```

```

'-FLASHCOPY--+-YES-----+--+-----+-'
          '-CONSISTENT-'   '-FCCOPYDDN--(--template-name--)-'

.-PARALLEL--(0)-----,
>+-----+----->
'-PARALLEL--(--num-subtasks--)-'

>+-----+-----><
'-RBALRSN_CONVERSION--+-NONE-----+-'
          +-BASIC-----+
          '-EXTENDED-'

table-space-spec:
>>-TABLESPACE--+------+---table-space-name----->
          '-database-name.-'

>+-----+-----><
'-PART--integer-'

change-spec:
.-MAXRO--integer-.   .-LONGLOG--CONTINUE-.
>>+-----+----->
'-MAXRO--DEFER---'   +-LONGLOG--TERM-----+
          '-LONGLOG--DRAIN----'

.-DELAY--1200----.
>+-----+-----><
'-DELAY--integer-'

drain-spec:
.-DRAIN_WAIT--IRLMRWT value-.   .-RETRY--UTIMOUT value-.
>>+-----+----->
'-DRAIN_WAIT--integer-----'   '-RETRY--integer-----'

>+-----+-----><
'-RETRY_DELAY--integer-'

stats-spec:
.-REPORT--NO--.
>>-STATISTICS--+------+---correlation-stats-spec----->
          '-REPORT--YES-'

.-UPDATE--ALL-----,   .-INVALIDATECACHE NO--.
>+-----+----->
'-UPDATE--+-ACCESSPATH+-'   '-INVALIDATECACHE YES-'
          +-SPACE -----+
          '-NONE-----'

>+-----+-----><
'-HISTORY--+-ALL-----+-'   '-FORCEROLLUP--+-YES+-'
          +-ACCESSPATH+
          +-SPACE -----+
          '-NONE-----'

correlation-stats-spec:
.-KEYCARD----.
>>+-----+----->

.-FREQVAL--NUMCOLS--1--COUNT--10-----.
```


REORG INDEX

```

>>-REORG--+-INDEX--LIST--listdef-name-+-+-----+-----+----->
      '-index-name-spec-----' '-REUSE-' '-CLONE-'

      .-SHRLEVEL NONE------.
>+-----+-----+----->
      '-SHRLEVEL+-REFERENCE--deadline-spec--drain-spec-----+-'
          '-CHANGE--deadline-spec--drain-spec--change-spec-'

      .-FASTSWITCH YES----.
>+-----+-----+----->
      '-FASTSWITCH NO-----'

                                          .-FORCE--NONE----.
>+-----+-----+-----+----->
      '-LEAFDISTLIMIT+-----+-----+-----+' '+FORCE--READERS+'
          '-integer-' '-REPORTONLY-' '+FORCE--ALL-----'

      .-UNLOAD--CONTINUE-----.
>+-----+-----+-----+----->
      '-UNLOAD--+-PAUSE-----+-' '-stats-spec-----'
          '-ONLY-----'

      .-WORKDDN--(SYSUT1)-.
>+-----+-----+-----+----->
      '-WORKDDN--(ddname)-' '-PREFORMAT-'

>+-----+-----+-----+----->>
      |           .-NO-----|
      '-FLASHCOPY--+-YES-----+-----+-----+'
          '-CONSISTENT-' '-FCCOPYDDN(ddname)-'

>+-----+-----+-----+----->>
      '-RBALRSN_CONVERSION--+-NONE-----+-'
          '+BASIC----+'
          '-EXTENDED-'

index-name-spec
>>+-INDEX-+-----+-----+----->
      |           '-creator-id.-'           |
      '-INDEXSPACE+-----+-----+-----+' '-index-space-name-'
          '-database-name.-'

>+-----+-----+-----+----->>
      '-PART--integer-'

deadline-spec
      .-DEADLINE--NONE------.
>>+-----+-----+-----+----->>
      '-DEADLINE--+-timestamp-----+-+'
          '-labeled-duration-expression-'

drain-spec
>>+-----+-----+-----+----->
      '-DRAIN_WAIT--integer-'           '-RETRY--integer-'

```



```

        '-NONE-----'          +-SPACE-----+
                                '-NONE-----'
>+-----+-----+-----+-----+-----+-----+-----+-----+-----><
    '-FORCEROLLUP--+-YES--+'
        '-NO--'
correlation-stat-spec
        .-FREQVAL--NUMCOLS--1--COUNT--10-----
>>+-----+-----+-----+-----+-----+-----+-----+-----+-----><
    '-KEYCARD-'      | .-----+-----+-----+-----+-----+-----+-----+-----+-----|
                    | | V |
                    |-----FREQVAL--NUMCOLS--integer--COUNT--integer--+-----|

        .-NUMCOLS--1--NUMQUANTILES--100-----
>--HISTOGRAM+-----+-----+-----+-----+-----+-----+-----+-----+-----><
    | .-NUMQUANTILES--100----- |
    '-NUMCOLS--integer--+-----+-----+-----+-----+-----+-----+-----+-----+-----+'
        '-NUMQUANTILES--integer-'

```

REORG TABLESPACE

```

>>--REORG--TABLESPACE-----+-----+-----+-----+-----+-----+-----+-----+-----+-----><
        .-PARALLEL-YES-.
>+--LIST-listdef-name+-----+-----+-----+-----+-----+-----+-----+-----+-----><
    | .-PARALLEL-NO--' |
    '+-----+-----+-----+-----+-----+-----+-----+-----+-----+'
    '-database-name.-' | .-PART--+--integer-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+'
                    | | V | |
                    |-----integer1:integer2-'
        .-SCOPE ALL-----
>+-----+-----+-----+-----+-----+-----+-----+-----+-----><
    '-CLONE-' '-REUSE-' '-SCOPE PENDING-'
        _DROP PART NO _
>+-----+-----+-----+-----+-----+-----+-----+-----+-----><
    | .-SORTCLUSTER--NO--. | } _DROP PART YES |
    '-REBALANCE--+-----+-----+-----+-----+-----+-----+-----+-----+-----+'
        '-SORTCLUSTER--YES-'
        .-YES-.
        .-LOG--YES-. .-SORTDATA--+--NO--+-.
>+-----+-----+-----+-----+-----+-----+-----+-----+-----><
    '-LOG--NO--' '-NOSYSREC-'
        .-AUTOESTSPACE YES-.
>--| copy-spec |--+-----+-----+-----+-----+-----+-----+-----+-----+-----><
        '-AUTOESTSPACE NO--'
        .-SHRLEVEL NONE-----
>+-----+-----+-----+-----+-----+-----+-----+-----+-----><
    '-SHRLEVEL--+--REFERENCE--| deadline-spec |--| drain-spec |-----+-----+-----+-----+-----+-----+-----+-----+-----+'
        '-CHANGE-|deadline-spec|--|drain-spec|--|table-change-spec|-'

```

```

.-FASTSWITCH YES-.  .-AUX NO--.  .-FORCE--NONE----.
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
'-FASTSWITCH NO--' '-AUX YES-'  '+-FORCE--READERS-+'
                               '-FORCE--ALL-----'

>+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
+-SORTNPSI--AUTO---+
+-SORTNPSI--YES----+
'-SORTNPSI--NO-----'

>+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
|                .-10-----.                .-10-----.                |
'-OFFPOSLIMIT--'+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----'
|                'integer-'                'integer-' '-REPORTONLY-'
'-UNLOAD--CONTINUE--.

>+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
| |                (1) | '-KEEPDICTIONARY-' '-| statistics-spec |-'|
| '-UNLOAD--PAUSE-----' |
+-UNLOAD--ONLY-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
'-UNLOAD--EXTERNAL--'+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----'
|                'NOPAD-' | .-----|
|                | V |
|                '---| FROM-TABLE-spec |+-'

.-PUNCHDDN--SYSPUNCH-.  .-DISCARD--SYSDISC-.
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
'-PUNCHDDN--ddname---' '-DISCARD--ddname--'

>+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
'-| reorg tablespace options |-'

>+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
|                .-----|
|                V |
|                'DISCARD--'+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----'
|                'NOPAD-' |
'-DISCARD--'+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
'-NOPAD-'

.-PARALLEL--0------.
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
'-PARALLEL--(--num-subtasks--)-'

copy-spec

.-COPYYDDN (SYSCOPY) -----.
>>+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
'-COPYYDDN (--ddname1--+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
|                '_, ddname2-' |
|                '_, ddname2-----'

>+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
'-RECOVERYDDN (ddname3--+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----'
|                '_, ddname4-'

>+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
|                .-NO-----.
|                '+-FLASHCOPY--+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----'
|                'CONSISTENT-' '-FCCOPYDDN (ddname) -'

```

deadline-spec

```

.-DEADLINE--NONE-----
>>+-----><
'-DEADLINE--+-timestamp-----+-'
      '-labeled-duration-expression-'

drain-spec
>>+----->
      '-DRAIN_WAIT--integer-'      '-RETRY--integer-'

      .-TIMEOUT--TERM--.
>-+----->
      '-RETRY_DELAY--integer-'      '-TIMEOUT--ABEND-'

      .-LOGRANGES--YES-.      .-DRAIN_ALLPARTS--NO--.
>-+----->
      '-LOGRANGES--NO--'      '-DRAIN_ALLPARTS--YES-'

      .-SWITCHTIME--NONE-----
>-+-----+><
      |                                     .-NEWMAXRO--NONE-----|
      '-SWITCHTIME--+-timestamp-----+-+-----+-'
      '   '-labeled-duration-expression-'   '-NEWMAXRO--integer-'

change-spec:
      .-MAXRO-----      .-DRAIN--ALL-----
>>+----->
      '-MAXRO--+-integer+-'      '-DRAIN--WRITERS-'
      '   '-DEFER---'

      .-LONGLOG--CONTINUE--.      .-DELAY--1200----.      .-LASTLOG YES-.
>-+-----+><
      '-LONGLOG--+-TERM--+-'      '-DELAY--integer-'      '-LASTLOG NO--'
      '   '-DRAIN-'

map-spec:
>>+-----><
      +-MAPPINGTABLE--table-name-----+
      '-MAPPINGDATABASE--database-name-'

labeled-duration-expression
>>+----->
      '-CURRENT_DATE-----'
      '-CURRENT_TIMESTAMP--+-+-----+-'
      '   '-WITH TIME ZONE-'

      .-----
      v                                     |
>-+--+ +--+constant--+-YEAR-----+-----+><
      '- - -'          +-YEARS-----+
                        +-MONTH-----+
                        +-MONTHS-----+
                        +-DAY-----+
                        +-DAYS-----+
                        +-HOUR-----+
                        +-HOURS-----+
                        +-MINUTE-----+
                        +-MINUTES-----+
                        +-SECOND-----+

```

```

+-SECONDS-----+
+-MICROSECOND--+
'-MICROSECONDS-'

```

statistics-spec

```

>>-STATISTICS----->
  .-TABLE--(--ALL--)-.
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
|                                     '-SAMPLE--integer-'                                     |
| .-----+-----+-----+-----+-----+-----+-----+-----+-----+-----|
| V                                                                                       |
|'---TABLE--(--table-name--)--| table-stats-spec |---+'
|
| .-INDEX--(--ALL--)-.
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
|                                     .-,-----+-----+-----+-----+-----+-----|
|                                     V                                                                                       |
|'---INDEX--(---index-name--| correlation-stats-spec |---+---)-'
|
| .-REPORT--NO--.   .-UPDATE--ALL-----.
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
|'---REPORT--YES-'   '-UPDATE--++-ACCESSPATH-+'
|                                     +-SPACE-----+
|                                     '-NONE-----+'
|
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->>
|'---HISTORY--++-ALL-----+-'   '-FORCEROLLUP--++-YES-+-'
|                                     +-ACCESSPATH-+
|                                     +-SPACE-----+
|                                     '-NONE-----+'

```

stat-table-spec

```

  .-TABLE--(--ALL--)-.
>>+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->>
|                                     '-SAMPLE--integer-'   '-USE PROFILE-'   |
| .-----+-----+-----+-----+-----+-----+-----+-----+-----+-----|
| V                                                                                       |
|'---TABLE--(--table-name--)--|-----+-----+-----+-----+-----+-----|
|                                     '-| table-stats-spec |-'

```

sample-spec

```

>>+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->>
|                                     '-----25----'                                     |
|-----SAMPLE-+-----+-----+-----+-----+-----+-----+-----+-----+-----|
|                                     '-integer-'                                     |
|                                     '-----AUTO-----'                             |
| -TABLESAMPLE SYSTEM --+ numeric literal-+-----+
|                                     '-----NONE-----+'

```

table-stats-spec:

```

.-COLUMN--ALL-----

```


FROM-TABLE spec

```
>>-FROM--TABLE--table-name----->
>--+-----+-----><
  '-WHEN--(--selection-condition-spec--)-'
```

selection-condition spec

```
>>+--predicate-----+----->
  '-selection condition-'
  .-----
  v                               |
>--+-----+-----><
  '+-AND+---+predicate-----+-'
  '-OR--' '-selection condition-'
```

predicate

```
>>+--basic predicate---+-----><
  +-BETWEEN predicate--+
  +-IN predicate-----+
  +-LIKE predicate-----+
  '-NULL predicate---'
```

basic predicate

```
>>-column-name--+ = --+----->
      +- <> -+
      +- > --+
      +- < --+
      +- >= -+
      '- <= -'
>--+--constant-----+-----><
  '-labeled-duration-expression-'
```

between predicate

```
>>-column-name--+-----+--BETWEEN----->
      '-NOT-'
>--+--constant-----+--AND----->
  '-labeled-duration-expression-'
>--+--constant-----+-----><
  '-labeled-duration-expression-'
```

IN predicate

```

      .-,-----
      v          |
>>-column-name--+-----+--IN--(--constant-+)------><
      '-NOT-'
```

LIKE predicate

```
>>-column-name--+-----+--LIKE--string-constant----->
      '-NOT-'
>--+-----+-----><
  '-ESCAPE--string-constant-'
```

```

NULL predicate
>>-column-name--IS--+-----+--NULL----->>
          '-NOT-'

Reorg tablespace options
.-UNLDDN--SYSREC-.
>>+-----+-----+-----+-----+----->
  '-UNLDDN--ddname-' '-SORTDEVT--device-type-'
>-+-----+-----+-----+-----+----->
  '-SORTNUM--integer-' '-PREFORMAT-' '-ROWFORMAT--BRF-'
                                     | -RRF-|
>-+-----+-----+-----+-----+----->>
  '-RBALRSN_CONVERSION--NONE-----+'
                                     +-BASIC----+
                                     '-EXTENDED-'

```

REPAIR

```

>>-REPAIR----->
>-+-----+-----+-----+-----+----->
  | .-OBJECT-. .-LOG--YES-.      V      |
  +-----+-----+-----+-----+set statement+-----+
  |           '-LOG--NO--' | '-locate block--' |
  |           |           | '-dbd-statement----' |
  +-level-id statement-----+
  +-versions statement-----+
  '-catalog statement-----'
>-+-----+-----+-----+-----+----->>
  '-CLONE-'

```

level-id statement

```

>>-LEVELID----->
>-+TABLESPACE--+-----+-----+table-space-name+----->
  |           '-database-name.-'          |
  '-index-name-spec-----'
>-+-----+-----+-----+-----+----->>
  '-PART--integer-'

```

versions statement

```

>>-VERSIONS----->
>-+TABLESPACE--+-----+-----+table-space-name+----->>
  |           '-database-name.-'          |
  '-index-name-spec-----'

```

catalog statement

```

>>-CATALOG--TABLESPACE--+-----+-----+table-space-name----->
          '-database-name.-'
>-+-----+-----+-----+-----+----->
  '-TEST-'

```

index-name spec

```

>>+INDEX+-----+-----+index-name----->>
  |           '-creator-id.-'            |
  '-INDEXSPACE+-----+-----+index-space-name-'

```

```

'-database-name.-'
set statement
>>-SET----->
>+|table-space-spec|+-----+--NOCOPYPEND-----+-----><
|          '-PART--integer-' +NORCVRPEND-----+          |
|          +NOCHECKPEND-----+          |
|          +NOAUXWARN-----+          |
|          +NOAUXCHKP-----+          |
|          +NOAREORPENDSTAR+          |
|          '-NOAREORPEND----'          |
|          +PRO-----+          |
|          +NOPRO-----+          |
|+--INDEX--+(index-name+-----+)-+-----+--NOCOPYPEND-----+
|          |          '-PART--integer-' | +NORCVRPEND-----+
|          | (--ALL--)--| table-space-spec |-| +NORBDPEND-----+
| '-INDEXTSPACE+-(+-----+--index-space+-----+)-+--NOCHECKPEND-----+
|          |          '-database.-'          '-PART-int' | +NOAREORPENDSTAR+
|          | (--ALL--)--table-space-spec-----+ +NOAREORPEND-----+
|          +RBDPEND-----+
|          '-PSRBDPEND-----+'

```

Table-space-spec:

```

>>-TABLESPACE--+-+-----+--table-space-name-----><
|          '-database-name.-'

```

REPORT

```

>>-REPORT----->
|          .-INDEX NONE-.
>+--RECOVERY--TABLESPACE--LIST-listdef-name---+-----+-----+-----><
|          |          '-tablespace-name-spec' '-INDEX ALL-' | 'info' |
|          |          '-index-list-spec-----'          |
| '-TABLESPACESET--+-+-----+--table-space-name-spec--+-+-----+
|          |          '-TABLESPACE-'          |          '-SHOWDSNS-'

```

Index-list-spec

```

>>-+--INDEXTSPACE--+-+-----+--index-space-name+-----><
|          |          '-database-name.-'          |
|          |          '-LIST--listdef-name-----' |
| '-INDEX--+-+-----+--index-name+-----+
|          |          '-creator-id.-'          |
|          |          '-LIST--listdef-name-----'

```

info-options

```

.-DSNUM--ALL-----.
>>-+-----+-----+-----+-----+----->
| '-DSNUM--integer-' '-CURRENT-' '-SUMMARY-'
|          .-ARCHLOG--1-----.
>+-----+-----+-----+-----+-----><
| '-LOCALSITE-' '-RECOVERYSITE-' '-ARCHLOG--2-----+'
|          '-ALL-'

```

table-space-name-spec

```

>>-+-----+-----+-----+-----><
| '-database-name.-'

```

RESTORE SYSTEM

```

>>-RESTORE SYSTEM----->
>--+| non-LOGONLY spec |-----><
    '-LOGONLY--+-----+'
    '-SWITCH VCAT--+-----+'
    '-SYSVALUEDDN (ddname) -'

non-LOGONLY spec
>>+----->
    '-ALTERNATE_CP (copy-pool) -'
>+----->
    '-RESTOREBEFORE-- X'byte-string'-'
>+----->
+-FROMDUMP+-----++-----++-----++
|           '-DUMPCLASS- (dcl) -''-RSA- (key-label) -''-TAPEUNITS+-----+-'
|                                                                 'units' |
'-FLASHCOPY_PPRCP--+NO+-----+'
          +-PMNO---+
          +-PMPREF+
          '-PMREQ -'

```

RUNSTATS

```

>>-RUNSTATS--TABLESPACE--+| listdef-spec |----->
                                '-| table-space-spec |-'

    .-| statistics-spec |-
>+-----><
    '-| reset-spec |-----'

listdef-spec
                                .-INVALIDATECACHE NO--.
>>-LIST--listdef-name--+-----><
                                '-INVALIDATECACHE YES-'

table-space-spec
>>+-----+table-space-name----->
    '-database-name.-'

>+----->
|           .-FORCEROLLUP--NO--. |
'-PART--integer+-----+'
          '-FORCEROLLUP--YES-'

    .-INVALIDATECACHE NO--.
>+-----><
    '-INVALIDATECACHE YES-'

statistics-spec
>>+-----+----->
|           .- (ALL) -. |
+-TABLE+-----+-----+| all-tables-spec |-----+
| .-,-----+-----+|. |

```

```

| V
'---TABLE-----table-name--| named-tables-spec |--'

>---+-----+-----+-----+-----+-----+-----+-----+----->
'|+-INDEX-----(--ALL--)--| correlation-stats-spec |-----+'
'|+INDEX--(--*-----)--| correlation-stats-spec |-----+'
'|          V,-----.'-----.'-----.'-----.'-----'|
'|          |-----V-----|-----.'-----.'-----.'-----'|
'| -INDEX--(----index-name--| correlation-stats-spec |--)--'|

          .-REGISTER--YES-.
.-SHRLEVEL--CHANGE +-----+-.
'|          '-REGISTER--NO--'| |.-REPORT--NO--.
>---+-----+-----+-----+-----+-----+-----+-----+----->
'| -SHRLEVEL--REFERENCE-----' | '-REPORT--YES-'

.-UPDATE--ALL-----.'
>---+-----+-----+-----+-----+-----+-----+-----+----->
'|---UPDATE--+-ACCESSPATH+----'
'|          +-----+'
'|          '-NONE-----'

>---+-----+-----+-----+-----+-----+-----+-----+-----><
'| -SORTDEVT--device-type-'

all-tables-spec
>>---+-+| sample-spec |--+-----+-----+-----+-----+-----+-----><
'|          '| use-profile-spec |--' |
'| -DELETE PROFILE-----'

named-tables-spec
>>---+-+| sample-spec |--+-----+-----+-----+-----+-----+-----+-----+-----><
'|          '|          '| use-profile-spec |--' |
'|          '|          '| use-profile-spec |--' |
'|+-----+-----+-----+-----+-----+-----+-----+-----+'
'|          '| colgroup-spec |--' |
'|          '|          '| set-profile-spec |--' |
'| -DELETE PROFILE-----'

sample-spec
>>---+-----+-----+-----+-----+-----+-----+-----+-----><
'|          .-25-----.'
'|+SAMPLE--+-----+'
'|          '-integer-'
'|          .-AUTO-----.'
'| -TABLESAMPLE SYSTEM--+-numeric-literal-+-+-----+-----+-----+-----+'
'|          '-REPEATABLE-integer-'

use-profile-spec
>>---USE PROFILE-----+-----+-----+-----+-----+-----+-----><
'| -INCLUDE--+- (NPI) -+-'
'|          '-NPI---'

```

column-spec:

```
.-----
.-COLUMN-- (--ALL--)-----
>>+-----+
|                                     |
|      v ,-----                     |
|      '-COLUMN-- (-----column-name-----+---)-'
>--+-----+----->>>
```

colgroup-spec:

```
.-----
|                                     |
|      v ,-----                     |
>>---COLGROUP-- (-----column-name+---)--| colgroup-stats-spec |--->>>
```

colgroup-stats-spec:

```
>>+-----+-----+----->>>
|                                     |
|      '-FREQVAL +-----+-----+-----+'
|                                     |
|      '-COUNT--integer-----+-----+'
|                                     |
|                                     +-----+
|                                     '-LEAST-'
>--+-----+-----+----->>>
|                                     |
|      .-NUMQUANTILES--100----- . |
|      '-HISTOGRAM-------+-----+'
|                                     |
|      '-NUMQUANTILES--integer-'
```

correlation-stats-spec:

```
>>+-----+-----+----->>>
|                                     |
|      '-KEYCARD-----'
>--+-----+-----+-----+----->>>
|                                     |
|      v .-FREQVAL -NUMCOLS--1--COUNT--10--MOST----- . |
|      '-FREQVAL -NUMCOLS--integer-----+-----+-----+'
|                                     |
|                                     +-----+
|                                     '-COUNT--integer-----+-----+'
|                                     |
|                                     +-----+
|                                     '-LEAST-'
```

```
.-----
v                                     |
>--+-----+-----+-----+-----+----->>>
|                                     |
|      .-NUMCOLS--1--NUMQUANTILES--100----- . |
|      '-HISTOGRAM-------+-----+-----+'
|                                     |
|      '-NUMCOLS--integer-----+-----+-----+'
|                                     |
|                                     .-NUMQUANTILES--100----- . |
|                                     +-----+
|                                     '-NUMQUANTILES--integer-'
```

set-profile-spec

```
>>+--SET--PROFILE--+-----+-----+----->>>
|                                     |
|                                     |
|                                     (1) | |
```

```

|          '-FROM EXISTING STATS-----' |
'-UPDATE--PROFILE-----'
history-spec
  .-HISTORY--NONE-----
>>-----+-----+-----+-----><
|          '-HISTORY--+ALL-----+'
|          +-ACCESSPATH-+
|          '-SPACE-----'
reset-spec
>>-----+-----+-----+-----><
|          '-RESET ACCESSPATH--+-----+'
|          '-HISTORY ACCESSPATH-'

```

STOSPACE

```

. ,-----
v |
>>-STOSPACE--STOGROUP (-+---stogroup-name+---)-----><
|_*-----|

```

TEMPLATE

```

>>-TEMPLATE--template-name--DSN--name-expression----->
>-----+-----+-----+----->
|          '-common-options-' +-disk-options-+
|          '-tape-options-'
>-----+-----+-----+----->
|          '-SUBSYS--name--LRECL--int--RECFM--+-----+'
|                                     +-F--+
|                                     +-FB-+
|                                     +-V--+
|                                     '-VB-'
>--path-expression-----><
name-expression
  . ,-----
v |
>>--qualifier-expression+----->
>-----+-----+-----+-----><
|          '-(parenthetical-expression)-'

```

qualifier expression

```

. ,-----
v |
>>--+-character-expression-----+-----><
|          '-&variable-+-----+-----+'
|          '-(start+-----+)------'
|          '- ,length-'

```

Common-options

```

.-UNIT--SYSALLDA-.
>>-----+-----+-----+----->
|          '-UNIT--name-----' |          '-MODELDCB--dsname-'
|          .-BUFNO--30-----
>-----+-----+-----+----->

```

```

'-BUFNO--integer-' '-DATACLAS--name-' '-MGMTCLAS--name-'
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
'-STORCLAS--name-' '+RETPD integer+'
      '-EXPDL' date'--'
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
|           .-,-----. | | '-VOLCNT--integer-'
|           v           | |
'-VOLUMES--(---volser+)-'
      .GDGLIMIT--99-----
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
'-UNCNT--integer-' '-GDGLIMIT--integer-'
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
'-DISP--(-++NEW-+-, -+-DELETE-+-, -+-DELETE-+-)-'
      +-OLD-+      +-KEEP----+      +-KEEP----+
      +-SHR-+      +-CATLG---+      +-CATLG---+
      '-MOD-'      '-UNCATLG-'      '-UNCATLG-'
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----><
'-LIMIT(n++CYL+-, new_template)-' '-TIME---LOCAL-+-'
      +-GB---+      '+-TRK-+      '-UTC---'
      '-MB--'

```

disk-options

```

.-SPACE--CYL------.
>>+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
'-SPACE--+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
      '-(primary,secondary)-' '+-TRK-+
      '+-MB--'
.-PCTPRIME--100-----.
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
'-PCTPRIME--integer-' '-MAXPRIME--integer-'
.-NBRSECND--10-----.
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
'-NBRSECND--integer-' '-DIR--integer-'
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----><
'-DSNTYPE---LIBRARY-+-'
      +-PDS-----+
      +-HFS-----+
      +-NULL-----+
      +-BASIC---+
      +-LARGE---+
      +-EXTREQ---+
      '-EXTPREF-'

```

tape-options

```

.-STACK--NO--.      .-TRTCH--NONE------.
>>+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----><
'-STACK--YES-' '-JES3DD--ddname-' '-TRTCH--+-COMP-+-'
      '+-NOCOMP-'

```

path-expression

```

>>-PATH--pathname----->
.-FILEDATA--RECORD--RECFM--VB--LRECL--32756------.
>+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+----->
'-FILEDATA--+-TEXT---+-RECFM--+-VB+-LRECL--int-'

```



```

        '-BINARY-'          +-V--+
                           +-FB--+
                           '-F--'

.-PATHOPTS--(---+ORDONLY-----+---)-.
|          'OCREAT,OWRONLY-----'    |
>+-----+-----+-----+-----+----->
|          .-,-----|.              |
|          V .-ORDONLY---. |          |
'-PATHOPTS--(---+OCREAT---+---)------'
          +-OWRONLY---+
          '-ONONBLOCK-'

.-PATHMODE--(SIRUSR)-----|.
>+-----+-----+-----+-----+----->
|          .-,-----|.              |
|          V          |              |
'-PATHMODE--(---+SIRUSR---+---)-'
          +-SIWUSR+
          +-SIXUSR+
          +-SIRWXU+
          +-SIRGRP+
          +-SIWGRP+
          +-SIXGRP +
          +-SIRWXG+
          +-SIOTH+
          +-SIWOTH+
          +-SIXOTH+
          '-SIRWXO-'

.-PATHDISP--(KEEP,KEEP)-----|.
>+-----+-----+-----+-----+----->>
'-PATHDISP--(---+KEEP---+---,---+KEEP---+---)-'
'-DELETE-'          '-DELETE-'

```

UNLOAD

```

          .-----|.
          V          |
>>-UNLOAD---+DATA---from-table-spec-----+-----+-----+----->
|          'from-table-spec-'          |
|          .-----|.              |
|          V          |              |
+source-spec-----+-----+-----+-----+
|          'from-table-spec-'          |
'-LIST--listdef-name-----+-----'

>--unload-spec-----+-----+-----+----->>
          '-CLONE-'

source-spec
>>-TABLESPACE---+-----+-----+-----+-----+----->
          '-database-name.-'
>+-----+-----+-----+-----+----->
'-PART---integer-----+-----'

```



```

'-CONST--+'string'-----+'
          '-X'hex-string'-
>+-----+-----+-----+-----+----->
'-SAMPLE--decimal-' '-LIMIT--integer-'
>+-----+-----+-----+-----+----->
| .-,------. |
| V | |
| '-(---field-specification---)'
>+-----+-----+-----+-----+-----><
'-WHEN--(selection-condition)-'

field spec

. -POSITION(*)-----.
>>-field-name-+-----+----->
          '-POSITION(start)-'
>+-----+-----+-----+-----+-----><
+-CHAR-+-----+-----+-----+-----+
| '-(length)-' +-TRUNCATE-----+ |
| '+-BLOBF---+template-name-----+ |
| '+CLOBF---+ '+BINARYXML-' |
| '-DBCLOBF-' |
+-VARCHAR-+-----+-----+-----+-----+
| '-(length)-' +-strip-spec-----+ |
| '+-BLOBF---+template-name-----+ |
| '+CLOBF---+ '+BINARYXML-' |
| '-DBCLOBF-' |
+-GRAPHIC-+-----+-----+-----+-----+
| '-EXTERNAL-' '-(length)-' '-TRUNCATE-' |
+-VARGRAPHIC-+-----+-----+-----+-----+
| '-(length)-' |
+-SMALLINT-----+-----+-----+-----+
+-INTEGER-+-----+-----+-----+-----+
| '-EXTERNAL-+-----+-----+' |
| '-(length)-' |
+-BIGINT-----+-----+-----+-----+
+-BINARY-+-----+-----+-----+-----+
| '-(length)-' '-TRUNCATE-' |
++-VARBINARY-----+-----+-----+-----+
| '-BINARY VARYING-' |
+-strip-spec-----+-----+-----+-----+
| .-PACKED---. |
+-DECIMAL-+-----+-----+-----+-----+
| '+-ZONED---+ | .-,0----. |
| '-EXTERNAL-' '-(length-+-----+)-' |
| ',scale-' |
+-FLOAT-+-----+-----+-----+-----+
| '-EXTERNAL-' '-(length)-' |
+-DOUBLE-----+-----+-----+-----+
+-REAL-----+-----+-----+-----+
+-DATE--EXTERNAL--+-----+-----+-----+
| '-(length)-' |
+-TIME--EXTERNAL--+-----+-----+-----+
| '-(length)-' |
+-TIMESTAMP--EXTERNAL--+-----+-----+-----+
| '-(length)-' |

```

```

+-TIMESTAMP WITH THE ZONE EXTERNAL-----+-----+
|                                               |'- (length)-'|
+-CONSTANT--+-'string'-----+-----+
|                 '-X'hex-string'-'
+-ROWID-----+-----+
+-BLOB+-----+-----+
|         '- (length)-' '-TRUNCATE-'
+-CLOB+-----+-----+
|         '- (length)-' '-TRUNCATE-'
+-DBCLOB+-----+-----+
|         '- (length)-' '-TRUNCATE-'
|         .- (34)-----+-----+
+-DECFLOAT--+-----+-----+
|         +- (16)-----+-----+
|         '-EXTERNAL--+-----+-----+
|               '- (length)-'
'-XML--+-----+-----+
|         '-BINARYXML-'

```

strip spec

```

>>+-----+-----+----->
|         .-BOTH----.
'-STRIP+-----+-----+
|         +-TRAILING+ |
|         '-LEADING--' +- 'strip-char'-----+
|                           '-X'strip-char'-----'

```

selection-codition spec

```

>>+-predicate-----+----->
| '-selection condition-'
| .-----+
| v |
>--+-----+-----+----->>
| '+-AND+--+predicate-----+'
| '-OR--' '-selection condition-'

```

predicate

```

>>+-basic predicate-----+----->>
| +-BETWEEN predicate+
| +-IN predicate-----+
| +-LIKE predicate----+
| '-NULL predicate----'

```

basic predicate

```

>>-column-name--+ =--+----->
| +- <> -+
| +- > -++
| +- < -++
| +- >= -+
| '- <= -'
>--+constant-----+----->>
| '-labeled-duration-expression-'

```

between predicate

```
>>-column-name--+-----+--BETWEEN----->
      '-NOT-'
```

```
>--+constant--+-----+--AND----->
      '-labeled-duration-expression-'
```

```
>--+constant--+-----+----->
      '-labeled-duration-expression-'
```

IN predicate

```

      .-,-----.
      v      |
>>-column-name--+-----+--IN--(--constant-+)------><
      '-NOT-'
```

LIKE predicate

```
>>-column-name--+-----+--LIKE--string-constant----->
      '-NOT-'
```

```
>--+-----+-----><
      '-ESCAPE--string-constant-'
```

NULL predicate

```
>>-column-name--IS--+-----+--NULL-----><
      '-NOT-'
```

Labeled-duration-expression

```
>>-+CURRENT_DATE-----+----->
      '-CURRENT_TIMESTAMP-----+-'
      '-WITH TIME ZONE-'
```

```

      .-----
      v      |
>--+ +--+constant--+YEAR-----+-----><
      '- - -'      +-YEARS-----+
                        +-MONTH-----+
                        +-MONTHS-----+
                        +-DAY-----+
                        +-DAYS-----+
                        +-HOUR-----+
                        +-HOURS-----+
                        +-MINUTE-----+
                        +-MINUTES-----+
                        +-SECOND-----+
                        +-SECONDS-----+
                        +-MICROSECOND--+
                        '-MICROSECONDS-'
```

SQL Positive Return Codes

000	SUCCESSFUL EXECUTION
+012	THE UNQUALIFIED COLUMN NAME <i>column-name</i> WAS INTERPRETED AS A CORRELATED REFERENCE
+098	A DYNAMIC SQL STATEMENT ENDS WITH A SEMICOLON
+100	ROW NOT FOUND FOR FETCH, UPDATE OR DELETE, OR THE RESULT OF A QUERY IS AN EMPTY TABLE
+110	SQL UPDATE TO A DATA CAPTURE TABLE NOT SIGNALLED TO ORIGINATING SUBSYSTEM
+111	THE SUBPAGES OPTION IS NOT SUPPORTED FOR TYPE 2 INDEXES
+117	THE NUMBER OF INSERT VALUES IS NOT THE SAME AS THE NUMBER OF OBJECT COLUMNS
+162	TABLESPACE <i>database-name.tablespace-name</i> HAS BEEN PLACED IN CHECK PENDING
+203	THE QUALIFIED COLUMN NAME <i>column-name</i> WAS RESOLVED USING A NON-UNIQUE OR UNEXPOSED NAME
+204	<i>name</i> IS AN UNDEFINED NAME
+205	<i>column-name</i> IS NOT A COLUMN OF TABLE <i>table-name</i>
+206	<i>column-name</i> IS NOT A COLUMN OF AN INSERTED TABLE, UPDATED TABLE, OR ANY TABLE IDENTIFIED IN A FROM CLAUSE
+217	THE STATEMENT WAS NOT EXECUTED AS ONLY EXPLAIN INFORMATION REQUESTS ARE BEING PROCESSED
+218	THE SQL STATEMENT REFERENCING A REMOTE OBJECT CANNOT BE EXPLAINED
+219	THE REQUIRED EXPLANATION TABLE <i>table-name</i> DOES NOT EXIST
+220	THE COLUMN <i>column-name</i> IN EXPLANATION TABLE <i>table-name</i> IS NOT DEFINED PROPERLY
+222	HOLE DETECTED USING CURSOR <i>cursor-name</i>
+231	CURRENT POSITION OF CURSOR <i>cursor-name</i> IS NOT VALID FOR THE SPECIFIED FETCH ORIENTATION OF THE CURRENT ROW OR ROWSET
+236	SQLDA INCLUDES <i>integer1</i> SQLVAR ENTRIES, BUT <i>integer2</i> ARE REQUIRED FOR <i>integer3</i> COLUMNS
+236	SQLDA INCLUDES <i>integer1</i> SQLVAR ENTRIES, BUT <i>integer2</i> ARE REQUIRED FOR <i>integer3</i> COLUMNS
+237	SQLDA INCLUDES <i>integer1</i> SQLVAR ENTRIES, BUT <i>integer2</i> ARE REQUIRED BECAUSE AT LEAST ONE OF THE COLUMNS BEING DESCRIBED IS A DISTINCT TYPE
+238	SQLDA INCLUDES <i>integer1</i> SQLVAR ENTRIES, BUT <i>integer2</i> SQLVAR ENTRIES ARE NEEDED FOR <i>integer3</i> COLUMNS BECAUSE AT LEAST ONE OF THE COLUMNS BEING DESCRIBED IS A LOB
+239	SQLDA INCLUDES <i>integer1</i> SQLVAR ENTRIES, BUT <i>integer2</i> ARE REQUIRED FOR <i>integer3</i> COLUMNS BECAUSE AT LEAST ONE OF THE COLUMNS BEING DESCRIBED IS A DISTINCT TYPE
+252	A NON-ATOMIC <i>statement</i> STATEMENT SUCCESSFULLY PROCESSED ALL REQUESTED ROWS, WITH ONE OR MORE WARNING CONDITION
+304	A VALUE WITH DATA TYPE <i>data-type1</i> CANNOT BE ASSIGNED TO A HOST VARIABLE BECAUSE THE VALUE IS NOT WITHIN THE RANGE OF THE HOST VARIABLE IN POSITION <i>position-number</i> WITH DATA TYPE <i>data-type2</i>
+331	THE NULL VALUE HAS BEEN ASSIGNED TO A HOST VARIABLE OR PARAMETER BECAUSE THE STRING CANNOT BE CONVERTED FROM <i>source-ccsid</i> TO <i>target-ccsid</i> . REASON <i>reason-code</i> , POSITION <i>position-number</i>

+335	DB2 CONVERTED A HOST VARIABLE, PARAMETER, OR COLUMN NUMBER <i>var-num var-name-or-num</i> TO COLUMN NAME, HOST VARIABLE, OR EXPRESSION NUMBER <i>col-name-or-num</i> FROM <i>from ccsid</i> TO <i>to-ccsid</i> , AND RESULTING IN SUBSTITUTION CHARACTERS.
+339	THE SQL STATEMENT HAS BEEN SUCCESSFULLY EXECUTED, BUT THERE MAY BE SOME CHARACTER CONVERSION INCONSISTENCIES
+347	THE RECURSIVE COMMON TABLE EXPRESSION <i>name</i> MAY CONTAIN AN INFINITE LOOP
+354	A ROWSET FETCH STATEMENT MAY HAVE RETURNED ONE OR MORE ROWS OF DATA. HOWEVER, ONE OR MORE WARNING CONDITIONS WERE ALSO ENCOUNTERED. USE THEGET DIAGNOSTICS STATEMENT FOR MORE INFORMATION REGARDING THE CONDITIONS THAT WERE ENCOUNTERED.
+361	COMMAND WAS SUCCESSFUL BUT RESULTED IN THE FOLLOWING: <i>msg-token</i>
+364	DECFLOAT EXCEPTION <i>exception-type</i> HAS OCCURRED DURING <i>operation-type</i> OPERATION, POSITION <i>position-type</i>
+385	ASSIGNMENT TO AN SQLSTATE OR SQLCODE VARIABLE IN AN SQL ROUTINE <i>routine-name</i> MAY BE OVERRITTEN AND DOES NOT ACTIVATE ANY HANDLER.
+394	ALL USER SPECIFIED OPTIMIZATION HINTS USED DURING ACCESS PATH SELECTION
+395	USER SPECIFIED OPTIMIZATION HINTS ARE INVALID (REASON CODE = 'reason-code'). THE OPTIMIZATION HINTS ARE IGNORED.
+402	LOCATION <i>location</i> IS UNKNOWN
+403	THE LOCAL OBJECT REFERENCED BY CREATE ALIAS STATEMENT DOES NOT EXIST
+434	<i>clause</i> IS A DEPRECATED FEATURE
+438	APPLICATION RAISED WARNING WITH DIAGNOSTIC TEXT: <i>text</i>
+440	NO <i>routine-type</i> BY THE NAME <i>routine-name</i> HAVING COMPATIBLE ARGUMENTS WAS FOUND
+445	VALUE <i>value</i> HAS BEEN TRUNCATED
+462	EXTERNAL FUNCTION OR PROCEDURE <i>name</i> (SPECIFIC NAME <i>specific-name</i>) HAS RETURNED A WARNING SQLSTATE, WITH DIAGNOSTIC TEXT <i>text</i>
+464	PROCEDURE <i>proc</i> RETURNED <i>num</i> QUERY RESULT SETS, WHICH EXCEEDS THE DEFINED LIMIT <i>integer</i>
+466	CREATE PROCEDURE <i>proc</i> RETURNED <i>num</i> QUERY RESULTS SETS
+494	NUMBER OF RESULT SETS IS GREATER THAN NUMBER OF LOCATORS
+495	ESTIMATED PROCESSOR COST OF <i>estimate-amount1</i> PROCESSOR SECONDS (<i>estimate-amount2</i> SERVICE UNITS) IN COST CATEGORY <i>cost-category</i> EXCEEDS A RESOURCE LIMIT WARNING THRESHOLD OF <i>limit-amount</i> SERVICE UNITS
+535	THE RESULT OF THE POSITIONED UPDATE OR DELETE MAY DEPEND ON THE ORDER OF THE ROWS
+541	THE REFERENTIAL OR UNIQUE CONSTRAINT <i>name</i> HAS BEEN IGNORED BECAUSE IT IS A DUPLICATE
+551	<i>auth-id</i> DOES NOT HAVE THE PRIVILEGE TO PERFORM OPERATION <i>operation</i> ON OBJECT <i>object-name</i>
+552	<i>auth-id</i> DOES NOT HAVE THE PRIVILEGE TO PERFORM OPERATION <i>operation</i>
+558	THE WITH GRANT OPTION IS IGNORED
+561	THE ALTER, INDEX, REFERENCES, AND TRIGGER PRIVILEGES CANNOT BE GRANTED PUBLIC AT ALL LOCATIONS
+562	A GRANT OF A PRIVILEGE WAS IGNORED BECAUSE THE GRANTEE ALREADY HAS THE PRIVILEGE FROM THE GRANTOR
+585	THE COLLECTION <i>collection-id</i> APPEARS MORE THAN ONCE WHEN SETTING THE <i>special-register</i> SPECIAL REGISTER

+599	COMPARISON FUNCTIONS ARE NOT CREATED FOR A DISTINCT TYPE BASED ON A LONG STRING DATA TYPE
+610	A CREATE/ALTER ON OBJECT <i>object-name</i> HAS PLACED OBJECT IN <i>utility</i> PENDING
+650	THE TABLE BEING CREATED OR ALTERED CANNOT BECOME A DEPENDENT TABLE
+653	TABLE <i>table-name</i> IN PARTITIONED TABLESPACE <i>tspace-name</i> IS NOT AVAILABLE BECAUSE ITS PARTITIONED INDEX HAS NOT BEEN CREATED
+655	STOGROUP <i>stogroup_name</i> HAS BOTH SPECIFIC AND NON-SPECIFIC VOLUME IDS. IT WILL NOT BE ALLOWED IN FUTURE RELEASES
+658	THE SUBPAGES VALUE IS IGNORED FOR THE CATALOG INDEX <i>index-name</i>
+664	THE INTERNAL LENGTH OF THE LIMIT-KEY FIELDS SPECIFIED IN THE PARTITION CLAUSE OF THE <i>statement-name</i> STATEMENT EXCEEDS THE EXISTING INTERNAL LIMIT KEY LENGTH STORED IN CATALOG TABLE <i>table-name</i>
+738	DEFINITION CHANGE OF <i>object object_name</i> MAY REQUIRE SIMILAR CHANGE ON READ-ONLY SYSTEMS
+799	A SET STATEMENT REFERENCES A SPECIAL REGISTER THAT DOES NOT EXIST AT THE SERVER SITE
+802	EXCEPTION ERROR <i>exception-type</i> HAS OCCURRED DURING <i>operation-type</i> OPERATION ON <i>data-type</i> DATA, POSITION <i>position-number</i>
+806	BIND ISOLATION LEVEL RR CONFLICTS WITH TABLESPACE LOCKSIZE PAGE OR LOCKSIZE ROW AND LOCKMAX 0
+807	THE RESULT OF DECIMAL MULTIPLICATION MAY CAUSE OVERFLOW
+863	THE CONNECTION WAS SUCCESSFUL BUT ONLY SBCS WILL BE SUPPORTED
+883	ROLLBACK TO SAVEPOINT OCCURRED WHEN THERE WERE OPERATIONS THAT CANNOT BE UNDONE, OR AN OPERATION THAT CANNOT BE UNDONE WAS PERFORMED WHEN THERE WAS A SAVEPOINT OUTSTANDING
+4726	THE STATEMENT WAS SUCCESSFULLY PREPARED, BUT IT CANNOT BE EXECUTED.
+4745	A SECTION WAS BOUND SUCCESSFULLY, BUT AN ERROR OCCURRED WHEN A STATEMENT IN A RELATED EXTENDED SECTION WAS BOUND. INFORMATION RETURNED: SECTION NUMBER <i>section-number</i> , SQLCODE <i>sqlcode</i> , SQLSTATE <i>sqlstate</i> , AND MESSAGE TOKENS <i>token-list</i>
+4751	<i>bind-type</i> WARNING FOR PACKAGE = <i>package-name</i> , THE USE OF <i>keyword</i> RESULTED IN UNSUCCESSFUL COMPLETION FOR ONE OR MORE STATEMENTS
+20002	THE <i>clause</i> SPECIFICATION IS IGNORED FOR THE OBJECT <i>object-name</i>
+20007	USE OF OPTIMIZATION HINTS IS DISALLOWED BY A DB2 SUBSYSTEM THE SPECIAL REGISTER 'OPTIMIZATION HINT' IS SET TO THE DEFAULT VALUE OF BLANKS.
+20122	DEFINE NO OPTION IS NOT APPLICABLE IN THE CONTEXT SPECIFIED
+20141	TRUNCATION OF VALUE WITH LENGTH <i>length</i> OCCURRED FOR <i>hv-or-parm-number</i>
+20187	ROLLBACK TO SAVEPOINT CAUSED A NOT LOGGED TABLE SPACE TO BE PLACED IN THE LPL
+20237	FETCH PRIOR ROWSET FOR CURSOR <i>cursor-name</i> RETURNED A PARTIAL ROWSET
+20245	NOT PADDED CLAUSE IS IGNORED FOR INDEXES CREATED ON AUXILIARY TABLES
+20270	OPTION NOT SPECIFIED FOLLOWING ALTER PARTITION CLAUSE
+20271	THE NAME AT ORDINAL POSITION <i>position-number</i> IN THE STATEMENT, WITH NAME <i>object-name</i> , WAS TRUNCATED.
+20272	TABLE SPACE <i>table-space-name</i> HAS BEEN CONVERTED TO USE TABLE-CONTROLLED PARTITIONING INSTEAD OF INDE CONTROLLED PARTITIONING, ADDITIONAL INFORMATION <i>old-limit-key-value</i>
+20341	OWNERSHIP TRANSFER WAS IGNORED BECAUSE <i>auth-id</i> IS ALREADY THE OWNER OF THE OBJECT
+20348	THE PATH VALUE HAD BEEN TRUNCATED
+20360	TRUSTED CONNECTION CAN NOT BE ESTABLISHED FOR SYSTEM AUTHID <i>authorization-name</i>

+20365	A SIGNALING NAN WAS ENCOUNTERED, OR AN EXCEPTION OCCURRED IN AN ARITHMETIC OPERATION OR FUNCTION INVOLVING A DECFLOAT
+20367	OPTION <i>clause</i> IS NOT SUPPORTED IN THE CONTEXT IN WHICH IT WAS SPECIFIED
+20371	THE ABILITY TO USE TRUSTED CONTEXT <i>context-name</i> WAS REMOVED FROM SOME, BUT NOT ALL AUTHORIZATION IDS SPECIFIED IN THE STATEMENT
+20378	A NON-ATOMIC <i>statement</i> STATEMENT SUCCESSFULLY COMPLETED FOR SOME OF THE REQUESTED ROWS, POSSIBLY WITH WARNING, AND ONE OR MORE ERRORS, AND THE CURSOR CAN BE USED
+20458	THE PROCEDURE <i>procedure-name</i> HAS ENCOUNTERED AN INTERNAL PARAMETER PROCESSING ERROR IN PARAMETER <i>number1</i> . THE VALUE FOR PARAMETER <i>number2</i> CONTAINS FURTHER INFORMATION ABOUT THE ERROR.
+20459	THE PROCEDURE <i>procedure-name</i> HAD ENCOUNTERED AN INTERNAL PROCESSING ERROR. THE VALUE FOR PARAMETER <i>number</i> CONTAINS FURTHER INFORMATION ABOUT THE ERROR.
+20460	THE PROCEDURE <i>procedure-name</i> SUPPORTS A HIGHER VERSION, <i>version1</i> . THAN THE SPECIFIEDVERSION, <i>version2</i> , FOR PARAMETER <i>number</i> .
+20461	THE PROCEDURE <i>procedure-name</i> RETURNED OUTPUT IN THE ALTERNATE LOCALE, <i>locale1</i> , INSTEAD OF THE LOCALE <i>locale2</i> , SPECIFIED IN PARAMETER <i>number</i> .
+20468	THE COMBINATION OF TARGET NAMESPACE <i>target-namespace</i> AND SCHEMA LOCATION HINT <i>location-hint</i> IS NOT UNIQUE IN THE DB2 XML SCHEMA REPOSITORY.
+20520	ATTEMPT TO USE A DEPRECATED FEATURE ON OBJECT <i>object-name</i> . REASON CODE <i>reason-code</i>
+20543	A SYSTEM PARAMETER WAS OVERRIDDEN FOR <i>object-name</i> WHEN PROCESSING THE <i>statement-name</i> STATEMENT. REASON <i>reason-code</i>
+30100	OPERATION COMPLETED SUCCESSFULLY BUT A DISTRIBUTION PROTOCOL VIOLATION HAS BEEN DETECTED. ORIGINAL SQLCODE= <i>original-sqlcode</i> AND ORIGINAL SQLSTATE= <i>original-sqlstate</i>

SQL Error Return Codes

-007	STATEMENT CONTAINS THE ILLEGAL CHARACTER <i>character</i>
-010	THE STRING CONSTANT BEGINNING <i>string</i> IS NOT TERMINATED
-011	COMMENT NOT CLOSED
-029	INTO CLAUSE REQUIRED
-051	Identifier-Name (<i>sqltype</i>) WAS PREVIOUSLY DECLARED OR REFERENCED
-056	AN SQLSTATE OR SQLCODE VARIABLE DECLARATION IS IN A NESTED COMPOUND STATEMENT
-057	THE RETURN STATEMENT IN AN SQL FUNCTION MUST RETURN A VALUE.
-058	VALUE SPECIFIED ON RETURN STATEMENT MUST BE AN INTEGER
-060	INVALID <i>type</i> SPECIFICATION : <i>spec</i>
-078	PARAMETER NAMES MUST BE SPECIFIED FOR ROUTINE <i>routine-name</i>
-079	QUALIFIER FOR OBJECT <i>name</i> WAS SPECIFIED AS <i>qualifier1</i> but <i>qualifier2</i> IS REQUIRED
-084	UNACCEPTABLE SQL STATEMENT
-087	A NULL VALUE WAS SPECIFIED IN A CONTEXT WHERE A NULL IS NOT ALLOWED
-096	VARIABLE <i>variable-name</i> DOES NOT EXIST OR IS NOT SUPPORTED BY THE SERVER AND A DEFAULT VALUE WAS NOT PROVIDED
-097	THE USE OF LONG VARCHAR OR LONG VARGRAPHIC IS NOT ALLOWED IN THIS CONTEXT
-101	THE STATEMENT IS TOO LONG OR TOO COMPLEX
-102	LITERAL STRING IS TOO LONG. STRING BEGINS <i>string</i>
-103	<i>constant</i> IS AN INVALID NUMERIC CONSTANT
-104	ILLEGAL SYMBOL " <i>token</i> ". SOME SYMBOLS THAT MIGHT BE LEGAL ARE: <i>token-list</i>
-105	INVALID STRING
-107	THE NAME <i>name</i> IS TOO LONG. MAXIMUM ALLOWABLE SIZE IS
-108	THE NAME <i>name</i> IS QUALIFIED INCORRECTLY
-109	<i>clause</i> CLAUSE IS NOT PERMITTED
-110	INVALID HEXADECIMAL LITERAL BEGINNING <i>string</i>
-111	AN AGGREGATE FUNCTION DOES NOT INCLUDE A COLUMN NAME
-112	THE OPERAND OF AN AGGREGATE FUNCTION INCLUDES AN AGGREGATE FUNCTION, AND OLAP SPECIFICATION, OR SCALAR FULLSELECT
-113	INVALID CHARACTER FOUND IN <i>string</i> , REASON CODE <i>nnn</i>
-114	THE LOCATION NAME <i>location</i> DOES NOT MATCH THE CURRENT SERVER
-115	A PREDICATE IS INVALID BECAUSE THE COMPARISON OPERATOR <i>operator</i> IS FOLLOWED BY A PARENTHESESIZED LIST OR BY ANY OR ALL WITHOUT A SUBQUERY
-117	THE NUMBER OF VALUES ASSIGNED IS NOT THE SAME AS THE NUMBER OF SPECIFIED OR IMPLIED COLUMNS
-118	THE OBJECT TABLE OR VIEW OF THE DELETE OR UPDATE STATEMENT IS ALSO IDENTIFIED IN A FROM CLAUSE
-119	A COLUMN OR EXPRESSION IN A HAVING CLAUSE IS NOT VALID
-120	AN AGGREGATE FUNCTION OR OLAP SPECIFICATION IS NOT VALID IN THE CONTEXT IN WHICH IS WAS INVOKED
-121	THE COLUMN <i>name</i> IS IDENTIFIED MORE THAN ONCE IN THE INSERT OR UPDATE OR SET TRANSITION VARIABLE STATEMENT
-122	COLUMN OR EXPRESSION IN THE SELECT LIST IS NOT VALID
-123	THE PARAMETER IN POSITION <i>n</i> IN THE FUNCTION <i>name</i> MUST BE A CONSTANT OR KEYWORD
-125	AN INTEGER IN THE ORDER BY CLAUSE DOES NOT IDENTIFY A COLUMN OF THE

	RESULT
-126	THE SELECT STATEMENT CONTAINS BOTH AN UPDATE CLAUSE AND AN ORDER BY CLAUSE
-127	DISTINCT IS SPECIFIED MORE THAN ONCE IN A SUBSELECT
-128	INVALID USE OF NULL IN A PREDICATE
-129	THE STATEMENT CONTAINS TOO MANY TABLE NAMES
-130	THE ESCAPE CLAUSE CONSISTS OF MORE THAN ONE CHARACTER, OR THE STRING PATTERN CONTAINS AN INVALID OCCURRENCE OF THE ESCAPE CHARACTER
-131	STATEMENT WITH LIKE PREDICATE HAS INCOMPATIBLE DATA TYPES
-132	AN OPERAND OF <i>value</i> IS NOT VALID
-133	AN AGGREGATE FUNCTION IN A SUBQUERY OF A HAVING CLAUSE IS INVALID BECAUSE ALL COLUMN REFERENCES IN ITS ARGUMENT ARE NOT CORRELATED TO THE GROUP BY RESULT THAT THE HAVING CLAUSE IS APPLIED TO
-134	IMPROPER USE OF A STRING, LOB, XML OR ARRAY VALUE
-136	SORT CANNOT BE EXECUTED BECAUSE THE SORT KEY LENGTH IS TOO LONG
-137	THE LENGTH RESULTING FROM <i>operation</i> IS GREATER THAN <i>maximum-length</i>
-138	THE SECOND OR THIRD ARGUMENT OF THE SUBSTR OR SUBSTRING FUNCTION IS OUT OF RANGE
-142	THE SQL STATEMENT IS NOT SUPPORTED
-144	INVALID SECTION NUMBER <i>number</i>
-147	ALTER FUNCTION <i>function-name</i> FAILED BECAUSE SOURCE FUNCTIONS OR NOT FENCED EXTERNAL FUNCTION CANNOT BE ALTERED
-148	THE SOURCE TABLE <i>source-name</i> CANNOT BE RENAMED OR ALTERED, REASON <i>reason-code</i>
-150	THE OBJECT OF THE INSERT, DELETE, UPDATE, MERGE, OR TRUNCATE STATEMENT IS A VIEW, SYSTEM-MAINTAINED MATERIALIZED QUERY TABLE, OR TRANSITION TABLE FOR WHICH THE REQUESTED OPERATION IS NOT PERMITTED
-151	THE UPDATE OPERATION IS INVALID BECAUSE THE CATALOG DESCRIPTION OF COLUMN <i>column-name</i> INDICATES THAT IT CANNOT BE UPDATED
-152	THE DROP <i>clause</i> CLAUSE IN THE ALTER STATEMENT IS INVALID BECAUSE <i>constraint-name</i> IS A <i>constraint-type</i>
-153	THE STATEMENT IS INVALID BECAUSE THE VIEW OR TABLE DEFINITION DOES NOT INCLUDE A UNIQUE NAME FOR EACH COLUMN
-154	THE STATEMENT FAILED BECAUSE VIEW OR TABLE DEFINITION IS NOT VALID
-156	THE STATEMENT DOES NOT IDENTIFY A TABLE
-157	ONLY A TABLE NAME CAN BE SPECIFIED IN A FOREIGN KEY CLAUSE. <i>object-name</i> IS NOT THE NAME OF A TABLE.
-158	THE NUMBER OF COLUMNS SPECIFIED FOR <i>name</i> IS NOT THE SAME AS THE NUMBER OF COLUMNS IN THE RESULT TABLE.
-159	THE STATEMENT REFERENCES <i>object-name</i> WHICH IDENTIFIES AN <i>object-type</i> RATHER THAN AN <i>expected-object-type</i>
-160	THE WITH CHECK OPTION CANNOT BE USED FOR THE SPECIFIED VIEW
-161	THE INSERT OR UPDATE IS NOT ALLOWED BECAUSE A RESULTING ROW DOES NOT SATISFY THE VIEW DEFINITION
-164	<i>auth-id1</i> DOES NOT HAVE THE PRIVILEGE TO CREATE A VIEW WITH QUALIFICATION <i>authorization ID</i>
-170	THE NUMBER OF ARGUMENTS SPECIFIED FOR <i>function-name</i> IS INVALID
-171	THE DATA TYPE, LENGTH, OR VALUE OF ARGUMENT <i>nn</i> OF ARGUMENT <i>nn</i> OR <i>function-name</i> IS INVALID
-173	UR IS SPECIFIED ON THE WITH CLAUSE BUT THE CURSOR IS NOT READ-ONLY
-180	THE DATE, TIME, OR TIMESTAMP VALUE <i>value</i> IS INVALID

-181	THE STRING REPRESENTATION OF A DATETIME VALUE IS NOT A VALID DATETIME VALUE
-182	AN ARITHMETIC EXPRESSION WITH A DATETIME VALUE IS INVALID
-183	AN ARITHMETIC OPERATION ON A DATE OR TIMESTAMP HAS A RESULT THAT IS NOT WITHIN THE VALID RANGE OF DATES
-184	AN ARITHMETIC EXPRESSION WITH A DATETIME VALUE CONTAINS A PARAMETER MARKER
-185	THE LOCAL FORMAT OPTION HAS BEEN USED WITH A DATE OR TIME AND NO LOCAL EXIT HAS BEEN INSTALLED
-186	THE LOCAL DATE LENGTH OR LOCAL TIME LENGTH HAS BEEN INCREASED AND EXECUTING PROGRAM RELIES ON THE OLD LENGTH
-187	A REFERENCE TO A CURRENT DATE/TIME SPECIAL REGISTER IS INVALID BECAUSE THE MVS TOD CLOCK IS BAD OR THE MVS PARMTZ IS OUT OF RANGE
-188	THE STRING REPRESENTATION OF A NAME IS INVALID
-189	CCSID <i>ccsid</i> IS INVALID
-190	THE ATTRIBUTES SPECIFIED FOR THE COLUMN <i>table-name.column-name</i> ARE NOT COMPATIBLE WITH THE EXISTING COLUMN DEFINITION
-191	A STRING CANNOT BE USED BECAUSE IT IS INVALID MIXED DATA
-195	LAST COLUMN OF <i>table-name</i> CANNOT BE DROPPED
-197	QUALIFIED COLUMN NAMES IN ORDER BY CLAUSE NOT PERMITTED WHEN UNION OR UNION ALL SPECIFIED
-198	THE OPERAND OF THE PREPARE OR EXECUTE IMMEDIATE STATEMENT IS BLANK OR EMPTY
-199	ILLEGAL USE OF KEYWORD <i>keyword</i> TOKEN <i>token-list</i> WAS EXPECTED
-203	A REFERENCE TO COLUMN <i>column-name</i> IS AMBIGUOUS
-204	<i>name</i> IS AN UNDEFINED NAME
-205	<i>column-name</i> IS NOT A COLUMN OF TABLE <i>table-name</i>
-206	<i>name</i> IS NOT VALID IN THE CONTEXT WHERE IT IS USED
-208	THE ORDER BY CLAUSE IS INVALID BECAUSE COLUMN <i>name</i> IS NOT, PART OF THE RESULT TABLE
-212	<i>name</i> IS SPECIFIED MORE THAN ONCE IN THE REFERENCING CLAUSE OF A TRIGGER DEFINITION
-214	AN EXPRESSION IN THE FOLLOWING POSITION, OR STARTING WITH <i>position-or-expression-start</i> IN THE <i>clause-type</i> CLAUSE IS NOT VALID. REASON CODE = <i>reason-code</i>
-216	THE NUMBER OF ELEMENTS ON EACH SIDE OF A PREDICATE OPERATOR DOES NOT MATCH. PREDICATE OPERATOR IS <i>operator</i> .
-219	THE REQUIRED EXPLANATION TABLE <i>table-name</i> DOES NOT EXIST
-220	THE COLUMN <i>column-name</i> IN EXPLANATION TABLE <i>table-name</i> IS NOT DEFINED PROPERLY
-221	"SET OF OPTIONAL COLUMNS" IN EXPLANATION TABLE <i>table-name</i> IS INCOMPLETE OPTIONAL COLUMN <i>column-name</i> IS MISSING
-222	AN UPDATE OR DELETE OPERATION WAS ATTEMPTED AGAINST A HOLE USING CURSOR <i>cursor-name</i>
-224	THE RESULT TABLE DOES NOT AGREE WITH THE BASE TABLE USING <i>cursor-name</i>
-225	FETCH STATEMENT FOR <i>cursor-name</i> IS NOT VALID FOR THE DECLARATION OF THE CURSOR
-227	FETCH <i>fetch-orientation</i> IS NOT ALLOWED, BECAUSE CURSOR <i>cursor-name</i> HAS AN UNKNOWN POSITION (<i>sqlcode,sqlstate</i>)
-228	FOR UPDATE CLAUSE SPECIFIED FOR READ-ONLY CURSOR <i>cursor-name</i>
-229	THE LOCALE <i>locale</i> SPECIFIED IN A SET LOCALE OR OTHER STATEMENT THAT IS LOCALE SENSITIVE WAS NOT FOUND
-240	THE PARTITION CLAUSE OF A LOCK TABLE STATEMENT IS INVALID

-242	THE OBJECT NAMED <i>object-name</i> OF TYPE <i>object-type</i> WAS SPECIFIED MORE THAN ONCE IN THE LIST OF OBJECTS, OR THE NAME IS THE SAME AS AN EXISTING OBJECT
-243	SENSITIVE CURSOR <i>cursor-name</i> CANNOT BE DEFINED FOR THE SPECIFIED SELECT STATEMENT
-244	SENSITIVITY <i>sensitivity</i> SPECIFIED ON THE FETCH IS NOT VALID FOR CURSOR <i>cursor-name</i>
-245	THE INVOCATION OF FUNCTION <i>routine-name</i> IS AMBIGUOUS
-246	STATEMENT USING CURSOR <i>cursor-name</i> SPECIFIED NUMBER OF ROWS <i>num-rows</i> WHICH IS NOT VALID WITH <i>dimension</i>
-247	A HOLE WAS DETECTED ON A MULTIPLE ROW FETCH STATEMENT USING CURSOR <i>cursor-name</i> , BUT INDICATOR VARIABLES WERE NOT PROVIDED TO DETECT THE CONDITION
-248	A POSITIONED DELETE OR UPDATE STATEMENT FOR CURSOR <i>cursor-name</i> SPECIFIED ROW <i>n</i> OF A ROWSET, BUT THE ROW IS NOT CONTAINED WITHIN THE CURRENT ROWSET
-249	DEFINITION OF ROWSET ACCESS FOR CURSOR <i>cursor-name</i> IS INCONSISTENT WITH THE FETCH ORIENTATION CLAUSE <i>clause</i> SPECIFIED
-250	THE LOCAL LOCATION NAME IS NOT DEFINED WHEN PROCESSING A THREE-PART OBJECT NAME
-251	TOKEN <i>name</i> IS NOT VALID
-253	A NON-ATOMIC <i>statement</i> STATEMENT SUCCESSFULLY COMPLETED FOR SOME OF THE REQUESTED ROWS, POSSIBLY WITH WARNINGS, AND ONE OR MORE ERRORS
-254	A NON-ATOMIC <i>statement</i> STATEMENT ATTEMPTED TO PROCESS MULTIPLE ROWS OF DATA, BUT ERRORS OCCURRED
-270	FUNCTION NOT SUPPORTED
-300	THE STRING CONTAINED IN HOST VARIABLE OR PARAMETER <i>position-number</i> IS NOT NUL-TERMINATED
-301	THE VALUE OF INPUT HOST VARIABLE OR PARAMETER NUMBER <i>position-number</i> CANNOT BE USED AS SPECIFIED BECAUSE OF ITS DATA TYPE
-302	THE VALUE OF INPUT VARIABLE OR PARAMETER NUMBER <i>position-number</i> IS INVALID OR TOO LARGE FOR THE TARGET COLUMN OR THE TARGET VALUE
-303	A VALUE CANNOT BE ASSIGNED TO OUTPUT HOST VARIABLE NUMBER <i>position-number</i> BECAUSE THE DATA TYPES ARE NOT COMPARABLE
-304	A VALUE WITH DATA TYPE <i>data-type1</i> CANNOT BE ASSIGNED TO A HOST VARIABLE BECAUSE THE VALUE IS NOT WITHIN THE RANGE OF THE HOST VARIABLE IN POSITION <i>position-number</i> WITH DATA TYPE <i>data-type2</i>
-305	THE NULL VALUE CANNOT BE ASSIGNED TO OUTPUT HOST VARIABLE NUMBER <i>position-number</i> BECAUSE NO INDICATOR VARIABLE IS SPECIFIED
-309	A PREDICATE IS INVALID BECAUSE A REFERENCED HOST VARIABLE HAS THE NULL VALUE
-310	DECIMAL HOST VARIABLE OR PARAMETER <i>number</i> CONTAINS NON-DECIMAL DATA
-311	THE LENGTH OF INPUT HOST VARIABLE NUMBER <i>position-number</i> IS NEGATIVE OR GREATER THAN THE MAXIMUM
-312	VARIABLE <i>variable-name</i> IS NOT DEFINED OR NOT USABLE
-313	THE NUMBER OF HOST VARIABLES SPECIFIED IS NOT EQUAL TO THE NUMBER OF PARAMETER MARKERS
-314	THE STATEMENT CONTAINS AN AMBIGUOUS HOST VARIABLE REFERENCE
-327	THE ROW CANNOT BE INSERTED BECAUSE IT IS OUTSIDE THE BOUND OF THE PARTITION RANGE FOR THE LAST PARTITION
-330	A STRING CANNOT BE USED BECAUSE IT CANNOT BE PROCESSED. REASON <i>reason-code</i> , CHARACTER <i>code-point</i> , HOST VARIABLE <i>position-number</i>

-331	CHARACTER CONVERSION CANNOT BE PERFORMED BECAUSE A STRING, POSITION <i>position-number</i> , CANNOT BE CONVERTED FROM <i>source-ccsid</i> TO <i>target-ccsid</i> , REASON <i>reason-code</i>
-332	CHARACTER CONVERSION BETWEEN CCSID <i>from-ccsid</i> TO <i>to-ccsid</i> REQUESTED BY <i>reason-code</i> IS NOT SUPPORTED
-333	THE SUBTYPE OF A STRING VARIABLE IS NOT THE SAME AS THE SUBTYPE KNOWN AT BIND TIME AND THE DIFFERENCE CANNOT BE RESOLVED BY CHARACTER CONVERSION
-336	THE SCALE OF THE DECIMAL NUMBER MUST BE ZERO
-338	AN ON CLAUSE IS INVALID
-340	THE COMMON TABLE EXPRESSION <i>name</i> HAS THE SAME IDENTIFIER AS ANOTHER OCCURRENCE OF A COMMON TABLE EXPRESSION DEFINITION WITHIN THE SAME STATEMENT
-341	A CYCLIC REFERENCE EXISTS BETWEEN THE COMMON TABLE EXPRESSIONS <i>name1</i> AND <i>name2</i>
-342	THE COMMON TABLE EXPRESSION <i>name</i> MUST NOT USE SELECT DISTINCT AND MUST USE UNION ALL BECAUSE IT IS RECURSIVE
-343	THE COLUMN NAMES ARE REQUIRED FOR THE RECURSIVE COMMON TABLE EXPRESSION <i>name</i>
-344	THE RECURSIVE COMMON TABLE EXPRESSION <i>name</i> HAS MISMATCHED DATA TYPES OR LENGTHS OR CODE PAGE FOR COLUMN <i>column-name</i>
-345	THE FULLSELECT OF THE RECURSIVE COMMON TABLE EXPRESSION <i>name</i> MUST BE A UNION ALL AND MUST NOT INCLUDE AGGREGATE FUNCTIONS, GROUP BY, HAVING, ORDER BY, OFFSET, FETCH FIRST, OR AN EXPLICIT JOIN INCLUDING AN ON CLAUSE
-346	AN INVALID REFERENCE TO COMMON TABLE EXPRESSION <i>name</i> OCCURS IN THE FIRST FULLSELECT, AS A SECOND OCCURRENCE IN THE SAME FROM CLAUSE, OR IN THE FROM CLAUSE OF A SUBQUERY
-348	<i>sequence-expression</i> CANNOT BE SPECIFIED IN THIS CONTEXT
-350	<i>column-name</i> WAS IMPLICITLY OR EXPLICITLY REFERENCED IN A CONTEXT IN WHICH IT CANNOT BE USED
-351	AN UNSUPPORTED SQLTYPE WAS ENCOUNTERED IN POSITION <i>position-number</i> OF THE SELECT-LIST
-352	AN UNSUPPORTED SQLTYPE WAS ENCOUNTERED IN POSITION <i>position-number</i> OF THE INPUT-LIST
-353	FETCH IS NOT ALLOWED, BECAUSE CURSOR <i>cursor-name</i> HAS AN UNKNOWN POSITION
-354	A ROWSET FETCH STATEMENT MAY HAVE RETURNED ONE OR MORE ROWS OF DATA. HOWEVER, ONE OR MORE NON-TERMINATING ERROR CONDITIONS WERE ENCOUNTERED. USE THE GET DIAGNOSTICS STATEMENT FOR MORE INFORMATION REGARDING THE CONDITIONS THAT WERE ENCOUNTERED
-355	A LOB COLUMN IS TOO LARGE TO BE LOGGED
-356	COLUMN OR KEY EXPRESSION <i>expression-number</i> IS NOT VALID, REASON CODE = <i>reason-code</i>
-359	THE RANGE OF VALUES FOR THE IDENTITY COLUMN IS EXHAUSTED
-363	THE EXTENDED INDICATOR VARIABLE VALUE FOR PARAMETER <i>position-number</i> IS OUT OF RANGE
-365	USE OF THE VALUE OF EXTENDED INDICATOR VARIABLE IN POSITION <i>value-position</i> IS NOT VALID
-372	ONLY ONE ROWID, IDENTITY, ROW CHANGE TIMESTAMP, ROW BEGIN, ROW END, TRANSACTION START ID, OR SECURITY LABEL COLUMN IS ALLOWED IN A TABLE
-373	DEFAULT CANNOT BE SPECIFIED FOR COLUMN OR SQL VARIABLE <i>name</i>
-374	THE CLAUSE <i>clause</i> HAS NOT BEEN SPECIFIED IN THE CREATE OR ALTER FUNCTION STATEMENT FOR LANGUAGE SQL FUNCTION <i>function-name</i> BUT AN EXAMINATION OF

	THE FUNCTION BODY REVEALS THAT IT SHOULD BE SPECIFIED
-390	THE FUNCTION <i>function-name</i> , SPECIFIC NAME <i>specific-name</i> , IS NOT VALID IN THE CONTEXT WHERE IT IS USED
-392	SQLDA PROVIDED FOR CURSOR <i>cursor</i> HAS BEEN CHANGED FROM THE PREVIOUS FETCH
-393	THE CONDITION OR CONNECTION NUMBER IS INVALID
-396	<i>object-type</i> <i>object-name</i> ATTEMPTED TO EXECUTE AN SQL STATEMENT DURING FINAL CALL PROCESSING
-397	GENERATED IS SPECIFIED AS PART OF A COLUMN DEFINITION, BUT IT IS NOT VALID FOR THE DEFINITION OF THE COLUMN
-398	A LOCATOR WAS REQUESTED FOR HOST VARIABLE NUMBER <i>position-number</i> BUT THE VARIABLE IS NOT A LOB
-399	INVALID VALUE ROWID WAS SPECIFIED
-400	THE CATALOG HAS THE MAXIMUM NUMBER OF USER DEFINED INDEXES
-401	THE OPERANDS OF AN ARITHMETIC OR COMPARISON OPERATION ARE NOT COMPARABLE
-402	AN ARITHMETIC FUNCTION OR OPERATOR <i>arith-fop</i> IS APPLIED TO CHARACTER OR DATETIME DATA
-404	THE SQL STATEMENT SPECIFIES A STRING THAT IS TOO LONG
-405	THE NUMERIC LITERAL <i>literal</i> CANNOT BE USED AS SPECIFIED BECAUSE IT IS OUT OF RANGE
-406	A CALCULATED OR DERIVED NUMERIC VALUE IS NOT WITHIN THE RANGE OF ITS OBJECT COLUMN
-407	AN UPDATE, INSERT, OR SET VALUE IS NULL, BUT THE OBJECT COLUMN <i>column-name</i> CANNOT CONTAIN NULL VALUES
-408	THE VALUE IS NOT COMPATIBLE WITH THE DATA TYPE OF ITS TARGET.TARGET NAME IS <i>name</i>
-409	INVALID OPERAND OF A COUNT FUNCTION
-410	A NUMERIC VALUE <i>value</i> IS TOO LONG, OR IT HAS A VALUE THAT IS NOT WITHIN THE RANGE OF ITS DATA TYPE
-411	CURRENT SQLID CANNOT BE USED IN A STATEMENT THAT REFERENCES REMOTE OBJECTS
-412	THE SELECT CLAUSE OF A SUBQUERY SPECIFIES MULTIPLE COLUMNS
-413	OVERFLOW OR UNDERFLOW OCCURRED DURING NUMERIC DATA TYPE CONVERSION
-414	A LIKE PREDICATE IS INVALID BECAUSE THE FIRST OPERAND IS NOT A STRING
-415	THE CORRESPONDING COLUMNS, <i>column-number</i> , OF THE OPERANDS OF A SET OPERATOR ARE NOT COMPATIBLE
-416	AN OPERAND OF A UNION CONTAINS A LONG STRING COLUMN
-417	A STATEMENT STRING TO BE PREPARED INCLUDES PARAMETER MARKERS AS THE OPERANDS OF THE SAME OPERATOR
-418	A STATEMENT STRING TO BE PREPARED CONTAINS AN INVALID USE OF PARAMETER MARKERS
-419	THE DECIMAL DIVIDE OPERATION IS INVALID BECAUSE THE RESULT WOULD HAVE A NEGATIVE SCALE
-420	THE VALUE OF A CHARACTER STRING ARGUMENT WAS NOT ACCEPTABLE TO THE <i>function-name</i> FUNCTION
-421	THE OPERANDS OF A UNION OR UNION ALL DO NOT HAVE THE SAME NUMBER OF COLUMNS
-423	INVALID VALUE FOR LOCATOR IN POSITION <i>position-#</i>
-426	DYNAMIC COMMIT NOT VALID AT AN APPLICATION SERVER WHERE UPDATES ARE NOT ALLOWED

-427	DYNAMIC ROLLBACK NOT VALID AT AN APPLICATION SERVER WHERE UPDATES ARE NOT ALLOWED
-430	routine-type routine-name (SPECIFIC NAME specific-name) HAS ABNORMALLY TERMINATED
-431	ROUTINE routine-name (SPECIFIC NAME specific-name) OF TYPE routine-type HAS BEEN INTERRUPTED BY THE USER
-433	VALUE value IS TOO LONG
-435	AN INVALID SQLSTATE sqlstate IS SPECIFIED IN A RAISE_ERROR FUNCTION, RESIGNAL STATEMENT, OR SIGNAL STATEMENT
-438	APPLICATION RAISED ERROR WITH DIAGNOSTIC TEXT: text
-440	NO routine-type BY THE NAME routine-name HAVING COMPATIBLE ARGUMENTS WAS FOUND IN THE CURRENT PATH
-441	INVALID USE OF 'DISTINCT' OR 'ALL' WITH FUNCTION function-name
-443	ROUTINE routine-name (SPECIFIC NAME specific-name) HAS RETURNED AN ERROR SQLSTATE WITH DIAGNOSTIC TEXT msg-txt
-444	USER PROGRAM name COULD NOT BE FOUND
-449	CREATE OR ALTER STATEMENT FOR FUNCTION OR PROCEDURE routine-name CONTAINS AN INVALID FORMAT OF THE EXTERNAL NAME CLAUSE OR IS MISSING THE EXTERNAL NAME CLAUSE
-450	USER-DEFINED FUNCTION OR STORED PROCEDURE name, PARAMETER NUMBER paramnum, OVERLAYED STORAGE BEYOND ITS DECLARED LENGTH
-451	THE data-item DEFINITION IN THE CREATE OR ALTER STATEMENT FOR routine-name CONTAINS DATA TYPE type WHICH IS NOT SUPPORTED FOR THE TYPE AND LANGUAGE OF THE ROUTINE
-452	UNABLE TO ACCESS THE FILE REFERENCED BY HOST VARIABLE variable-position. REASON CODE: reason-code
-453	THERE IS A PROBLEM WITH THE RETURNS CLAUSE IN THE CREATE FUNCTION STATEMENT FOR function-name
-454	THE SIGNATURE PROVIDED IN THE CREATE FUNCTION STATEMENT FOR function-name MATHCES THE SIGNATURE OF SOME OTHER FUNCTION ALREADY EXISTING IN THE SCHEMA
-455	IN CREATE FUNCTION FOR function-name, THE SCHEMA NAME schema-name PROVIDED FOR THE SPECIFIC NAME DOES NOT MATCH THE SCHEMA NAME schema-name2 OF THE FUNCTION
-456	IN CREATE FUNCTION FOR function-name, THE SPECIFIC NAME specific-name ALREADY EXISTS IN THE SCHEMA
-457	A FUNCTION OR DISTINCT TYPE CANNOT BE CALLED name SINCE IT IS RESERVED FOR SYSTEM USE
-458	IN A REFERENCE TO FUNCTION function-name BY SIGNATURE, A MATCHING FUNCTION COULD NOT BE FOUND
-461	A VALUE WITH DATA TYPE source-data-type CANNOT BE CAST TO TYPE target-data-type
-469	SQL CALL STATEMENT MUST SPECIFY AN OUTPUT HOST VARIABLE FOR PARAMETER number
-470	SQL CALL STATEMENT SPECIFIED A NULL VALUE FOR INPUT PARAMETER number, BUT THE STORED PROCEDURE DOES NOT SUPPORT NULL VALUES
-471	INVOCATION OF FUNCTION OR PROCEDURE name FAILED DUE TO REASON rc
-472	CURSOR cursor-name WAS LEFT OPEN BY EXTERNAL FUNCTION function-name (SPECIFIC NAME specific-name)
-473	A USER DEFINED DATA TYPE CANNOT BE CALLED THE SAME NAME AS A SYSTEM PREDEFINED TYPE (BUILT-IN TYPE)
-475	THE RESULT TYPE type-1 OF THE SOURCE FUNCTION CANNOT BE CAST TO THE RETURNS TYPE type-2 OF THE USER-DEFINED FUNCTION

-476	REFERENCE TO FUNCTION <i>function-name</i> WAS NAMED WITHOUT A SIGNATURE, BUT THE FUNCTION IS NOT UNIQUE WITHIN ITS SCHEMA
-478	ALTER, DROP OR REVOKE AFFECTING OBJECT TYPE <i>object-type</i> CANNOT BE PROCESSED BECAUSE OBJECT <i>dependent-object</i> OF TYPE <i>dependent-type</i> IS DEPENDENT ON IT
-480	THE PROCEDURE <i>procedure-name</i> HAS NOT YET BEEN CALLED
-481	THE GROUP BY CLAUSE CONTAINS <i>element-1</i> NESTED WITHIN <i>element-2</i>
-482	THE PROCEDURE <i>procedure-name</i> RETURNED NO LOCATORS
-483	IN CREATE FUNCTION FOR <i>function-name</i> STATEMENT, THE NUMBER OF PARAMETERS DOES NOT MATCH THE NUMBER OF PARAMETERS OF THE SOURCE FUNCTION
-487	<i>object-type</i> <i>object-name</i> ATTEMPTED TO EXECUTE AN SQL STATEMENT WHEN THE DEFINITION OF THE FUNCTION OR PROCEDURE DID NOT SPECIFY THIS ACTION
-490	NUMBER <i>number</i> DIRECTLY SPECIFIED IN AN SQL STATEMENT IS OUTSIDE THE RANGE OF ALLOWABLE VALUES IN THIS CONTEXT (<i>minval</i> , <i>maxval</i>)
-491	CREATE STATEMENT FOR USER-DEFINED FUNCTION <i>function-name</i> MUST HAVE A RETURNS CLAUSE AND: THE EXTERNAL CLAUSE WITH OTHER REQUIRED KEYWORDS; THE RETURN STATEMENT AND PARAMETER NAMES; OR THE SOURCE CLAUSE
-492	THE CREATE FUNCTION FOR <i>function-name</i> HAS A PROBLEM WITH PARAMETER NUMBER <i>number</i> . IT MAY INVOLVE A MISMATCH WITH A SOURCE FUNCTION
-495	ESTIMATED PROCESSOR COST OF <i>estimate-amount1</i> PROCESSOR SECONDS (<i>estimate-amount2</i> SERVICE UNITS) IN COST CATEGORY <i>cost-category</i> EXCEEDS A RESOURCE LIMIT ERROR THRESHOLD OF <i>limit- amount</i> SERVICE UNITS
-496	THE SQL STATEMENT CANNOT BE EXECUTED BECAUSE IT REFERENCES A RESULT SET THAT WAS NOT CREATED BY THE CURRENT SERVER
-497	THE MAXIMUM LIMIT OF INTERNAL IDENTIFIERS HAS BEEN EXCEEDED FOR DATABASE
-499	CURSOR <i>cursor-name</i> HAS ALREADY BEEN ASSIGNED TO THIS OR ANOTHER RESULT SET FROM PROCEDURE <i>procedure-name</i> .
-500	THE IDENTIFIED CURSOR WAS CLOSED WHEN THE CONNECTION WAS DESTROYED
-501	THE CURSOR IDENTIFIED IN A FETCH OR CLOSE STATEMENT IS NOT OPEN
-502	THE CURSOR IDENTIFIED IN AN OPEN STATEMENT IS ALREADY OPEN
-503	A COLUMN CANNOT BE UPDATED BECAUSE IT IS NOT IDENTIFIED IN THE UPDATE CLAUSE OF THE SELECT STATEMENT OF THE CURSOR
-504	THE CURSOR NAME <i>cursor-name</i> IS NOT DECLARED
-507	THE CURSOR IDENTIFIED IN THE UPDATE OR DELETE STATEMENT IS NOT OPEN
-508	THE CURSOR IDENTIFIED IN THE UPDATE OR DELETE STATEMENT IS NOT POSITIONED ON A ROW OR ROWSET THAT CAN BE UPDATED OR DELETED
-509	THE TABLE IDENTIFIED IN THE UPDATE OR DELETE STATEMENT IS NOT THE SAME TABLE DESIGNATED BY THE CURSOR
-510	THE TABLE DESIGNATED BY THE CURSOR OF THE UPDATE OR DELETE STATEMENT CANNOT BE MODIFIED
-511	THE FOR UPDATE CLAUSE CANNOT BE SPECIFIED BECAUSE THE TABLE DESIGNATED BY THE CURSOR CANNOT BE MODIFIED
-512	STATEMENT REFERENCE TO REMOTE OBJECT IS INVALID
-513	THE ALIAS <i>alias-name</i> MUST NOT BE DEFINED ON ANOTHER LOCAL OR REMOTE ALIAS
-514	THE CURSOR <i>cursor-name</i> IS NOT IN A PREPARED STATE
-516	THE DESCRIBE FOR STATIC STATEMENT DOES NOT IDENTIFY A PREPARED STATEMENT
-517	CURSOR <i>cursor-name</i> CANNOT BE USED BECAUSE ITS STATEMENT NAME DOES NOT IDENTIFY A PREPARED SELECT STATEMENT
-518	THE EXECUTE STATEMENT DOES NOT IDENTIFY A VALID PREPARED STATEMENT

-519	THE PREPARE STATEMENT IDENTIFIES THE SELECT STATEMENT OF THE OPENED CURSOR <i>cursor-name</i>
-525	THE SQL STATEMENT CANNOT BE EXECUTED BECAUSE IT WAS IN ERROR AT BIND TIME FOR SECTION = <i>sectno</i> PACKAGE = <i>pkgname</i> CONSISTENCY TOKEN = X' <i>contoken</i> '
-526	THE REQUESTED OPERATION OR USAGE DOES NOT APPLY TO <i>table-type</i> TEMPORARY TABLE <i>table-name</i>
-530	THE INSERT OR UPDATE VALUE OF FOREIGN KEY <i>constraint-name</i> IS INVALID
-531	PARENT KEY IN A PARENT ROW CANNOT BE UPDATED BECAUSE IT HAS ONE OR MORE DEPENDENT ROWS IN RELATIONSHIP <i>constraint-name</i>
-532	THE RELATIONSHIP <i>constraint-name</i> RESTRICTS THE DELETION OF ROW WITH RID X <i>rid-number</i>
-533	INVALID MULTIPLE-ROW INSERT
-534	THE PRIMARY KEY CANNOT BE UPDATED BECAUSE OF MULTIPLE-ROW UPDATE
-536	THE DELETE STATEMENT IS INVALID BECAUSE TABLE <i>table-name</i> CAN BE AFFECTED BY THE OPERATION
-537	THE PRIMARY KEY CLAUSE, A FOREIGN KEY CLAUSE, OR A UNIQUE CLAUSE IDENTIFIES COLUMN <i>column-name</i> MORE THAN ONCE
-538	FOREIGN KEY <i>name</i> DOES NOT CONFORM TO THE DESCRIPTION OF A PARENT KEY OF TABLE <i>table-name</i>
-539	TABLE <i>table-name</i> DOES NOT HAVE A PRIMARY KEY
-540	THE DEFINITION OF TABLE <i>table-name</i> IS INCOMPLETE BECAUSE IT LACKS A PRIMARY INDEX OR A REQUIRED UNIQUE INDEX
-542	<i>column-name</i> CANNOT BE A COLUMN OF A HASH KEY, PRIMARY KEY, A UNIQUE CONSTRAINT, OR A PARENT KEY BECAUSE IT CAN CONTAIN NULL VALUES
-543	A ROW IN A PARENT TABLE CANNOT BE DELETED BECAUSE THE CHECK CONSTRAINT <i>check-constraint</i> RESTRICTS THE DELETION
-544	THE CHECK CONSTRAINT SPECIFIED IN THE ALTER TABLE STATEMENT CANNOT BE ADDED BECAUSE AN EXISTING ROW VIOLATES THE CHECK CONSTRAINT
-545	THE REQUESTED OPERATION IS NOT ALLOWED BECAUSE A ROW DOES NOT SATISFY THE CHECK CONSTRAINT <i>check-constraint</i>
-546	THE CHECK CONSTRAINT <i>constraint-name</i> IS INVALID
-548	A CHECK CONSTRAINT THAT IS DEFINED WITH <i>column-name</i> IS INVALID
-549	THE <i>statement</i> STATEMENT IS NOT ALLOWED FOR <i>object_type1</i> <i>object_name</i> BECAUSE THE BIND OPTION DYNAMICRULES(RUN) IS NOT IN EFFECT FOR <i>object_type2</i>
-551	<i>auth-id</i> DOES NOT HAVE THE PRIVILEGE TO PERFORM OPERATION <i>operation</i> ON OBJECT <i>object-name</i>
-552	<i>auth-id</i> DOES NOT HAVE THE PRIVILEGE TO PERFORM OPERATION <i>operation</i>
-553	<i>auth-id</i> SPECIFIED IS NOT ONE OF THE VALID AUTHORIZATION IDS FOR REQUESTED OPERATION
-554	AN AUTHORIZATION ID CANNOT GRANT A PRIVILEGE TO ITSELF
-555	AN AUTHORIZATION ID CANNOT REVOKE A PRIVILEGE FROM ITSELF
-556	<i>authid2</i> CANNOT HAVE THE <i>privilege</i> PRIVILEGE <i>on_object</i> REVOKED BY <i>authid1</i> BECAUSE THE REVOKEE DOES NOT POSSESS THE PRIVILEGE OR THE REVOKER DID NOT MAKE THE GRANT
-557	INCONSISTENT GRANT/REVOKE KEYWORD <i>keyword</i> . PERMITTED KEYWORDS ARE <i>keyword-list</i>
-558	INVALID CLAUSE OR COMBINATION OF CLAUSES ON A GRANT OR REVOKE
-559	ALL AUTHORIZATION FUNCTIONS HAVE BEEN DISABLED
-562	THE SPECIFIED PRIVILEGES CANNOT BE GRANTED TO PUBLIC
-567	<i>bind-type</i> AUTHORIZATION ERROR USING <i>auth-id</i> AUTHORITY PACKAGE = <i>package-name</i> PRIVILEGE = <i>privilege</i>

-571	THE STATEMENT WOULD RESULT IN A MULTIPLE SITE UPDATE
-573	TABLE <i>table-name</i> DOES NOT HAVE A UNIQUE KEY WITH THE SPECIFIED COLUMN NAMES
-574	THE SPECIFIED DEFAULT VALUE OR IDENTITY ATTRIBUTE VALUE CONFLICTS WITH THE DEFINITION OF COLUMN <i>column-name</i>
-575	OBJECT <i>object-name</i> (OBJECT TYPE <i>object-type</i>) CANNOT BE REFERENCED EXPLICITLY OR IMPLICITLY
-577	<i>object-type</i> <i>object-name</i> ATTEMPTED TO MODIFY DATA WHEN THE DEFINITION OF THE FUNCTION OR PROCEDURE DID NOT SPECIFY THIS ACTION
-578	THE RETURN STATEMENT WAS NOT EXECUTED FOR SQL FUNCTION <i>function-name</i>
-579	<i>object-type</i> <i>object-name</i> ATTEMPTED TO READ OR MODIFY DATA WHEN THE DEFINITION OF THE FUNCTION OR PROCEDURE DID NOT SPECIFY THIS ACTION
-580	THE RESULT-EXPRESSIONS OF A CASE EXPRESSION CANNOT ALL BE NULL
-581	THE DATA TYPES OF THE RESULT-EXPRESSIONS OF A CASE EXPRESSION ARE NOT COMPATIBLE
-582	THE SEARCH-CONDITION IN A SEARCHED-WHEN-CLAUSE OF A CASE IS NOT VALID IN THE CONTEXT IN WHICH IT WAS SPECIFIED. THE SEARCH CONDITION CONTAINS A QUANTIFIED PREDICATE OR AN IN PREDICATE THAT INCLUDES A FULLSELECT, AND THESE ARE NOT ALLOWED IN THE SPECIFIED CONTEXT
-583	THE USE OF FUNCTION OR EXPRESSION <i>name</i> IS INVALID BECAUSE IT IS NOT DETERMINISTIC OR HAS AN EXTERNAL ACTION
-584	INVALID USE OF NULL OR DEFAULT
-585	THE COLLECTION <i>collection-id</i> APPEARS MORE THAN ONCE IN THE SET <i>special-register</i> STATEMENT
-586	THE TOTAL LENGTH OF THE CURRENT PATH SPECIAL REGISTER CANNOT EXCEED 2048 CHARACTERS
-589	A POSITIONED DELETE OR UPDATE STATEMENT FOR CURSOR <i>cursor-name</i> SPECIFIED A ROW OF A ROWSET, BUT THE CURSOR IS NOT POSITIONED ON A ROWSET
-590	NAME <i>name</i> IS NOT UNIQUE IN THE CREATE OR ALTER FOR ROUTINE OR TRIGGER <i>object-name</i>
-592	NOT AUTHORIZED TO CREATE FUNCTIONS OR PROCEDURES IN WLM ENVIRONMENT
-593	NOT NULL MUST BE SPECIFIED FOR <i>column-name</i> BECAUSE IT IS DEFINED AS A ROWID (OR DISTINCT TYPE FOR ROWID), ROW CHANGE TIMESTAMP COLUMN, ROW BEGIN COLUMN, ROW END COLUMN, OR COLUMN OF A PERIOD <i>column-name</i>
-594	ATTEMPT TO CREATE A NULLABLE ROWID OR DISTINCT TYPE COLUMN <i>column-name</i>
-601	THE NAME (VERSION OR VOLUME SERIAL NUMBER) OF THE OBJECT TO BE DEFINED OR THE TARGET OF A RENAME STATEMENT IS IDENTICAL TO THE EXISTING NAME (VERSION OR VOLUME SERIAL NUMBER) <i>name</i> OF THE OBJECT TYPE <i>obj-type</i>
-602	TOO MANY COLUMNS, PERIODS, OR KEY-EXPRESSIONS SPECIFIED IN A CREATE INDEX OR ALTER INDEX STATEMENT
-603	A UNIQUE INDEX CANNOT BE CREATED BECAUSE THE TABLE CONTAINS ROWS WHICH ARE DUPLICATES WITH RESPECT TO THE VALUES OF THE IDENTIFIED COLUMNS AND PERIODS
-604	A DATA TYPE DEFINITION SPECIFIES AN INVALID LENGTH, PRECISION, OR SCALE ATTRIBUTE
-607	OPERATION OR OPTION <i>operation</i> IS NOT DEFINED FOR THIS OBJECT
-611	ONLY LOCKMAX 0 CAN BE SPECIFIED WHEN THE LOCK SIZE OF THE TABLESPACE IS TABLESPACE OR TABLE
-612	<i>identifier</i> IS A DUPLICATE NAME
-613	THE PRIMARY KEY OR A UNIQUE CONSTRAINT IS TOO LONG OR HAS TOO MANY COLUMNS AND PERIODS

-614	THE INDEX CANNOT BE CREATED OR THE LENGTH OF A COLUMN CANNOT BE CHANGED BECAUSE THE SUM OF THE INTERNAL LENGTHS OF THE IDENTIFIED COLUMNS IS GREATER THAN THE ALLOWABLE MAXIMUM
-615	operation-type IS NOT ALLOWED ON A PACKAGE IN USE
-616	obj-type1 obj-name1 CANNOT BE DROPPED BECAUSE IT IS REFERENCED BY obj-type2 obj-name2
-618	OPERATION operation IS NOT ALLOWED ON SYSTEM DATABASES
-619	OPERATION DISALLOWED BECAUSE THE WORK FILE DATABASE IS NOT STOPPED
-620	KEYWORD keyword IN stmt-type STATEMENT IS NOT PERMITTED FOR A space-type SPACE IN THE database-type DATABASEv
-621	DUPLICATE DBID dbid WAS DETECTED AND PREVIOUSLY ASSIGNED TO database-name
-622	FOR MIXED DATA IS INVALID BECAUSE THE MIXED DATA INSTALL OPTION IS NO
-623	CLUSTER IS NOT VALID FOR table-name
-624	TABLE table-name ALREADY HAS A PRIMARY KEY OR UNIQUE CONSTRAINT WITH SPECIFIED COLUMNS AND PERIODS
-625	TABLE table-name DOES NOT HAVE AN INDEX TO ENFORCE THE UNIQUENESS OF THE PRIMARY OR UNIQUE KEY
-626	THE ALTER STATEMENT IS NOT EXECUTABLE BECAUSE THE PAGE SET IS NOT STOPPED
-627	THE ALTER STATEMENT IS INVALID BECAUSE THE TABLE SPACE OR INDEX HAS USER-MANAGED DATA SETS
-628	THE CLAUSES ARE MUTUALLY EXCLUSIVE.
-629	SET NULL CANNOT BE SPECIFIED BECAUSE FOREIGN KEY name CANNOT CONTAIN NULL VALUES
-631	FOREIGN KEY name IS TOO LONG OR HAS TOO MANY COLUMNS
-632	THE TABLE CANNOT BE DEFINED AS A DEPENDENT OF table-name BECAUSE OF DELETE RULE RESTRICTIONS
-633	THE DELETE RULE MUST BE delete-rule
-634	THE DELETE RULE MUST NOT BE CASCADE
-635	THE DELETE RULES CANNOT BE DIFFERENT OR CANNOT BE SET NULL
-636	RANGES SPECIFIED FOR PARTITION part-num ARE NOT VALID
-637	DUPLICATE keyword KEYWORD OR CLAUSE
-638	TABLE table-name CANNOT BE CREATED BECAUSE COLUMN DEFINITION IS MISSING
-639	A NULLABLE COLUMN OF A FOREIGN KEY WITH A DELETE RULE OF SET NULL CANNOT BE A COLUMN OF THE KEY OF A PARTITIONED INDEX
-642	TOO MANY COLUMNS IN UNIQUE CONSTRAINTS
-643	A CHECK CONSTRAINT OR THE VALUE OF AN EXPRESSION FOR A COLUMN OF AN INDEX EXCEEDS THE MAXIMUM ALLOWABLE LENGTH KEY EXPRESSION
-644	INVALID VALUE SPECIFIED FOR KEYWORD keyword IN OR CLAUSE keyword-or-clause IN STATEMENT stmt-type
-646	TABLE table-name CANNOT BE CREATED IN SPECIFIED TABLE SPACE table-space-name BECAUSE IT ALREADY CONTAINS A TABLE
-647	BUFFERPOOL bp-name FOR IMPLICIT OR EXPLICIT TABLESPACE OR INDEXSPACE name HAS NOT BEEN ACTIVATED
-650	THE ALTER INDEX CANNOT BE EXECUTED, REASON reason
-651	TABLE DESCRIPTION EXCEEDS MAXIMUM SIZE OF OBJECT DESCRIPTOR.
-652	VIOLATION OF INSTALLATION DEFINED EDIT OR VALIDATION PROCEDURE
-653	TABLE table-name IN PARTITIONED TABLESPACE tspace-name IS NOT AVAILABLE BECAUSE ITS PARTITIONED INDEX HAS NOT BEEN CREATED
-655	THE CREATE OR ALTER STOGROUP IS INVALID BECAUSE THE STORAGE GROUP WOULD HAVE BOTH SPECIFIC AND NON-SPECIFIC VOLUME IDS

-658	A <i>object-type</i> CANNOT BE DROPPED USING THE statement STATEMENT
-660	INDEX <i>index-name</i> CANNOT BE CREATED OR ALTERED ON PARTITIONED TABLESPACE <i>tspace-name</i> BECAUSE KEY LIMITS ARE NOT SPECIFIED
-661	<i>object-type index-name</i> CANNOT BE CREATED ON PARTITIONED TABLE SPACE <i>tspace-name</i> BECAUSE THE NUMBER OF PARTITION SPECIFICATIONS IS NOT EQUAL TO THE NUMBER OF PARTITIONS OF THE TABLE SPACE
-662	A PARTITIONED INDEX CANNOT BE CREATED ON A TABLE SPACE, OR A TABLE SPACE CANNOT BE INDEX-CONTROLLED. TABLE SPACE <i>tspace-name</i> , REASON <i>reason-code</i>
-663	THE NUMBER OF KEY LIMIT VALUES IS EITHER ZERO, OR GREATER THAN THE NUMBER OF COLUMNS IN THE KEY OF INDEX <i>index-name</i>
-665	THE PART CLAUSE OF AN ALTER STATEMENT IS OMITTED OR INVALID
-666	<i>stmt-verb object</i> CANNOT BE EXECUTED BECAUSE <i>function</i> IS IN PROGRESS
-667	THE CLUSTERING INDEX FOR A PARTITIONED TABLESPACE CANNOT BE EXPLICITLY DROPPED
-668	THE COLUMN CANNOT BE ADDED TO THE TABLE BECAUSE THE TABLE HAS AN EDIT PROCEDURE DEFINED WITH ROW ATTRIBUTE SENSITIVITY
-669	THE OBJECT CANNOT BE EXPLICITLY DROPPED. REASON <i>reason-code</i>
-670	THE RECORD LENGTH OF THE TABLE EXCEEDS THE PAGE SIZE LIMIT
-671	THE BUFFERPOOL ATTRIBUTE OF THE TABLESPACE CANNOT BE ALTERED AS SPECIFIED BECAUSE IT WOULD CHANGE THE PAGE SIZE OF THE TABLESPACE
-672	OPERATION DROP NOT ALLOWED ON TABLE <i>table_name</i>
-676	THE PHYSICAL CHARACTERISTICS OF THE INDEX ARE INCOMPATIBLE WITH RESPECT TO THE SPECIFIED STATEMENT. THE STATEMENT HAS FAILED. REASON <i>reason-code</i>
-677	INSUFFICIENT VIRTUAL STORAGE FOR BUFFERPOOL XPACTION_REASON
-678	THE CONSTANT <i>constant</i> SPECIFIED FOR THE INDEX LIMIT KEY MUST CONFORM TO THE DATA TYPE <i>data-type</i> OF THE CORRESPONDING COLUMN <i>column-name</i>
-679	THE OBJECT <i>name</i> CANNOT BE CREATED BECAUSE A DROP IS PENDING ON THE OBJECT
-680	TOO MANY COLUMNS SPECIFIED FOR A TABLE, VIEW or TABLE FUNCTION
-681	COLUMN <i>column-name</i> IN VIOLATION OF INSTALLATION DEFINED FIELD PROCEDURE. RT: <i>return-code</i> , RS:
-682	FIELD PROCEDURE <i>procedure-name</i> COULD NOT BE LOADED
-683	THE SPECIFICATION FOR COLUMN, DISTINCT TYPE, FUNCTION, OR PROCEDURE <i>data-item</i> CONTAINS INCOMPATIBLE CLAUSES
-684	THE LENGTH OF LITERAL LIST BEGINNING <i>string</i> IS TOO LONG
-685	INVALID FIELD TYPE, <i>column-name</i>
-686	COLUMN DEFINED WITH A FIELD PROCEDURE CAN NOT COMPARE WITH ANOTHER COLUMN WITH DIFFERENT FIELD PROCEDURE
-687	FIELD TYPES INCOMPARABLE
-688	INCORRECT DATA RETURNED FROM FIELD PROCEDURE, <i>column-name</i> ,
-689	TOO MANY COLUMNS DEFINED FOR A DEPENDENT TABLE
-690	THE STATEMENT IS REJECTED BY DATA DEFINITION CONTROL SUPPORT.
-691	THE REQUIRED REGISTRATION TABLE <i>table-name</i> DOES NOT EXIST
-692	THE REQUIRED UNIQUE INDEX <i>index-name</i> FOR DDL REGISTRATION TABLE <i>table-name</i> DOES NOT EXIST
-693	THE COLUMN <i>column-name</i> IN DDL REGISTRATION TABLE OR INDEX <i>table-name</i> (<i>index-name</i>) IS NOT DEFINED PROPERLY
-694	THE SCHEMA STATEMENT CANNOT BE EXECUTED BECAUSE A DROP IS PENDING ON THE DDL REGISTRATION TABLE <i>table-name</i>

-695	INVALID VALUE <i>seclabel</i> SPECIFIED FOR SECURITY LABEL COLUMN OF TABLE <i>table-name</i>
-696	THE DEFINITION OF TRIGGER <i>trigger-name</i> INCLUDES AN INVALID USE OF CORRELATION NAME OR TRANSITION TABLE NAME <i>name</i> . REASON CODE= <i>reason-code</i>
-697	OLD OR NEW CORRELATION NAMES ARE NOT ALLOWED IN A TRIGGER DEFINED WITH THE FOR EACH STATEMENT CLAUSE. OLD_TABLE OR NEW_TABLE NAMES ARE NOT ALLOWED IN A TRIGGER WITH THE BEFORE CLAUSE.
-713	THE REPLACEMENT VALUE <i>value</i> FOR <i>special-register</i> IS INVALID
-715	PROGRAM <i>program-name</i> WITH MARK <i>release-dependency-mark</i> FAILED BECAUSE IT DEPENDS ON FUNCTIONS OF THE RELEASE FROM WHICH FALLBACK HAS OCCURRED
-716	PROGRAM <i>program-name</i> PRECOMPILED WITH INCORRECT LEVEL FOR THIS RELEASE
-717	<i>bind-type</i> FOR <i>object-type object-name</i> WITH MARK <i>release-dependency-mark</i> FAILED BECAUSE <i>object-type</i> DEPENDS ON FUNCTIONS OF THE RELEASE FROM WHICH THE FALLBACK OCCURRED
-718	REBIND OF PACKAGE <i>package-name</i> FAILED BECAUSE IBMREQD OF <i>ibmreqd</i> IS INVALID
-719	BIND ADD ERROR USING <i>auth-id</i> AUTHORITY PACKAGE
-720	BIND ERROR, ATTEMPTING TO REPLACE PACKAGE = <i>package_name</i> WITH VERSION = <i>version2</i> BUT THIS VERSION ALREADY EXISTS
-721	BIND ERROR FOR PACKAGE = <i>pkg-id</i> CONTOKEN = 'contoken'X IS NOT UNIQUE SO IT CANNOT BE CREATED
-722	<i>bind-type</i> ERROR USING <i>auth-id</i> AUTHORITY PACKAGE <i>package-name</i> DOES NOT EXIST
-723	AN ERROR OCCURRED IN A TRIGGERED SQL STATEMENT IN TRIGGER <i>trigger-name</i> , SECTION NUMBER <i>section-number</i> , INFORMATION RETURNED: SQLCODE <i>sqlerror</i> , SQLSTATE <i>sqlstate</i> , AND MESSAGE TOKENS <i>token-list</i>
-724	THE ACTIVATION OF THE <i>object-type</i> OBJECT <i>object-name</i> WOULD EXCEED THE MAXIMUM LEVEL OF INDIRECT SQL CASCADING
-725	THE SPECIAL REGISTER <i>register</i> AT LOCATION <i>location</i> WAS SUPPLIED AN INVALID VALUE
-726	BIND ERROR ATTEMPTING TO REPLACE PACKAGE = < <i>package_name</i> >. THERE ARE ENABLE OR DISABLE ENTRIES CURRENTLY ASSOCIATED WITH THE PACKAGE
-727	AN ERROR OCCURRED DURING IMPLICIT SYSTEM ACTION TYPE <i>action-type</i> . INFORMATION RETURNED FOR THE ERROR INCLUDES SQLCODE <i>sqlcode</i> SQLSTATE <i>sqlstate</i> AND MESSAGE TOKENS <i>token-list</i> .
-728	DATA TYPE <i>data-type</i> IS NOT ALLOWED IN DB2 PRIVATE PROTOCOL PROCESSING
-729	A STORED PROCEDURE SPECIFYING COMMIT ON RETURN CANNOT BE THE TARGET OF A NESTED CALL STATEMENT
-730	THE PARENT OF A TABLE IN A READ-ONLY SHARED DATABASE MUST ALSO BE A TABLE IN A READ-ONLY SHARED DATABASE
-731	USER-DEFINED DATA SET <i>dsname</i> MUST BE DEFINED WITH SHAREOPTIONS(1,3)
-732	THE DATABASE IS DEFINED ON THIS SUBSYSTEM WITH THE ROSHARE READ ATTRIBUTE BUT THE TABLESPACE OR INDEX SPACE HAS NOT BEEN DEFINED ON THE OWNING SUBSYSTEM
-733	THE DESCRIPTION OF A TABLESPACE, INDEX SPACE, OR TABLE IN A ROSHARE READ DATABASE MUST BE CONSISTENT WITH ITS DESCRIPTION IN THE OWNER SYSTEM
-734	THE ROSHARE ATTRIBUTE OF A DATABASE CANNOT BE ALTERED FROM ROSHARE READ
-735	DATABASE <i>dbid</i> CANNOT BE ACCESSED BECAUSE IT IS NO LONGER A SHARED DATABASE
-736	INVALID OBID <i>obid</i> SPECIFIED
-737	IMPLICIT TABLESPACE NOT ALLOWED

-739	ALTER FUNCTION <i>function-name</i> FAILED BECAUSE FUNCTIONS CANNOT MODIFY DATA WHEN THEY ARE PROCESSED IN PARALLEL
-740	FUNCTION <i>name</i> IS DEFINED WITH THE OPTION MODIFIES SQL DATA WHICH IS NOT VALID IN THE CONTEXT IN WHICH IT WAS INVOKED
-741	A WORK FILE DATABASE IS ALREADY DEFINED FOR MEMBER <i>member-name</i>
-742	DSNDB07 IS THE IMPLICIT WORK FILE DATABASE
-746	THE SQL STATEMENT IN AN EXTERNAL FUNCTION, TRIGGER, OR IN STORED PROCEDURE <i>name</i> VIOLATES THE NESTING SQL RESTRICTION
-747	TABLE <i>table-name</i> IS NOT AVAILABLE UNTIL THE AUXILIARY TABLES AND INDEXES FOR ITS EXTERNALLY STORED COLUMNS HAVE BEEN CREATED
-748	AN INDEX ALREADY EXISTS ON AUXILIARY TABLE
-750	THE SOURCE TABLE <i>source-name</i> CANNOT BE RENAMED OR ALTERED AS SPECIFIED
-751	<i>object-type</i> <i>object-name</i> (SPECIFIC NAME <i>specific name</i>) ATTEMPTED TO EXECUTE AN SQL STATEMENT <i>statement</i> THAT IS NOT ALLOWED
-752	THE CONNECT STATEMENT IS INVALID BECAUSE THE PROCESS IS NOT IN THE CONNECTABLE STATE
-763	INVALID TABLESPACE NAME <i>table-space-name</i>
-764	A LOB TABLESPACE AND ITS ASSOCIATED BASE TABLESPACE MUST BE IN THE SAME DATABASE
-765	TABLE IS NOT COMPATIBLE WITH DATABASE
-766	THE OBJECT OF A STATEMENT IS A TABLE FOR WHICH THE REQUESTED OPERATION IS NOT PERMITTED
-767	MISSING OR INVALID COLUMN SPECIFICATION FOR INDEX
-768	AN AUXILIARY TABLE ALREADY EXISTS FOR THE SPECIFIED COLUMN OR PARTITION
-769	SPECIFICATION OF CREATE AUX TABLE DOES NOT MATCH THE CHARACTERISTICS OF THE BASE TABLE
-770	TABLE <i>table-name</i> CANNOT HAVE A LOB COLUMN UNLESS IT ALSO HAS A ROWID, OR AN XML COLUMN UNLESS IT ALSO HAS A DOCID COLUMN
-771	INVALID SPECIFICATION OF A ROWID COLUMN
-773	CASE NOT FOUND FOR CASE STATEMENT
-775	STATEMENT SPECIFIED IN SQL ROUTINE IS NOT ALLOWED WITHIN A COMPOUND STATEMENT
-776	USE OF CURSOR <i>cursor-name</i> IS NOT VALID
-778	ENDING LABEL <i>label</i> DOES NOT MATCH THE BEGINNING LABEL
-779	LABEL <i>label</i> SPECIFIED ON A GOTO, ITERATE, OR LEAVE STATEMENT IS NOT VALID
-780	UNDO SPECIFIED FOR A HANDLER
-781	CONDITION <i>condition-name</i> IS NOT DEFINED OR THE DEFINITION IS NOT IN SCOPE
-782	A CONDITION OR SQLSTATE <i>value</i> SPECIFIED IS NOT VALID
-783	SELECT LIST FOR CURSOR <i>cursor-name</i> IN FOR STATEMENT IS NOT VALID. COLUMN <i>column-name</i> IS NOT UNIQUE
-784	CONSTRAINT <i>constraint-name</i> CANNOT BE DROPPED
-785	USE OF SQLCODE OR SQLSTATE IS NOT VALID
-787	RESIGNAL STATEMENT ISSUED OUTSIDE OF A HANDLER
-788	OWNERSHIP TRANSFER WAS IGNORED BECAUSE <i>auth-id</i> IS ALREADY THE OWNER OF THE OBJECT
-789	THE DATA TYPE OR OTHER ATTRIBUTES FOR PARAMETER OR SQL VARIABLE <i>name</i> ARE NOT SUPPORTED IN THE ROUTINE
-797	THE TRIGGER <i>trigger-name</i> IS DEFINED WITH AN UNSUPPORTED TRIGGERED SQL STATEMENT
-798	A VALUE CANNOT BE SPECIFIED FOR COLUMN <i>column-name</i> WHICH IS DEFINED AS GENERATED ALWAYS

-802	EXCEPTION ERROR 'exception-type' HAS OCCURRED DURING 'operation-type' OPERATION ON 'data-type' DATA, POSITION 'position-number'
-803	AN INSERTED OR UPDATED VALUE IS INVALID BECAUSE THE INDEX IN INDEX SPACE <i>indexspace-name</i> CONSTRAINS COLUMNS OF THE TABLE SO NO TWO ROWS CAN CONTAIN DUPLICATE VALUES IN THOSE COLUMNS. RID OF EXISTING ROW IS X'rid'
-804	AN ERROR WAS FOUND IN THE APPLICATION PROGRAM INPUT PARAMETERS FOR THE SQL STATEMENT, REASON <i>reason</i>
-805	DBRM OR PACKAGE NAME <i>location-name.collection-id.dbrm-name-consistency-token</i> NOT FOUND IN PLAN <i>plan-name</i> . REASON <i>reason</i>
-807	ACCESS DENIED: PACKAGE <i>package-name</i> IS NOT ENABLED FOR ACCESS FROM <i>connection-type connection-name</i>
-808	THE CONNECT STATEMENT IS NOT CONSISTENT WITH THE FIRST CONNECT STATEMENT
-811	THE RESULT OF AN EMBEDDED SELECT STATEMENT IS A TABLE OF MORE THAN ONE ROW, OR THE RESULT OF THE SUBQUERY OF A BASIC PREDICATE IS MORE THAN ONE VALUE
-812	THE SQL STATEMENT CANNOT BE PROCESSED BECAUSE A BLANK COLLECTION-ID WAS FOUND IN THE CURRENT PACKAGESET SPECIAL REGISTER WHILE TRYING TO FORM A QUALIFIED PACKAGE NAME FOR PROGRAM <i>program-name.consistency-token</i> USING PLAN <i>plan-name</i>
-817	THE SQL STATEMENT CANNOT BE EXECUTED BECAUSE THE STATEMENT WILL RESULT IN A PROHIBITED UPDATE OPERATION.
-818	THE PRECOMPILER-GENERATED TIMESTAMP <i>x</i> IN THE LOAD MODULE IS DIFFERENT FROM THE BIND TIMESTAMP <i>y</i> BUILT FROM THE DBRM <i>z</i>
-819	THE VIEW CANNOT BE PROCESSED BECAUSE THE LENGTH OF ITS PARSE TREE IN THE CATALOG IS ZERO
-820	THE SQL STATEMENT CANNOT BE PROCESSED BECAUSE <i>catalog-table</i> CONTAINS A VALUE THAT IS NOT VALID IN THIS RELEASE
-822	THE SQLDA CONTAINS AN INVALID DATA ADDRESS OR INDICATOR VARIABLE ADDRESS
-840	TOO MANY ITEMS RETURNED IN A SELECT OR INSERT LIST
-842	A CONNECTION TO <i>location-name</i> ALREADY EXISTS
-843	THE SET CONNECTION OR RELEASE STATEMENT MUST SPECIFY AN EXISTING CONNECTION
-845	A PREVIOUS VALUE EXPRESSION CANNOT BE USED BEFORE THE NEXT VALUE EXPRESSION GENERATES A VALUE IN THE CURRENT APPLICATION PROCESS FOR SEQUENCE <i>sequence-name</i>
-846	INVALID SPECIFICATION OF AN IDENTITY COLUMN OR SEQUENCE OBJECT <i>object_type object_name</i> . REASON CODE = <i>reason code</i>
-867	INVALID SPECIFICATION OF A ROWID COLUMN
-870	THE NUMBER OF HOST VARIABLES IN THE STATEMENT IS NOT EQUAL TO THE NUMBER OF DESCRIPTORS
-872	A VALID CCSID HAS NOT YET BEEN SPECIFIED FOR THIS SUBSYSTEM
-873	THE STATEMENT REFERENCED DATA ENCODED WITH DIFFERENT ENCODING SCHEMES OR CCSIDS IN AN INVALID CONTEXT
-874	THE ENCODING SCHEME SPECIFIED FOR THE <i>object-type</i> MUST BE THE SAME AS THE CONTAINING TABLESPACE OR OTHER PARAMETERS
-875	<i>operand</i> CANNOT BE USED WITH THE ASCII DATA REFERENCED
-876	<i>object</i> CANNOT BE CREATED OR ALTERED, REASON <i>reason</i>
-877	CCSID ASCII IS NOT ALLOWED FOR THIS DATABASE OR TABLE SPACE
-878	THE <i>explain-object</i> USED FOR EXPLAIN MUST BE ENCODED IN UNICODE. IT CANNOT BE IN ASCII OR EBCDIC

-879	CREATE or ALTER STATEMENT FOR <i>object-name</i> CANNOT DEFINE A COLUMN, TYPE, VARIABLE, FUNCTION OR STORED PROCEDURE PARAMETER AS MIXED OR GRAPHIC WITH ENCODING SCHEME <i>encoding-scheme</i>
-880	SAVEPOINT <i>savepoint-name</i> DOES NOT EXIST OR IS INVALID IN THIS CONTEXT
-881	A SAVEPOINT WITH NAME <i>savepoint-name</i> ALREADY EXISTS, BUT THIS SAVEPOINT NAME CANNOT BE REUSED
-882	SAVEPOINT DOES NOT EXIST
-900	THE SQL STATEMENT CANNOT BE EXECUTED BECAUSE THE APPLICATION PROCESS IS NOT CONNECTED TO AN APPLICATION SERVER
-901	UNSUCCESSFUL EXECUTION CAUSED BY A SYSTEM ERROR THAT DOES NOT PRECLUDE THE SUCCESSFUL EXECUTION OF SUBSEQUENT SQL STATEMENTS
-902	POINTER TO THE ESSENTIAL CONTROL BLOCK (CT/RDA) HAS VALUE 0, REBIND REQUIRED
-904	UNSUCCESSFUL EXECUTION CAUSED BY AN UNAVAILABLE RESOURCE. REASON <i>reason-code</i> , TYPE OR RESOURCE <i>resource-type</i> , AND RESOURCE NAME <i>resource-name</i>
-905	UNSUCCESSFUL EXECUTION DUE TO RESOURCE LIMIT BEING EXCEEDED, RESOURCE NAME = <i>resource-name</i> LIMIT = <i>limit-amount1</i> CPU SECONDS (<i>limit-amount2</i> SERVICE UNITS) DERIVED FROM <i>limit-source</i>
-906	THE SQL STATEMENT CANNOT BE EXECUTED BECAUSE THIS FUNCTION IS DISABLED DUE TO A PRIOR ERROR
-907	AN ATTEMPT WAS MADE TO MODIFY THE TARGET TABLE, <i>table-name</i> , OF THE MERGE STATEMENT BY CONSTRAINT OR TRIGGER <i>trigger-name</i>
-908	<i>bind-type</i> ERROR USING <i>auth-id</i> AUTHORITY. BIND, REBIND OR AUTO-REBIND OPERATION IS NOT ALLOWED
-909	THE OBJECT HAS BEEN DELETED OR ALTERED
-910	THE SQL STATEMENT CANNOT ACCESS AN OBJECT ON WHICH A DROP OR ALTER IS PENDING
-911	THE CURRENT UNIT OF WORK HAS BEEN ROLLED BACK DUE TO DEADLOCK OR TIMEOUT. REASON <i>reason-code</i> , TYPE OF RESOURCE <i>resource-type</i> , AND RESOURCE NAME <i>resource-name</i>
-913	UNSUCCESSFUL EXECUTION CAUSED BY DEADLOCK OR TIMEOUT. REASON CODE <i>reason-code</i> , TYPE OF RESOURCE <i>resource-type</i> , AND RESOURCE NAME <i>resource-name</i>
-917	BIND PACKAGE FAILED
-918	THE SQL STATEMENT CANNOT BE EXECUTED BECAUSE A CONNECTION HAS BEEN LOST
-919	A ROLLBACK OPERATION IS REQUIRED
-922	AUTHORIZATION FAILURE: <i>error-type</i> ERROR. REASON <i>reason-code</i>
-923	CONNECTION NOT ESTABLISHED: DB2 <i>condition</i> REASON <i>reason-code</i> , TYPE <i>resource-type</i> , NAME <i>resource-name</i>
-924	DB2 CONNECTION INTERNAL ERROR, <i>function-code</i> , <i>return-code</i> , <i>reason-code</i>
-925	COMMIT NOT VALID IN IMS OR CICS ENVIRONMENT
-926	ROLLBACK NOT VALID IN IMS, CICS OR RRSF ENVIRONMENT
-927	THE LANGUAGE INTERFACE (LI) WAS CALLED WHEN THE CONNECTING ENVIRONMENT WAS NOT ESTABLISHED. THE PROGRAM SHOULD BE INVOKED UNDER THE DSN COMMAND
-929	FAILURE IN A DATA CAPTURE EXIT: <i>token</i>
-939	ROLLBACK REQUIRED DUE TO UNREQUESTED ROLLBACK OF A REMOTE SERVER
-947	THE SQL STATEMENT FAILED BECAUSE IT WILL CHANGE A TABLE DEFINED WITH DATA CAPTURE CHANGES, BUT THE DATA CANNOT BE PROPAGATED
-948	DISTRIBUTED OPERATION IS INVALID

-950	THE LOCATION NAME SPECIFIED IN THE CONNECT STATEMENT IS INVALID OR NOT LISTED IN THE COMMUNICATIONS DATABASE
-951	OBJECT <i>object-name</i> OBJECT TYPE <i>object-type</i> IS IN USE AND CANNOT BE THE TARGET OF THE SPECIFIED ALTER STATEMENT
-952	PROCESSING WAS INTERRUPTED BY A CANCEL REQUEST FROM A CLIENT PROGRAM
-981	THE SQL STATEMENT FAILED BECAUSE THE RRSF CONNECTION IS NOT IN A STATE THAT ALLOWS SQL OPERATIONS, REASON <i>reason-code</i> .
-989	AFTER TRIGGER <i>trigger-name</i> ATTEMPTED TO MODIFY A ROW IN TABLE <i>table-name</i> THAT WAS MODIFIED BY AN SQL DATA CHANGE STATEMENT WITHIN A FROM CLAUSE
-991	CALL ATTACH WAS UNABLE TO ESTABLISH AN IMPLICIT CONNECT OR OPEN TO DB2. RC1= <i>rc1</i> RC2= <i>rc2</i>
-992	PACKAGE <i>package-name</i> CANNOT BE EXECUTED OR DEPLOYED ON LOCATION <i>location-name</i>
-1403	THE USERNAME AND/OR PASSWORD SUPPLIED IS INCORRECT
-1706	CREATE PROCEDURE FOR <i>procedure-name</i> MUST HAVE VALID LANGUAGE AND EXTERNAL CLAUSES
-2001	THE NUMBER OF HOST VARIABLE PARAMETERS FOR A STORED PROCEDURE IS NOT EQUAL TO THE NUMBER OF EXPECTED HOST VARIABLE PARAMETERS. ACTUAL NUMBER
-4302	JAVA STORED PROCEDURE OR USER-DEFINED FUNCTION <i>routine-name</i> (SPECIFIC NAME <i>specific-name</i>) HAS EXITED WITH AN EXCEPTION <i>exception-string</i>
-4700	ATTEMPT TO USE NEW FUNCTION BEFORE FUNCTION LEVEL IS ACTIVATED
-4701	THE NUMBER OF PARTITIONS, OR THE COMBINATION OF THE NUMBER OF TABLE SPACE PARTITIONS AND THE CORRESPONDING LENGTH OF THE PARTITIONING LIMIT KEY EXCEEDS THE SYSTEM LIMIT; OR THE COMBINATION OF THE NUMBER OF TABLE SPACE PARTITIONS EXCEEDS THE MAXPARTITIONS FOR PARTITION BY GROWTH TABLE SPACE
-4702	THE MAXIMUM NUMBER OF ALTERS ALLOWED HAS BEEN EXCEEDED FOR <i>object-type</i>
-4703	THE ALTER TABLE STATEMENT CANNOT BE EXECUTED BECAUSE COLUMN <i>column-name</i> IS MIXED DATA, OR THE DATA TYPE OR LENGTH SPECIFIED DOES NOT AGREE WITH THE EXISTING DATA TYPE OR LENGTH
-4704	AN UNSUPPORTED DATA TYPE WAS ENCOUNTERED AS AN INCLUDE COLUMN
-4705	<i>option</i> SPECIFIED ON ALTER STATEMENT FOR <i>routine-name</i> <i>routine-type</i> IS NOT VALID
-4706	ALTER STATEMENT FOR AN SQL ROUTINE OR ADVANCED TRIGGER CANNOT BE PROCESSED BECAUSE THE OPTIONS CURRENTLY IN EFFECT (ENVID <i>current-envid</i>) ARE NOT THE SAME AS THE ONES THAT WERE IN EFFECT (ENVID <i>defined-envid</i>) WHEN THE OBJECT OR VERSION WAS FIRST DEFINED
-4707	STATEMENT <i>statement</i> IS NOT ALLOWED WHEN USING A TRUSTED CONNECTION
-4708	TABLE <i>table-name</i> CANNOT BE DEFINED AS SPECIFIED IN THE <i>statement</i> STATEMENT IN A COMMON CRITERIA ENVIRONMENT
-4709	EXPLAIN MONITORED STMTS FAILED WITH REASON CODE = <i>yyyyy</i>
-4710	EXCHANGE DATA STATEMENT SPECIFIED <i>table1</i> and <i>table2</i> BUT THE TABLES DO NOT HAVE A DEFINED CLONE RELATIONSHIP
-4727	SYSTEM PARAMETER <i>system-parameter</i> VALUE <i>parameter-value</i> IS INCONSISTENT WITH CLAUSE <i>clause</i> SPECIFIED ON <i>statement-name</i> STATEMENT
-4728	ANOTHER VERSION OF ROUTINE <i>routine-name</i> EXISTS AND IS DEFINED WITH AN INCOMPATIBLE OPTION. THE OPTION IS <i>option-name</i> .
-4730	INVALID SPECIFICATION OF XML COLUMN <i>table-name.column-name</i> IS NOT DEFINED IN THE XML VERSIONING FORMAT, REASON <i>reason-code</i>

-4731	THE NATIVE SQL ROUTINE STATEMENT FOR PACKAGE <i>location-name.collection-id.programname.consistency-token</i> STATEMENT NUMBER <i>statement-number</i> CANNOT BE PROCESSED
-4732	THE MAXIMUM NUMBER OF ALTERS ALLOWED HAS BEEN EXCEEDED FOR <i>object-type</i>
-4733	THE ALTER TABLE STATEMENT CANNOT BE EXECUTED BECAUSE COLUMN <i>column-name</i> IS MIXED DATA, OR THE DATA TYPE OR LENGTH SPECIFIED DOES NOT AGREE WITH THE EXISTING DATA TYPE OR LENGTH
-4734	THE LOAD MODULE FOR THE PROCEDURE ASSUMES A PARAMETER VARCHAR OPTION THAT IS NOT CONSISTENT WITH THE OPTION SPECIFIED ON THE CREATE PROCEDURE STATEMENT FOR <i>procedure-name</i>
-4735	INVALID TABLE REFERENCE FOR TABLE LOCATOR
-4736	A PERIOD SPECIFICATION OR PERIOD CLAUSE IS NOT SUPPORTED AS SPECIFIED FOR OBJECT <i>object-name</i> . REASON CODE = <i>reason-code</i> .
-4737	STATEMENT <i>statement</i> IS NOT ALLOWED WHEN USING A TRUSTED CONNECTION
-4738	TABLE <i>table-name</i> CANNOT BE DEFINED AS SPECIFIED IN THE <i>statement</i> STATEMENT IN A COMMON CRITERIA ENVIRONMENT
-4739	ENVIRONMENT SETTINGS (IDENTIFIED BY <i>envid1</i>) USED BY <i>object-name</i> ARE NOT THE SAME AS THE ONES THAT WERE IN EFFECT (IDENTIFIED BY <i>envid2</i>) WHEN OTHER COLUMN MASKS AND ROW PERMISSIONS WERE DEFINED FOR TABLE <i>table-name</i>
-4743	ATTEMPT TO USE NEW FUNCTION WHEN THE APPLICATION COMPATIBILITY SETTING IS SET FOR A PREVIOUS LEVEL
-4744	THE STATEMENT EXPLICITLY OR IMPLICITLY REFERENCED TEMPORAL TABLE <i>table-name</i> IN AN UNSUPPORTED CONTEXT. REASON CODE <i>reason-code</i> .
-4749	PACKAGE = <i>package-name bind-type</i> ERROR WITH APREUSESOURCE(<i>copy-type</i>), THE <i>copy-type</i> COPY DOES NOT EXIST
-4750	<i>csect-name</i> PACKAGE <i>package-name</i> SWITCH TO THE <i>copy-indicator</i> COPY FAILED. THIS COPY IS NOT EXECUTABLE WITHOUT AN EXPLICIT REBIND OR AUTOBIND (REASON = <i>reason-code</i>)
-4753	<i>csect-name</i> PACKAGE <i>package-name</i> SWITCH TO THE <i>copy-indicator</i> COPY FAILED. THIS COPY IS NOT EXECUTABLE WITHOUT AN EXPLICIT REBIND OR AUTOBIND (REASON = <i>reason-code</i>)
-4759	<i>Bind-type</i> OPTION <i>option1-name</i> IS NOT ALLOWED WHEN OPTION <i>option2-name</i> IS NOT SPECIFIED
-5001	TABLE <i>table-name</i> IS NOT VALID
-5012	HOST VARIABLE <i>host-variable</i> IS NOT EXACT NUMERIC WITH SCALE ZERO
-7008	<i>object-name</i> NOT VALID FOR OPERATION (<i>reason-code</i>)
-16000	AN XQUERY EXPRESSION CANNOT BE PROCESSED BECAUSE THE <i>context-component</i> COMPONENT OF THE STATIC CONTEXT HAS NOT BEEN ASSIGNED. ERROR QNAME = <i>err:XPST0001</i>
-16001	AN XQUERY EXPRESSION STARTING WITH TOKEN <i>token</i> CANNOT BE PROCESSED BECAUSE THE FOCUS COMPONENT OF THE DYNAMIC CONTEXT HAS NOT BEEN ASSIGNED. ERROR QNAME = <i>err:XPDY0002</i>
-16002	AN XQUERY EXPRESSION HAS AN UNEXPECTED TOKEN <i>token</i> FOLLOWING <i>text</i> . EXPECTED TOKENS MAY INCLUDE: <i>token-list</i> . ERROR QNAME= <i>ERR:XPST0003</i>
-16003	AN EXPRESSION OF DATA TYPE <i>value-type</i> CANNOT BE USED WHEN THE DATA TYPE <i>expected-type</i> IS EXPECTED IN THE CONTEXT. ERROR QNAME= <i>err:XPTY0004</i>
-16005	AN XQUERY EXPRESSION REFERENCES AN ELEMENT NAME, ATTRIBUTE NAME, TYPE NAME, FUNCTION NAME, NAMESPACE PREFIX, OR VARIABLE NAME <i>undefined-name</i> THAT IS NOT DEFINED WITHIN THE STATIC CONTEXT. ERROR QNAME= <i>ERR:XPST0008</i>
-16007	THE XQUERY PATH EXPRESSION REFERENCES AN AXIS <i>axis-type</i> THAT IS NOT SUPPORTED. ERROR QNAME = <i>err:XQST0010</i>
-16009	AN XQUERY FUNCTION NAMED <i>function-name</i> WITH <i>number-of-parms</i> PARAMETERS IS NOT DEFINED IN THE STATIC CONTEXT. ERROR QNAME= <i>err:XPST0017</i>

-16011	THE RESULT OF AN INTERMEDIATE STEP EXPRESSION IN AN XQUERY PATH EXPRESSION CONTAINS AN ATOMIC VALUE. ERROR QNAME = <i>err:XPTY0019</i>
-16012	THE CONTEXT ITEM IN AN AXIS STEP MUST BE A NODE. ERROR QNAME = <i>err:XPTY0020</i>
-16015	AN ELEMENT CONSTRUCTOR CONTAINS AN ATTRIBUTE NODE NAMED <i>attribute-name</i> THAT FOLLOWS AN XQUERY NODE THAT IS NOT AN ATTRIBUTE NODE. ERROR QNAME = <i>ERR:XQTY0024</i>
-16016	THE ATTRIBUTE NAME <i>attribute-name</i> CANNOT BE USED MORE THAN ONCE IN AN ELEMENT CONSTRUCTOR. ERROR QNAME = <i>err:XQTY0025</i>
-16020	THE CONTEXT NODE IN A PATH EXPRESSION THAT BEGINS WITH AN INITIAL "/" OR "//" DOES NOT HAVE AN XQUERY DOCUMENT NODE ROOT. ERROR QNAME = <i>err:XPDY0050</i>
-16022	OPERANDS OF TYPES <i>xquery-data-types</i> ARE NOT VALID FOR OPERATOR <i>operator-name</i> . ERROR QNAME = <i>err:XPTY0004</i>
-16023	THE XQUERY PROLOG CANNOT CONTAIN MULTIPLE DECLARATIONS FOR THE SAME NAMESPACE PREFIX <i>ns-prefix</i> . ERROR QNAME = <i>err:XQST0033</i>
-16024	THE NAMESPACE PREFIX <i>prefix-name</i> CANNOT BE REDECLARED OR CANNOT BE BOUND TO THE SPECIFIED URI. ERROR QNAME = <i>err:XQST0070</i>
-16031	XQUERY LANGUAGE FEATURE USING SYNTAX <i>string</i> IS NOT SUPPORTED
-16032	THE STRING <i>string</i> IS NOT A VALID URI. ERROR QNAME = <i>err:XQST0046</i>
-16036	THE URI THAT IS SPECIFIED IN A NAMESPACE DECLARATION CANNOT BE A ZERO-LENGTH STRING
-16038	THE ARGUMENTS OF FN:DATETIME HAVE DIFFERENT TIMEZONES. ERROR QNAME=ERR:FORG0008
-16046	A NUMERIC XQUERY EXPRESSION ATTEMPTED TO DIVIDE BY ZERO. ERROR QNAME = <i>err:FOAR0001</i>
-16047	AN XQUERY EXPRESSION RESULTED IN ARITHMETIC OVERFLOW OR UNDERFLOW. ERROR QNAME= <i>err:FOAR0002</i>
-16048	AN XQUERY PROLOG CANNOT CONTAIN MORE THAN ONE <i>decl-type</i> DECLARATION. ERROR QNAME = <i>error-qname</i>
-16049	THE LEXICAL VALUE <i>value</i> IS NOT VALID FOR THE <i>type-name</i> DATA TYPE IN THE FUNCTION OR CAST. ERROR QNAME= <i>err:FOCA0002</i>
-16051	THE VALUE <i>value</i> OF DATA TYPE <i>source-type</i> IS OUT OF RANGE FOR AN IMPLICIT OR EXPLICIT CAST TO TARGET DATA TYPE <i>target-type</i> . ERROR QNAME = <i>err:error-qname</i>
-16052	NAN CANNOT BE USED AS A FLOAT OR DOUBLE VALUE IN A DATETIME OPERATION. ERROR QNAME=ERR:FOCA0005
-16055	AN ARITHMETIC OPERATION INVOLVING A DATETIME VALUE RESULTED IN OVERFLOW. ERROR QNAME=ERR:FODT0001
-16056	AN ARITHMETIC OPERATION INVOLVING A DURATION VALUE RESULTED IN OVERFLOW. ERROR QNAME=ERR:FODT0002.
-16057	A TIMEZONE VALUE IS NOT VALID. ERROR QNAME=ERR:FODT0003.
-16061	THE VALUE <i>value</i> CANNOT BE CONSTRUCTED AS, OR CAST (USING AN IMPLICIT OR EXPLICIT CAST) TO THE DATA TYPE <i>data-type</i> . ERROR QNAME = <i>err:FORG0001</i>
-16065	AN EMPTY SEQUENCE CANNOT BE CAST TO THE DATA TYPE <i>data-type</i> , ERROR QNAME = <i>err:FORG0006</i>
-16066	THE ARGUMENT PASSED TO THE AGGREGATE FUNCTION <i>function-name</i> IS NOT VALID. ERROR QNAME = <i>err:FORG0006</i>
-16067	THE FLAGS ARGUMENT VALUE PASSED TO THE FUNCTION <i>function-name</i> IS NOT VALID. ERROR QNAME= <i>err:FORX0001</i>
-16068	THE REGULAR EXPRESSION ARGUMENT VALUE PASSED TO THE FUNCTION <i>function-name</i> IS NOT VALID. ERROR QNAME= <i>err:FORX0002</i>
-16069	A REGULAR EXPRESSION ARGUMENT <i>value</i> PASSED TO THE FUNCTION <i>function-name</i> MATCHES A ZERO-LENGTH STRING. ERROR QNAME= <i>err:FORX0003</i>
-16075	THE SEQUENCE TO BE SERIALIZED CONTAINS AN ITEM THAT IS AN ATTRIBUTE NODE. ERROR QNAME = <i>err:SENRO001</i>

-16080	AN XAN XQUERY <i>expression-type</i> UPDATING EXPRESSION IS USED IN AN INVALID CONTEXT. ERROR QNAME=err:XUST0001
-16081	THE XQUERY-UPDATE-CONSTANT IN THE XMLMODIFY FUNCTION IS NOT AN UPDATING EXPRESSION OR AN EMPTY SEQUENCE EXPRESSION. ERROR QNAME=err:XUST0002.
-16085	THE TARGET NODE OF AN XQUERY <i>expression-type</i> EXPRESSION IS NOT VALID. ERROR QNAME=err: <i>error-name</i>
-16086	THE REPLACEMENT SEQUENCE OF A REPLACE EXPRESSION CONTAINS INVALID NODES FOR THE SPECIFIED TARGET NODE. ERROR QNAME=err: <i>error-name</i> .
-16087	THE RESULT OF APPLYING THE UPDATING EXPRESSIONS IN THE XMLMODIFY FUNCTION IS NOT A VALID INSTANCE OF THE XQUERY AND XPATH DATA MODEL. ADDITIONAL INFORMATION: <i>information-1</i> , <i>information-2</i> . ERROR QNAME=err:XUDY0021.
-16088	AN <i>expression-type</i> EXPRESSION HAS A BINDING OF A NAMESPACE PREFIX <i>prefix-string</i> TO NAMESPACE URI <i>uri-string</i> , INTRODUCED TO AN ELEMENT NAMED <i>element-name</i> , THAT CONFLICTS WITH AN EXISTING NAMESPACE BINDING OF THE SAME PREFIX TO A DIFFERENT URI IN THE IN-SCOPE NAMESPACES OF , THAT ELEMENT NODE. ERROR QNAME=err:XUDY0023.
-16089	AN <i>expression-type</i> EXPRESSION AND POSSIBLY OTHER UPDATING EXPRESSIONS IN AN XMLMODIFY FUNCTION INTRODUCE CONFLICTING NAMESPACE BINDINGS INTO AN ELEMENT NAMED <i>element-name</i> . THE PREFIX <i>prefix-string</i> IS BOUND TO <i>uri-string</i> WHILE ANOTHER BINDING OF THE SAME PREFIX USES A DIFFERENT NAMESPACE URI. ERROR QNAME=err:XUDY0024.
-16246	INCOMPLETE ANNOTATION MAPPING AT OR NEAR LINE <i>lineno</i> IN XML SCHEMA DOCUMENT <i>uri</i> . REASON CODE = <i>reason-code</i> .
-16247	SOURCE XML TYPE <i>source-data-type</i> CANNOT BE MAPPED TO TARGET SQL TYPE <i>target-data-type</i> IN THE ANNOTATION AT OR NEAR LINE <i>lineno</i> IN XML SCHEMA DOCUMENT <i>uri</i>
-16248	UNKNOWN ANNOTATION <i>annotation-name</i> AT OR NEAR LINE <i>lineno</i> IN XML SCHEMA DOCUMENT <i>uri</i>
-16249	THE <i>db2-xdb:expression</i> ANNOTATION <i>expression</i> AT OR NEAR LINE <i>lineno</i> IN XML SCHEMA DOCUMENT <i>uri</i> IS TOO LONG.
-16250	THE <i>db2-xdb:defaultSQLSchema</i> WITH VALUE <i>schema-name</i> AT OR NEAR LINE <i>lineno</i> IN XML SCHEMA DOCUMENT <i>uri</i> CONFLICTS WITH ANOTHER <i>db2-xdb:defaultSQLSchema</i> SPECIFIED IN ONE OF THE XML SCHEMA DOCUMENTS WITHIN THE SAME XML SCHEMA.
-16251	DUPLICATE ANNOTATION DEFINED FOR <i>object-name</i> AT OR NEAR <i>location</i> IN XML SCHEMA DOCUMENT <i>uri</i>
-16252	THE <i>db2-xdb:rowSet</i> NAME <i>rowset-name</i> SPECIFIED AT OR NEAR LINE <i>lineno</i> IN THE XML SCHEMA DOCUMENT <i>uri</i> IS ALREADY ASSOCIATED WITH ANOTHER TABLE
-16253	THE <i>db2-xdb:condition</i> ANNOTATION <i>condition</i> AT OR NEAR LINE <i>lineno</i> IN XML SCHEMA DOCUMENT <i>uri</i> IS TOO LONG.
-16254	A <i>db2-xdb:locationPath</i> <i>locationpath</i> AT OR NEAR LINE <i>lineno</i> IN XML SCHEMA DOCUMENT <i>uri</i> IS NOT VALID WITH REASON CODE <i>reason-code</i> .
-16255	A <i>db2-xdb:rowSet</i> VALUE <i>rowset-name</i> USED AT OR NEAR LINE <i>lineno</i> IN XML SCHEMA DOCUMENT <i>uri</i> CONFLICTS WITH A <i>db2-xdb:table</i> ANNOTATION WITH THE SAME NAME.
-16257	XML SCHEMA FEATURE <i>feature</i> SPECIFIED IS NOT SUPPORTED FOR DECOMPOSITION.
-16258	THE XML SCHEMA CONTAINS A RECURSIVE ELEMENT WHICH IS AN UNSUPPORTED FEATURE FOR DECOMPOSITION. THE RECURSIVE ELEMENT IS IDENTIFIED AS <i>elementnamespace</i> : <i>elementname</i> OF TYPE <i>typenamespace</i> : <i>typename</i> .
-16259	INVALID MANY-TO-MANY MAPPINGS DETECTED IN XML SCHEMA DOCUMENT <i>uri1</i> NEAR LINE <i>lineno1</i> AND IN XML SCHEMA DOCUMENT <i>uri2</i> NEAR LINE <i>lineno2</i> .
-16260	XML SCHEMA ANNOTATIONS INCLUDE NO MAPPINGS TO ANY COLUMN OF ANY TABLE.
-16262	THE ANNOTATED XML SCHEMA HAS NO COLUMNS MAPPED FOR ROWSET <i>rowsetname</i> .
-16265	THE XML DOCUMENT CANNOT BE DECOMPOSED USING XML SCHEMA <i>xsobject-name</i> WHICH IS NOT ENABLED OR IS INOPERATIVE FOR DECOMPOSITION.

-16266	AN SQL ERROR OCCURRED DURING DECOMPOSITION OF DOCUMENT <i>docid</i> WHILE ATTEMPTING TO INSERT DATA. INFORMATION RETURNED FOR THE ERROR INCLUDES SQLCODE <i>sqlcode</i> , SQLSTATE <i>sqlstate</i> , AND MESSAGE TOKENS <i>token-list</i> .
-20003	GBPCACHE NONE CANNOT BE SPECIFIED FOR TABLESPACE OR INDEX IN GRECP
-20004	8K or 16K BUFFERPOOL PAGESIZE INVALID FOR A WORKFILE OBJECT
-20005	THE INTERNAL ID LIMIT OF <i>limit</i> HAS BEEN EXCEEDED FOR OBJECT TYPE <i>object-type</i>
-20006	LOBS CANNOT BE SPECIFIED AS PARAMETERS WHEN NO WLM ENVIRONMENT IS SPECIFIED
-20008	UNSUPPORTED OPTION <i>keyword</i> SPECIFIED
-20016	THE VALUE OF THE INLINE LENGTH ASSOCIATED WITH <i>object-name</i> IS TOO BIG OR THE INLINE LENGTH CLAUSE IS NOT ALLOWED IN THE CONTEXT
-20019	THE RESULT TYPE RETURNED FROM THE FUNCTION BODY CANNOT BE ASSIGNED TO THE DATA TYPE DEFINED IN THE RETURNS CLAUSE
-20046	THE SELECTIVITY CLAUSE FOLLOWING <i>predicate-string</i> CAN ONLY SPECIFIED FOR A SPATIAL PREDICATE FUNCTION.
-20058	THE FULLSELECT SPECIFIED FOR MATERIALIZED QUERY TABLE <i>table-name</i> IS NOT VALID
-20060	UNSUPPORTED DATA TYPE <i>data-type</i> ENCOUNTERED IN SQL <i>object-type object-name</i>
-20070	AUXILIARY TABLE <i>table-name</i> CANNOT BE CREATED BECAUSE COLUMN <i>column-name</i> IS NOT A LOB COLUMN
-20071	WLM ENVIRONMENT NAME MUST BE SPECIFIED <i>function-name</i>
-20072	<i>bind-type bind-subtype</i> ERROR USING <i>auth-id</i> AUTHORITY OPERATION IS NOT ALLOWED ON A <i>package-type</i> PACKAGE <i>package-name</i>
-20073	THE FUNCTION <i>function-name</i> CANNOT BE ALTERED BECAUSE IT IS REFERENCED IN EXISTING VIEW OR MATERIALIZED QUERY TABLE DEFINITIONS
-20074	THE OBJECT <i>object-name</i> CANNOT BE CREATED BECAUSE THE FIRST THREE CHARACTERS ARE RESERVED FOR SYSTEM OBJECTS
-20091	A VIEW NAME WAS SPECIFIED AFTER LIKE IN ADDITION TO THE INCLUDING IDENTITY COLUMN ATTRIBUTES CLAUSE
-20092	A TABLE OR VIEW WAS SPECIFIED IN THE LIKE CLAUSE, BUT THE OBJECT CANNOT BE USED IN THIS CNTEXT
-20093	THE TABLE <i>table-name</i> CANNOT BE CONVERTED TO OR FROM A MATERIALIZED QUERY TABLE, OR THE MATERIALIZED QUERY TABLE PROPERTY CANNOT BE ALTERED. REASON CODE = <i>reason-code</i> .
-20094	THE COLUMN <i>column-name</i> IS A GENERATED COLUMN AND CANNOT BE USED IN THE BEFORE TRIGGER <i>trigger-name</i> .
-20100	AN ERROR OCCURRED WHEN BINDING A TRIGGERED SQL STATEMENT. INFORMATION RETURNED: SECTION NUMBER : <i>section-number</i> SQLCODE <i>sqlerror</i> , SQLSTATE <i>sqlstate</i> , AND MESSAGE TOKENS
-20101	THE FUNCTION <i>function</i> FAILED WITH REASON <i>rc</i>
-20102	CREATE OR ALTER STATEMENT FOR USER-DEFINED FUNCTION <i>function-name</i> SPECIFIED THE <i>option</i> OPTION WHICH IS NOT ALLOWED FOR THE TYPE OF ROUTINE
-20104	AN ATTEMPT TO ALTER A CCSID FROM <i>from-ccsid</i> TO <i>to-ccsid</i> FAILED
-20106	THE CCSID FOR THE TABLE SPACE OR DATABASE CANNOT BE CHANGED BECAUSE THE TABLE SPACE OR DATABASE ALREADY CONTAINS A TABLE THAT IS REFERENCED IN EXISTING VIEW, OR MATERIALIZED QUERY TABLE DEFINITIONS OR AN EXTENDED INDEX
-20107	HOST VARIABLE OR PARAMETER NUMBER <i>position-number</i> CANNOT BE USED AS SPECIFIED BECAUSE REASON <i>reason</i>
-20108	A RESULT SET CONTAINS AN UNSUPPORTED DATA TYPE IN POSITION NUMBER <i>position-number</i> FOR CURSOR <i>cursor-name</i> OPENED BY STORED PROCEDURE <i>procedure-name</i>

-20110	CANNOT IMPLICITLY CONNECT TO A REMOTE SITE WITH A SAVEPOINT OUTSTANDING
-20111	CANNOT ISSUE SAVEPOINT, RELEASE SAVEPOINT, ROLLBACK TO SAVEPOINT FROM A TRIGGER, FROM A USER-DEFINED FUNCTION, OR FROM A GLOBAL TRANSACTION
-20117	A WINDOW SPECIFICATION FOR AN OLAP SPECIFICATION IS NOT VALID. REASON CODE = <i>reason-code</i>
-20120	AN SQL TABLE FUNCTION MUST RETURN A TABLE RESULT
-20123	CALL TO STORED PROCEDURE <i>procedure</i> FAILED BECAUSE THE RESULT SET RETURNED FOR CURSOR <i>cursor</i> IS SCROLLABLE, BUT THE CURSOR IS NOT POSITIONED BEFORE THE FIRST ROW
-20124	OPEN CURSOR <i>cursor</i> FAILED BECAUSE THE CURSOR IS SCROLLABLE BUT THE CLIENT DOES NOT SUPPORT THIS
-20125	CALL TO STORED PROCEDURE <i>procedure</i> FAILED BECAUSE THE RESULT SET FOR CURSOR <i>cursor</i> IS SCROLLABLE, BUT THE CLIENT DOES NOT SUPPORT THIS
-20127	VALUE SPECIFIED ON FETCH STATEMENT FOR ABSOLUTE OR RELATIVE IS TOO LARGE FOR DRDA
-20129	SPECIAL REGISTER IS NOT VALID AS USED
-20142	SEQUENCE <i>sequence-name</i> CANNOT BE USED AS SPECIFIED
-20143	THE ENCRYPTION OR DECRYPTION FUNCTION FAILED, BECAUSE THE ENCRYPTION PASSWORD VALUE IS NOT SET
-20144	THE ENCRYPTION IS INVALID BECAUSE THE LENGTH OF THE PASSWORD WAS LESS THAN 6 BYTES OR GREATER THAN 127 BYTES
-20146	THE DECRYPTION FAILED. THE DATA IS NOT ENCRYPTED
-20147	THE ENCRYPTION FUNCTION FAILED. MULTIPLE PASS ENCRYPTION IS NOT SUPPORTED
-20148	A RETURN STATEMENT DOES NOT EXIST OR WAS NOT INVOKED DURING THE EXECUTION OF ROUTINE <i>routine-name</i> WITH SPECIFIC NAME <i>specific-name</i>
-20163	HEXADECIMAL CONSTANT GX IS NOT ALLOWED
-20165	AN SQL DATA CHANGE STATEMENT WITHIN A FROM CLAUSE IS NOT ALLOWED IN THE CONTEXT IN WHICH IT WAS SPECIFIED
-20166	AN SQL DATA CHANGE STATEMENT WITHIN A SELECT SPECIFIED A VIEW <i>view-name</i> WHICH IS NOT A SYMMETRIC VIEW OR COULD NOT HAVE BEEN DEFINED AS A SYMMETRIC VIEW
-20177	SET DATA TYPE CLAUSE ON ALTER TABLE SPECIFIED FLOATING POINT, BUT THIS CHANGE IS DISALLOWED
-20178	VIEW <i>view-name</i> ALREADY HAS AN INSTEAD OF <i>operation</i> TRIGGER DEFINED
-20179	THE INSTEAD OF TRIGGER CANNOT BE CREATED BECAUSE THE VIEW <i>view-name</i> IS DEFINED USING THE WITH CHECK OPTION
-20180	COLUMN <i>column-name</i> IN TABLE <i>table-name</i> CANNOT BE ALTERED AS SPECIFIED
-20181	COLUMN CANNOT BE ADDED TO INDEX <i>index-name</i>
-20182	PARTITIONING CLAUSE <i>clause</i> ON <i>stmt-type</i> STATEMENT FOR <i>index-name</i> IS NOT VALID
-20183	THE PARTITIONED, ADD PARTITION, ADD PARTITIONING KEY, ALTER PARTITION, ROTATE PARTITION, OR PARTITION BY RANGE CLAUSE SPECIFIED ON CREATE OR ALTER FOR <i>name</i> IS NOT VALID
-20185	CURSOR <i>cursor-name</i> IS NOT DEFINED TO ACCESS ROWSETS, BUT A CLAUSE WAS SPECIFIED THAT IS VALID ONLY WITH ROWSET ACCESS
-20186	A CLAUSE SPECIFIED FOR THE DYNAMIC SQL STATEMENT BEING PROCESSED IS NOT VALID
-20200	THE INSTALL OR REPLACE OF <i>jar-id</i> WITH URL <i>url</i> FAILED DUE TO REASON <i>reason-code-(reason-string)</i> .

-20201	THE INSTALL, REPLACE, REMOVE, OR ALTER OF <i>jar-name</i> FAILED DUE TO REASON <i>reason-code-(reason-string)</i>
-20202	THE REMOVE OF <i>jar-name</i> FAILED AS <i>class</i> IS IN USE
-20203	USER-DEFINED FUNCTION OR PROCEDURE <i>name</i> HAS A JAVA METHOD WITH AN INVALID SIGNATURE. THE ERROR IS AT OR NEAR PARAMETER <i>number</i> . THE SIGNATURE IS <i>signature</i> .
-20204	THE USER-DEFINED FUNCTION OR PROCEDURE <i>routine-name</i> WAS UNABLE TO MAP TO A SINGLE JAVA METHOD
-20207	THE INSTALL OR REMOVE OF <i>jar-name</i> SPECIFIED THE USE OF A DEPLOYMENT DESCRIPTOR.
-20210	THE SQL STATEMENT CANNOT BE EXECUTED BECAUSE IT WAS PRECOMPILED AT A LEVEL THAT IS INCOMPATIBLE WITH THE CURRENT VALUE OF THE ENCODING BIND OPTION OR SPECIAL REGISTER
-20211	THE SPECIFICATION ORDER BY OR FETCH FIRST N ROWS ONLY IS INVALID
-20212	USER-DEFINED ROUTINE <i>name</i> ENCOUNTERED AN EXCEPTION ATTEMPTING TO LOAD JAVA CLASS <i>class-name</i> FROM JAR <i>jar-name</i> . ORIGINAL EXCEPTION: <i>exception-string</i>
-20213	STORED PROCEDURE <i>procedure-name</i> HAS RETURNED A DYNAMIC RESULT SET, PARAMETER <i>number</i> , THAT IS NOT VALID
-20223	THE OPERATION FAILED. ENCRYPTION FACILITY NOT AVAILABLE <i>return-code, reason-code</i>
-20224	ENCRYPTED DATA THAT WAS ORIGINALLY A BINARY STRING CANNOT BE DECRYPTED TO A CHARACTER STRING
-20227	REQUIRED CLAUSE IS MISSING FOR ARGUMENT <i>number</i> OF <i>expression</i>
-20232	CHARACTER CONVERSION FROM CCSID <i>from-ccsid</i> TO <i>to-ccsid</i> FAILED WITH ERROR CODE <i>error-code</i> FOR TABLE <i>dbid.obid</i> COLUMN <i>column-number</i> REQUESTED BY <i>csect-name</i>
-20235	THE COLUMN <i>column-name</i> CANNOT BE ADDED, ALTERED OR DROPPED BECAUSE <i>table-name</i> IS A MATERIALIZED QUERY TABLE
-20240	INVALID SPECIFICATION OF A SECURITY LABEL COLUMN <i>column-name</i> REASON CODE <i>reason-code</i>
-20248	ATTEMPTED TO EXPLAIN ALL CACHED STATEMENTS OR A CACHED STATEMENT WITH STMTID OR STMTOKEN <i>ID-token</i> BUT THE REQUIRED EXPLAIN INFORMATION IS NOT ACCESSIBLE.
-20249	THE PACKAGE <i>package-name</i> NEEDS TO BE REBOUND IN ORDER TO BE SUCCESSFULLY EXECUTED (<i>token</i>)
-20252	DIAGNOSTICS AREA FULL. NO MORE ERRORS CAN BE RECORDED FOR THE NOT ATOMIC STATEMENT
-20257	FINAL TABLE IS NOT VALID WHEN THE TARGET VIEW <i>view-name</i> OF THE SQL DATA CHANGE STATEMENT IN A FULLSELECT HAS AN INSTEAD OF TRIGGER DEFINED
-20258	INVALID USE OF INPUT SEQUENCE ORDERING
-20260	THE ASSIGNMENT CLAUSE OF THE UPDATE OPERATION AND THE VALUES CLAUSE OF THE INSERT OPERATION MUST SPECIFY AT LEAST ONE COLUMN THAT IS NOT AN INCLUDE COLUMN
-20264	FOR TABLE <i>table-name</i> , <i>primary-auth-id</i> WITH SECURITY LABEL <i>primary-auth-id-seclabel</i> IS NOT AUTHORIZED TO PERFORM <i>operation</i> ON A ROW WITH SECURITY LABEL <i>row-seclabel</i> . THE RECORD IDENTIFIER (RID) OF THIS ROW IS <i>rid-number</i> .
-20265	SECURITY LABEL IS <i>reason</i> FOR <i>primary-auth-id</i>
-20266	ALTER VIEW FOR <i>view-name</i> FAILED
-20267	THE FUNCTION <i>function-name</i> (SPECIFIC <i>specific-name</i>) MODIFIES SQL DATA AND IS INVOKED IN AN ILLEGAL CONTEXT. REASON CODE <i>reason-code</i>
-20275	The XML NAME <i>name</i> IS NOT VALID. REASON CODE = <i>reason-code</i>

-20281	<i>primary-auth-id</i> DOES NOT HAVE THE MLS WRITE-DOWN PRIVILEGE
-20283	A DYNAMIC CREATE STATEMENT CANNOT BE PROCESSED WHEN THE VALUE <i>OF</i> CURRENT SCHEMA DIFFERS FROM CURRENT SQLID
-20286	DB2 CONVERTED STRING <i>token-type token</i> FROM <i>from-ccsid</i> TO <i>to-ccsid</i> , AND RESULTED IN SUBSTITUTION CHARACTER
-20289	INVALID STRING UNIT <i>unit</i> SPECIFIED FOR FUNCTION <i>function-name</i>
-20295	THE EXECUTION OF A BUILT IN FUNCTION <i>function</i> RESULTED IN AN ERROR REASON CODE <i>reason-code</i>
-20300	THE LIST OF COLUMNS SPECIFIED FOR THE <i>clause</i> CLAUSE IS NOT ALLOWED IN COMBINATION WITH THE LIST OF COLUMNS FOR THE PARTITIONING KEY FOR THE TABLE
-20304	INVALID INDEX DEFINITION INVOLVING AN XMLPATTERN CLAUSE OR A COLUMN <i>OF</i> DATA TYPE XML. REASON CODE = <i>reason-code</i>
-20305	AN XML VALUE CANNOT BE INSERTED OR UPDATED BECAUSE OF AN ERROR DETECTED WHEN INSERTING OR UPDATING THE INDEX IDENTIFIED BY <i>index-id</i> ON TABLE <i>table-name</i> . REASON CODE = <i>reason-code</i>
-20306	AN INDEX ON AN XML COLUMN CANNOT BE CREATED BECAUSE OF AN ERROR DETECTED WHEN INSERTING THE XML VALUES INTO THE INDEX. REASON CODE = <i>reason-code</i>
-20310	THE REMOVE OF <i>jar-name1</i> FAILED, AS IT IS IN USE BY <i>jar-name2</i>
-20311	THE VALUE PROVIDED FOR THE NEW JAVA PATH IS ILLEGAL
-20312	THE ALTER OF JAR <i>jar-id</i> FAILED BECAUSE THE SPECIFIED PATH REFERENCES ITSELF
-20313	DEBUG MODE OPTION FOR ROUTINE <i>routine-name</i> CANNOT BE CHANGED
-20314	THE PARAMETER LIST DOES NOT MATCH THE PARAMETER LIST FOR ALL OTHER VERSIONS OF ROUTINE <i>routine-name</i>
-20315	THE CURRENTLY ACTIVE VERSION FOR ROUTINE <i>routine-name (routine-type)</i> CANNOT BE DROPPED
-20316	THE CURRENTLY ACTIVE VERSION FOR ROUTINE <i>routine-name (type)</i> CANNOT BE DROPPED
-20327	THE DEPTH OF AN XML DOCUMENT EXCEEDS THE LIMIT OF 128 LEVELS
-20328	THE DOCUMENT WITH TARGET NAMESPACE <i>namespace</i> AND SCHEMA LOCATION <i>location</i> HAS ALREADY BEEN ADDED FOR THE XML SCHEMA IDENTIFIED BY <i>schema name</i>
-20329	THE COMPLETION CHECK FOR THE XML SCHEMA FAILED BECAUSE ONE OR MORE XML SCHEMA DOCUMENTS IS MISSING. ONE MISSING XML SCHEMA DOCUMENT IS IDENTIFIED BY <i>uri-type</i> AS <i>uri</i>
-20330	THE <i>xsobject-type</i> IDENTIFIED BY XML <i>uri-type1 uri1</i> AND XML <i>uri-type2 uri2</i> IS NOT FOUND IN THE XML SCHEMA REPOSITORY
-20331	THE XML COMMENT VALUE <i>string</i> IS NOT VALID
-20332	THE XML PROCESSING INSTRUCTION VALUE <i>string</i> IS NOT VALID
-20337	MORE THAN ONE <i>xsobject-type</i> EXISTS IDENTIFIED BY XML <i>uri-type1 uri1</i> AND <i>uri-type2 uri2</i> EXISTS IN THE XML SCHEMA REPOSITORY.
-20338	THE DATA TYPE OF EITHER THE SOURCE OR TARGET OPERAND OF AN XMLCAST SPECIFICATION MUST BE XML
-20339	XML SCHEMA <i>name</i> IS NOT IN THE CORRECT STATE TO PERFORM OPERATION <i>operation</i>
-20340	XML SCHEMA <i>xmlschema-name</i> INCLUDES AT LEAST ONE XML SCHEMA DOCUMENT IN NAMESPACE <i>namespace</i> THAT IS NOT CONNECTED TO THE OTHER XML SCHEMA DOCUMENTS
-20342	INCOMPATIBLE EXPRESSION-TYPE EXPRESSIONS EXIST IN THE XQUERY-UPDATE-CONSTANT IN THE XMLMODIFY FUNCTION. QNAME= <i>err: error-name</i> .
-20345	THE XML VALUE IS NOT A WELL-FORMED DOCUMENT WITH A SINGLE ROOT ELEMENT

-20353	AN OPERATION INVOLVING COMPARISON CANNOT USE OPERAND <i>name</i> DEFINED AS DATA TYPE <i>type-name</i>
-20354	INVALID SPECIFICATION OF A ROW CHANGE TIMESTAMP COLUMN FOR TABLE <i>table-name</i>
-20355	THE STATEMENT COULD NOT BE PROCESSED BECAUSE ONE OR MORE IMPLICITLY CREATED OBJECTS ARE INVOLVED <i>reason-code</i>
-20356	THE TABLE WITH DBID = <i>dbid</i> AND OBID = <i>obid</i> CANNOT BE TRUNCATED BECAUSE DELETE TRIGGERS EXIST FOR THE TABLE, OR THE TABLE IS THE PARENT TABLE IN A REFERENTIAL CONSTRAINT
-20361	AUTHORIZATION ID <i>authorization-name</i> IS NOT DEFINED FOR THE TRUSTED CONTEXT <i>context-name</i>
-20362	ATTRIBUTE <i>attribute-name</i> WITH VALUE <i>value</i> CANNOT BE DROPPED BECAUSE IT IS NOT PART OF THE DEFINITION OF TRUSTED CONTEXT <i>context-name</i>
-20363	ATTRIBUTE <i>attribute-name</i> WITH VALUE <i>value</i> IS NOT A UNIQUE SPECIFICATION FOR TRUSTED CONTEXT <i>context-name</i>
-20365	A SIGNALING NAN WAS ENCOUNTERED, OR AN EXCEPTION OCCURRED IN AN ARITHMETIC OPERATION OR FUNCTION INVOLVING A DECFLOAT
-20366	TABLE WITH DBID= <i>dbid.obid</i> AND OBID= <i>obid</i> CANNOT BE TRUNCATED BECAUSE UNCOMMITTED UPDATES EXIST ON THE TABLE WITH 'IMMEDIATE' OPTION SPECIFIED IN THE STATEMENT
-20369	AN ALTER TRUSTED CONTEXT STATEMENT FOR <i>context-name</i> ATTEMPTED TO REMOVE THE LAST CONNECTION TRUST ATTRIBUTE ASSOCIATED WITH THE TRUSTED CONTEXT
-20372	THE SYSTEM AUTHID CLAUSE OF A CREATE OR ALTER TRUSTED CONTEXT STATEMENT FOR <i>context-name</i> SPECIFIED <i>authorization-name</i> , BUT ANOTHER TRUSTED CONTEXT IS ALREADY DEFINED FOR THAT AUTHORIZATION ID.
-20373	A CREATE OR ALTER TRUSTED CONTEXT STATEMENT SPECIFIED <i>authorization-name</i> MORE THAN ONCE OR THE TRUSTED CONTEXT IS ALREADY DEFINED TO BE USED BY THIS AUTHORIZATION ID OR PUBLIC.
-20374	AN ALTER TRUSTED CONTEXT STATEMENT FOR <i>context-name</i> SPECIFIED <i>authorization-name</i> BUT THE TRUSTED CONTEXT IS NOT CURRENTLY DEFINED TO BE USED BY THIS AUTHORIZATION ID OR PUBLIC
-20377	AN ILLEGAL XML CHARACTER <i>hex-char</i> WAS FOUND IN AN SQL/XML EXPRESSION OR FUNCTION ARGUMENT THAT BEGINS WITH STRING <i>start-string</i>
-20379	AN AUTHORIZATION ID OR A ROLE CANNOT USE ITS SECADM AUTHORITY TO TRANSFER THE OWNERSHIP OF AN OBJECT TO ITSELF
-20380	ALTER INDEX WITH REGENERATE OPTION FOR <i>index-name</i> FAILED. INFORMATION RETURNED: SQLCODE <i>sqlcode</i> , SQLSTATE <i>sqlstate</i> , MESSAGE TOKENS <i>token-list</i>
-20381	ALTER INDEX WITH REGENERATE OPTION IS NOT VALID FOR <i>index-name</i>
-20382	CONTEXT ITEM CANNOT BE A SEQUENCE WITH MORE THAN ONE ITEM
-29385	THE STATEMENT CANNOT BE PROCESSED BECAUSE THERE ARE PENDING DEFINITION CHANGES FOR OBJECT <i>object-name</i> OF TYPE <i>object-type</i> (REASON <i>reason-code</i>)
-20398	ERROR ENCOUNTERED DURING XML PARSING AT LOCATION <i>n text</i>
-20399	ERROR ENCOUNTERED DURING XML VALIDATION: LOCATION <i>n</i> ; TEXT: <i>text</i> ; XSRID <i>schema-ID</i>
-20400	XML SCHEMA ERROR <i>n text</i>
-20409	AN XML DOCUMENT OR CONSTRUCTED XML VALUE CONTAINS A COMBINATION OF XML NODES THAT CAUSES AN INTERNAL IDENTIFIER LIMIT TO BE EXCEEDED
-20410	THE NUMBER OF CHILDREN NODES OF AN XML NODE IN AN XML VALUE HAS EXCEEDED THE LIMIT NUMBER OF CHILDREN NODES
-20411	A FETCH CURRENT CONTINUE OPERATION WAS REQUESTED FOR <i>cursor-name</i> BUT THERE IS NO PRESERVED, TRUNCATED DATA TO RETURN

-20412	SERIALIZATION OF AN XML VALUE RESULTED IN CHARACTERS THAT COULD NOT BE REPRESENTED IN THE TARGET ENCODING
-20422	A CREATE TABLE, OR DECLARE GLOBAL TEMPORARY TABLE STATEMENT FOR <i>table-name</i> ATTEMPTED TO CREATE A TABLE WITH ALL THE COLUMNS DEFINED AS HIDDEN
-20423	ERROR OCCURRED DURING TEXT SEARCH PROCESSING (<i>server</i> , <i>index-name</i> , <i>text</i>)
-20424	TEXT SEARCH SUPPORT IS NOT AVAILABLE <i>reason-code</i>
-20425	<i>column-name</i> (IN <i>table-name</i>) WAS SPECIFIED AS AN ARGUMENT TO A TEXT SEARCH FUNCTION, BUT A TEXT INDEX DOES NOT EXIST FOR THE COLUMN
-20426	CONFLICTING TEXT SEARCH ADMINISTRATION STORED PROCEDURE RUNNING ON THE SAME INDEX
-20427	ERROR OCCURRED DURING TEXT SEARCH ADMINISTRATION STORED PROCEDURE <i>error</i>
-20428	URI SPECIFIED IN THE XMLSCHEMA CLAUSE IS AN EMPTY STRING
-20430	GLOBAL VARIABLE <i>variable-name</i> CANNOT BE SET IN THIS CONTEXT
-20433	AN UNTYPED PARAMETER MARKER WAS SPECIFIED, BUT AN ASSUMED DATA TYPE CANNOT BE DETERMINED FROM ITS USE
-20434	AN UPDATE OPERATION HAS SET ALL OF ITS TARGET COLUMNS TO UNASSIGNED
-20435	THE SELECT CLAUSE INCLUDES MULTIPLE INVOCATIONS OF THE ARRAY_AGG FUNCTION AND ALL INVOCATIONS DO NOT SPECIFY THE SAME SORT KEYS.
-20436	THE DATA TYPE SPECIFIED FOR AN ARRAY TYPE IS NOT VALID.
-20437	AN ARRAY INDEX CANNOT BE APPLIED TO AN OBJECT THAT IS NOT AN ARRAY.
-20438	THE DATA TYPE OF THE EXPRESSION FOR AN ARRAY INDEX VALUE IS NOT CASTABLE TO THE DATA TYPE OF THE ARRAY INDEX.
-20439	AN ARRAY INDEX WITH VALUE <i>value</i> IS NULL, OUT OF RANGE OR DOES NOT EXIST.
-20440	THE ARRAY VALUE WITH CARDINALITY <i>cardinality</i> HAS TOO MANY ELEMENTS FOR THE REQUESTED OPERATION. THE MAXIMUM NUMBER OF ELEMENTS ALLOWED FOR THE REQUESTED OPERATION IS <i>value</i> .
-20441	<i>type-name</i> TYPE IS NOT VALID WHERE SPECIFIED. REASON CODE <i>reason-code</i> .
-20442	THERE IS NOT ENOUGH STORAGE TO REPRESENT THE ARRAY VALUE.
-20444	AN ERROR OCCURRED IN A KEY-EXPRESSION EVALUATION IN <i>index-name</i> INFORMATION RETURNED: SQLCODE: <i>sqlcode</i> , SQLSTATE: <i>sqlstate</i> , MESSAGE TOKEN <i>token-list</i> AND RID X <i>rid</i>
-20447	FORMAT STRING <i>format-string</i> IS NOT VALID FOR THE <i>function-name</i> FUNCTION
-20448	<i>string-expression</i> CANNOT BE INTERPRETED USING FORMAT STRING <i>format-string</i> FOR THE TIMESTAMP_FORMAT FUNCTION.
-20457	THE PROCEDURE <i>procedure-name</i> HAS ENCOUNTERED AN UNSUPPORTED VERSION, <i>version</i> , FOR PARAMETER <i>number</i>
-20465	THE BINARY XML VALUE IS INCOMPLETE OR CONTAINS UNRECOGNIZED DATA AT LOCATION <i>position</i> WITH THE HEX DATA <i>text</i>
-20467	THE STATEMENT WAS NOT EXECUTED BECAUSE AN EXPRESSION IS NOT A CONSTANT OR VARIABLE. THE INVALID EXPRESSION IS IN THE STATEMENT NEAR THE SYNTAX ELEMENT <i>syntax-element</i>
-20469	ROW OR COLUMN ACCESS CONTROL CANNOT BE ACTIVATED FOR TABLE <i>table-name</i> FOR REASON <i>reason-code</i> . <i>object-type</i> <i>object-name</i> IS NOT IN A VALID STATE FOR ACTIVATING ACCESS CONTROL FOR THIS TABLE
-20470	<i>object-type1</i> <i>object-name1</i> MUST BE DEFINED AS SECURE BECAUSE <i>object-type2</i> <i>object-name2</i> IS DEPENDENT ON IT
-20471	THE INSERT OR UPDATE IS NOT ALLOWED BECAUSE A RESULTING ROW DOES NOT SATISFY ROW PERMISSIONS
-20472	PERMISSION OR MASK <i>object-name</i> CANNOT BE ALTERED AS SPECIFIED. REASON CODE <i>reason-code</i>

-20473	THE INPUT ARGUMENT OF FUNCTION <i>function-name</i> THAT IS DEFINED WITH THE NOT-SECURED OPTION MUST NOT REFERENCE COLUMN <i>column-name</i> FOR WHICH A COLUMN MASK IS ENABLED AND THE COLUMN ACCESS CONTROL IS ACTIVATED FOR THE TABLE
-20474	PERMISSION OR MASK CANNOT BE CREATED FOR THE <i>object-name</i> OBJECT OF THE <i>object-type</i> TYPE. REASON CODE <i>reason-code</i> .
-20475	A COLUMN MASK IS ALREADY DEFINED FOR THE COLUMN <i>column-name</i> IN TABLE <i>table-name</i> (EXISTING MASK NAME <i>mask-name</i>)
-20476	THE <i>function-name</i> FUNCTION IS NOT ABLE TO USE FORMAT STRING <i>format-string</i> TO INTERPRET THE ARGUMENT <i>string-expression</i> .
-20478	THE STATEMENT CANNOT BE PROCESSED BECAUSE COLUMN MASK <i>mask-name</i> (DEFINED FOR COLUMN <i>column-name</i>) EXISTS AND THE COLUMN MASK CANNOT BE APPLIED OR THE DEFINITION OF THE MASK CONFLICTS WITH THE REQUESTED STATEMENT. REASON CODE <i>reason-code</i> .
-20479	THE SOURCE TABLE <i>table-name</i> CANNOT BE ALTERED AS SPECIFIED BECAUSE THE TABLE IS INVOLVED IN ROW OR COLUMN ACCESS CONTROLS. REASON CODE <i>reason-codereason-code</i> .
-20487	HASH ORGANIZATION CLAUSE IS NOT VALID FOR <i>table-name</i>
-20488	SPECIFIED HASH SPACE IS TOO LARGE FOR THE IMPLICITLY CREATED TABLE SPACE. REASON <i>reason-code</i> . (PARTITION <i>partition-number</i>)
-20490	A VERSIONING CLAUSE WAS SPECIFIED FOR TABLE <i>table-name</i> , BUT THE TABLE CANNOT BE USED AS A SYSTEM PERIOD TEMPORAL TABLE. REASON CODE = <i>reason-code</i> .
-20491	INVALID SPECIFICATION OF PERIOD <i>period-name</i> . REASON CODE = <i>reason-code</i> .
-20493	A TIMESTAMP WITHOUT TIME ZONE VALUE CANNOT BE ASSIGNED TO A TIMESTAMP WITH TIME ZONE TARGET
-20494	A PUBLIC ALIAS NAME, <i>name</i> , CAN ONLY BE QUALIFIED WITH SYSPUBLIC AND NOT THE SCHEMA NAME <i>schema-name</i>
-20497	A STRING REPRESENTATION OF A DATETIME VALUE THAT CONTAINS A TIME ZONE CANNOT BE IMPLICITLY CAST TO A TARGET DEFINED AS DATETIME WITHOUT TIME ZONE
-20505	THE WITH ORDINALITY CLAUSE IS NOT VALID WITH UNNEST OF AN ASSOCIATIVE ARRAY.
-20517	XMLMODIFY ATTEMPTED TO UPDATE A COLUMN WHICH WAS NOT SPECIFIED IN THE UPDATE SET CLAUSE
-20522	INVALID SPECIFICATION OF WITHOUT OVERLAPS CLAUSE. REASON CODE <i>reason-code</i> .
-20523	TABLE <i>table-name</i> WAS SPECIFIED AS A HISTORY TABLE, BUT THE TABLE DEFINITION IS NOT VALID FOR A HISTORY TABLE. REASON CODE = <i>reason-code</i> .
-20524	INVALID PERIOD SPECIFICATION OR PERIOD CLAUSE FOR PERIOD <i>period-name</i> . REASON CODE = <i>reason-code</i> .
-20525	THE REQUESTED ACTION IS NOT VALID FOR TABLE <i>table-name</i> BECAUSE THE TABLE IS THE WRONG TYPE OF TABLE. REASON CODE = <i>reason-code</i>
-20527	<i>period-name</i> IS NOT A PERIOD IN TABLE <i>table-name</i>
-20528	THE TARGET OF THE DATA CHANGE OPERATION IS A TABLE <i>table-name</i> , WHICH INCLUDES A PERIOD <i>period-name</i> . A ROW THAT THIS DATA CHANGE OPERATION ATTEMPTED TO MODIFY WAS ALSO MODIFIED BY ANOTHER TRANSACTION.
-20529	THE ARGUMENT OF THE WRAP FUNCTION OR CREATE_WRAPPED PROCEDURE IS NOT VALID
-20530	AN OBFUSCATED STATEMENT IS NOT VALID. REASON CODE= <i>reason-code</i>
-20531	THE VERSION NUMBER <i>actual-version</i> SPECIFIED IN A BINARY XML VALUE IS NOT SUPPORTED. THE HIGHEST SUPPORTED VERSION IS <i>supported-version</i> .

-20535	THE DATA CHANGE OPERATION <i>operation</i> IS NOT SUPPORTED FOR THE TARGET OBJECT <i>object-name</i> BECAUSE OF AN IMPLICIT OR EXPLICIT SYSTEM PERIOD SPECIFICATION INVOLVING <i>period-name</i> . REASON CODE: <i>reason-code</i> .
-20547	THE QUERY FAILED BECAUSE A NEGATIVE VALUE OR THE NULL VALUE IS USED IN THE <i>clause</i> CLAUSE
-20550	AN ARGUMENT, OR COMBINATION OF ARGUMENTS, SPECIFIED FOR THE <i>operator-name</i> OPERATOR ARE NOT VALID.
-20551	CONSTRUCTING AN ASSOCIATIVE ARRAY FAILED BECAUSE THE INPUT DATA INCLUDES AT LEAST ONE DUPLICATE ARRAY INDEX VALUE. DUPLICATED INDEX VALUE: <i>value</i>
-20553	AN ENABLE ARCHIVE CLAUSE WAS SPECIFIED FOR TABLE <i>table-name</i> , BUT THE TABLE CANNOT BE USED AS AN ARCHIVE-ENABLED TABLE. REASON CODE = <i>reason-code</i> .
-20554	TABLE <i>table-name</i> WAS SPECIFIED AS AN ARCHIVE TABLE, BUT THE TABLE DEFINITION IS NOT VALID FOR AN ARCHIVE TABLE. REASON CODE = <i>reason-code</i> .
-20555	AN ARCHIVE-ENABLED TABLE IS NOT ALLOWED IN THE SPECIFIED CONTEXT. REASON CODE <i>reason-code</i> .
-20565	THE REPLACEMENT VALUE FOR <i>built-in-global-var</i> IS INVALID
-20577	SQL DATA INSIGHTS HAS NOT BEEN CONFIGURED IN DB2, REASON <i>reason-code</i>
-20578	MODEL COLUMNS CANNOT BE DETERMINED FOR FUNCTION <i>function-name</i>
-20579	IN FUNCTION <i>function-name</i> MODEL COLUMN <i>column-name</i> FROM MODEL <i>model-name</i> CANNOT BE USED, REASON <i>reason-code</i>
-20580	IN AI FUNCTION <i>function-name</i> , ARGUMENT <i>n</i> IS NOT USABLE, REASON <i>reason-code</i>
-30000	EXECUTION FAILED DUE TO A DISTRIBUTION PROTOCOL ERROR THAT WILL NOT AFFECT THE SUCCESSFUL EXECUTION OF SUBSEQUENT COMMANDS OR SQL STATEMENTS: REASON <i>reason-code</i> (<i>sub-code</i>)
-30002	THE SQL STATEMENT CANNOT BE EXECUTED DUE TO A PRIOR CONDITION IN A CHAIN OF STATEMENTS
-30005	EXECUTION FAILED BECAUSE FUNCTION NOT SUPPORTED BY THE SERVER: LOCATION <i>location-name</i> PRODUCT ID <i>product-identifier</i> REASON <i>reason-code</i> (<i>sub-code</i>)
-30020	EXECUTION FAILED DUE TO A DISTRIBUTION PROTOCOL ERROR THAT CAUSED DEALLOCATION OF THE CONVERSATION: REASON < <i>reason-code</i> (<i>sub-code</i>) >
-30021	EXECUTION FAILED DUE TO A DISTRIBUTION PROTOCOL ERROR THAT WILL AFFECT THE SUCCESSFUL EXECUTION OF SUBSEQUENT COMMANDS OR SQL STATEMENTS: MANAGER <i>manager</i> AT LEVEL <i>level</i> NOT SUPPORTED ERROR
-30025	EXECUTION FAILED BECAUSE FUNCTION IS NOT SUPPORTED BY THE SERVER WHICH CAUSED TERMINATION OF THE CONNECTION: LOCATION <i>location</i> PRODUCT ID <i>pppvrr</i> REASON <i>reason-code</i> (<i>sub-code</i>)
-30030	COMMIT REQUEST WAS UNSUCCESSFUL, A DISTRIBUTION PROTOCOL VIOLATION HAS BEEN DETECTED, THE CONVERSATION HAS BEEN DEALLOCATED. ORIGINAL SQLCODE= <i>original-sqlcode</i> AND ORIGINAL SQLSTATE= <i>original-sqlstate</i>
-30040	EXECUTION FAILED DUE TO UNAVAILABLE RESOURCES THAT WILL NOT AFFECT THE SUCCESSFUL EXECUTION OF SUBSEQUENT COMMANDS OR SQL STATEMENTS. REASON < <i>reason-code</i> > TYPE OF RESOURCE < <i>resource-type</i> > RESOURCE NAME < <i>resource-name</i> > PRODUCT ID < <i>pppvrrm</i> > RDBNAME < <i>rdbname</i> >
-30041	EXECUTION FAILED DUE TO UNAVAILABLE RESOURCES THAT WILL AFFECT THE SUCCESSFUL EXECUTION OF SUBSEQUENT COMMANDS AND SQL STATEMENTS. REASON < <i>reason-code</i> > TYPE OF RESOURCE < <i>resource-type</i> > RESOURCE NAME < <i>resource-name</i> > PRODUCT ID < <i>pppvrrm</i> > RDBNAME < <i>rdbname</i> >
-30045	EXECUTION FAILED BECAUSE THE DEFINITION OF OBJECT <i>object-name</i> OF TYPE <i>object-type</i> BEING ACCESSED AT <i>server-name-1</i> DIFFERS FROM THE DEFINITION OF THE OBJECT AT <i>server-name-2</i>

-30047	STATEMENT FAILED BECAUSE OBJECT OF TYPE <i>object-type</i> CANNOT BE ACCESSED USING DIFFERENT DISTRIBUTED PROTOCOLS ON A CONNECTION FROM <i>server-name-1</i> TO <i>server-name-2</i>
-30050	< command-or-SQL-statement-type> COMMAND OR SQL STATEMENT INVALID WHILE BIND PROCESS IN PROGRESS
-30051	BIND PROCESS WITH SPECIFIED PACKAGE NAME AND CONSISTENCY TOKEN NOT ACTIVE
-30052	PROGRAM PREPARATION ASSUMPTIONS ARE INCORRECT
-30053	OWNER AUTHORIZATION FAILURE
-30060	RDB AUTHORIZATION FAILURE
-30061	RDB NOT FOUND
-30062	RDB ACCESS FAILURE
-30070	< command> COMMAND NOT SUPPORTED ERROR
-30071	< object-type> OBJECT NOT SUPPORTED ERROR
-30072	< parameter>:< subcode> PARAMETER NOT SUPPORTED ERROR
-30073	< parameter>:< subcode> PARAMETER VALUE NOT SUPPORTED ERROR
-30074	REPLY MESSAGE WITH codepoint (svrcod) NOT SUPPORTED ERROR
-30080	COMMUNICATION ERROR code (subcode)
-30081	prot COMMUNICATION ERROR DETECTED. API= api, LOCATION= loc, FUNCTION= func, ERROR CODES= rc1 rc2 rc3
-30082	CONNECTION FAILED FOR SECURITY REASON reason-code (reason-string)
-30090	REMOTE OPERATION INVALID FOR APPLICATION EXECUTION ENVIRONMENT
-30104	ERROR IN BIND OPTION option AND BIND VALUE value
-30105	BIND OPTION option1 IS NOT ALLOWED WITH BIND OPTION
-30106	INVALID INPUT DATA DETECTED FOR A MULTIPLE ROW INSERT OPERATION. INSERT PROCESSING IS TERMINATED

Resource Types

Type Code	Type of Resource	Name, Content, Format
00000100	Database	DB
00000200	Table space	DB.SP
00000201	Index space	DB.SP
00000202	Table space	RD.DB.TS
00000205	Compression Dictionary	DB.SP
00000210	Partition	DB.SP.PT
00000220	Data set	DSN
00000230	Temporary file	SZ
00000240	Database procedure	DBP
00000300	Page	DB.SP.PG
00000301	Index minipage	DB.SP.PG.MP
00000302	Table space page	DB.SP.PG
00000303	Index space page	DB.SP.PG
00000304	Table space RID	DB.SP.RID
00000305	Index access/table space RID	DB.SP.RID
00000306	Index access/table space page	DB.SP.PG
00000307	Index space EOF	DB.SP.01
00000308	Table space page	DB.SP.PT.PG
00000309	Index space page	DB.SP.PT.PG
0000030A	Table space RID	DB.SP.PT.RID
00000400	ICF catalog	IC
00000401	Authorization function	

00000402	Security Server	SAF/RACF return/reason codes
00000500	Storage group	SG
00000600	EDM pool space	
00000602	EDM DBD Space	
00000603	EDM DYNAMIC STATEMENT Space	
00000604	EDM skeleton storage	
00000605	EDM above-the-bar	
00000606	EDM below-th-bar	
00000700	Buffer pool space	BP
00000701	Group buffer pool	GBP
00000800	Plan	PL
00000801	Package	COLLECTION. PACKAGE. CONTOKEN
00000802	BINDLOCK01 through BINDLOCK20	BINDLOCK01 through BINDLOCK20
00000900	32KB data area	
00000901	Sort storage	
00000903	Hash anchor	DB.SP.PG.AI
00000904	RIDLIST storage	
00000905	IRLM storage	
00000906	Db2	MEMBER
00000907	Data Space	MEMBER
00000908	Basic Floating Point Extensions Facility	
00000909	Extended Time-of-Day (TOD) Clock	
0000090A	XML storage	
00000A00	Table	RD.CR.TB
00000A10	Alias	RELDEP. OWNER. ALIAS. RD.CR.AL
00000A11	Distinct type	SC.DT
00000A12	User-defined function	SC.SN
00000A13	Stored procedure	SC.SN
00000A14	Sequence	
00000B00	View	RD.CR.VW
00000C00	Index	RD.CR.IX
00000C01	Index	CR.IX
00000D00	DBID/OBID	RD.DI.OI
00000D01	DBID/OBID	DI.OI
00000D02	OBID	OI
00000E00	SU limit exceeded	CN
00000F00	Auxiliary column	DI.OI. ROWID. COLN DI.OI.DOCID.COLN
00000F01	LOB lock	DIX.PIX. ROWID. VRSN
00000F81	XML Lock	DIX.PIX.DOCID
00001000	DDF	LOCATION or SUBSYSTEM ID
00001001	System conversation	LU.MODE. RTNCD. FDBK2. RCPRI. RCSEC. SENSE
00001002	Agent conversation	LU.MODE. RTNCD. FDBK2. RCPRI. RCSEC. SENSE
00001003	CNOS processing	LU. MODE. RTNCD. FDBK2. RCPRI. RCSEC. SENSE
00001004	CDB (Communication database)	LOCATION. AUTHORIZATION ID. PL
00001005	DB access agent	LOCATION
00001007	TCP/IP domain name	LINKNAME. DOMAIN. ERRNO
00001008	TCP/IP service name	LOCATION. SERVICE. ERRNO

00001080	ACCEL	SERVER.DOMAIN
00001102	Bootstrap data set (BSDS)	MEMBER
00002000	Table space CS-claim class	DB.SP
00002001	Table space RR-claim class	DB.SP
00002002	Table space write-claim class	DB.SP
00002003	Index space CS-claim class	DB.SP
00002004	Index space RR-claim class	DB.SP
00002005	Index space write-claim class	DB.SP
00002006	Table space partition CS-claim class	DB.SP.PT
00002007	Table space partition RR-claim class	DB.SP.PT
00002008	Table space partition write-claim class	DB.SP.PT
00002009	Index space partition CS-claim class	DB.SP.PT
00002010	Index space partition RR-claim class	DB.SP.PT
00002011	Index space partition Write-claim class	DB.SP.PT
00002100	Table space DBET entry	DB.SP
00002101	Index space DBET entry	DB.SP
00002102	Table space partition DBET entry	DB.SP.PT
00002103	Index space partition DBET entry	DB.SP.PT
00002104	DBET hash chain lock timeout	INTERNAL LOCK NN
00002105	Logical partition DBET entry	DB.SP.PT
00002200	Routine Parameter Storage	DBP
00002201	Debug Agent Storage	DBP
00002300	ICSF encryption and decryption facilities	
00003000	Code (release maintenance level or system parameter)	REL, APAR, ZPARM
00003002	Number of Stored Procedures	
00003072	Index	
00003073	Index	
00003328	Release dependency	
00003329	DBID/OBID	DI.OI
00003330	OBID limit exceeded	
00003840	LOB column	
00004000	Profile exception threshold exceeded	PID.PTYPE.PNAME
00004001	Access List Entry	ALET